

[MS-OXPROPS]: Office Exchange Protocols Master Property List Specification

Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp/default.aspx>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting protocol@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Preliminary Documentation. This documentation is preliminary documentation for these protocols. Since the documentation may change between this preliminary version and the final version, there are risks in relying on preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

Tools. This protocol documentation is intended for use in conjunction with publicly available standard specifications and networking programming art, and assumes that the reader is either familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for a Licensee to develop an implementation. Licensees who have access to Microsoft programming tools and environments are free to take advantage of them.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	April 25, 2008	0.2	Updated to reflect property name changes in dependent documents.

Preliminary

Table of Contents

1	Introduction.....	26
1.1	Glossary.....	26
1.2	References.....	26
1.2.1	Normative References.....	26
1.2.2	Informative References.....	29
1.3	Structure Overview (Synopsis).....	29
1.3.1	Common Message Classes.....	29
1.3.2	Commonly Used Property Sets.....	30
1.3.3	Property ID Ranges.....	31
1.4	Relationship to Protocols and Other Structures.....	32
1.5	Applicability Statement.....	33
1.6	Versioning and Localization.....	33
1.7	Vendor-Extensible Fields.....	33
2	Structures.....	33
2.1	PidLidAddressBookProviderArrayType.....	33
2.2	PidLidAddressBookProviderEmailList.....	33
2.3	PidLidAddressCountryCode.....	33
2.4	PidLidAgingDontAgeMe.....	34
2.5	PidLidAllAttendeesList.....	34
2.6	PidLidAllAttendeesString.....	34
2.7	PidLidAllowExternalCheck.....	34
2.8	PidLidAnniversaryEventEntryId.....	34
2.9	PidLidAppointmentAuxiliaryFlags.....	35
2.10	PidLidAppointmentColor.....	35
2.11	PidLidAppointmentCounterProposal.....	35
2.12	PidLidAppointmentDuration.....	35
2.13	PidLidAppointmentEndDate.....	35
2.14	PidLidAppointmentEndWhole.....	36
2.15	PidLidAppointmentLastSequence.....	36
2.16	PidLidAppointmentMessageClass.....	36
2.17	PidLidAppointmentNotAllowPropose.....	36
2.18	PidLidAppointmentProposalNumber.....	36
2.19	PidLidAppointmentProposedDuration.....	37
2.20	PidLidAppointmentProposedEndWhole.....	37
2.21	PidLidAppointmentProposedStartWhole.....	37
2.22	PidLidAppointmentRecur.....	37
2.23	PidLidAppointmentReplyName.....	37
2.24	PidLidAppointmentReplyTime.....	38
2.25	PidLidAppointmentSequence.....	38
2.26	PidLidAppointmentSequenceTime.....	38
2.27	PidLidAppointmentStartDate.....	38
2.28	PidLidAppointmentStartWhole.....	38
2.29	PidLidAppointmentStateFlags.....	39
2.30	PidLidAppointmentSubType.....	39

2.31	PidLidAppointmentTimeZoneDefinitionEndDisplay	39
2.32	PidLidAppointmentTimeZoneDefinitionRecur	39
2.33	PidLidAppointmentTimeZoneDefinitionStartDisplay	39
2.34	PidLidAppointmentUnsendableRecipients	40
2.35	PidLidAttendeeCriticalChange	40
2.36	PidLidAutoFillLocation	40
2.37	PidLidAutoLog	40
2.38	PidLidAutoProcessState	40
2.39	PidLidAutoStartCheck	41
2.40	PidLidAutoStartWhen	41
2.41	PidLidBirthdayEventEntryId	41
2.42	PidLidBusinessCardCardPicture	41
2.43	PidLidBusinessCardDisplayDefinition	41
2.44	PidLidBusyStatus	42
2.45	PidLidCalendarType	42
2.46	PidLidCategories	42
2.47	PidLidCcAttendeesString	42
2.48	PidLidChangeHighlight	42
2.49	PidLidClassification	43
2.50	PidLidClassificationDescription	43
2.51	PidLidClassificationGuid	43
2.52	PidLidClassificationKeep	43
2.53	PidLidClassified	43
2.54	PidLidCleanGlobalObjectId	44
2.55	PidLidClipEnd	44
2.56	PidLidClipStart	44
2.57	PidLidCollaborateDoc	44
2.58	PidLidCommonEnd	44
2.59	PidLidCommonStart	45
2.60	PidLidCompanies	45
2.61	PidLidConferencingCheck	45
2.62	PidLidConferencingType	45
2.63	PidLidContactCharacterSet	45
2.64	PidLidContactItemData	46
2.65	PidLidContactItemData2	46
2.66	PidLidContactLinkEntry	46
2.67	PidLidContactLinkName	46
2.68	PidLidContactLinkSearchKey	46
2.69	PidLidContactLinkSearchKey	47
2.70	PidLidContacts	47
2.71	PidLidContactUserField1	47
2.72	PidLidContactUserField2	47
2.73	PidLidContactUserField3	47
2.74	PidLidContactUserField4	48
2.75	PidLidCurrentVersion	48

2.76	PidLidCurrentVersionName.....	48
2.77	PidLidDayInterval.....	48
2.78	PidLidDelegateMail.....	48
2.79	PidLidDepartment.....	49
2.80	PidLidDirectory.....	49
2.81	PidLidDistributionListChecksum.....	49
2.82	PidLidDistributionListMembers.....	49
2.83	PidLidDistributionListName.....	49
2.84	PidLidDistributionListOneOffMembers.....	50
2.85	PidLidEmail1AddressType.....	50
2.86	PidLidEmail1DisplayName.....	50
2.87	PidLidEmail1EmailAddress.....	50
2.88	PidLidEmail1EmailType.....	50
2.89	PidLidEmail1EntryId.....	51
2.90	PidLidEmail1OriginalDisplayName.....	51
2.91	PidLidEmail1OriginalEntryId.....	51
2.92	PidLidEmail1RichTextFormat.....	51
2.93	PidLidEmail2AddressType.....	51
2.94	PidLidEmail2DisplayName.....	52
2.95	PidLidEmail2EmailAddress.....	52
2.96	PidLidEmail2EmailType.....	52
2.97	PidLidEmail2EntryId.....	52
2.98	PidLidEmail2OriginalDisplayName.....	52
2.99	PidLidEmail2OriginalEntryId.....	53
2.100	PidLidEmail2RichTextFormat.....	53
2.101	PidLidEmail3AddressType.....	53
2.102	PidLidEmail3DisplayName.....	53
2.103	PidLidEmail3EmailAddress.....	53
2.104	PidLidEmail3EmailType.....	54
2.105	PidLidEmail3EntryId.....	54
2.106	PidLidEmail3OriginalDisplayName.....	54
2.107	PidLidEmail3OriginalEntryId.....	54
2.108	PidLidEmail3RichTextFormat.....	54
2.109	PidLidEmailList.....	55
2.110	PidLidExceptionReplaceTime.....	55
2.111	PidLidFax1AddressType.....	55
2.112	PidLidFax1DisplayName.....	55
2.113	PidLidFax1EmailAddress.....	55
2.114	PidLidFax1EmailType.....	56
2.115	PidLidFax1EntryId.....	56
2.116	PidLidFax1OriginalDisplayName.....	56
2.117	PidLidFax1OriginalEntryId.....	56
2.118	PidLidFax1RichTextFormat.....	56
2.119	PidLidFax2AddressType.....	57
2.120	PidLidFax2DisplayName.....	57

2.121	PidLidFax2EmailAddress.....	57
2.122	PidLidFax2EmailType.....	57
2.123	PidLidFax2EntryId.....	57
2.124	PidLidFax2OriginalDisplayName.....	58
2.125	PidLidFax2OriginalEntryId.....	58
2.126	PidLidFax2RichTextFormat.....	58
2.127	PidLidFax3AddressType.....	58
2.128	PidLidFax3DisplayName.....	58
2.129	PidLidFax3EmailAddress.....	59
2.130	PidLidFax3EmailType.....	59
2.131	PidLidFax3EntryId.....	59
2.132	PidLidFax3OriginalDisplayName.....	59
2.133	PidLidFax3OriginalEntryId.....	59
2.134	PidLidFax3RichTextFormat.....	60
2.135	PidLidFExceptionalAttendees.....	60
2.136	PidLidFExceptionalBody.....	60
2.137	PidLidFileUnder.....	60
2.138	PidLidFileUnderId.....	60
2.139	PidLidFileUnderList.....	61
2.140	PidLidFInvited.....	61
2.141	PidLidFlagRequest.....	61
2.142	PidLidFlagString.....	61
2.143	PidLidForwardInstance.....	61
2.144	PidLidFreeBusyLocation.....	62
2.145	PidLidGlobalObjectId.....	62
2.146	PidLidHasPicture.....	62
2.147	PidLidHomeAddress.....	62
2.148	PidLidHomeAddressCountryCode.....	62
2.149	PidLidHtml.....	63
2.150	PidLidInstantMessagingAddress.....	63
2.151	PidLidInstantMessagingAddress.....	63
2.152	PidLidIntendedBusyStatus.....	63
2.153	PidLidInternetAccountName.....	63
2.154	PidLidInternetAccountStamp.....	64
2.155	PidLidIsException.....	64
2.156	PidLidIsRecurring.....	64
2.157	PidLidIsSilent.....	64
2.158	PidLidLinkedTaskItems.....	64
2.159	PidLidLocation.....	65
2.160	PidLidLogDocumentPosted.....	65
2.161	PidLidLogDocumentPrinted.....	65
2.162	PidLidLogDocumentRouted.....	65
2.163	PidLidLogDocumentSaved.....	65
2.164	PidLidLogDuration.....	66
2.165	PidLidLogEnd.....	66

2.166	PidLidLogFlags	66
2.167	PidLidLogStart	66
2.168	PidLidLogType	66
2.169	PidLidLogTypeDesc	67
2.170	PidLidMeetingType	67
2.171	PidLidMeetingWorkspaceUrl	67
2.172	PidLidMonthInterval	67
2.173	PidLidNetShowUrl	67
2.174	PidLidNonSendableBcc	68
2.175	PidLidNonSendableCc	68
2.176	PidLidNonSendableTo	68
2.177	PidLidNonSendBccTrackStatus	68
2.178	PidLidNonSendCcTrackStatus	68
2.179	PidLidNonSendToTrackStatus	69
2.180	PidLidNoteColor	69
2.181	PidLidNoteHeight	69
2.182	PidLidNoteWidth	69
2.183	PidLidNoteX	69
2.184	PidLidNoteY	70
2.185	PidLidOldLocation	70
2.186	PidLidOldWhenEndWhole	70
2.187	PidLidOldWhenStartWhole	70
2.188	PidLidOnlinePassword	70
2.189	PidLidOptionalAttendees	71
2.190	PidLidOrganizerAlias	71
2.191	PidLidOriginalStoreEntryId	71
2.192	PidLidOtherAddress	71
2.193	PidLidOtherAddressCountryCode	71
2.194	PidLidOwnerCriticalChange	72
2.195	PidLidPercentComplete	72
2.196	PidLidPostalAddressId	72
2.197	PidLidPostRssChannel	72
2.198	PidLidPostRssChannelLink	72
2.199	PidLidPostRssItemGuid	73
2.200	PidLidPostRssItemHash	73
2.201	PidLidPostRssItemLink	73
2.202	PidLidPostRssItemXml	73
2.203	PidLidPostRssSubscription	73
2.204	PidLidPrivate	74
2.205	PidLidRecurrencePattern	74
2.206	PidLidRecurrenceType	74
2.207	PidLidRecurring	74
2.208	PidLidReferenceEntryId	74
2.209	PidLidReminderDelta	75
2.210	PidLidReminderFileParameter	75

2.211	PidLidReminderOverride.....	75
2.212	PidLidReminderPlaySound	75
2.213	PidLidReminderSet.....	75
2.214	PidLidReminderSignalTime.....	76
2.215	PidLidReminderTime	76
2.216	PidLidReminderType.....	76
2.217	PidLidRequiredAttendees	76
2.218	PidLidResourceAttendees.....	76
2.219	PidLidResponseStatus.....	77
2.220	PidLidSendMeetingAsIcal.....	77
2.221	PidLidSharingAnonymity.....	77
2.222	PidLidSharingBindingEntryId.....	77
2.223	PidLidSharingBrowseUrl.....	77
2.224	PidLidSharingCapabilities	78
2.225	PidLidSharingConfigurationUrl	78
2.226	PidLidSharingDataRangeEnd.....	78
2.227	PidLidSharingDataRangeStart.....	78
2.228	PidLidSharingDetail.....	78
2.229	PidLidSharingExtensionXml.....	79
2.230	PidLidSharingFilter	79
2.231	PidLidSharingFlags.....	79
2.232	PidLidSharingFlavor	79
2.233	PidLidSharingFolderEntryId	79
2.234	PidLidSharingIndexEntryId.....	80
2.235	PidLidSharingInitiatorEntryId.....	80
2.236	PidLidSharingInitiatorName.....	80
2.237	PidLidSharingInitiatorSmtip.....	80
2.238	PidLidSharingInstanceGuid.....	80
2.239	PidLidSharingLastAutoSyncTime.....	81
2.240	PidLidSharingLastSyncTime	81
2.241	PidLidSharingLocalComment.....	81
2.242	PidLidSharingLocalLastModificationTime.....	81
2.243	PidLidSharingLocalName	81
2.244	PidLidSharingLocalPath.....	82
2.245	PidLidSharingLocalStoreUid	82
2.246	PidLidSharingLocalType.....	82
2.247	PidLidSharingLocalUid.....	82
2.248	PidLidSharingOriginalMessageEntryId.....	82
2.249	PidLidSharingParentBindingEntryId	83
2.250	PidLidSharingParticipants	83
2.251	PidLidSharingPermissions.....	83
2.252	PidLidSharingProviderExtension.....	83
2.253	PidLidSharingProviderGuid	83
2.254	PidLidSharingProviderName.....	84
2.255	PidLidSharingProviderUrl.....	84

2.256	PidLidSharingRangeEnd	84
2.257	PidLidSharingRangeStart	84
2.258	PidLidSharingReciprocation.....	84
2.259	PidLidSharingRemoteByteSize.....	85
2.260	PidLidSharingRemoteComment	85
2.261	PidLidSharingRemoteCrc.....	85
2.262	PidLidSharingRemoteLastModificationTime	85
2.263	PidLidSharingRemoteMessageCount	85
2.264	PidLidSharingRemoteName.....	86
2.265	PidLidSharingRemotePass	86
2.266	PidLidSharingRemotePath	86
2.267	PidLidSharingRemoteStoreUid.....	86
2.268	PidLidSharingRemoteType	86
2.269	PidLidSharingRemoteUid.....	87
2.270	PidLidSharingRemoteUser.....	87
2.271	PidLidSharingRemoteVersion.....	87
2.272	PidLidSharingResponseTime.....	87
2.273	PidLidSharingResponseType	87
2.274	PidLidSharingRoamLog	88
2.275	PidLidSharingStart	88
2.276	PidLidSharingStatus.....	88
2.277	PidLidSharingStop	88
2.278	PidLidSharingSyncFlags	88
2.279	PidLidSharingSyncInterval.....	89
2.280	PidLidSharingTimeToLive.....	89
2.281	PidLidSharingTimeToLiveAuto	89
2.282	PidLidSharingWebUrl	89
2.283	PidLidSharingWorkingHoursDays	89
2.284	PidLidSharingWorkingHoursEnd	90
2.285	PidLidSharingWorkingHoursStart	90
2.286	PidLidSharingWorkingHoursTimeZone	90
2.287	PidLidSideEffects.....	90
2.288	PidLidSingleInvite	90
2.289	PidLidSmartNoAttach.....	91
2.290	PidLidSpamOriginalFolder.....	91
2.291	PidLidTaskAcceptanceState.....	91
2.292	PidLidTaskAccepted.....	91
2.293	PidLidTaskActualEffort.....	91
2.294	PidLidTaskAssigner	92
2.295	PidLidTaskAssigners	92
2.296	PidLidTaskComplete	92
2.297	PidLidTaskDateCompleted	92
2.298	PidLidTaskDeadOccurrence.....	92
2.299	PidLidTaskDueDate.....	93
2.300	PidLidTaskEstimatedEffort	93

2.301	PidLidTaskFCreator	93
2.302	PidLidTaskFFixOffline	93
2.303	PidLidTaskFRecurring	93
2.304	PidLidTaskGlobalId	94
2.305	PidLidTaskHistory	94
2.306	PidLidTaskLastDelegate	94
2.307	PidLidTaskLastUpdate	94
2.308	PidLidTaskLastUser	94
2.309	PidLidTaskMode	95
2.310	PidLidTaskMultipleRecipients	95
2.311	PidLidTaskNoCompute	95
2.312	PidLidTaskOrdinal	95
2.313	PidLidTaskOwner	95
2.314	PidLidTaskOwnership	96
2.315	PidLidTaskRecurrence	96
2.316	PidLidTaskResetReminder	96
2.317	PidLidTaskRole	96
2.318	PidLidTaskStartDate	96
2.319	PidLidTaskState	97
2.320	PidLidTaskStatus	97
2.321	PidLidTaskStatusOnComplete	97
2.322	PidLidTaskUpdates	97
2.323	PidLidTaskVersion	97
2.324	PidLidTeamTask	98
2.325	PidLidTimeZone	98
2.326	PidLidTimeZoneDescription	98
2.327	PidLidTimeZoneStruct	98
2.328	PidLidToAttendeesString	98
2.329	PidLidToDoOrdinalDate	99
2.330	PidLidToDoSubOrdinal	99
2.331	PidLidToDoTitle	99
2.332	PidLidUserX509Certificate	99
2.333	PidLidUseTnef	99
2.334	PidLidValidFlagStringProof	100
2.335	PidLidVerbResponse	100
2.336	PidLidVerbStream	100
2.337	PidLidWeekInterval	100
2.338	PidLidWhere	100
2.339	PidLidWorkAddress	101
2.340	PidLidWorkAddressCity	101
2.341	PidLidWorkAddressCountry	101
2.342	PidLidWorkAddressCountryCode	101
2.343	PidLidWorkAddressPostalCode	101
2.344	PidLidWorkAddressPostOfficeBox	102
2.345	PidLidWorkAddressState	102

2.346	PidLidWorkAddressStreet	102
2.347	PidLidYearInterval	102
2.348	PidLidYomiCompanyName	102
2.349	PidLidYomiFirstName	103
2.350	PidLidYomiLastName	103
2.351	PidNameAcceptLanguage	103
2.352	PidNameApplicationName	103
2.353	PidNameAttachmentMacContentType	103
2.354	PidNameAttachmentMacInfo	104
2.355	PidNameAudioNotes	104
2.356	PidNameAuthor	104
2.357	PidNameByteCount	104
2.358	PidNameCategory	104
2.359	PidNameCharacterCount	105
2.360	PidNameComments	105
2.361	PidNameCompany	105
2.362	PidNameContentBase	105
2.363	PidNameContentClass	105
2.364	PidNameContentTransferEncoding	106
2.365	PidNameContentType	106
2.366	PidNameCreateDateTimeReadOnly	106
2.367	PidNameCrossReference	106
2.368	PidNameEditTime	106
2.369	PidNameExchangeJunkEmailMoveStamp	107
2.370	PidNameHiddenCount	107
2.371	PidNameInstantMessagingAddress1	107
2.372	PidNameInstantMessagingAddress2	107
2.373	PidNameInstantMessagingAddress2	107
2.374	PidNameKeywords	108
2.375	PidNameLastAuthor	108
2.376	PidNameLastPrinted	108
2.377	PidNameLastSaveDateTime	108
2.378	PidNameLineCount	108
2.379	PidNameManager	109
2.380	PidNameMultimediaClipCount	109
2.381	PidNameMultimediaMessagingServiceAddress	109
2.382	PidNameNoteCount	109
2.383	PidNameOMSAccountGuid	109
2.384	PidNameOMSMessageType	110
2.385	PidNameOMSMobileModel	110
2.386	PidNameOMSScheduleTime	110
2.387	PidNameOMSServiceType	110
2.388	PidNameOMSSourceType	110
2.389	PidNameOutlookPhishingstamp	111
2.390	PidNamePageCount	111

2.391	PidNameParagraphCount	111
2.392	PidNamePresentationFormat	111
2.393	PidNameRevisionNumber	111
2.394	PidNameRightsManagementLicense	112
2.395	PidNameSecurity	112
2.396	PidNameSlideCount	112
2.397	PidNameSubject	112
2.398	PidNameTemplate	112
2.399	PidNameTitle	113
2.400	PidNameWordCount	113
2.401	PidNameXSharingBrowseUrl	113
2.402	PidNameXSharingCapabilities	113
2.403	PidNameXSharingConfigUrl	113
2.404	PidNameXSharingExendedCaps	114
2.405	PidNameXSharingFlavor	114
2.406	PidNameXSharingInstanceGuid	114
2.407	PidNameXSharingLocalType	114
2.408	PidNameXSharingProviderGuid	114
2.409	PidNameXSharingProviderName	115
2.410	PidNameXSharingProviderUrl	115
2.411	PidNameXSharingRemoteName	115
2.412	PidNameXSharingRemotePath	115
2.413	PidNameXSharingRemoteStoreUId	115
2.414	PidNameXSharingRemoteType	116
2.415	PidNameXSharingRemoteUId	116
2.416	PidTag7BitDisplayName	116
2.417	PidTagAccess	116
2.418	PidTagAccessLevel	116
2.419	PidTagAccount	117
2.420	PidTagAdditionalRenEntryIds	117
2.421	PidTagAdditionalRenEntryIdsEx	117
2.422	PidTagAddressBookContainerId	117
2.423	PidTagAddressBookDisplayNamePrintable	117
2.424	PidTagAddressBookEntryId	118
2.425	PidTagAddressBookExtensionAttribute1	118
2.426	PidTagAddressBookExtensionAttribute10	118
2.427	PidTagAddressBookExtensionAttribute11	118
2.428	PidTagAddressBookExtensionAttribute12	118
2.429	PidTagAddressBookExtensionAttribute13	119
2.430	PidTagAddressBookExtensionAttribute14	119
2.431	PidTagAddressBookExtensionAttribute15	119
2.432	PidTagAddressBookExtensionAttribute2	119
2.433	PidTagAddressBookExtensionAttribute3	120
2.434	PidTagAddressBookExtensionAttribute4	120
2.435	PidTagAddressBookExtensionAttribute5	120

2.436	PidTagAddressBookExtensionAttribute6.....	120
2.437	PidTagAddressBookExtensionAttribute7.....	120
2.438	PidTagAddressBookExtensionAttribute8.....	121
2.439	PidTagAddressBookExtensionAttribute9.....	121
2.440	PidTagAddressBookFolderPathname.....	121
2.441	PidTagAddressBookHierarchicalChildDepartments.....	121
2.442	PidTagAddressBookHierarchicalDepartmentMembers.....	122
2.443	PidTagAddressBookHierarchicalParentDepartment.....	122
2.444	PidTagAddressBookHierarchicalRootDepartment.....	122
2.445	PidTagAddressBookHierarchicalShowInDepartments.....	122
2.446	PidTagAddressBookHomeMessageDatabase.....	122
2.447	PidTagAddressBookIsMaster.....	122
2.448	PidTagAddressBookIsMemberOfDistributionList.....	123
2.449	PidTagAddressBookManageDistributionList.....	123
2.450	PidTagAddressBookManager.....	123
2.451	PidTagAddressBookManagerDistinguishedName.....	123
2.452	PidTagAddressBookMember.....	123
2.453	PidTagAddressBookMessageId.....	124
2.454	PidTagAddressBookNetworkAddress.....	124
2.455	PidTagAddressBookObjectDistinguishedName.....	124
2.456	PidTagAddressBookObjectGuid.....	124
2.457	PidTagAddressBookOwner.....	124
2.458	PidTagAddressBookOwnerBackLink.....	125
2.459	PidTagAddressBookParentEntryId.....	125
2.460	PidTagAddressBookPhoneticCompanyName.....	125
2.461	PidTagAddressBookPhoneticDepartmentName.....	125
2.462	PidTagAddressBookPhoneticDisplayName.....	125
2.463	PidTagAddressBookPhoneticGivenName.....	126
2.464	PidTagAddressBookPhoneticSurname.....	126
2.465	PidTagAddressBookProxyAddresses.....	126
2.466	PidTagAddressBookPublicDelegates.....	126
2.467	PidTagAddressBookReports.....	127
2.468	PidTagAddressBookRoomCapacity.....	127
2.469	PidTagAddressBookRoomContainers.....	127
2.470	PidTagAddressBookRoomDescription.....	127
2.471	PidTagAddressBookSeniorityIndex.....	127
2.472	PidTagAddressBookTargetAddress.....	128
2.473	PidTagAddressBookX509Certificate.....	128
2.474	PidTagAddressType.....	128
2.475	PidTagAlternateRecipientAllowed.....	128
2.476	PidTagAnr.....	128
2.477	PidTagAssistant.....	129
2.478	PidTagAssistantTelephoneNumber.....	129
2.479	PidTagAssociated.....	129
2.480	PidTagAttachAdditionalInformation.....	129

2.481	PidTagAttachContentBase.....	129
2.482	PidTagAttachContentId	130
2.483	PidTagAttachContentLocation	130
2.484	PidTagAttachDataBinary.....	130
2.485	PidTagAttachDataObject.....	130
2.486	PidTagAttachEncoding.....	130
2.487	PidTagAttachExtension	131
2.488	PidTagAttachFilename	131
2.489	PidTagAttachFlags.....	131
2.490	PidTagAttachLongFilename.....	131
2.491	PidTagAttachLongPathname.....	131
2.492	PidTagAttachmentContactPhoto	132
2.493	PidTagAttachmentFlags.....	132
2.494	PidTagAttachmentHidden	132
2.495	PidTagAttachmentLinkId	132
2.496	PidTagAttachMethod.....	132
2.497	PidTagAttachMimeType	133
2.498	PidTagAttachNumber	133
2.499	PidTagAttachPathname	133
2.500	PidTagAttachPayloadClass.....	133
2.501	PidTagAttachPayloadProviderGuidString.....	133
2.502	PidTagAttachRendering.....	134
2.503	PidTagAttachSize.....	134
2.504	PidTagAttachTag	134
2.505	PidTagAttachTransportName.....	134
2.506	PidTagAttributeHidden.....	134
2.507	PidTagAttributeReadOnly.....	135
2.508	PidTagAttributeSystem.....	135
2.509	PidTagAutoForwarded.....	135
2.510	PidTagAutoResponseSuppress.....	135
2.511	PidTagBirthday	135
2.512	PidTagBlockStatus.....	135
2.513	PidTagBody.....	136
2.514	PidTagBodyContentId	136
2.515	PidTagBodyContentLocation	136
2.516	PidTagBodyHtml	136
2.517	PidTagBusiness2TelephoneNumber.....	136
2.518	PidTagBusiness2TelephoneNumber.....	137
2.519	PidTagBusinessFaxNumber	137
2.520	PidTagBusinessHomePage.....	137
2.521	PidTagBusinessTelephoneNumber.....	137
2.522	PidTagCallbackTelephoneNumber	137
2.523	PidTagCallId.....	138
2.524	PidTagCarTelephoneNumber.....	138
2.525	PidTagChangeKey	138

2.526	PidTagChangeNotificationGuid	138
2.527	PidTagChangeNumber	138
2.528	PidTagChildrensNames	139
2.529	PidTagClientActions	139
2.530	PidTagClientSubmitTime	139
2.531	PidTagCnsetRead	139
2.532	PidTagCnsetSeen	139
2.533	PidTagCnsetSeenFAI	140
2.534	PidTagCodePageId	140
2.535	PidTagComment	140
2.536	PidTagCompanyMainTelephoneNumber	140
2.537	PidTagCompanyName	140
2.538	PidTagComputerNetworkName	141
2.539	PidTagConflictEntryId	141
2.540	PidTagConflictItems	141
2.541	PidTagContainerClass	141
2.542	PidTagContainerContents	141
2.543	PidTagContainerFlags	142
2.544	PidTagContainerHierarchy	142
2.545	PidTagContentCount	142
2.546	PidTagContentFilterSpamConfidenceLevel	142
2.547	PidTagContentUnreadCount	142
2.548	PidTagConversationIndex	142
2.549	PidTagConversationKey	143
2.550	PidTagConversationTopic	143
2.551	PidTagCountry	143
2.552	PidTagCreationTime	143
2.553	PidTagCreatorEntryId	143
2.554	PidTagCreatorName	144
2.555	PidTagCreatorSimpleDisplayName	144
2.556	PidTagCustomerId	144
2.557	PidTagDamBackPatched	144
2.558	PidTagDamOriginalEntryId	144
2.559	PidTagDefaultPostMessageClass	145
2.560	PidTagDeferredDeliveryTime	145
2.561	PidTagDeferredSendNumber	145
2.562	PidTagDeferredSendTime	145
2.563	PidTagDeferredSendUnits	145
2.564	PidTagDelegatedByRule	145
2.565	PidTagDelegateFlags	146
2.566	PidTagDelegation	146
2.567	PidTagDeleteAfterSubmit	146
2.568	PidTagDeletedAssociatedMessageCount	146
2.569	PidTagDeletedAssociatedMessageSizeExtended	146
2.570	PidTagDeletedMessageCount	147

2.571	PidTagDeletedMessageSizeExtended.....	147
2.572	PidTagDeletedNormalMessageSizeExtended.....	147
2.573	PidTagDeletedOn.....	147
2.574	PidTagDepartmentName.....	147
2.575	PidTagDepth.....	148
2.576	PidTagDisplayBcc.....	148
2.577	PidTagDisplayCc.....	148
2.578	PidTagDisplayName.....	148
2.579	PidTagDisplayNamePrefix.....	148
2.580	PidTagDisplayTo.....	149
2.581	PidTagDisplayType.....	149
2.582	PidTagDisplayTypeEx.....	149
2.583	PidTagEcWarning.....	149
2.584	PidTagEmailAddress.....	149
2.585	PidTagEmailAddress1.....	150
2.586	PidTagEndDate.....	150
2.587	PidTagEntryId.....	150
2.588	PidTagExceptionEndTime.....	150
2.589	PidTagExceptionReplaceTime.....	150
2.590	PidTagExceptionStartTime.....	150
2.591	PidTagExpiryNumber.....	151
2.592	PidTagExpiryTime.....	151
2.593	PidTagExpiryUnits.....	151
2.594	PidTagExtendedFolderFlags.....	151
2.595	PidTagExtendedRuleMessageActions.....	151
2.596	PidTagExtendedRuleMessageCondition.....	152
2.597	PidTagExtendedRuleSizeLimit.....	152
2.598	PidTagFaxNumberOfPages.....	152
2.599	PidTagFlagCompleteTime.....	152
2.600	PidTagFlagStatus.....	152
2.601	PidTagFolderAssociatedContents.....	152
2.602	PidTagFolderId.....	153
2.603	PidTagFolderType.....	153
2.604	PidTagFollowupIcon.....	153
2.605	PidTagFreeBusyCountMonths.....	153
2.606	PidTagFreeBusyEntryIds.....	153
2.607	PidTagFreeBusyMessageEmailAddress.....	154
2.608	PidTagFreeBusyPublishEnd.....	154
2.609	PidTagFreeBusyPublishStart.....	154
2.610	PidTagFreeBusyRangeTimestamp.....	154
2.611	PidTagFtpSite.....	154
2.612	PidTagFXDelProp.....	154
2.613	PidTagGatewayNeedsToRefresh.....	155
2.614	PidTagGender.....	155
2.615	PidTagGeneration.....	155

2.616	PidTagGivenName.....	155
2.617	PidTagGovernmentIdNumber.....	155
2.618	PidTagHasAttachments.....	156
2.619	PidTagHasDeferredActionMessages.....	156
2.620	PidTagHasNamedProperties.....	156
2.621	PidTagHasRules.....	156
2.622	PidTagHierarchyChangeNumber.....	156
2.623	PidTagHobbies.....	156
2.624	PidTagHome2TelephoneNumber.....	157
2.625	PidTagHome2TelephoneNumbers.....	157
2.626	PidTagHomeAddressCity.....	157
2.627	PidTagHomeAddressCountry.....	157
2.628	PidTagHomeAddressPostalCode.....	157
2.629	PidTagHomeAddressPostOfficeBox.....	158
2.630	PidTagHomeAddressStateOrProvince.....	158
2.631	PidTagHomeAddressStreet.....	158
2.632	PidTagHomeFaxNumber.....	158
2.633	PidTagHomeTelephoneNumber.....	159
2.634	PidTagHtml.....	159
2.635	PidTagIconIndex.....	159
2.636	PidTagIdsetDeleted.....	159
2.637	PidTagIdsetExpired.....	159
2.638	PidTagIdsetGiven.....	159
2.639	PidTagIdsetRead.....	160
2.640	PidTagIdsetSoftDeleted.....	160
2.641	PidTagIdsetUnread.....	160
2.642	PidTagImapCachedMsgsize.....	160
2.643	PidTagImportance.....	160
2.644	PidTagInConflict.....	161
2.645	PidTagIncrementalSyncMessagePartial.....	161
2.646	PidTagIncrSyncGroupId.....	161
2.647	PidTagInitialDetailsPane.....	161
2.648	PidTagInitials.....	161
2.649	PidTagInReplyToId.....	161
2.650	PidTagInstanceKey.....	162
2.651	PidTagInstanceNum.....	162
2.652	PidTagInstID.....	162
2.653	PidTagInternetArticleNumber.....	162
2.654	PidTagInternetCodepage.....	162
2.655	PidTagInternetMailOverrideFormat.....	163
2.656	PidTagInternetMessageId.....	163
2.657	PidTagInternetReferences.....	163
2.658	PidTagInternetReturnPath.....	163
2.659	PidTagIpmAppointmentEntryId.....	163
2.660	PidTagIpmContactEntryId.....	164

2.661	PidTagIpmDraftsEntryId	164
2.662	PidTagIpmJournalEntryId	164
2.663	PidTagIpmNoteEntryId	164
2.664	PidTagIpmTaskEntryId	164
2.665	PidTagIsdnNumber	164
2.666	PidTagItemTemporaryFlags	165
2.667	PidTagJunkAddRecipientsToSafeSendersList	165
2.668	PidTagJunkIncludeContacts	165
2.669	PidTagJunkPermanentlyDelete	165
2.670	PidTagJunkPhishingEnableLinks	165
2.671	PidTagJunkPostmarkOutgoingMail	166
2.672	PidTagJunkThreshold	166
2.673	PidTagKeyword	166
2.674	PidTagLanguage	166
2.675	PidTagLastModificationTime	166
2.676	PidTagLastModifierEntryId	166
2.677	PidTagLastModifierName	167
2.678	PidTagLastModifierSimpleDisplayName	167
2.679	PidTagLastVerbExecuted	167
2.680	PidTagLastVerbExecutionTime	167
2.681	PidTagListHelp	167
2.682	PidTagListSubscribe	168
2.683	PidTagListUnsubscribe	168
2.684	PidTagLocalCommitTime	168
2.685	PidTagLocaleId	168
2.686	PidTagLocality	168
2.687	PidTagLocation	169
2.688	PidTagMailboxOwnerEntryId	169
2.689	PidTagMailboxOwnerName	169
2.690	PidTagManagerName	169
2.691	PidTagMappingSignature	169
2.692	PidTagMaximumSubmitMessageSize	170
2.693	PidTagMemberId	170
2.694	PidTagMemberName	170
2.695	PidTagMemberRights	170
2.696	PidTagMessageAttachments	170
2.697	PidTagMessageCcMe	170
2.698	PidTagMessageClass	171
2.699	PidTagMessageCodepage	171
2.700	PidTagMessageDeliveryTime	171
2.701	PidTagMessageEditorFormat	171
2.702	PidTagMessageFlags	171
2.703	PidTagMessageHandlingSystemCommonName	172
2.704	PidTagMessageLocaleId	172
2.705	PidTagMessageRecipientMe	172

2.706	PidTagMessageRecipients	172
2.707	PidTagMessageSize	172
2.708	PidTagMessageSizeExtended.....	173
2.709	PidTagMessageStatus	173
2.710	PidTagMessageSubmissionId.....	173
2.711	PidTagMessageToMe	173
2.712	PidTagMid	173
2.713	PidTagMiddleName	173
2.714	PidTagMobileTelephoneNumber.....	174
2.715	PidTagNewFXFolder	174
2.716	PidTagNextSendAcct.....	174
2.717	PidTagNickname	174
2.718	PidTagNormalizedSubject.....	174
2.719	PidTagNormalMessageSize	175
2.720	PidTagObjectType	175
2.721	PidTagOfficeLocation.....	175
2.722	PidTagOfflineAddressBookCompressedSize.....	175
2.723	PidTagOfflineAddressBookContainerGuid.....	175
2.724	PidTagOfflineAddressBookDistinguishedName	176
2.725	PidTagOfflineAddressBookFileSize	176
2.726	PidTagOfflineAddressBookFileType	176
2.727	PidTagOfflineAddressBookLanguageid.....	176
2.728	PidTagOfflineAddressBookMessageClass.....	176
2.729	PidTagOfflineAddressBookName	176
2.730	PidTagOfflineAddressBookSequence	177
2.731	PidTagOfflineAddressBookShaHash.....	177
2.732	PidTagOfflineAddressBookTruncatedProperties.....	177
2.733	PidTagOrdinalMost.....	177
2.734	PidTagOrganizationalIdNumber	177
2.735	PidTagOriginalAuthorName	178
2.736	PidTagOriginalDeliveryTime.....	178
2.737	PidTagOriginalDisplayBcc.....	178
2.738	PidTagOriginalDisplayCc.....	178
2.739	PidTagOriginalDisplayName	178
2.740	PidTagOriginalDisplayTo.....	179
2.741	PidTagOriginalEntryId.....	179
2.742	PidTagOriginalMessageClass.....	179
2.743	PidTagOriginalMessageEntryId.....	179
2.744	PidTagOriginalSearchKey	179
2.745	PidTagOriginalSenderAddressType	180
2.746	PidTagOriginalSenderEmailAddress	180
2.747	PidTagOriginalSenderEntryId	180
2.748	PidTagOriginalSenderName.....	180
2.749	PidTagOriginalSenderSearchKey	180
2.750	PidTagOriginalSensitivity.....	181

2.751	PidTagOriginalSentRepresentingAddressType.....	181
2.752	PidTagOriginalSentRepresentingEmailAddress	181
2.753	PidTagOriginalSentRepresentingEntryId	181
2.754	PidTagOriginalSentRepresentingName	181
2.755	PidTagOriginalSentRepresentingSearchKey.....	182
2.756	PidTagOriginalSubject.....	182
2.757	PidTagOriginalSubmitTime	182
2.758	PidTagOriginatorDeliveryReportRequested.....	182
2.759	PidTagOriginatorNonDeliveryReportRequested	182
2.760	PidTagOtherAddressCity.....	183
2.761	PidTagOtherAddressCountry	183
2.762	PidTagOtherAddressPostalCode.....	183
2.763	PidTagOtherAddressPostOfficeBox	183
2.764	PidTagOtherAddressStateOrProvince.....	184
2.765	PidTagOtherAddressStreet	184
2.766	PidTagOtherTelephoneNumber	184
2.767	PidTagOutOfOfficeState	184
2.768	PidTagOwnerAppointmentId.....	184
2.769	PidTagPagerTelephoneNumber	185
2.770	PidTagParentEntryId.....	185
2.771	PidTagParentFolderId	185
2.772	PidTagParentKey	185
2.773	PidTagParentSourceKey.....	185
2.774	PidTagPersonalHomePage	186
2.775	PidTagPostalAddress	186
2.776	PidTagPostalCode.....	186
2.777	PidTagPostOfficeBox.....	186
2.778	PidTagPredecessorChangeList.....	186
2.779	PidTagPreferredByName.....	187
2.780	PidTagPrimaryFaxNumber.....	187
2.781	PidTagPrimarySendAccount.....	187
2.782	PidTagPrimarySmtpAddress.....	187
2.783	PidTagPrimaryTelephoneNumber	187
2.784	PidTagPriority	188
2.785	PidTagProcessed	188
2.786	PidTagProfession	188
2.787	PidTagProhibitReceiveQuota.....	188
2.788	PidTagProhibitSendQuota	188
2.789	PidTagPurportedSenderDomain.....	189
2.790	PidTagRadioTelephoneNumber.....	189
2.791	PidTagRead	189
2.792	PidTagReadReceiptEntryId	189
2.793	PidTagReadReceiptRequested	189
2.794	PidTagReadReceiptSearchKey	189
2.795	PidTagReceivedByAddressType	190

2.796	PidTagReceivedByEmailAddress	190
2.797	PidTagReceivedByEntryId	190
2.798	PidTagReceivedByFlags	190
2.799	PidTagReceivedByName	191
2.800	PidTagReceivedBySearchKey	191
2.801	PidTagReceivedRepresentingAddressType	191
2.802	PidTagReceivedRepresentingEmailAddress	191
2.803	PidTagReceivedRepresentingEntryId	191
2.804	PidTagReceivedRepresentingFlags	192
2.805	PidTagReceivedRepresentingName	192
2.806	PidTagReceivedRepresentingSearchKey	192
2.807	PidTagRecipientDisplayName	192
2.808	PidTagRecipientEntryId	192
2.809	PidTagRecipientFlags	193
2.810	PidTagRecipientOrder	193
2.811	PidTagRecipientProposed	193
2.812	PidTagRecipientProposedEndTime	193
2.813	PidTagRecipientProposedStartTime	193
2.814	PidTagRecipientReassignmentProhibited	194
2.815	PidTagRecipientResourceState	194
2.816	PidTagRecipientTrackStatus	194
2.817	PidTagRecipientTrackStatusTime	194
2.818	PidTagRecipientType	194
2.819	PidTagRecordKey	195
2.820	PidTagReferredByName	195
2.821	PidTagRemindersOnlineEntryId	195
2.822	PidTagRemoteHeaderLoc	195
2.823	PidTagRenderingPosition	195
2.824	PidTagReplyRecipientEntries	195
2.825	PidTagReplyRecipientNames	196
2.826	PidTagReplyRequested	196
2.827	PidTagReplyTemplateId	196
2.828	PidTagReplyTime	196
2.829	PidTagReportEntryId	196
2.830	PidTagReportSearchKey	197
2.831	PidTagReportTag	197
2.832	PidTagReportText	197
2.833	PidTagReportTime	197
2.834	PidTagResolveMethod	197
2.835	PidTagResponseRequested	198
2.836	PidTagResponsibility	198
2.837	PidTagRights	198
2.838	PidTagRoamingDatatypes	198
2.839	PidTagRoamingDictionary	198
2.840	PidTagRoamingXmlStream	198

2.841	PidTagRowid.....	199
2.842	PidTagRowType	199
2.843	PidTagRtfCompressed	199
2.844	PidTagRtfInSync	199
2.845	PidTagRtfSyncBodyCount	199
2.846	PidTagRtfSyncBodyCrc	200
2.847	PidTagRtfSyncBodyTag	200
2.848	PidTagRtfSyncPrefixCount	200
2.849	PidTagRtfSyncTrailingCount.....	200
2.850	PidTagRuleActionNumber	200
2.851	PidTagRuleActions	200
2.852	PidTagRuleActionType	201
2.853	PidTagRuleCondition.....	201
2.854	PidTagRuleError	201
2.855	PidTagRuleFolderEntryId.....	201
2.856	PidTagRuleId.....	201
2.857	PidTagRuleLevel.....	202
2.858	PidTagRuleMessageLevel	202
2.859	PidTagRuleMessageProviderData	202
2.860	PidTagRuleMessageSequence.....	202
2.861	PidTagRuleMessageState	202
2.862	PidTagRuleMessageUserFlags.....	202
2.863	PidTagRuleMsgActions.....	203
2.864	PidTagRuleMsgCondition	203
2.865	PidTagRuleMsgLevel	203
2.866	PidTagRuleMsgName.....	203
2.867	PidTagRuleMsgProvider	203
2.868	PidTagRuleMsgProviderData.....	204
2.869	PidTagRuleMsgSequence.....	204
2.870	PidTagRuleMsgState	204
2.871	PidTagRuleMsgUserFlags.....	204
2.872	PidTagRuleName	204
2.873	PidTagRuleProvider.....	204
2.874	PidTagRuleProviderData.....	205
2.875	PidTagRuleSequence	205
2.876	PidTagRuleState.....	205
2.877	PidTagRuleUserFlags	205
2.878	PidTagScheduleInfoAppointmentTombstone	205
2.879	PidTagScheduleInfoAutoAcceptAppointments	206
2.880	PidTagScheduleInfoDelegateEntryIds.....	206
2.881	PidTagScheduleInfoDelegateNames	206
2.882	PidTagScheduleInfoDelegateNamesW	206
2.883	PidTagScheduleInfoDelegatorWantsCopy.....	206
2.884	PidTagScheduleInfoDelegatorWantsInfo	206
2.885	PidTagScheduleInfoDisallowOverlappingAppts	207

2.886	PidTagScheduleInfoDisallowRecurringAppts	207
2.887	PidTagScheduleInfoDontMailDelegates	207
2.888	PidTagScheduleInfoFreeBusy	207
2.889	PidTagScheduleInfoFreeBusyAway	207
2.890	PidTagScheduleInfoFreeBusyBusy	208
2.891	PidTagScheduleInfoFreeBusyMerged	208
2.892	PidTagScheduleInfoFreeBusyTentative	208
2.893	PidTagScheduleInfoMonthsAway	208
2.894	PidTagScheduleInfoMonthsBusy	208
2.895	PidTagScheduleInfoMonthsMerged	208
2.896	PidTagScheduleInfoMonthsTentative	209
2.897	PidTagScheduleInfoResourceType	209
2.898	PidTagSchedulePlusFreeBusyEntryId	209
2.899	PidTagScriptData	209
2.900	PidTagSearchFolderDefinition	209
2.901	PidTagSearchFolderEfpFlags	210
2.902	PidTagSearchFolderExpiration	210
2.903	PidTagSearchFolderId	210
2.904	PidTagSearchFolderLastUsed	210
2.905	PidTagSearchFolderRecreateInfo	210
2.906	PidTagSearchFolderStorageType	210
2.907	PidTagSearchFolderTag	211
2.908	PidTagSearchFolderTemplateId	211
2.909	PidTagSearchKey	211
2.910	PidTagSecureSubmitFlags	211
2.911	PidTagSecurityDescriptor	211
2.912	PidTagSecurityDescriptorAsXml	212
2.913	PidTagSelectable	212
2.914	PidTagSenderAddressType	212
2.915	PidTagSenderEmailAddress	212
2.916	PidTagSenderEntryId	212
2.917	PidTagSenderFlags	213
2.918	PidTagSenderIdStatus	213
2.919	PidTagSenderName	213
2.920	PidTagSenderSearchKey	213
2.921	PidTagSenderSimpleDisplayName	213
2.922	PidTagSenderTelephoneNumber	213
2.923	PidTagSendInternetEncoding	214
2.924	PidTagSendRichInfo	214
2.925	PidTagSensitivity	214
2.926	PidTagSentMailEntryId	214
2.927	PidTagSentMailSvrEID	214
2.928	PidTagSentRepresentingAddressType	215
2.929	PidTagSentRepresentingEmailAddress	215
2.930	PidTagSentRepresentingEntryId	215

2.931	PidTagSentRepresentingFlags.....	215
2.932	PidTagSentRepresentingName.....	215
2.933	PidTagSentRepresentingSearchKey.....	216
2.934	PidTagSentRepresentingSimpleDisplayName.....	216
2.935	PidTagSntpAddress.....	216
2.936	PidTagSortLocaleId.....	216
2.937	PidTagSourceKey.....	216
2.938	PidTagSpouseName.....	217
2.939	PidTagStartDate.....	217
2.940	PidTagStateOrProvince.....	217
2.941	PidTagStatus.....	217
2.942	PidTagStoreEntryId.....	217
2.943	PidTagStoreState.....	218
2.944	PidTagStoreSupportMask.....	218
2.945	PidTagStoreUserEntryId.....	218
2.946	PidTagStreetAddress.....	218
2.947	PidTagSubfolders.....	218
2.948	PidTagSubject.....	219
2.949	PidTagSubjectPrefix.....	219
2.950	PidTagSubmitFlags.....	219
2.951	PidTagSurname.....	219
2.952	PidTagSwappedToDoData.....	219
2.953	PidTagSwappedToDoStore.....	219
2.954	PidTagTargetEntryId.....	220
2.955	PidTagTcvConstLongOne.....	220
2.956	PidTagTelecommunicationsDeviceForDeafTelephoneNumber.....	220
2.957	PidTagTelexNumber.....	220
2.958	PidTagTemplateData.....	220
2.959	PidTagTemplateid.....	221
2.960	PidTagTextAttachmentCharset.....	221
2.961	PidTagTitle.....	221
2.962	PidTagTnefCorrelationKey.....	221
2.963	PidTagToDoItemFlags.....	221
2.964	PidTagTransmittableDisplayName.....	222
2.965	PidTagTransportMessageHeaders.....	222
2.966	PidTagTrustSender.....	222
2.967	PidTagTtyTddPhoneNumber.....	222
2.968	PidTagUrlCompName.....	222
2.969	PidTagUrlCompNameSet.....	223
2.970	PidTagUserCertificate.....	223
2.971	PidTagUserEntryId.....	223
2.972	PidTagUserX509Certificate.....	223
2.973	PidTagViewDescriptorBinary.....	223
2.974	PidTagViewDescriptorName.....	223
2.975	PidTagViewDescriptorStrings.....	224

2.976	PidTagViewDescriptorVersion	224
2.977	PidTagVoiceMessageAttachmentOrder	224
2.978	PidTagVoiceMessageDuration.....	224
2.979	PidTagVoiceMessageSenderName.....	224
2.980	PidTagWeddingAnniversary	225
3	<i>Structure Examples</i>	225
4	<i>Security Considerations</i>	225
5	<i>Appendix A: Office/Exchange Behavior</i>	225
6	<i>Index</i>	226

Preliminary

1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

message class
named property
property
property ID
property set
property tag

The following terms are specific to this document:

Dispid: see Long ID.

tagged property: A property defined by a 16-bit property ID and a 16-bit property type. The property ID for a tagged property **MUST** fall in the range 0x001 – 0x7FFF. Property IDs in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", April 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", April 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", April 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-mail Object Conversion Protocol Specification", April 2008.

[MS-OXCMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", April 2008.

[MS-OXCPerm] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", April 2008.

[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", April 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", April 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", April 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", April 2008.

[MS-OXGLOS] Microsoft Corporation, "Office Exchange Protocols Master Glossary", April 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", April 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", April 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", April 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", April 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", April 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", April 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", April 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", April 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", April 2008.

[MS-OXOJRN] Microsoft Corporation, "Journal Object Protocol Specification", April 2008.

[MS-OXOMSG] Microsoft Corporation, "E-mail Object Protocol Specification", April 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", April 2008.

[MS-OXPROPS] - v0.2

Office Exchange Protocols Master Property List Specification
Copyright © 2008 Microsoft Corporation.
Release: Friday, April 25, 2008

[MS-OXOPFFB] Microsoft Corporation, "Public Folder Based Free/Busy Protocol Specification", April 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", April 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", April 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-mail Object Protocol Specification", April 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", April 2008.

[MS-OXORULE] Microsoft Corporation, "E-mail Rules Protocol Specification", April 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", April 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", April 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", April 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", April 2008.

[MS-OXOUM] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", April 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", April 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", April 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", April 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", April 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", April 2008.

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", April 2008.

[MS-OXPROPS] - v0.2

Office Exchange Protocols Master Property List Specification
Copyright © 2008 Microsoft Corporation.
Release: Friday, April 25, 2008

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", April 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview (Synopsis)

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each property:

Alternate names: Any additional names used to refer to this property.

Area: A group of properties with related functionality.

Canonical name: The name used to refer to this property in other protocol specifications.

data type: A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

property ID: An unsigned 16-bit quantity that identifies a tagged property.

Property long ID (LID): An unsigned 32-bit quantity that, along with the property set, identifies a named property.

property name: A string that, along with the property set, identifies a named property.

property set: A GUID that identifies a group of properties with a similar purpose.

References: One or more protocol documents that specify the semantics and allowed values for this property.

1.3.1 Common Message Classes

Applications **MUST** set certain required properties corresponding to the object's **message class**. Applications **SHOULD** handle the case where required properties are missing; treating a message object as IPM.Note is a common fallback strategy. The following table lists several common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk “*” denotes that any string MAY appear at that point.

Area	PidTagMessageClass values	Document
Common	IPM.*	[MS-OXCMSG]
Email	IPM.Note, REPORT.*	[MS-OXOMSG]
Calendar	IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification	[MS-OXOCAL]
Contact	IPM.Contact, IPM.DistList	[MS-OXOCNTC]
Task	IPM.Task, IPM.TaskRequest.*	[MS-OXOTASK]
Journal	IPM.Activity	[MS-OXOJRNL]
Sticky note	IPM.StickyNote	[MS-OXONOTE]
Document	IPM.Document.*	[MS-OXODOC]
Post	IPM.Post	[MS-OXOPOST]
RSS feed	IPM.Post.RSS	[MS-OXORSS]
Rights- managed email	IPM.Note with PidNameContentClass= rpmmsg.message	[MS-OXORMMS]
S/MIME email	IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned	[MS-OXOSMIME]
Short message service / Multimedia Message Service Message	IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS	[MS-OXOSMMS]
Unified messaging	IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax	[MS-OXOUM]
Sharing	IPM.Sharing IPM.Sharing.*	[MS-OXSHARE]

1.3.2 Commonly Used Property Sets

In the property index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

Area	Property set name and GUID value
Common	PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Common	PSETID_Common {00062008-0000-0000-C000-000000000046}
Contact	PSETID_Address {00062004-0000-0000-C000-000000000046}
Email	PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Calendar	PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Calendar	PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Journal	PSETID_Log {0006200A-0000-0000-C000-000000000046}
Sticky note	PSETID_Note {0006200E-0000-0000-C000-000000000046}
RSS feed	PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Task	PSETID_Task {00062003-0000-0000-C000-000000000046}
Unified messaging	PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}
Common	PS_MAPI {00020328-0000-0000-C000-000000000046}
Sync	PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Sharing	PSETID_Sharing {00062040-0000-0000-C000-000000000046}

1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term “non-transmittable” refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers SHOULD NOT allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. **Property IDs** in ranges not specified as non-transmittable SHOULD be submitted for transport to another server.
- Clients MAY use properties in ranges specified as message class-defined for application-defined purposes. When doing so, applications MUST specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients MAY use any named property for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property’s

property set **MUST** be distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.

- Clients **MAY** use properties in ranges specified as transport-defined, but they **MUST NOT** define new properties in those ranges.
- Clients **MAY** use and define properties in ranges specified as user-defined, but **SHOULD** take care to avoid conflicts with alternate definitions of the same **property ID**.

Range minimum	Range maximum	Specification
0x0001	0x0BFF	Message envelope property; reserved
0x0C00	0x0DFF	Recipient property; reserved
0x0E00	0x0FFF	Non-transmittable message property; reserved
0x1000	0x2FFF	Message content property; reserved
0x3000	0x33FF	Multi-purpose property that can appear on all or most objects; reserved
0x3400	0x35FF	Message store property; reserved
0x3600	0x36FF	Folder and address book container property; reserved
0x3700	0x38FF	Attachment property; reserved
0x3900	0x39FF	Address book object property; reserved
0x3A00	0x3BFF	Mail user object property; reserved
0x3C00	0x3CFF	Distribution list property; reserved
0x3D00	0x3DFF	Profile section property; reserved
0x3E00	0x3EFF	Status object property; reserved
0x4000	0x57FF	Transport-defined envelope property
0x5800	0x5FFF	Transport-defined recipient property
0x6000	0x65FF	User-defined non-transmittable property
0x6600	0x67FF	Provider-defined internal non-transmittable property
0x6800	0x7BFF	Message class-defined content property
0x7C00	0x7FFF	Message class-defined non-transmittable property
0x8000	0x8FFF	Reserved for mapping to named properties

1.4 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [MS-OXCDATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCDATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those

object type specifications to specify the behavior and semantics of the properties specific to its protocol.

1.5 Applicability Statement

This document provides the numeric values needed to encode property names, tags, and types in **ROP** buffers. It also serves as a convenient index to the object type documents that define how each property is used.

1.6 Versioning and Localization

None.

1.7 Vendor-Extensible Fields

Section 1.3.3, "Property ID ranges," specifies how applications choose properties to create new message object types or to add functionality to existing types.

2 Structures

2.1 PidLidAddressBookProviderArrayType

Canonical name: PidLidAddressBookProviderArrayType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008029

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPArrayType

2.2 PidLidAddressBookProviderEmailList

Canonical name: PidLidAddressBookProviderEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008028

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPEmailList

2.3 PidLidAddressCountryCode

Canonical name: PidLidAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DD

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidAddressCountryCode

2.4 PidLidAgingDontAgeMe

Canonical name: PidLidAgingDontAgeMe

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000850E

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: dispidAgingDontAgeMe

2.5 PidLidAllAttendeesList

Canonical name: PidLidAllAttendeesList

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001D

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL]

Alternate names: LID_ALL_ATTENDEES_LIST

2.6 PidLidAllAttendeesString

Canonical name: PidLidAllAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008238

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidAllAttendeesString

2.7 PidLidAllowExternalCheck

Canonical name: PidLidAllowExternalCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008246

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidAllowExternCheck

2.8 PidLidAnniversaryEventEntryId

Canonical name: PidLidAnniversaryEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804E

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidAnniversaryEventEID

2.9 PidLidAppointmentAuxiliaryFlags

Canonical name: PidLidAppointmentAuxiliaryFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008207

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptAuxFlags

2.10 PidLidAppointmentColor

Canonical name: PidLidAppointmentColor

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008214

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptColor

2.11 PidLidAppointmentCounterProposal

Canonical name: PidLidAppointmentCounterProposal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008257

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptCounterProposal

2.12 PidLidAppointmentDuration

Canonical name: PidLidAppointmentDuration

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008213

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptDuration

2.13 PidLidAppointmentEndDate

Canonical name: PidLidAppointmentEndDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008211

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptEndDate

2.14 PidLidAppointmentEndWhole

Canonical name: PidLidAppointmentEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820E

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptEndWhole

2.15 PidLidAppointmentLastSequence

Canonical name: PidLidAppointmentLastSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008203

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptLastSequence

2.16 PidLidAppointmentMessageClass

Canonical name: PidLidAppointmentMessageClass

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000024

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptMessageClass

2.17 PidLidAppointmentNotAllowPropose

Canonical name: PidLidAppointmentNotAllowPropose

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptNotAllowPropose

2.18 PidLidAppointmentProposalNumber

Canonical name: PidLidAppointmentProposalNumber

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008259

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptProposalNum

2.19 PidLidAppointmentProposedDuration

Canonical name: PidLidAppointmentProposedDuration

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008256

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptProposedDuration

2.20 PidLidAppointmentProposedEndWhole

Canonical name: PidLidAppointmentProposedEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008251

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptProposedEndWhole

2.21 PidLidAppointmentProposedStartWhole

Canonical name: PidLidAppointmentProposedStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008250

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptProposedStartWhole

2.22 PidLidAppointmentRecur

Canonical name: PidLidAppointmentRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008216

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidApptRecur

2.23 PidLidAppointmentReplyName

Canonical name: PidLidAppointmentReplyName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008230

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptReplyName

2.24 PidLidAppointmentReplyTime

Canonical name: PidLidAppointmentReplyTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008220

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptReplyTime

2.25 PidLidAppointmentSequence

Canonical name: PidLidAppointmentSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008201

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptSequence

2.26 PidLidAppointmentSequenceTime

Canonical name: PidLidAppointmentSequenceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008202

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptSeqTime

2.27 PidLidAppointmentStartDate

Canonical name: PidLidAppointmentStartDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008212

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptStartDate

2.28 PidLidAppointmentStartWhole

Canonical name: PidLidAppointmentStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820D

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptStartWhole

2.29 PidLidAppointmentStateFlags

Canonical name: PidLidAppointmentStateFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008217

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptStateFlags

2.30 PidLidAppointmentSubType

Canonical name: PidLidAppointmentSubType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008215

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptSubType

2.31 PidLidAppointmentTimeZoneDefinitionEndDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionEndDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825F

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefEndDisplay

2.32 PidLidAppointmentTimeZoneDefinitionRecur

Canonical name: PidLidAppointmentTimeZoneDefinitionRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008260

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefRecur

2.33 PidLidAppointmentTimeZoneDefinitionStartDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionStartDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825E

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefStartDisplay

2.34 PidLidAppointmentUnsendableRecipients

Canonical name: PidLidAppointmentUnsendableRecipients
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823D
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptUnsendableRecips

2.35 PidLidAttendeeCriticalChange

Canonical name: PidLidAttendeeCriticalChange
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_ATTENDEE_CRITICAL_CHANGE

2.36 PidLidAutoFillLocation

Canonical name: PidLidAutoFillLocation
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidAutoFillLocation

2.37 PidLidAutoLog

Canonical name: PidLidAutoLog
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008025
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAutoLog

2.38 PidLidAutoProcessState

Canonical name: PidLidAutoProcessState
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851A
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidSniffState

2.39 PidLidAutoStartCheck

Canonical name: PidLidAutoStartCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008244

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidAutoStartCheck

2.40 PidLidAutoStartWhen

Canonical name: PidLidAutoStartWhen

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008245

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidAutoStartWhen

2.41 PidLidBirthdayEventEntryId

Canonical name: PidLidBirthdayEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804D

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBirthdayEventEID

2.42 PidLidBusinessCardCardPicture

Canonical name: PidLidBusinessCardCardPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008041

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBCCardPicture

2.43 PidLidBusinessCardDisplayDefinition

Canonical name: PidLidBusinessCardDisplayDefinition

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008040

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBCDisplayDefinition

2.44 PidLidBusyStatus

Canonical name: PidLidBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008205
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidBusyStatus

2.45 PidLidCalendarType

Canonical name: PidLidCalendarType
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000001C
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_CALENDAR_TYPE

2.46 PidLidCategories

Canonical name: PidLidCategories
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property long ID (LID): 0x00002328
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-OSCMail]
Alternate names: dispidCategories

2.47 PidLidCcAttendeesString

Canonical name: PidLidCcAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823C
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXOCAL], [MS-OXCICAL]
Alternate names: dispidCCAttendeesString

2.48 PidLidChangeHighlight

Canonical name: PidLidChangeHighlight
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008204
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidChangeHighlight

2.49 PidLidClassification

Canonical name: PidLidClassification

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B6

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassification

2.50 PidLidClassificationDescription

Canonical name: PidLidClassificationDescription

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B7

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassDesc

2.51 PidLidClassificationGuid

Canonical name: PidLidClassificationGuid

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassGuid

2.52 PidLidClassificationKeep

Canonical name: PidLidClassificationKeep

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BA

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassKeep

2.53 PidLidClassified

Canonical name: PidLidClassified

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B5

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassified

2.54 PidLidCleanGlobalObjectId

Canonical name: PidLidCleanGlobalObjectId
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000023
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidCleanGlobalObjId

2.55 PidLidClipEnd

Canonical name: PidLidClipEnd
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008236
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidClipEnd

2.56 PidLidClipStart

Canonical name: PidLidClipStart
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008235
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidClipStart

2.57 PidLidCollaborateDoc

Canonical name: PidLidCollaborateDoc
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008247
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL]
Alternate names: dispidCollaborateDoc

2.58 PidLidCommonEnd

Canonical name: PidLidCommonEnd
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008517
Data type: PtypTime, 0x0040
Area: General Message Properties
References: [MS-OXCMSG], [MS-OXOTASK]
Alternate names: dispidCommonEnd

2.59 PidLidCommonStart

Canonical name: PidLidCommonStart

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008516

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXOTASK]

Alternate names: dispidCommonStart

2.60 PidLidCompanies

Canonical name: PidLidCompanies

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008539

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXOJRNL]

Alternate names: dispidCompanies

2.61 PidLidConferencingCheck

Canonical name: PidLidConferencingCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008240

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidConfCheck

2.62 PidLidConferencingType

Canonical name: PidLidConferencingType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008241

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidConfType

2.63 PidLidContactCharacterSet

Canonical name: PidLidContactCharacterSet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008023

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactCharSet

2.64 PidLidContactItemData

Canonical name: PidLidContactItemData

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008007

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactItemData

2.65 PidLidContactItemData2

Canonical name: PidLidContactItemData2

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000800B

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactItemData2

2.66 PidLidContactLinkEntry

Canonical name: PidLidContactLinkEntry

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008585

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXCMSG]

Alternate names: dispidContactLinkEntry

2.67 PidLidContactLinkName

Canonical name: PidLidContactLinkName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008586

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXCMSG]

Alternate names: dispidContactLinkName

2.68 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008584

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXCMSG]

Alternate names: dispidContactLinkSearchKey

2.69 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x8584
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactLinkSearchKey

2.70 PidLidContacts

Canonical name: PidLidContacts
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000853A
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXCMSG]
Alternate names: dispidContacts

2.71 PidLidContactUserField1

Canonical name: PidLidContactUserField1
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804F
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField1

2.72 PidLidContactUserField2

Canonical name: PidLidContactUserField2
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008050
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField2

2.73 PidLidContactUserField3

Canonical name: PidLidContactUserField3
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008051
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField3

2.74 PidLidContactUserField4

Canonical name: PidLidContactUserField4

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008052

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactUserField4

2.75 PidLidCurrentVersion

Canonical name: PidLidCurrentVersion

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008552

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: dispidCurrentVersion

2.76 PidLidCurrentVersionName

Canonical name: PidLidCurrentVersionName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008554

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: dispidCurrentVersionName

2.77 PidLidDayInterval

Canonical name: PidLidDayInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000011

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL]

Alternate names: LID_DAY_INTERVAL

2.78 PidLidDelegateMail

Canonical name: PidLidDelegateMail

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000009

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL]

Alternate names: LID_DELEGATE_MAIL

2.79 PidLidDepartment

Canonical name: PidLidDepartment
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008010
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDepartment

2.80 PidLidDirectory

Canonical name: PidLidDirectory
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008242
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidDirectory

2.81 PidLidDistributionListChecksum

Canonical name: PidLidDistributionListChecksum
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804C
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLChecksum

2.82 PidLidDistributionListMembers

Canonical name: PidLidDistributionListMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008055
Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLMembers

2.83 PidLidDistributionListName

Canonical name: PidLidDistributionListName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008053
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLName

2.84 PidLidDistributionListOneOffMembers

Canonical name: PidLidDistributionListOneOffMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008054
Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLOneOffMembers

2.85 PidLidEmail1AddressType

Canonical name: PidLidEmail1AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008082
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1AddrType

2.86 PidLidEmail1DisplayName

Canonical name: PidLidEmail1DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008080
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1DisplayName

2.87 PidLidEmail1EmailAddress

Canonical name: PidLidEmail1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008083
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailAddress

2.88 PidLidEmail1EmailType

Canonical name: PidLidEmail1EmailType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008087
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailType

2.89 PidLidEmail1EntryId

Canonical name: PidLidEmail1EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008081

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1EntryID

2.90 PidLidEmail1OriginalDisplayName

Canonical name: PidLidEmail1OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008084

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1OriginalDisplayName

2.91 PidLidEmail1OriginalEntryId

Canonical name: PidLidEmail1OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008085

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1OriginalEntryID

2.92 PidLidEmail1RichTextFormat

Canonical name: PidLidEmail1RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008086

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1RTF

2.93 PidLidEmail2AddressType

Canonical name: PidLidEmail2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008092

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2AddrType

2.94 PidLidEmail2DisplayName

Canonical name: PidLidEmail2DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008090
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2DisplayName

2.95 PidLidEmail2EmailAddress

Canonical name: PidLidEmail2EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008093
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2EmailAddress

2.96 PidLidEmail2EmailType

Canonical name: PidLidEmail2EmailType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008097
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2EmailType

2.97 PidLidEmail2EntryId

Canonical name: PidLidEmail2EntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008091
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2EntryID

2.98 PidLidEmail2OriginalDisplayName

Canonical name: PidLidEmail2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008094
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalDisplayName

2.99 PidLidEmail2OriginalEntryId

Canonical name: PidLidEmail2OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008095

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2OriginalEntryID

2.100 PidLidEmail2RichTextFormat

Canonical name: PidLidEmail2RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008096

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2RTF

2.101 PidLidEmail3AddressType

Canonical name: PidLidEmail3AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3AddrType

2.102 PidLidEmail3DisplayName

Canonical name: PidLidEmail3DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A0

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3DisplayName

2.103 PidLidEmail3EmailAddress

Canonical name: PidLidEmail3EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3EmailAddress

2.104 PidLidEmail3EmailType

Canonical name: PidLidEmail3EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A7

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3EmailType

2.105 PidLidEmail3EntryId

Canonical name: PidLidEmail3EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3EntryID

2.106 PidLidEmail3OriginalDisplayName

Canonical name: PidLidEmail3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3OriginalDisplayName

2.107 PidLidEmail3OriginalEntryId

Canonical name: PidLidEmail3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3OriginalEntryID

2.108 PidLidEmail3RichtextFormat

Canonical name: PidLidEmail3RichtextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A6

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3RTF

2.109 PidLidEmailList

Canonical name: PidLidEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008027

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmailList

2.110 PidLidExceptionReplaceTime

Canonical name: PidLidExceptionReplaceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008228

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidExceptionReplaceTime

2.111 PidLidFax1AddressType

Canonical name: PidLidFax1AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1AddrType

2.112 PidLidFax1DisplayName

Canonical name: PidLidFax1DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B0

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1DisplayName

2.113 PidLidFax1EmailAddress

Canonical name: PidLidFax1EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1EmailAddress

2.114 PidLidFax1EmailType

Canonical name: PidLidFax1EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B7

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1EmailType

2.115 PidLidFax1EntryId

Canonical name: PidLidFax1EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1EntryID

2.116 PidLidFax1OriginalDisplayName

Canonical name: PidLidFax1OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1OriginalDisplayName

2.117 PidLidFax1OriginalEntryId

Canonical name: PidLidFax1OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1OriginalEntryID

2.118 PidLidFax1RichTextFormat

Canonical name: PidLidFax1RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B6

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1RTF

2.119 PidLidFax2AddressType

Canonical name: PidLidFax2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2AddrType

2.120 PidLidFax2DisplayName

Canonical name: PidLidFax2DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C0

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2DisplayName

2.121 PidLidFax2EmailAddress

Canonical name: PidLidFax2EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2EmailAddress

2.122 PidLidFax2EmailType

Canonical name: PidLidFax2EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C7

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2EmailType

2.123 PidLidFax2EntryId

Canonical name: PidLidFax2EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2EntryID

2.124 PidLidFax2OriginalDisplayName

Canonical name: PidLidFax2OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2OriginalDisplayName

2.125 PidLidFax2OriginalEntryId

Canonical name: PidLidFax2OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2OriginalEntryID

2.126 PidLidFax2RichTextFormat

Canonical name: PidLidFax2RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C6

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2RTF

2.127 PidLidFax3AddressType

Canonical name: PidLidFax3AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3AddrType

2.128 PidLidFax3DisplayName

Canonical name: PidLidFax3DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D0

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3DisplayName

2.129 PidLidFax3EmailAddress

Canonical name: PidLidFax3EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3EmailAddress

2.130 PidLidFax3EmailType

Canonical name: PidLidFax3EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D7

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3EmailType

2.131 PidLidFax3EntryId

Canonical name: PidLidFax3EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3EntryID

2.132 PidLidFax3OriginalDisplayName

Canonical name: PidLidFax3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalDisplayName

2.133 PidLidFax3OriginalEntryId

Canonical name: PidLidFax3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalEntryID

2.134 PidLidFax3RichTextFormat

Canonical name: PidLidFax3RichTextFormat
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D6
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3RTF

2.135 PidLidFExceptionalAttendees

Canonical name: PidLidFExceptionalAttendees
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000822B
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFExceptionalAttendees

2.136 PidLidFExceptionalBody

Canonical name: PidLidFExceptionalBody
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008206
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFExceptionalBody

2.137 PidLidFileUnder

Canonical name: PidLidFileUnder
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008005
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnder

2.138 PidLidFileUnderId

Canonical name: PidLidFileUnderId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008006
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderId

2.139 PidLidFileUnderList

Canonical name: PidLidFileUnderList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008026
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderList

2.140 PidLidFInvited

Canonical name: PidLidFInvited
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008229
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFInvited

2.141 PidLidFlagRequest

Canonical name: PidLidFlagRequest
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008530
Data type: PtypString, 0x001F
Area: Flagging
References: [MS-OXOFLAG]
Alternate names: dispidRequest

2.142 PidLidFlagString

Canonical name: PidLidFlagString
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085C0
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidFlagStringEnum

2.143 PidLidForwardInstance

Canonical name: PidLidForwardInstance
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000820A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFwrInstance

2.144 PidLidFreeBusyLocation

Canonical name: PidLidFreeBusyLocation

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D8

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFreeBusyLocation

2.145 PidLidGlobalObjectId

Canonical name: PidLidGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000003

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: LID_GLOBAL_OBJID

2.146 PidLidHasPicture

Canonical name: PidLidHasPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008015

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHasPicture

2.147 PidLidHomeAddress

Canonical name: PidLidHomeAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHomeAddress

2.148 PidLidHomeAddressCountryCode

Canonical name: PidLidHomeAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DA

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHomeAddressCountryCode

2.149 PidLidHtml

Canonical name: PidLidHtml
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802B
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHTML

2.150 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008062
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidInstMsg

2.151 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8062
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidInstMsg

2.152 PidLidIntendedBusyStatus

Canonical name: PidLidIntendedBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008224
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidIntendedBusyStatus

2.153 PidLidInternetAccountName

Canonical name: PidLidInternetAccountName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008580
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidInetAcctName

2.154 PidLidInternetAccountStamp

Canonical name: PidLidInternetAccountStamp
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008581
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidInetAcctStamp

2.155 PidLidIsException

Canonical name: PidLidIsException
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_IS_EXCEPTION

2.156 PidLidIsRecurring

Canonical name: PidLidIsRecurring
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000005
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_IS_RECURRING

2.157 PidLidIsSilent

Canonical name: PidLidIsSilent
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000004
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_IS_SILENT

2.158 PidLidLinkedTaskItems

Canonical name: PidLidLinkedTaskItems
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000820C
Data type: PtypMultipleBinary, 0x1102
Area: Tasks
References: [MS-OXOCAL]
Alternate names: dispidLinkedTaskItems

2.159 PidLidLocation

Canonical name: PidLidLocation

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008208

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidLocation

2.160 PidLidLogDocumentPosted

Canonical name: PidLidLogDocumentPosted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008711

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDocPosted

2.161 PidLidLogDocumentPrinted

Canonical name: PidLidLogDocumentPrinted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000870E

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDocPrinted

2.162 PidLidLogDocumentRouted

Canonical name: PidLidLogDocumentRouted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008710

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDocRouted

2.163 PidLidLogDocumentSaved

Canonical name: PidLidLogDocumentSaved

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000870F

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDocSaved

2.164 PidLidLogDuration

Canonical name: PidLidLogDuration

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008707

Data type: PtypInteger32, 0x0003

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDuration

2.165 PidLidLogEnd

Canonical name: PidLidLogEnd

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008708

Data type: PtypTime, 0x0040

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogEnd

2.166 PidLidLogFlags

Canonical name: PidLidLogFlags

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000870C

Data type: PtypInteger32, 0x0003

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogFlags

2.167 PidLidLogStart

Canonical name: PidLidLogStart

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008706

Data type: PtypTime, 0x0040

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogStart

2.168 PidLidLogType

Canonical name: PidLidLogType

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008700

Data type: PtypString, 0x001F

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogType

2.169 PidLidLogTypeDesc

Canonical name: PidLidLogTypeDesc

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008712

Data type: PtypString, 0x001F

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogTypeDesc

2.170 PidLidMeetingType

Canonical name: PidLidMeetingType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000026

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidMeetingType

2.171 PidLidMeetingWorkspaceUrl

Canonical name: PidLidMeetingWorkspaceUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008209

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidMWSURL

2.172 PidLidMonthInterval

Canonical name: PidLidMonthInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000013

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL]

Alternate names: LID_MONTH_INTERVAL

2.173 PidLidNetShowUrl

Canonical name: PidLidNetShowUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008248

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidNetShowURL

2.174 PidLidNonSendableBcc

Canonical name: PidLidNonSendableBcc
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008538
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXOCAL], [MS-OXCICAL]
Alternate names: dispidNonSendableBCC

2.175 PidLidNonSendableCc

Canonical name: PidLidNonSendableCc
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008537
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXOCAL], [MS-OXCICAL]
Alternate names: dispidNonSendableCC

2.176 PidLidNonSendableTo

Canonical name: PidLidNonSendableTo
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008536
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidNonSendableTo

2.177 PidLidNonSendBccTrackStatus

Canonical name: PidLidNonSendBccTrackStatus
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008545
Data type: PtypMultipleInteger32, 0x1003
Area: General Message Properties
References: [MS-OXOCAL]
Alternate names: dispidNonSendBccTrackStatus

2.178 PidLidNonSendCcTrackStatus

Canonical name: PidLidNonSendCcTrackStatus
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008544
Data type: PtypMultipleInteger32, 0x1003
Area: General Message Properties
References: [MS-OXOCAL]
Alternate names: dispidNonSendCcTrackStatus

2.179 PidLidNonSendToTrackStatus

Canonical name: PidLidNonSendToTrackStatus
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008543
Data type: PtypMultipleInteger32, 0x1003
Area: General Message Properties
References: [MS-OXOCAL]
Alternate names: dispidNonSendToTrackStatus

2.180 PidLidNoteColor

Canonical name: PidLidNoteColor
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B00
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteColor

2.181 PidLidNoteHeight

Canonical name: PidLidNoteHeight
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B03
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteHeight

2.182 PidLidNoteWidth

Canonical name: PidLidNoteWidth
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B02
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteWidth

2.183 PidLidNoteX

Canonical name: PidLidNoteX
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B04
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteX

2.184 PidLidNoteY

Canonical name: PidLidNoteY

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B05

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteY

2.185 PidLidOldLocation

Canonical name: PidLidOldLocation

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000028

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidOldLocation

2.186 PidLidOldWhenEndWhole

Canonical name: PidLidOldWhenEndWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000002A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidOldWhenEndWhole

2.187 PidLidOldWhenStartWhole

Canonical name: PidLidOldWhenStartWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000029

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidOldWhenStartWhole

2.188 PidLidOnlinePassword

Canonical name: PidLidOnlinePassword

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008249

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOnlinePassword

2.189 PidLidOptionalAttendees

Canonical name: PidLidOptionalAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000007

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL]

Alternate names: LID_OPTIONAL_ATTENDEES

2.190 PidLidOrganizerAlias

Canonical name: PidLidOrganizerAlias

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008243

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXOCAL], [MS-OXCICAL]

Alternate names: dispidOrgAlias

2.191 PidLidOriginalStoreEntryId

Canonical name: PidLidOriginalStoreEntryId

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008237

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidOrigStoreEid

2.192 PidLidOtherAddress

Canonical name: PidLidOtherAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidOtherAddress

2.193 PidLidOtherAddressCountryCode

Canonical name: PidLidOtherAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DC

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidOtherAddressCountryCode

2.194 PidLidOwnerCriticalChange

Canonical name: PidLidOwnerCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: LID_OWNER_CRITICAL_CHANGE

2.195 PidLidPercentComplete

Canonical name: PidLidPercentComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008102

Data type: PtypFloating64, 0x0005

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidPercentComplete

2.196 PidLidPostalAddressId

Canonical name: PidLidPostalAddressId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008022

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidPostalAddressId

2.197 PidLidPostRssChannel

Canonical name: PidLidPostRssChannel

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008904

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannel

2.198 PidLidPostRssChannelLink

Canonical name: PidLidPostRssChannelLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008900

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannelLink

2.199 PidLidPostRssItemGuid

Canonical name: PidLidPostRssItemGuid

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008903

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemGuid

2.200 PidLidPostRssItemHash

Canonical name: PidLidPostRssItemHash

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008902

Data type: PtypInteger32, 0x0003

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemHash

2.201 PidLidPostRssItemLink

Canonical name: PidLidPostRssItemLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008901

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemLink

2.202 PidLidPostRssItemXml

Canonical name: PidLidPostRssItemXml

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008905

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemXml

2.203 PidLidPostRssSubscription

Canonical name: PidLidPostRssSubscription

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008906

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssSubscription

2.204 PidLidPrivate

Canonical name: PidLidPrivate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008506
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXCMSG]
Alternate names: dispidPrivate

2.205 PidLidRecurrencePattern

Canonical name: PidLidRecurrencePattern
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008232
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidRecurPattern

2.206 PidLidRecurrenceType

Canonical name: PidLidRecurrenceType
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008231
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidRecurType

2.207 PidLidRecurring

Canonical name: PidLidRecurring
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008223
Data type: PtypBoolean, 0x000B
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidRecurring

2.208 PidLidReferenceEntryId

Canonical name: PidLidReferenceEntryId
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085BD
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidReferenceEID

2.209 PidLidReminderDelta

Canonical name: PidLidReminderDelta

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008501

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderDelta

2.210 PidLidReminderFileParameter

Canonical name: PidLidReminderFileParameter

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851F

Data type: PtypString, 0x001F

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderFileParam

2.211 PidLidReminderOverride

Canonical name: PidLidReminderOverride

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851C

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderOverride

2.212 PidLidReminderPlaySound

Canonical name: PidLidReminderPlaySound

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851E

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderPlaySound

2.213 PidLidReminderSet

Canonical name: PidLidReminderSet

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008503

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderSet

2.214 PidLidReminderSignalTime

Canonical name: PidLidReminderSignalTime
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008560
Data type: PtypTime, 0x0040
Area: Reminders
References: [MS-OXORMDR]
Alternate names: dispidReminderNextTime

2.215 PidLidReminderTime

Canonical name: PidLidReminderTime
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008502
Data type: PtypTime, 0x0040
Area: Reminders
References: [MS-OXORMDR]
Alternate names: dispidReminderTime

2.216 PidLidReminderType

Canonical name: PidLidReminderType
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851D
Data type: PtypInteger32, 0x0003
Area: Reminders
References: [MS-OXORMDR]
Alternate names: dispidReminderType

2.217 PidLidRequiredAttendees

Canonical name: PidLidRequiredAttendees
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000006
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_REQUIRED_ATTENDEES

2.218 PidLidResourceAttendees

Canonical name: PidLidResourceAttendees
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000008
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_RESOURCE_ATTENDEES

2.219 PidLidResponseStatus

Canonical name: PidLidResponseStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008218

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidResponseStatus

2.220 PidLidSendMeetingAsIcal

Canonical name: PidLidSendMeetingAsIcal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008200

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidSendMtgAsICAL

2.221 PidLidSharingAnonymity

Canonical name: PidLidSharingAnonymity

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A19

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingAnonymity

2.222 PidLidSharingBindingEntryId

Canonical name: PidLidSharingBindingEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2D

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBindingEid

2.223 PidLidSharingBrowseUrl

Canonical name: PidLidSharingBrowseUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A51

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBrowseUrl

2.224 PidLidSharingCapabilities

Canonical name: PidLidSharingCapabilities

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A17

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingCaps

2.225 PidLidSharingConfigurationUrl

Canonical name: PidLidSharingConfigurationUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A24

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingConfigUrl

2.226 PidLidSharingDataRangeEnd

Canonical name: PidLidSharingDataRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A45

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeEnd

2.227 PidLidSharingDataRangeStart

Canonical name: PidLidSharingDataRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A44

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeStart

2.228 PidLidSharingDetail

Canonical name: PidLidSharingDetail

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDetail

2.229 PidLidSharingExtensionXml

Canonical name: PidLidSharingExtensionXml
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A21
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingExtXml

2.230 PidLidSharingFilter

Canonical name: PidLidSharingFilter
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A13
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFilter

2.231 PidLidSharingFlags

Canonical name: PidLidSharingFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlags

2.232 PidLidSharingFlavor

Canonical name: PidLidSharingFlavor
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A18
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlavor

2.233 PidLidSharingFolderEntryId

Canonical name: PidLidSharingFolderEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A15
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFolderEid

2.234 PidLidSharingIndexEntryId

Canonical name: PidLidSharingIndexEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2E
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingIndexEid

2.235 PidLidSharingInitiatorEntryId

Canonical name: PidLidSharingInitiatorEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A09
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorEid

2.236 PidLidSharingInitiatorName

Canonical name: PidLidSharingInitiatorName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A07
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorName

2.237 PidLidSharingInitiatorSntp

Canonical name: PidLidSharingInitiatorSntp
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A08
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorSntp

2.238 PidLidSharingInstanceGuid

Canonical name: PidLidSharingInstanceGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInstanceGuid

2.239 PidLidSharingLastAutoSyncTime

Canonical name: PidLidSharingLastAutoSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A55
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastAutoSync

2.240 PidLidSharingLastSyncTime

Canonical name: PidLidSharingLastSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1F
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastSync

2.241 PidLidSharingLocalComment

Canonical name: PidLidSharingLocalComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalComment

2.242 PidLidSharingLocalLastModificationTime

Canonical name: PidLidSharingLocalLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A23
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalLastMod

2.243 PidLidSharingLocalName

Canonical name: PidLidSharingLocalName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0F
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalName

2.244 PidLidSharingLocalPath

Canonical name: PidLidSharingLocalPath

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0E

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalPath

2.245 PidLidSharingLocalStoreUid

Canonical name: PidLidSharingLocalStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A49

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalStoreUid

2.246 PidLidSharingLocalType

Canonical name: PidLidSharingLocalType

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A14

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalType

2.247 PidLidSharingLocalUid

Canonical name: PidLidSharingLocalUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A10

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalUid

2.248 PidLidSharingOriginalMessageEntryId

Canonical name: PidLidSharingOriginalMessageEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A29

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingOriginalMessageEid

2.249 PidLidSharingParentBindingEntryId

Canonical name: PidLidSharingParentBindingEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A5C

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingParentBindingEid

2.250 PidLidSharingParticipants

Canonical name: PidLidSharingParticipants

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1E

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingParticipants

2.251 PidLidSharingPermissions

Canonical name: PidLidSharingPermissions

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingPermissions

2.252 PidLidSharingProviderExtension

Canonical name: PidLidSharingProviderExtension

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0B

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingProviderExtension

2.253 PidLidSharingProviderGuid

Canonical name: PidLidSharingProviderGuid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A01

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingProviderGuid

2.254 PidLidSharingProviderName

Canonical name: PidLidSharingProviderName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A02
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderName

2.255 PidLidSharingProviderUrl

Canonical name: PidLidSharingProviderUrl
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A03
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderUrl

2.256 PidLidSharingRangeEnd

Canonical name: PidLidSharingRangeEnd
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A47
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRangeEnd

2.257 PidLidSharingRangeStart

Canonical name: PidLidSharingRangeStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A46
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRangeStart

2.258 PidLidSharingReciprocation

Canonical name: PidLidSharingReciprocation
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingReciprocation

2.259 PidLidSharingRemoteByteSize

Canonical name: PidLidSharingRemoteByteSize
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteByteSize

2.260 PidLidSharingRemoteComment

Canonical name: PidLidSharingRemoteComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2F
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteComment

2.261 PidLidSharingRemoteCrc

Canonical name: PidLidSharingRemoteCrc
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteCrc

2.262 PidLidSharingRemoteLastModificationTime

Canonical name: PidLidSharingRemoteLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A22
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteLastMod

2.263 PidLidSharingRemoteMessageCount

Canonical name: PidLidSharingRemoteMessageCount
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4F
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteMsgCount

2.264 PidLidSharingRemoteName

Canonical name: PidLidSharingRemoteName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A05
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteName

2.265 PidLidSharingRemotePass

Canonical name: PidLidSharingRemotePass
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePass

2.266 PidLidSharingRemotePath

Canonical name: PidLidSharingRemotePath
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A04
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePath

2.267 PidLidSharingRemoteStoreUid

Canonical name: PidLidSharingRemoteStoreUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A48
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteStoreUid

2.268 PidLidSharingRemoteType

Canonical name: PidLidSharingRemoteType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteType

2.269 PidLidSharingRemoteUid

Canonical name: PidLidSharingRemoteUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A06
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteUid

2.270 PidLidSharingRemoteUser

Canonical name: PidLidSharingRemoteUser
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0C
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteUser

2.271 PidLidSharingRemoteVersion

Canonical name: PidLidSharingRemoteVersion
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteVersion

2.272 PidLidSharingResponseTime

Canonical name: PidLidSharingResponseTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A28
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingResponseTime

2.273 PidLidSharingResponseType

Canonical name: PidLidSharingResponseType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A27
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingResponseType

2.274 PidLidSharingRoamLog

Canonical name: PidLidSharingRoamLog

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4E

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRoamLog

2.275 PidLidSharingStart

Canonical name: PidLidSharingStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A25

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingStart

2.276 PidLidSharingStatus

Canonical name: PidLidSharingStatus

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A00

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingStatus

2.277 PidLidSharingStop

Canonical name: PidLidSharingStop

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A26

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingStop

2.278 PidLidSharingSyncFlags

Canonical name: PidLidSharingSyncFlags

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A60

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingSyncFlags

2.279 PidLidSharingSyncInterval

Canonical name: PidLidSharingSyncInterval
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncInterval

2.280 PidLidSharingTimeToLive

Canonical name: PidLidSharingTimeToLive
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingTimeToLive

2.281 PidLidSharingTimeToLiveAuto

Canonical name: PidLidSharingTimeToLiveAuto
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A56
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingTimeToLiveAuto

2.282 PidLidSharingWebUrl

Canonical name: PidLidSharingWebUrl
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008596
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWebUrl

2.283 PidLidSharingWorkingHoursDays

Canonical name: PidLidSharingWorkingHoursDays
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A42
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursDays

2.284 PidLidSharingWorkingHoursEnd

Canonical name: PidLidSharingWorkingHoursEnd
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A41
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursEnd

2.285 PidLidSharingWorkingHoursStart

Canonical name: PidLidSharingWorkingHoursStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A40
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursStart

2.286 PidLidSharingWorkingHoursTimeZone

Canonical name: PidLidSharingWorkingHoursTimeZone
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A43
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursTZ

2.287 PidLidSideEffects

Canonical name: PidLidSideEffects
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008510
Data type: PtypInteger32, 0x0003
Area: Run-time configuration
References: [MS-OXCMSG], [MS-OXOCAL]
Alternate names: dispidSideEffects

2.288 PidLidSingleInvite

Canonical name: PidLidSingleInvite
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000B
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_SINGLE_INVITE

2.289 PidLidSmartNoAttach

Canonical name: PidLidSmartNoAttach
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008514
Data type: PtypBoolean, 0x000B
Area: Run-time configuration
References: [MS-OXCMSG]
Alternate names: dispidSmartNoAttach

2.290 PidLidSpamOriginalFolder

Canonical name: PidLidSpamOriginalFolder
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000859C
Data type: PtypBinary, 0x0102
Area: Spam
References: [MS-OXCSPAM]
Alternate names: dispidSpamOriginalFolder

2.291 PidLidTaskAcceptanceState

Canonical name: PidLidTaskAcceptanceState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskDelegValue

2.292 PidLidTaskAccepted

Canonical name: PidLidTaskAccepted
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008108
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskAccepted

2.293 PidLidTaskActualEffort

Canonical name: PidLidTaskActualEffort
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008110
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskActualEffort

2.294 PidLidTaskAssigner

Canonical name: PidLidTaskAssigner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008121

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDelegator

2.295 PidLidTaskAssigners

Canonical name: PidLidTaskAssigners

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008117

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMyDelegators

2.296 PidLidTaskComplete

Canonical name: PidLidTaskComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskComplete

2.297 PidLidTaskDateCompleted

Canonical name: PidLidTaskDateCompleted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000810F

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDateCompleted

2.298 PidLidTaskDeadOccurrence

Canonical name: PidLidTaskDeadOccurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008109

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDeadOccur

2.299 PidLidTaskDueDate

Canonical name: PidLidTaskDueDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008105

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK], [MS-OXORMDR]

Alternate names: dispidTaskDueDate

2.300 PidLidTaskEstimatedEffort

Canonical name: PidLidTaskEstimatedEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008111

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskEstimatedEffort

2.301 PidLidTaskFCreator

Canonical name: PidLidTaskFCreator

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811E

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskFCreator

2.302 PidLidTaskFFixOffline

Canonical name: PidLidTaskFFixOffline

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000812C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskFFixOffline

2.303 PidLidTaskFRecurring

Canonical name: PidLidTaskFRecurring

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008126

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskFRecur

2.304 PidLidTaskGlobalId

Canonical name: PidLidTaskGlobalId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008519

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskGlobalObjId

2.305 PidLidTaskHistory

Canonical name: PidLidTaskHistory

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811A

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskHistory

2.306 PidLidTaskLastDelegate

Canonical name: PidLidTaskLastDelegate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008125

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastDelegate

2.307 PidLidTaskLastUpdate

Canonical name: PidLidTaskLastUpdate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008115

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUpdate

2.308 PidLidTaskLastUser

Canonical name: PidLidTaskLastUser

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008122

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUser

2.309 PidLidTaskMode

Canonical name: PidLidTaskMode
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008518
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskMode

2.310 PidLidTaskMultipleRecipients

Canonical name: PidLidTaskMultipleRecipients
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008120
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskMultRecips

2.311 PidLidTaskNoCompute

Canonical name: PidLidTaskNoCompute
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008124
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL]
Alternate names: dispidTaskNoCompute

2.312 PidLidTaskOrdinal

Canonical name: PidLidTaskOrdinal
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008123
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskOrdinal

2.313 PidLidTaskOwner

Canonical name: PidLidTaskOwner
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811F
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskOwner

2.314 PidLidTaskOwnership

Canonical name: PidLidTaskOwnership

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008129

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskOwnership

2.315 PidLidTaskRecurrence

Canonical name: PidLidTaskRecurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008116

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK], [MS-OXORMDR]

Alternate names: dispidTaskRecur

2.316 PidLidTaskResetReminder

Canonical name: PidLidTaskResetReminder

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008107

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK], [MS-OXORMDR]

Alternate names: dispidTaskResetReminder

2.317 PidLidTaskRole

Canonical name: PidLidTaskRole

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008127

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskRole

2.318 PidLidTaskStartDate

Canonical name: PidLidTaskStartDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008104

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskStartDate

2.319 PidLidTaskState

Canonical name: PidLidTaskState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008113
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskState

2.320 PidLidTaskStatus

Canonical name: PidLidTaskStatus
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008101
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskStatus

2.321 PidLidTaskStatusOnComplete

Canonical name: PidLidTaskStatusOnComplete
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008119
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskSOC

2.322 PidLidTaskUpdates

Canonical name: PidLidTaskUpdates
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811B
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskUpdates

2.323 PidLidTaskVersion

Canonical name: PidLidTaskVersion
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008112
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskVersion

2.324 PidLidTeamTask

Canonical name: PidLidTeamTask
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008103
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFCICS], [MS-OXCICAL]
Alternate names: dispidTeamTask

2.325 PidLidTimeZone

Canonical name: PidLidTimeZone
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000C
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_TIME_ZONE

2.326 PidLidTimeZoneDescription

Canonical name: PidLidTimeZoneDescription
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008234
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidTimeZoneDesc

2.327 PidLidTimeZoneStruct

Canonical name: PidLidTimeZoneStruct
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008233
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidTimeZoneStruct

2.328 PidLidToAttendeesString

Canonical name: PidLidToAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823B
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidToAttendeesString

2.329 PidLidToDoOrdinalDate

Canonical name: PidLidToDoOrdinalDate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A0

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidToDoOrdinalDate

2.330 PidLidToDoSubOrdinal

Canonical name: PidLidToDoSubOrdinal

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A1

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidToDoSubOrdinal

2.331 PidLidToDoTitle

Canonical name: PidLidToDoTitle

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A4

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidToDoTitle

2.332 PidLidUserX509Certificate

Canonical name: PidLidUserX509Certificate

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D9

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEMSAbX509Cert

2.333 PidLidUseTnef

Canonical name: PidLidUseTnef

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008582

Data type: PtypBoolean, 0x000B

Area: Run-time configuration

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: dispidUseTNEF

2.334 PidLidValidFlagStringProof

Canonical name: PidLidValidFlagStringProof
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085BF
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidValidFlagStringProof

2.335 PidLidVerbResponse

Canonical name: PidLidVerbResponse
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008524
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidVerbResponse

2.336 PidLidVerbStream

Canonical name: PidLidVerbStream
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008520
Data type: PtypBinary, 0x0102
Area: Run-time configuration
References: [MS-OXOMSG]
Alternate names: dispidVerbStream

2.337 PidLidWeekInterval

Canonical name: PidLidWeekInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000012
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_WEEK_INTERVAL

2.338 PidLidWhere

Canonical name: PidLidWhere
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000002
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_WHERE

2.339 PidLidWorkAddress

Canonical name: PidLidWorkAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddress

2.340 PidLidWorkAddressCity

Canonical name: PidLidWorkAddressCity

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008046

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCity

2.341 PidLidWorkAddressCountry

Canonical name: PidLidWorkAddressCountry

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008049

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCountry

2.342 PidLidWorkAddressCountryCode

Canonical name: PidLidWorkAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DB

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCountryCode

2.343 PidLidWorkAddressPostalCode

Canonical name: PidLidWorkAddressPostalCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008048

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressPostalCode

2.344 PidLidWorkAddressPostOfficeBox

Canonical name: PidLidWorkAddressPostOfficeBox
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804A
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressPostOfficeBox

2.345 PidLidWorkAddressState

Canonical name: PidLidWorkAddressState
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008047
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressState

2.346 PidLidWorkAddressStreet

Canonical name: PidLidWorkAddressStreet
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008045
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressStreet

2.347 PidLidYearInterval

Canonical name: PidLidYearInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000014
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_YEAR_INTERVAL

2.348 PidLidYomiCompanyName

Canonical name: PidLidYomiCompanyName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802E
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiCompanyName

2.349 PidLidYomiFirstName

Canonical name: PidLidYomiFirstName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidYomiFirstName

2.350 PidLidYomiLastName

Canonical name: PidLidYomiLastName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802D

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidYomiLastName

2.351 PidNameAcceptLanguage

Canonical name: PidNameAcceptLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Accept-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: AcceptLanguage

2.352 PidNameApplicationName

Canonical name: PidNameApplicationName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: AppName

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.353 PidNameAttachmentMacContentType

Canonical name: PidNameAttachmentMacContentType

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacContentType

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.354 PidNameAttachmentMacInfo

Canonical name: PidNameAttachmentMacInfo
Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}
Property name: AttachmentMacInfo
Data type: PtypBinary, 0x0102
Area: Message Attachment Properties
References: [MS-OXCMAIL]
Alternate names:

2.355 PidNameAudioNotes

Canonical name: PidNameAudioNotes
Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}
Property name: UMAudioNotes
Data type: PtypString, 0x001F
Area: UM
References: [MS-OXOUM]
Alternate names: UMAudioNotes

2.356 PidNameAuthor

Canonical name: PidNameAuthor
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Author
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC]
Alternate names:

2.357 PidNameByteCount

Canonical name: PidNameByteCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: ByteCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC]
Alternate names:

2.358 PidNameCategory

Canonical name: PidNameCategory
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Category
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC]
Alternate names:

2.359 PidNameCharacterCount

Canonical name: PidNameCharacterCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CharCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.360 PidNameComments

Canonical name: PidNameComments

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Comments

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.361 PidNameCompany

Canonical name: PidNameCompany

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Company

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.362 PidNameContentBase

Canonical name: PidNameContentBase

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Base

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: BodyContentBase

2.363 PidNameContentClass

Canonical name: PidNameContentClass

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Class

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL], [MS-OXORMMS]

Alternate names:

2.364 PidNameContentTransferEncoding

Canonical name: PidNameContentTransferEncoding

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Transfer-Encoding

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL]

Alternate names:

2.365 PidNameContentType

Canonical name: PidNameContentType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Type

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names:

2.366 PidNameCreateDateTimeReadOnly

Canonical name: PidNameCreateDateTimeReadOnly

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CreateDtmRo

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC]

Alternate names:

2.367 PidNameCrossReference

Canonical name: PidNameCrossReference

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Xref

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names:

2.368 PidNameEditTime

Canonical name: PidNameEditTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: EditTime

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.369 PidNameExchangeJunkEmailMoveStamp

Canonical name: PidNameExchangeJunkEmailMoveStamp
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/junkemailmovestamp
Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXCSPAM], [MS-OXORSS]
Alternate names:

2.370 PidNameHiddenCount

Canonical name: PidNameHiddenCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: HiddenCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC]
Alternate names:

2.371 PidNameInstantMessagingAddress1

Canonical name: PidNameInstantMessagingAddress1
Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Property name: IMAddress
Data type: PtypString, 0x001F
Area: Sync
References: [MS-OXOCNTC]
Alternate names: IMAddress

2.372 PidNameInstantMessagingAddress2

Canonical name: PidNameInstantMessagingAddress2
Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Property name: IMAddress2
Data type: PtypString, 0x001F
Area: Sync
References: [MS-OXOCNTC]
Alternate names: IMAddress2

2.373 PidNameInstantMessagingAddress3

Canonical name: PidNameInstantMessagingAddress3
Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Property name: IMAddress3
Data type: PtypString, 0x001F
Area: Sync
References: [MS-OXOCNTC]
Alternate names: IMAddress3

2.374 PidNameKeywords

Canonical name: PidNameKeywords

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Keywords

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXODOC]

Alternate names:

2.375 PidNameLastAuthor

Canonical name: PidNameLastAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastAuthor

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.376 PidNameLastPrinted

Canonical name: PidNameLastPrinted

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastPrinted

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC]

Alternate names:

2.377 PidNameLastSaveDateTime

Canonical name: PidNameLastSaveDateTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastSaveDtm

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC]

Alternate names:

2.378 PidNameLineCount

Canonical name: PidNameLineCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LineCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.379 PidNameManager

Canonical name: PidNameManager

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Manager

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.380 PidNameMultimediaClipCount

Canonical name: PidNameMultimediaClipCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: MMClipCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.381 PidNameMultimediaMessagingServiceAddress

Canonical name: PidNameMultimediaMessagingServiceAddress

Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}

Property name: MMS

Data type: PtypString, 0x001F

Area: Sync

References: [MS-OXOCNTC]

Alternate names: MMS

2.382 PidNameNoteCount

Canonical name: PidNameNoteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: NoteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.383 PidNameOMSAccountGuid

Canonical name: PidNameOMSAccountGuid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSAccountGuid

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.384 PidNameOMSMessageType

Canonical name: PidNameOMSMessageType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSMessageType
Data type: PtypString, 0x001F
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.385 PidNameOMSMobileModel

Canonical name: PidNameOMSMobileModel
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSMobileModel
Data type: PtypString, 0x001F
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.386 PidNameOMSScheduleTime

Canonical name: PidNameOMSScheduleTime
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSScheduleTime
Data type: PtypTime, 0x0040
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.387 PidNameOMSServiceType

Canonical name: PidNameOMSServiceType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSServiceType
Data type: PtypInteger32, 0x0003
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.388 PidNameOMSSourceType

Canonical name: PidNameOMSSourceType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSSourceType
Data type: PtypInteger32, 0x0003
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.389 PidNameOutlookPhishingstamp

Canonical name: PidNameOutlookPhishingstamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/outlook/phishingstamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXPHISH]

Alternate names:

2.390 PidNamePageCount

Canonical name: PidNamePageCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PageCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.391 PidNameParagraphCount

Canonical name: PidNameParagraphCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ParCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.392 PidNamePresentationFormat

Canonical name: PidNamePresentationFormat

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PresFormat

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.393 PidNameRevisionNumber

Canonical name: PidNameRevisionNumber

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: RevNumber

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.394 PidNameRightsManagementLicense

Canonical name: PidNameRightsManagementLicense

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DRMLicense

Data type: PtypMultipleBinary, 0x1102

Area: Secure Messaging Properties

References: [MS-OXORMMS]

Alternate names:

2.395 PidNameSecurity

Canonical name: PidNameSecurity

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Security

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.396 PidNameSlideCount

Canonical name: PidNameSlideCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: SlideCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.397 PidNameSubject

Canonical name: PidNameSubject

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.398 PidNameTemplate

Canonical name: PidNameTemplate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Template

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.399 PidNameTitle

Canonical name: PidNameTitle

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Title

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.400 PidNameWordCount

Canonical name: PidNameWordCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: WordCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.401 PidNameXSharingBrowseUrl

Canonical name: PidNameXSharingBrowseUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Browse-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.402 PidNameXSharingCapabilities

Canonical name: PidNameXSharingCapabilities

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Capabilities

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.403 PidNameXSharingConfigUrl

Canonical name: PidNameXSharingConfigUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Config-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.404 PidNameXSharingExendedCaps

Canonical name: PidNameXSharingExendedCaps

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Exended-Caps

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.405 PidNameXSharingFlavor

Canonical name: PidNameXSharingFlavor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Flavor

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.406 PidNameXSharingInstanceGuid

Canonical name: PidNameXSharingInstanceGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Instance-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.407 PidNameXSharingLocalType

Canonical name: PidNameXSharingLocalType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Local-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.408 PidNameXSharingProviderGuid

Canonical name: PidNameXSharingProviderGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.409 PidNameXSharingProviderName

Canonical name: PidNameXSharingProviderName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.410 PidNameXSharingProviderUrl

Canonical name: PidNameXSharingProviderUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.411 PidNameXSharingRemoteName

Canonical name: PidNameXSharingRemoteName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.412 PidNameXSharingRemotePath

Canonical name: PidNameXSharingRemotePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Path

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.413 PidNameXSharingRemoteStoreUid

Canonical name: PidNameXSharingRemoteStoreUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Store-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.414 PidNameXSharingRemoteType

Canonical name: PidNameXSharingRemoteType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.415 PidNameXSharingRemoteUid

Canonical name: PidNameXSharingRemoteUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.416 PidTag7BitDisplayName

Canonical name: PidTag7BitDisplayName

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOABK], [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_7BIT_DISPLAY_NAME, PR_7BIT_DISPLAY_NAME_A, PR_7BIT_DISPLAY_NAME_W

2.417 PidTagAccess

Canonical name: PidTagAccess

Property ID: 0x0FF4

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCMSG]

Alternate names: PR_ACCESS, ptagAccess

2.418 PidTagAccessLevel

Canonical name: PidTagAccessLevel

Property ID: 0x0FF7

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCMSG]

Alternate names: PR_ACCESS_LEVEL, ptagAccessLevel

2.419 PidTagAccount

Canonical name: PidTagAccount

Property ID: 0x3A00

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_ACCOUNT, PR_ACCOUNT_A, PR_ACCOUNT_W

2.420 PidTagAdditionalRenEntryIds

Canonical name: PidTagAdditionalRenEntryIds

Property ID: 0x36D8

Data type: PtypMultipleBinary, 0x1102

Area: Outlook Application

References: [MS-OXOSFLD], [MS-OXPHISH], [MS-OXCSPAM]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS, ptagAdditionalRenEntryIds

2.421 PidTagAdditionalRenEntryIdsEx

Canonical name: PidTagAdditionalRenEntryIdsEx

Property ID: 0x36D9

Data type: PtypBinary, 0x0102

Area: Outlook Application

References: [MS-OXOSFLD]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS_EX, ptagAdditionalRenEntryIdsEx

2.422 PidTagAddressBookContainerId

Canonical name: PidTagAddressBookContainerId

Property ID: 0xFFFFD

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_CONTAINERID

2.423 PidTagAddressBookDisplayNamePrintable

Canonical name: PidTagAddressBookDisplayNamePrintable

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXCMSG]

Alternate names: PR_EMS_AB_DISPLAY_NAME_PRINTABLE, PR_EMS_AB_DISPLAY_NAME_PRINTABLE_A, PR_EMS_AB_DISPLAY_NAME_PRINTABLE_W

2.424 PidTagAddressBookEntryId

Canonical name: PidTagAddressBookEntryId

Property ID: 0x663B

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXCFOLD]

Alternate names: PR_ADDRESS_BOOK_ENTRYID, ptagAddressBookEntryId

2.425 PidTagAddressBookExtensionAttribute1

Canonical name: PidTagAddressBookExtensionAttribute1

Property ID: 0x802D

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_1,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_W

2.426 PidTagAddressBookExtensionAttribute10

Canonical name: PidTagAddressBookExtensionAttribute10

Property ID: 0x8036

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_10,

PR_EMS_AB_EXTENSION_ATTRIBUTE_10_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_10_W

2.427 PidTagAddressBookExtensionAttribute11

Canonical name: PidTagAddressBookExtensionAttribute11

Property ID: 0x8C57

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_11,

PR_EMS_AB_EXTENSION_ATTRIBUTE_11_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_11_W

2.428 PidTagAddressBookExtensionAttribute12

Canonical name: PidTagAddressBookExtensionAttribute12

Property ID: 0x8C58

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_12,
PR_EMS_AB_EXTENSION_ATTRIBUTE_12_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_12_W

2.429 PidTagAddressBookExtensionAttribute13

Canonical name: PidTagAddressBookExtensionAttribute13

Property ID: 0x8C59

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_13,
PR_EMS_AB_EXTENSION_ATTRIBUTE_13_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_13_W

2.430 PidTagAddressBookExtensionAttribute14

Canonical name: PidTagAddressBookExtensionAttribute14

Property ID: 0x8C60

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_14,
PR_EMS_AB_EXTENSION_ATTRIBUTE_14_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_14_W

2.431 PidTagAddressBookExtensionAttribute15

Canonical name: PidTagAddressBookExtensionAttribute15

Property ID: 0x8C61

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_15,
PR_EMS_AB_EXTENSION_ATTRIBUTE_15_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_15_W

2.432 PidTagAddressBookExtensionAttribute2

Canonical name: PidTagAddressBookExtensionAttribute2

Property ID: 0x802E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_2,
PR_EMS_AB_EXTENSION_ATTRIBUTE_2_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_2_W

2.433 PidTagAddressBookExtensionAttribute3

Canonical name: PidTagAddressBookExtensionAttribute3

Property ID: 0x802F

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_3,
PR_EMS_AB_EXTENSION_ATTRIBUTE_3_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_3_W

2.434 PidTagAddressBookExtensionAttribute4

Canonical name: PidTagAddressBookExtensionAttribute4

Property ID: 0x8030

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_4,
PR_EMS_AB_EXTENSION_ATTRIBUTE_4_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_4_W

2.435 PidTagAddressBookExtensionAttribute5

Canonical name: PidTagAddressBookExtensionAttribute5

Property ID: 0x8031

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_5,
PR_EMS_AB_EXTENSION_ATTRIBUTE_5_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_5_W

2.436 PidTagAddressBookExtensionAttribute6

Canonical name: PidTagAddressBookExtensionAttribute6

Property ID: 0x8032

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_6,
PR_EMS_AB_EXTENSION_ATTRIBUTE_6_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_6_W

2.437 PidTagAddressBookExtensionAttribute7

Canonical name: PidTagAddressBookExtensionAttribute7

Property ID: 0x8033

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_7,
PR_EMS_AB_EXTENSION_ATTRIBUTE_7_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_7_W

2.438 PidTagAddressBookExtensionAttribute8

Canonical name: PidTagAddressBookExtensionAttribute8

Property ID: 0x8034

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_8,
PR_EMS_AB_EXTENSION_ATTRIBUTE_8_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_8_W

2.439 PidTagAddressBookExtensionAttribute9

Canonical name: PidTagAddressBookExtensionAttribute9

Property ID: 0x8035

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_9,
PR_EMS_AB_EXTENSION_ATTRIBUTE_9_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_9_W

2.440 PidTagAddressBookFolderPathname

Canonical name: PidTagAddressBookFolderPathname

Property ID: 0x8004

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_FOLDER_PATHNAME,
PR_EMS_AB_FOLDER_PATHNAME_A, PR_EMS_AB_FOLDER_PATHNAME_W

2.441 PidTagAddressBookHierarchicalChildDepartments

Canonical name: PidTagAddressBookHierarchicalChildDepartments

Property ID: 0x8C9A

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_CHILD_DEPARTMENTS

2.442 PidTagAddressBookHierarchicalDepartmentMembers

Canonical name: PidTagAddressBookHierarchicalDepartmentMembers

Property ID: 0x8C97

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_DEPARTMENT_MEMBERS

2.443 PidTagAddressBookHierarchicalParentDepartment

Canonical name: PidTagAddressBookHierarchicalParentDepartment

Property ID: 0x8C99

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_PARENT_DEPARTMENT

2.444 PidTagAddressBookHierarchicalRootDepartment

Canonical name: PidTagAddressBookHierarchicalRootDepartment

Property ID: 0x8C98

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_ROOT_DEPARTMENT

2.445 PidTagAddressBookHierarchicalShowInDepartments

Canonical name: PidTagAddressBookHierarchicalShowInDepartments

Property ID: 0x8C94

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_SHOW_IN_DEPARTMENTS

2.446 PidTagAddressBookHomeMessageDatabase

Canonical name: PidTagAddressBookHomeMessageDatabase

Property ID: 0x8006

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HOME_MDB, PR_EMS_AB_HOME_MDB_A,
PR_EMS_AB_HOME_MDB_W

2.447 PidTagAddressBookIsMaster

Canonical name: PidTagAddressBookIsMaster

Property ID: 0xFFFB

Data type: PtypBoolean, 0x000B
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_IS_MASTER

2.448 PidTagAddressBookIsMemberOfDistributionList

Canonical name: PidTagAddressBookIsMemberOfDistributionList
Property ID: 0x8008
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_IS_MEMBER_OF_DL,
PR_EMS_AB_IS_MEMBER_OF_DL_A, PR_EMS_AB_IS_MEMBER_OF_DL_W

2.449 PidTagAddressBookManageDistributionList

Canonical name: PidTagAddressBookManageDistributionList
Property ID: 0x6704
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_MANAGE_DL

2.450 PidTagAddressBookManager

Canonical name: PidTagAddressBookManager
Property ID: 0x8005
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_MANAGER, PR_EMS_AB_MANAGER_A,
PR_EMS_AB_MANAGER_W

2.451 PidTagAddressBookManagerDistinguishedName

Canonical name: PidTagAddressBookManagerDistinguishedName
Property ID: 0x8005
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_MANAGER_T

2.452 PidTagAddressBookMember

Canonical name: PidTagAddressBookMember
Property ID: 0x8009
Data type: PtypComObject, 0x000D
Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MEMBER, PR_EMS_AB_MEMBER_A, PR_EMS_AB_MEMBER_W

2.453 PidTagAddressBookMessageId

Canonical name: PidTagAddressBookMessageId

Property ID: 0x674F

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR]

Alternate names: ptagAddrbookMID

2.454 PidTagAddressBookNetworkAddress

Canonical name: PidTagAddressBookNetworkAddress

Property ID: 0x8170

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_NETWORK_ADDRESS, PR_EMS_AB_NETWORK_ADDRESS_A, PR_EMS_AB_NETWORK_ADDRESS_W

2.455 PidTagAddressBookObjectDistinguishedName

Canonical name: PidTagAddressBookObjectDistinguishedName

Property ID: 0x803C

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJ_DIST_NAME, PR_EMS_AB_OBJ_DIST_NAME_A, PR_EMS_AB_OBJ_DIST_NAME_W

2.456 PidTagAddressBookObjectGuid

Canonical name: PidTagAddressBookObjectGuid

Property ID: 0x8C6D

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJECT_GUID

2.457 PidTagAddressBookOwner

Canonical name: PidTagAddressBookOwner

Property ID: 0x800C

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_O

2.458 PidTagAddressBookOwnerBackLink

Canonical name: PidTagAddressBookOwnerBackLink

Property ID: 0x8024

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_BL_O

2.459 PidTagAddressBookParentEntryId

Canonical name: PidTagAddressBookParentEntryId

Property ID: 0xFFFC

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-OXOABK], [MS-NSPI]

Alternate names: PR_EMS_AB_PARENT_ENTRYID

2.460 PidTagAddressBookPhoneticCompanyName

Canonical name: PidTagAddressBookPhoneticCompanyName

Property ID: 0x8C91

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_COMPANY_NAME,

PR_EMS_AB_PHONETIC_COMPANY_NAME_A,

PR_EMS_AB_PHONETIC_COMPANY_NAME_W

2.461 PidTagAddressBookPhoneticDepartmentName

Canonical name: PidTagAddressBookPhoneticDepartmentName

Property ID: 0x8C90

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DEPARTMENT_NAME,

PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_A,

PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_W

2.462 PidTagAddressBookPhoneticDisplayName

Canonical name: PidTagAddressBookPhoneticDisplayName

Property ID: 0x8C92

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DISPLAY_NAME,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_A,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_W

2.463 PidTagAddressBookPhoneticGivenName

Canonical name: PidTagAddressBookPhoneticGivenName

Property ID: 0x8C8E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_GIVEN_NAME,
PR_EMS_AB_PHONETIC_GIVEN_NAME_A,
PR_EMS_AB_PHONETIC_GIVEN_NAME_W

2.464 PidTagAddressBookPhoneticSurname

Canonical name: PidTagAddressBookPhoneticSurname

Property ID: 0x8C8F

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_SURNAME,
PR_EMS_AB_PHONETIC_SURNAME_A, PR_EMS_AB_PHONETIC_SURNAME_W

2.465 PidTagAddressBookProxyAddresses

Canonical name: PidTagAddressBookProxyAddresses

Property ID: 0x800F

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PROXY_ADDRESSES,
PR_EMS_AB_PROXY_ADDRESSES_A, PR_EMS_AB_PROXY_ADDRESSES_W

2.466 PidTagAddressBookPublicDelegates

Canonical name: PidTagAddressBookPublicDelegates

Property ID: 0x8015

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PUBLIC_DELEGATES,
PR_EMS_AB_PUBLIC_DELEGATES_A, PR_EMS_AB_PUBLIC_DELEGATES_W

2.467 PidTagAddressBookReports

Canonical name: PidTagAddressBookReports

Property ID: 0x800E

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_REPORTS, PR_EMS_AB_REPORTS_A,
PR_EMS_AB_REPORTS_W

2.468 PidTagAddressBookRoomCapacity

Canonical name: PidTagAddressBookRoomCapacity

Property ID: 0x0807

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CAPACITY

2.469 PidTagAddressBookRoomContainers

Canonical name: PidTagAddressBookRoomContainers

Property ID: 0x8C96

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CONTAINERS,
PR_EMS_AB_ROOM_CONTAINERS_A, PR_EMS_AB_ROOM_CONTAINERS_W

2.470 PidTagAddressBookRoomDescription

Canonical name: PidTagAddressBookRoomDescription

Property ID: 0x0809

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_DESCRIPTION,
PR_EMS_AB_ROOM_DESCRIPTION_A, PR_EMS_AB_ROOM_DESCRIPTION_W

2.471 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex

Property ID: 0x8CA0

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_SENIORITY_INDEX

2.472 PidTagAddressBookTargetAddress

Canonical name: PidTagAddressBookTargetAddress

Property ID: 0x8011

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_TARGET_ADDRESS,
PR_EMS_AB_TARGET_ADDRESS_A, PR_EMS_AB_TARGET_ADDRESS_W

2.473 PidTagAddressBookX509Certificate

Canonical name: PidTagAddressBookX509Certificate

Property ID: 0x8C6A

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_X509_CERT

2.474 PidTagAddressType

Canonical name: PidTagAddressType

Property ID: 0x3002

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXCMAIL]

Alternate names: PR_ADDRTYPE, PR_ADDRTYPE_A, ptagAddrType,
PR_ADDRTYPE_W

2.475 PidTagAlternateRecipientAllowed

Canonical name: PidTagAlternateRecipientAllowed

Property ID: 0x0002

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: PR_ALTERNATE_RECIPIENT_ALLOWED,
ptagAlternateRecipientAllowed

2.476 PidTagAnr

Canonical name: PidTagAnr

Property ID: 0x360C

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOABK]

Alternate names: PR_ANR, PR_ANR_A, PR_ANR_W

2.477 PidTagAssistant

Canonical name: PidTagAssistant

Property ID: 0x3A30

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_ASSISTANT, PR_ASSISTANT_A, PR_ASSISTANT_W

2.478 PidTagAssistantTelephoneNumber

Canonical name: PidTagAssistantTelephoneNumber

Property ID: 0x3A2E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_ASSISTANT_TELEPHONE_NUMBER,
PR_ASSISTANT_TELEPHONE_NUMBER_A,
PR_ASSISTANT_TELEPHONE_NUMBER_W

2.479 PidTagAssociated

Canonical name: PidTagAssociated

Property ID: 0x67AA

Data type: PtypBoolean, 0x000B

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagAssociated

2.480 PidTagAttachAdditionalInformation

Canonical name: PidTagAttachAdditionalInformation

Property ID: 0x370F

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_ADDITIONAL_INFO

2.481 PidTagAttachContentBase

Canonical name: PidTagAttachContentBase

Property ID: 0x3711

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_CONTENT_BASE,
PR_ATTACH_CONTENT_BASE_A, PR_ATTACH_CONTENT_BASE_W

2.482 PidTagAttachContentId

Canonical name: PidTagAttachContentId

Property ID: 0x3712

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_CONTENT_ID, PR_ATTACH_CONTENT_ID_A, PR_ATTACH_CONTENT_ID_W

2.483 PidTagAttachContentLocation

Canonical name: PidTagAttachContentLocation

Property ID: 0x3713

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_CONTENT_LOCATION, PR_ATTACH_CONTENT_LOCATION_A, PR_ATTACH_CONTENT_LOCATION_W

2.484 PidTagAttachDataBinary

Canonical name: PidTagAttachDataBinary

Property ID: 0x3701

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_DATA_BIN, ptagAttachDataBin

2.485 PidTagAttachDataObject

Canonical name: PidTagAttachDataObject

Property ID: 0x3701

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_DATA_OBJ, ptagAttachDataObj

2.486 PidTagAttachEncoding

Canonical name: PidTagAttachEncoding

Property ID: 0x3702

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_ENCODING

2.487 PidTagAttachExtension

Canonical name: PidTagAttachExtension

Property ID: 0x3703

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_EXTENSION, PR_ATTACH_EXTENSION_A, PR_ATTACH_EXTENSION_W

2.488 PidTagAttachFilename

Canonical name: PidTagAttachFilename

Property ID: 0x3704

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXCMAIL], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXTNEF]

Alternate names: PR_ATTACH_FILENAME, PR_ATTACH_FILENAME_A, ptagAttachFilename, PR_ATTACH_FILENAME_W

2.489 PidTagAttachFlags

Canonical name: PidTagAttachFlags

Property ID: 0x3714

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_FLAGS

2.490 PidTagAttachLongFilename

Canonical name: PidTagAttachLongFilename

Property ID: 0x3707

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS], [MS-OXCMAIL], [MS-OXOUM]

Alternate names: PR_ATTACH_LONG_FILENAME, PR_ATTACH_LONG_FILENAME_A, PR_ATTACH_LONG_FILENAME_W

2.491 PidTagAttachLongPathname

Canonical name: PidTagAttachLongPathname

Property ID: 0x370D

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_LONG_PATHNAME,

PR_ATTACH_LONG_PATHNAME_A, ptagAttachLongPathname,
PR_ATTACH_LONG_PATHNAME_W

2.492 PidTagAttachmentContactPhoto

Canonical name: PidTagAttachmentContactPhoto

Property ID: 0x7FFF

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_CONTACTPHOTO

2.493 PidTagAttachmentFlags

Canonical name: PidTagAttachmentFlags

Property ID: 0x7FFD

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXOCAL]

Alternate names: PR_ATTACHMENT_FLAGS, ptagAttachmentFlags

2.494 PidTagAttachmentHidden

Canonical name: PidTagAttachmentHidden

Property ID: 0x7FFE

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXOCAL]

Alternate names: PR_ATTACHMENT_HIDDEN

2.495 PidTagAttachmentLinkId

Canonical name: PidTagAttachmentLinkId

Property ID: 0x7FFA

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXOJRN], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_LINKID, ptagAttachmentLinkId

2.496 PidTagAttachMethod

Canonical name: PidTagAttachMethod

Property ID: 0x3705

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_METHOD, ptagAttachMethod

2.497 PidTagAttachMimeTag

Canonical name: PidTagAttachMimeTag

Property ID: 0x370E

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_MIME_TAG, PR_ATTACH_MIME_TAG_A, PR_ATTACH_MIME_TAG_W

2.498 PidTagAttachNumber

Canonical name: PidTagAttachNumber

Property ID: 0x0E21

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_NUM, ptagAttachNum

2.499 PidTagAttachPathname

Canonical name: PidTagAttachPathname

Property ID: 0x3708

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_PATHNAME, PR_ATTACH_PATHNAME_A, ptagAttachPathname, PR_ATTACH_PATHNAME_W

2.500 PidTagAttachPayloadClass

Canonical name: PidTagAttachPayloadClass

Property ID: 0x371A

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_CLASS, PR_ATTACH_PAYLOAD_CLASS_A, PR_ATTACH_PAYLOAD_CLASS_W, ptagAttachPayloadClass

2.501 PidTagAttachPayloadProviderGuidString

Canonical name: PidTagAttachPayloadProviderGuidString

Property ID: 0x3719

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_PROV_GUID_STR,

PR_ATTACH_PAYLOAD_PROV_GUID_STR_A,
PR_ATTACH_PAYLOAD_PROV_GUID_STR_W

2.502 PidTagAttachRendering

Canonical name: PidTagAttachRendering

Property ID: 0x3709

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_RENDERING, ptagAttachRendering

2.503 PidTagAttachSize

Canonical name: PidTagAttachSize

Property ID: 0x0E20

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_SIZE, ptagAttachSize

2.504 PidTagAttachTag

Canonical name: PidTagAttachTag

Property ID: 0x370A

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_TAG

2.505 PidTagAttachTransportName

Canonical name: PidTagAttachTransportName

Property ID: 0x370C

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_TRANSPORT_NAME,
PR_ATTACH_TRANSPORT_NAME_A, PR_ATTACH_TRANSPORT_NAME_W

2.506 PidTagAttributeHidden

Canonical name: PidTagAttributeHidden

Property ID: 0x10F4

Data type: PtypBoolean, 0x000B

Area: Access Control Properties

References: [MS-OXCFOLD]

Alternate names: PR_ATTR_HIDDEN, ptagAttrHidden

2.507 PidTagAttributeReadOnly

Canonical name: PidTagAttributeReadOnly

Property ID: 0x10F6

Data type: PtypBoolean, 0x000B

Area: Access Control Properties

References: [MS-OXCFOLD]

Alternate names: PR_ATTR_READONLY, ptagAttrReadOnly

2.508 PidTagAttributeSystem

Canonical name: PidTagAttributeSystem

Property ID: 0x10F5

Data type: PtypBoolean, 0x000B

Area: Access Control Properties

References: [MS-OXTNEF]

Alternate names: PR_ATTR_SYSTEM, ptagAttrSystem

2.509 PidTagAutoForwarded

Canonical name: PidTagAutoForwarded

Property ID: 0x0005

Data type: PtypBoolean, 0x000B

Area: General Report Properties

References: [MS-OXCMAIL]

Alternate names: PR_AUTO_FORWARDED, ptagAutoForwarded

2.510 PidTagAutoResponseSuppress

Canonical name: PidTagAutoResponseSuppress

Property ID: 0x3FDF

Data type: PtypInteger32, 0x0003

Area: Email

References: [MS-OXCMAIL], [MS-OXORULE]

Alternate names: PR_AUTO_RESPONSE_SUPPRESS, ptagAutoResponseSuppress

2.511 PidTagBirthday

Canonical name: PidTagBirthday

Property ID: 0x3A42

Data type: PtypTime, 0x0040

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_BIRTHDAY

2.512 PidTagBlockStatus

Canonical name: PidTagBlockStatus

Property ID: 0x1096

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties
References: [MS-OXOMSG]
Alternate names: PR_BLOCK_STATUS, ptagBlockStatus

2.513 PidTagBody

Canonical name: PidTagBody
Property ID: 0x1000
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMSG]
Alternate names: PR_BODY, PR_BODY_A, ptagBody, PR_BODY_W

2.514 PidTagBodyContentId

Canonical name: PidTagBodyContentId
Property ID: 0x1015
Data type: PtypString, 0x001F
Area: Exchange
References: [MS-OXCMAIL]
Alternate names: PR_BODY_CONTENT_ID, PR_BODY_CONTENT_ID_A, PR_BODY_CONTENT_ID_W

2.515 PidTagBodyContentLocation

Canonical name: PidTagBodyContentLocation
Property ID: 0x1014
Data type: PtypString, 0x001F
Area: MIME Properties
References: [MS-OXCMAIL]
Alternate names: PR_BODY_CONTENT_LOCATION, PR_BODY_CONTENT_LOCATION_A, PR_BODY_CONTENT_LOCATION_W

2.516 PidTagBodyHtml

Canonical name: PidTagBodyHtml
Property ID: 0x1013
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMSG]
Alternate names: PR_BODY_HTML, PR_BODY_HTML_A, ptagBodyHtml, PR_BODY_HTML_W

2.517 PidTagBusiness2TelephoneNumber

Canonical name: PidTagBusiness2TelephoneNumber
Property ID: 0x3A1B
Data type: PtypString, 0x001F
Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER,
PR_BUSINESS2_TELEPHONE_NUMBER_A,
PR_BUSINESS2_TELEPHONE_NUMBER_W, PR_OFFICE2_TELEPHONE_NUMBER

2.518 PidTagBusiness2TelephoneNumbers

Canonical name: PidTagBusiness2TelephoneNumbers
Property ID: 0x3A1B
Data type: PtypMultipleString, 0x101F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER_A_MV

2.519 PidTagBusinessFaxNumber

Canonical name: PidTagBusinessFaxNumber
Property ID: 0x3A24
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_BUSINESS_FAX_NUMBER, PR_BUSINESS_FAX_NUMBER_A,
PR_BUSINESS_FAX_NUMBER_W

2.520 PidTagBusinessHomePage

Canonical name: PidTagBusinessHomePage
Property ID: 0x3A51
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_BUSINESS_HOME_PAGE, PR_BUSINESS_HOME_PAGE_A,
PR_BUSINESS_HOME_PAGE_W

2.521 PidTagBusinessTelephoneNumber

Canonical name: PidTagBusinessTelephoneNumber
Property ID: 0x3A08
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_BUSINESS_TELEPHONE_NUMBER,
PR_BUSINESS_TELEPHONE_NUMBER_A,
PR_BUSINESS_TELEPHONE_NUMBER_W, PR_OFFICE_TELEPHONE_NUMBER

2.522 PidTagCallbackTelephoneNumber

Canonical name: PidTagCallbackTelephoneNumber
Property ID: 0x3A02

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_CALLBACK_TELEPHONE_NUMBER,
PR_CALLBACK_TELEPHONE_NUMBER_A,
PR_CALLBACK_TELEPHONE_NUMBER_W

2.523 PidTagCallId

Canonical name: PidTagCallId
Property ID: 0x6806
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaCallID

2.524 PidTagCarTelephoneNumber

Canonical name: PidTagCarTelephoneNumber
Property ID: 0x3A1E
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_CAR_TELEPHONE_NUMBER,
PR_CAR_TELEPHONE_NUMBER_A, PR_CAR_TELEPHONE_NUMBER_W

2.525 PidTagChangeKey

Canonical name: PidTagChangeKey
Property ID: 0x65E2
Data type: PtypBinary, 0x0102
Area: History Properties
References: [MS-OXCFXICS], [MS-OXCSYNC], [MS-OXCMSG]
Alternate names: PR_CHANGE_KEY

2.526 PidTagChangeNotificationGuid

Canonical name: PidTagChangeNotificationGuid
Property ID: 0x6637
Data type: PtypGuid, 0x0048
Area: Exchange
References: [MS-OXCNOTIF]
Alternate names: PR_CHANGE_NOTIFICATION_GUID

2.527 PidTagChangeNumber

Canonical name: PidTagChangeNumber
Property ID: 0x67A4
Data type: PtypInteger64, 0x0014

Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagCn

2.528 PidTagChildrensNames

Canonical name: PidTagChildrensNames
Property ID: 0x3A58
Data type: PtypMultipleString, 0x101F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: PR_CHILDRENS_NAMES, PR_CHILDRENS_NAMES_A,
PR_CHILDRENS_NAMES_W

2.529 PidTagClientActions

Canonical name: PidTagClientActions
Property ID: 0x6645
Data type: PtypBinary, 0x0102
Area: Server-side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_CLIENT_ACTIONS, ptagClientActions

2.530 PidTagClientSubmitTime

Canonical name: PidTagClientSubmitTime
Property ID: 0x0039
Data type: PtypTime, 0x0040
Area: Message Time Properties
References: [MS-OXOMSG]
Alternate names: PR_CLIENT_SUBMIT_TIME

2.531 PidTagCnsetRead

Canonical name: PidTagCnsetRead
Property ID: 0x67D2
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetRead

2.532 PidTagCnsetSeen

Canonical name: PidTagCnsetSeen
Property ID: 0x6796
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeen

2.533 PidTagCnsetSeenFAI

Canonical name: PidTagCnsetSeenFAI

Property ID: 0x67DA

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagCnsetSeenFAI

2.534 PidTagCodePageId

Canonical name: PidTagCodePageId

Property ID: 0x66C3

Data type: PtypInteger32, 0x0003

Area: Exchange Profile Configuration

References: [MS-OXCSTOR]

Alternate names: PR_CODE_PAGE_ID, ptagCodePageId

2.535 PidTagComment

Canonical name: PidTagComment

Property ID: 0x3004

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCFOLD], [MS-OXCSTOR], [MS-OXOABK]

Alternate names: PR_COMMENT, PR_COMMENT_A, ptagComment, PR_COMMENT_W

2.536 PidTagCompanyMainTelephoneNumber

Canonical name: PidTagCompanyMainTelephoneNumber

Property ID: 0x3A57

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_COMPANY_MAIN_PHONE_NUMBER, PR_COMPANY_MAIN_PHONE_NUMBER_A, PR_COMPANY_MAIN_PHONE_NUMBER_W

2.537 PidTagCompanyName

Canonical name: PidTagCompanyName

Property ID: 0x3A16

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_COMPANY_NAME, PR_COMPANY_NAME_A, PR_COMPANY_NAME_W

2.538 PidTagComputerNetworkName

Canonical name: PidTagComputerNetworkName

Property ID: 0x3A49

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_COMPUTER_NETWORK_NAME,
PR_COMPUTER_NETWORK_NAME_A, PR_COMPUTER_NETWORK_NAME_W

2.539 PidTagConflictEntryId

Canonical name: PidTagConflictEntryId

Property ID: 0x3FF0

Data type: PtypBinary, 0x0102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ENTRYID, ptagConflictEntryId

2.540 PidTagConflictItems

Canonical name: PidTagConflictItems

Property ID: 0x1098

Data type: PtypMultipleBinary, 0x1102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ITEMS

2.541 PidTagContainerClass

Canonical name: PidTagContainerClass

Property ID: 0x3613

Data type: PtypString, 0x001F

Area: Container Properties

References: [MS-OXOSFLD], [MS-OXOCAL], [MS-OXOCNTC]

Alternate names: PR_CONTAINER_CLASS, PR_CONTAINER_CLASS_A,
ptagContainerClass, PR_CONTAINER_CLASS_W

2.542 PidTagContainerContents

Canonical name: PidTagContainerContents

Property ID: 0x360F

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-OXOABK]

Alternate names: PR_CONTAINER_CONTENTS, ptagContainerContents

2.543 PidTagContainerFlags

Canonical name: PidTagContainerFlags
Property ID: 0x3600
Data type: PtypInteger32, 0x0003
Area: Address Book
References: [MS-OXOABK]
Alternate names: PR_CONTAINER_FLAGS

2.544 PidTagContainerHierarchy

Canonical name: PidTagContainerHierarchy
Property ID: 0x360E
Data type: PtypComObject, 0x000D
Area: Container Properties
References: [MS-OXCFXICS], [MS-OXCICAL]
Alternate names: PR_CONTAINER_HIERARCHY, ptagContainerHierarchy

2.545 PidTagContentCount

Canonical name: PidTagContentCount
Property ID: 0x3602
Data type: PtypInteger32, 0x0003
Area: Folder Properties
References: [MS-OXCFOLD], [MS-OXCTABL]
Alternate names: PR_CONTENT_COUNT, ptagContentCount

2.546 PidTagContentFilterSpamConfidenceLevel

Canonical name: PidTagContentFilterSpamConfidenceLevel
Property ID: 0x4076
Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXCSPAM]
Alternate names: PR_CONTENT_FILTER_SCL, ptagContentFilterSCL

2.547 PidTagContentUnreadCount

Canonical name: PidTagContentUnreadCount
Property ID: 0x3603
Data type: PtypInteger32, 0x0003
Area: Folder Properties
References: [MS-OXCFOLD], [MS-OXCTABL]
Alternate names: PR_CONTENT_UNREAD, ptagContentUnread

2.548 PidTagConversationIndex

Canonical name: PidTagConversationIndex
Property ID: 0x0071
Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_CONVERSATION_INDEX, ptagConversationIndex

2.549 PidTagConversationKey

Canonical name: PidTagConversationKey

Property ID: 0x000B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXTNEF]

Alternate names: PR_CONVERSATION_KEY, ptagConversationKey

2.550 PidTagConversationTopic

Canonical name: PidTagConversationTopic

Property ID: 0x0070

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_CONVERSATION_TOPIC, PR_CONVERSATION_TOPIC_A, ptagConversationTopic, PR_CONVERSATION_TOPIC_W

2.551 PidTagCountry

Canonical name: PidTagCountry

Property ID: 0x3A26

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_COUNTRY, PR_COUNTRY_A, PR_COUNTRY_W, PR_BUSINESS_ADDRESS_COUNTRY, PR_BUSINESS_ADDRESS_COUNTRY_A, PR_BUSINESS_ADDRESS_COUNTRY_W

2.552 PidTagCreationTime

Canonical name: PidTagCreationTime

Property ID: 0x3007

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_CREATION_TIME, ptagCreationTime

2.553 PidTagCreatorEntryId

Canonical name: PidTagCreatorEntryId

Property ID: 0x3FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXTNEF]
Alternate names: PR_CREATOR_ENTRYID, ptagCreatorEntryId

2.554 PidTagCreatorName

Canonical name: PidTagCreatorName
Property ID: 0x3FF8
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]
Alternate names: PR_CREATOR_NAME, PR_CREATOR_NAME_A, ptagCreatorName, PR_CREATOR_NAME_W

2.555 PidTagCreatorSimpleDisplayName

Canonical name: PidTagCreatorSimpleDisplayName
Property ID: 0x4038
Data type: PtypString, 0x001F
Area: TransportEnvelope
References: [MS-OXTNEF]
Alternate names: ptagCreatorSimpleDispName

2.556 PidTagCustomerId

Canonical name: PidTagCustomerId
Property ID: 0x3A4A
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_CUSTOMER_ID, PR_CUSTOMER_ID_A, PR_CUSTOMER_ID_W

2.557 PidTagDamBackPatched

Canonical name: PidTagDamBackPatched
Property ID: 0x6647
Data type: PtypBoolean, 0x000B
Area: Server-side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_DAM_BACK_PATCHED, ptagDamBackPatched

2.558 PidTagDamOriginalEntryId

Canonical name: PidTagDamOriginalEntryId
Property ID: 0x6646
Data type: PtypBinary, 0x0102
Area: Server-side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_DAM_ORIGINAL_ENTRYID

2.559 PidTagDefaultPostMessageClass

Canonical name: PidTagDefaultPostMessageClass

Property ID: 0x36E5

Data type: PtypString, 0x001F

Area: MapiContainer

References: [MS-OXOCAL]

Alternate names: PR_DEF_POST_MSGCLASS

2.560 PidTagDeferredDeliveryTime

Canonical name: PidTagDeferredDeliveryTime

Property ID: 0x000F

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_DEFERRED_DELIVERY_TIME, ptagDeferredDeliveryTime

2.561 PidTagDeferredSendNumber

Canonical name: PidTagDeferredSendNumber

Property ID: 0x3FEB

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_DEFERRED_SEND_NUMBER

2.562 PidTagDeferredSendTime

Canonical name: PidTagDeferredSendTime

Property ID: 0x3FEF

Data type: PtypTime, 0x0040

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_DEFERRED_SEND_TIME, ptagDeferredSendTime

2.563 PidTagDeferredSendUnits

Canonical name: PidTagDeferredSendUnits

Property ID: 0x3FEC

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_DEFERRED_SEND_UNITS

2.564 PidTagDelegatedByRule

Canonical name: PidTagDelegatedByRule

Property ID: 0x3FE3

Data type: PtypBoolean, 0x000B

Area: MapiStatus
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_DELEGATED_BY_RULE

2.565 PidTagDelegateFlags

Canonical name: PidTagDelegateFlags
Property ID: 0x686B
Data type: PtypMultipleInteger32, 0x1003
Area: MessageClassDefinedTransmittable
References: [MS-OXODLGT]
Alternate names: PR_DELEGATE_FLAGS, ptagDelegateFlags

2.566 PidTagDelegation

Canonical name: PidTagDelegation
Property ID: 0x007E
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXTNEF]
Alternate names: PR_DELEGATION

2.567 PidTagDeleteAfterSubmit

Canonical name: PidTagDeleteAfterSubmit
Property ID: 0x0E01
Data type: PtypBoolean, 0x000B
Area: MapiNonTransmittable
References: [MS-OXCSTOR], [MS-OXOMSG]
Alternate names: PR_DELETE_AFTER_SUBMIT, ptagDeleteAfterSubmit

2.568 PidTagDeletedAssociatedMessageCount

Canonical name: PidTagDeletedAssociatedMessageCount
Property ID: 0x6643
Data type: PtypInteger32, 0x0003
Area: ExchangeMessageReadOnly
References: [MS-OXCSTOR]
Alternate names: PR_DELETED_ASSOC_MSG_COUNT

2.569 PidTagDeletedAssociatedMessageSizeExtended

Canonical name: PidTagDeletedAssociatedMessageSizeExtended
Property ID: 0x669D
Data type: PtypInteger64, 0x0014
Area: ExchangeAdministrative
References: [MS-OXCSTOR]
Alternate names: PR_DELETED_ASSOC_MESSAGE_SIZE_EXTENDED, ptagDeletedAssocMessageSizeExtended

2.570 PidTagDeletedMessageCount

Canonical name: PidTagDeletedMessageCount

Property ID: 0x6640

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXCSTOR]

Alternate names: PR_DELETED_MSG_COUNT

2.571 PidTagDeletedMessageSizeExtended

Canonical name: PidTagDeletedMessageSizeExtended

Property ID: 0x669B

Data type: PtypInteger64, 0x0014

Area: ExchangeAdministrative

References: [MS-OXCSTOR]

Alternate names: PR_DELETED_MESSAGE_SIZE_EXTENDED,
ptagDeletedMessageSizeExtended

2.572 PidTagDeletedNormalMessageSizeExtended

Canonical name: PidTagDeletedNormalMessageSizeExtended

Property ID: 0x669C

Data type: PtypInteger64, 0x0014

Area: ExchangeAdministrative

References: [MS-OXCSTOR]

Alternate names: PR_DELETED_NORMAL_MESSAGE_SIZE_EXTENDED,
ptagDeletedNormalMessageSizeExtended

2.573 PidTagDeletedOn

Canonical name: PidTagDeletedOn

Property ID: 0x668F

Data type: PtypTime, 0x0040

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_DELETED_ON, ptagDeletedOn

2.574 PidTagDepartmentName

Canonical name: PidTagDepartmentName

Property ID: 0x3A18

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_DEPARTMENT_NAME, PR_DEPARTMENT_NAME_A,
PR_DEPARTMENT_NAME_W

2.575 PidTagDepth

Canonical name: PidTagDepth
Property ID: 0x3005
Data type: PtypInteger32, 0x0003
Area: MapiCommon
References: [MS-OXCTABL], [MS-OXOABK]
Alternate names: PR_DEPTH, ptagDepth

2.576 PidTagDisplayBcc

Canonical name: PidTagDisplayBcc
Property ID: 0x0E02
Data type: PtypString, 0x001F
Area: Message Properties
References: [MS-OXOMSG]
Alternate names: PR_DISPLAY_BCC, PR_DISPLAY_BCC_A, ptagDisplayBcc, PR_DISPLAY_BCC_W

2.577 PidTagDisplayCc

Canonical name: PidTagDisplayCc
Property ID: 0x0E03
Data type: PtypString, 0x001F
Area: Message Properties
References: [MS-OXOMSG]
Alternate names: PR_DISPLAY_CC, PR_DISPLAY_CC_A, ptagDisplayCc, PR_DISPLAY_CC_W

2.578 PidTagDisplayName

Canonical name: PidTagDisplayName
Property ID: 0x3001
Data type: PtypString, 0x001F
Area: MapiCommon
References: [MS-OXCMSG], [MS-OXCFOLD], [MS-OXOCNTC], [MS-OXOABK], [MS-OXCMAIL], [MS-XWDVSEC]
Alternate names: PR_DISPLAY_NAME, PR_DISPLAY_NAME_A, ptagDisplayName, PR_DISPLAY_NAME_W

2.579 PidTagDisplayNamePrefix

Canonical name: PidTagDisplayNamePrefix
Property ID: 0x3A45
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_DISPLAY_NAME_PREFIX, PR_DISPLAY_NAME_PREFIX_A, PR_DISPLAY_NAME_PREFIX_W

2.580 PidTagDisplayTo

Canonical name: PidTagDisplayTo

Property ID: 0x0E04

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXOMSG]

Alternate names: PR_DISPLAY_TO, PR_DISPLAY_TO_A, ptagDisplayTo, PR_DISPLAY_TO_W

2.581 PidTagDisplayType

Canonical name: PidTagDisplayType

Property ID: 0x3900

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXCMSG], [MS-OXOABK], [MS-OXLDAP]

Alternate names: PR_DISPLAY_TYPE, ptagDisplayType

2.582 PidTagDisplayTypeEx

Canonical name: PidTagDisplayTypeEx

Property ID: 0x3905

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXOABK]

Alternate names: PR_DISPLAY_TYPE_EX

2.583 PidTagEcWarning

Canonical name: PidTagEcWarning

Property ID: 0x400F

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFCICS]

Alternate names: ptagEcWarning

2.584 PidTagEmailAddress

Canonical name: PidTagEmailAddress

Property ID: 0x3003

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-OXOABK], [MS-OXCMAIL]

Alternate names: PR_EMAIL_ADDRESS, PR_EMAIL_ADDRESS_A, PR_EMAIL_ADDRESS_W

2.585 PidTagEmailAddress1

Canonical name: PidTagEmailAddress1
Property ID: 0x8093
Data type: PtypString, 0x001F
Area: ExchangeDirectorySchemaDefined
References: [MS-OXPROTO]
Alternate names: PR_EMAIL_ADDRESS_1

2.586 PidTagEndDate

Canonical name: PidTagEndDate
Property ID: 0x0061
Data type: PtypTime, 0x0040
Area: MapiEnvelope
References: [MS-OXOCAL]
Alternate names: PR_END_DATE

2.587 PidTagEntryId

Canonical name: PidTagEntryId
Property ID: 0x0FFF
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-OXCMSG], [MS-OXOABK], [MS-OXCMAIL], [MS-OXCFXICS], [MS-OXCPerm], [MS-OXODLGT], [MS-OXWAVLS]
Alternate names: PR_ENTRYID, ptagEntryId

2.588 PidTagExceptionEndTime

Canonical name: PidTagExceptionEndTime
Property ID: 0x7FFC
Data type: PtypTime, 0x0040
Area: MessageClassDefinedNonTransmittable
References: [MS-OXOCAL]
Alternate names: PR_EXCEPTION_ENDTIME, ptagExceptionEndTime

2.589 PidTagExceptionReplaceTime

Canonical name: PidTagExceptionReplaceTime
Property ID: 0x7FF9
Data type: PtypTime, 0x0040
Area: MessageClassDefinedNonTransmittable
References: [MS-OXOCAL]
Alternate names: PR_EXCEPTION_REPLACETIME

2.590 PidTagExceptionStartTime

Canonical name: PidTagExceptionStartTime
Property ID: 0x7FFB

Data type: PtypTime, 0x0040
Area: MessageClassDefinedNonTransmittable
References: [MS-OXOCAL]
Alternate names: PR_EXCEPTION_STARTTIME, ptagExceptionStartTime

2.591 PidTagExpiryNumber

Canonical name: PidTagExpiryNumber
Property ID: 0x3FED
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_NUMBER

2.592 PidTagExpiryTime

Canonical name: PidTagExpiryTime
Property ID: 0x0015
Data type: PtypTime, 0x0040
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_TIME, ptagExpiryTime

2.593 PidTagExpiryUnits

Canonical name: PidTagExpiryUnits
Property ID: 0x3FEE
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_UNITS

2.594 PidTagExtendedFolderFlags

Canonical name: PidTagExtendedFolderFlags
Property ID: 0x36DA
Data type: PtypBinary, 0x0102
Area: MapiContainer
References: [MS-OXOCFG], [MS-OXOSRCH]
Alternate names: PR_EXTENDED_FOLDER_FLAGS, ptagExtendedFolderFlags

2.595 PidTagExtendedRuleMessageActions

Canonical name: PidTagExtendedRuleMessageActions
Property ID: 0x0E99
Data type: PtypBinary, 0x0102
Area: Rules
References: [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_MSG_ACTIONS

2.596 PidTagExtendedRuleMessageCondition

Canonical name: PidTagExtendedRuleMessageCondition

Property ID: 0x0E9A

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_MSG_CONDITION

2.597 PidTagExtendedRuleSizeLimit

Canonical name: PidTagExtendedRuleSizeLimit

Property ID: 0x0E9B

Data type: PtypInteger32, 0x0003

Area: Rules

References: [MS-OXCSTOR]

Alternate names: PR_EXTENDED_RULE_SIZE_LIMIT

2.598 PidTagFaxNumberOfPages

Canonical name: PidTagFaxNumberOfPages

Property ID: 0x6804

Data type: PtypInteger32, 0x0003

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaFaxNumberOfPages

2.599 PidTagFlagCompleteTime

Canonical name: PidTagFlagCompleteTime

Property ID: 0x1091

Data type: PtypTime, 0x0040

Area: Miscellaneous Properties

References: [MS-OXOFLAG]

Alternate names: PR_FLAG_COMPLETE_TIME, ptagFlagCompleteTime

2.600 PidTagFlagStatus

Canonical name: PidTagFlagStatus

Property ID: 0x1090

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXOFLAG]

Alternate names: PR_FLAG_STATUS, ptagFlagStatus

2.601 PidTagFolderAssociatedContents

Canonical name: PidTagFolderAssociatedContents

Property ID: 0x3610

Data type: PtypComObject, 0x000D

Area: MapiContainer
References: [MS-OXCFXICS], [MS-OXCICAL]
Alternate names: PR_FOLDER_ASSOCIATED_CONTENTS

2.602 PidTagFolderId

Canonical name: PidTagFolderId
Property ID: 0x6748
Data type: PtypInteger64, 0x0014
Area: ID Properties
References: [MS-OXCFXICS]
Alternate names: ptagFID

2.603 PidTagFolderType

Canonical name: PidTagFolderType
Property ID: 0x3601
Data type: PtypInteger32, 0x0003
Area: MapiContainer
References: [MS-OXCFOLD]
Alternate names: PR_FOLDER_TYPE, ptagFolderType

2.604 PidTagFollowupIcon

Canonical name: PidTagFollowupIcon
Property ID: 0x1095
Data type: PtypInteger32, 0x0003
Area: RenMessageFolder
References: [MS-OXOFLAG]
Alternate names: PR_FOLLOWUP_ICON, ptagFollowupIcon

2.605 PidTagFreeBusyCountMonths

Canonical name: PidTagFreeBusyCountMonths
Property ID: 0x6869
Data type: PtypInteger32, 0x0003
Area: MessageClassDefinedTransmittable
References: [MS-OXOPFFB], [MS-OXOCAL]
Alternate names: PR_FREEBUSY_COUNT_MONTHS

2.606 PidTagFreeBusyEntryIds

Canonical name: PidTagFreeBusyEntryIds
Property ID: 0x36E4
Data type: PtypMultipleBinary, 0x1102
Area: MapiContainer
References: [MS-OXOPFFB], [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_FREEBUSY_ENTRYIDS, ptagFreeBusyEntryIds

2.607 PidTagFreeBusyMessageEmailAddress

Canonical name: PidTagFreeBusyMessageEmailAddress

Property ID: 0x6849

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_EMA

2.608 PidTagFreeBusyPublishEnd

Canonical name: PidTagFreeBusyPublishEnd

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_END

2.609 PidTagFreeBusyPublishStart

Canonical name: PidTagFreeBusyPublishStart

Property ID: 0x6847

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_START

2.610 PidTagFreeBusyRangeTimestamp

Canonical name: PidTagFreeBusyRangeTimestamp

Property ID: 0x6868

Data type: PtypTime, 0x0040

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_RANGE_TIMESTAMP

2.611 PidTagFtpSite

Canonical name: PidTagFtpSite

Property ID: 0x3A4C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_FTP_SITE, PR_FTP_SITE_A, PR_FTP_SITE_W

2.612 PidTagFXDelProp

Canonical name: PidTagFXDelProp

Property ID: 0x4016

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagFXDelProp

2.613 PidTagGatewayNeedsToRefresh

Canonical name: PidTagGatewayNeedsToRefresh
Property ID: 0x6846
Data type: PtypBoolean, 0x000B
Area: MessageClassDefinedTransmittable
References: [MS-OXOPFFB]
Alternate names: PR_GATEWAY_NEEDS_TO_REFRESH

2.614 PidTagGender

Canonical name: PidTagGender
Property ID: 0x3A4D
Data type: PtypInteger16, 0x0002
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_GENDER

2.615 PidTagGeneration

Canonical name: PidTagGeneration
Property ID: 0x3A05
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_GENERATION, PR_GENERATION_A, PR_GENERATION_W

2.616 PidTagGivenName

Canonical name: PidTagGivenName
Property ID: 0x3A06
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_GIVEN_NAME, PR_GIVEN_NAME_A, PR_GIVEN_NAME_W

2.617 PidTagGovernmentIdNumber

Canonical name: PidTagGovernmentIdNumber
Property ID: 0x3A07
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_GOVERNMENT_ID_NUMBER,
PR_GOVERNMENT_ID_NUMBER_A, PR_GOVERNMENT_ID_NUMBER_W

2.618 PidTagHasAttachments

Canonical name: PidTagHasAttachments

Property ID: 0x0E1B

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCMMSG]

Alternate names: PR_HASATTACH, ptagHasAttach

2.619 PidTagHasDeferredActionMessages

Canonical name: PidTagHasDeferredActionMessages

Property ID: 0x3FEA

Data type: PtypBoolean, 0x000B

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_HAS_DAMS, ptagHasDAMs

2.620 PidTagHasNamedProperties

Canonical name: PidTagHasNamedProperties

Property ID: 0x664A

Data type: PtypBoolean, 0x000B

Area: ExchangeMessageReadOnly

References: [MS-OXCFXICS], [MS-OXCMMSG]

Alternate names: PR_HAS_NAMED_PROPERTIES, ptagHasNamedProperties

2.621 PidTagHasRules

Canonical name: PidTagHasRules

Property ID: 0x663A

Data type: PtypBoolean, 0x000B

Area: ExchangeFolder

References: [MS-OXCFOLD], [MS-OXORULE]

Alternate names: PR_HAS_RULES, ptagHasRules

2.622 PidTagHierarchyChangeNumber

Canonical name: PidTagHierarchyChangeNumber

Property ID: 0x663E

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_HIERARCHY_CHANGE_NUM

2.623 PidTagHobbies

Canonical name: PidTagHobbies

Property ID: 0x3A43

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_HOBBIES, PR_HOBBIES_A, PR_HOBBIES_W

2.624 PidTagHome2TelephoneNumber

Canonical name: PidTagHome2TelephoneNumber

Property ID: 0x3A2F

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_HOME2_TELEPHONE_NUMBER,
PR_HOME2_TELEPHONE_NUMBER_A, PR_HOME2_TELEPHONE_NUMBER_W

2.625 PidTagHome2TelephoneNumbers

Canonical name: PidTagHome2TelephoneNumbers

Property ID: 0x3A2F

Data type: PtypMultipleString, 0x101F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME2_TELEPHONE_NUMBER_A_MV

2.626 PidTagHomeAddressCity

Canonical name: PidTagHomeAddressCity

Property ID: 0x3A59

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_CITY, PR_HOME_ADDRESS_CITY_A,
PR_HOME_ADDRESS_CITY_W

2.627 PidTagHomeAddressCountry

Canonical name: PidTagHomeAddressCountry

Property ID: 0x3A5A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_COUNTRY,
PR_HOME_ADDRESS_COUNTRY_A, PR_HOME_ADDRESS_COUNTRY_W

2.628 PidTagHomeAddressPostalCode

Canonical name: PidTagHomeAddressPostalCode

Property ID: 0x3A5B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_POSTAL_CODE,
PR_HOME_ADDRESS_POSTAL_CODE_A,
PR_HOME_ADDRESS_POSTAL_CODE_W

2.629 PidTagHomeAddressPostOfficeBox

Canonical name: PidTagHomeAddressPostOfficeBox

Property ID: 0x3A5E

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_POST_OFFICE_BOX,
PR_HOME_ADDRESS_POST_OFFICE_BOX_A,
PR_HOME_ADDRESS_POST_OFFICE_BOX_W

2.630 PidTagHomeAddressStateOrProvince

Canonical name: PidTagHomeAddressStateOrProvince

Property ID: 0x3A5C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_STATE_OR_PROVINCE,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_A,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_W

2.631 PidTagHomeAddressStreet

Canonical name: PidTagHomeAddressStreet

Property ID: 0x3A5D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_STREET, PR_HOME_ADDRESS_STREET_A,
PR_HOME_ADDRESS_STREET_W

2.632 PidTagHomeFaxNumber

Canonical name: PidTagHomeFaxNumber

Property ID: 0x3A25

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_HOME_FAX_NUMBER, PR_HOME_FAX_NUMBER_A,
PR_HOME_FAX_NUMBER_W

2.633 PidTagHomeTelephoneNumber

Canonical name: PidTagHomeTelephoneNumber

Property ID: 0x3A09

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_HOME_TELEPHONE_NUMBER,
PR_HOME_TELEPHONE_NUMBER_A, PR_HOME_TELEPHONE_NUMBER_W

2.634 PidTagHtml

Canonical name: PidTagHtml

Property ID: 0x1013

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR_HTML, ptagHtml

2.635 PidTagIconIndex

Canonical name: PidTagIconIndex

Property ID: 0x1080

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXOCAL], [MS-OXOTASK]

Alternate names: PR_ICON_INDEX, ptagIconIndex

2.636 PidTagIdsetDeleted

Canonical name: PidTagIdsetDeleted

Property ID: 0x67E5

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagIdsetDeleted

2.637 PidTagIdsetExpired

Canonical name: PidTagIdsetExpired

Property ID: 0x6793

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagMidsetExpired

2.638 PidTagIdsetGiven

Canonical name: PidTagIdsetGiven

Property ID: 0x4017

Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetGiven

2.639 PidTagIdsetRead

Canonical name: PidTagIdsetRead
Property ID: 0x402D
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetRead

2.640 PidTagIdsetSoftDeleted

Canonical name: PidTagIdsetSoftDeleted
Property ID: 0x4021
Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagSoftDeletes

2.641 PidTagIdsetUnread

Canonical name: PidTagIdsetUnread
Property ID: 0x402E
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetUnread

2.642 PidTagImapCachedMsgsize

Canonical name: PidTagImapCachedMsgsize
Property ID: 0x10F0
Data type: PtypBinary, 0x0102
Area: RenMessageFolder
References: [MS-OXTNEF]
Alternate names: ptagImapCachedMsgsize

2.643 PidTagImportance

Canonical name: PidTagImportance
Property ID: 0x0017
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCMSG]
Alternate names: PR_IMPORTANCE, ptagImportance

2.644 PidTagInConflict

Canonical name: PidTagInConflict

Property ID: 0x666C

Data type: PtypBoolean, 0x000B

Area: Conflict Note

References: [MS-OXCSYNC]

Alternate names: PR_IN_CONFLICT, ptagInConflict

2.645 PidTagIncrementalSyncMessagePartial

Canonical name: PidTagIncrementalSyncMessagePartial

Property ID: 0x407A

Data type: PtypInteger32, 0x0003

Area: ICS

References: [MS-OXCFXICS]

Alternate names: ptagIncrSyncMsgPartial

2.646 PidTagIncrSyncGroupId

Canonical name: PidTagIncrSyncGroupId

Property ID: 0x407C

Data type: PtypInteger32, 0x0003

Area: ICS

References: [MS-OXCFXICS]

Alternate names: ptagIncrSyncGroupId

2.647 PidTagInitialDetailsPane

Canonical name: PidTagInitialDetailsPane

Property ID: 0x3F08

Data type: PtypInteger32, 0x0003

Area: MAPI Display Tables

References: [MS-OXOABK]

Alternate names: PR_INITIAL_DETAILS_PANE

2.648 PidTagInitials

Canonical name: PidTagInitials

Property ID: 0x3A0A

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_INITIALS, PR_INITIALS_A, PR_INITIALS_W

2.649 PidTagInReplyToId

Canonical name: PidTagInReplyToId

Property ID: 0x1042

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_IN_REPLY_TO_ID, PR_IN_REPLY_TO_ID_A, PR_IN_REPLY_TO_ID_W

2.650 PidTagInstanceKey

Canonical name: PidTagInstanceKey

Property ID: 0x0FF6

Data type: PtypBinary, 0x0102

Area: Table Properties

References: [MS-OXOABK], [MS-OXCADATA]

Alternate names: PR_INSTANCE_KEY, ptagInstanceKey

2.651 PidTagInstanceNum

Canonical name: PidTagInstanceNum

Property ID: 0x674E

Data type: PtypInteger32, 0x0003

Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]

Alternate names: ptagInstanceNum

2.652 PidTagInstID

Canonical name: PidTagInstID

Property ID: 0x674D

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]

Alternate names: ptagInstID

2.653 PidTagInternetArticleNumber

Canonical name: PidTagInternetArticleNumber

Property ID: 0x0E23

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXCFXICS]

Alternate names: PR_INTERNET_ARTICLE_NUMBER

2.654 PidTagInternetCodepage

Canonical name: PidTagInternetCodepage

Property ID: 0x3FDE

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG]

Alternate names: PR_INTERNET_CPID, ptagInternetCpid

2.655 PidTagInternetMailOverrideFormat

Canonical name: PidTagInternetMailOverrideFormat

Property ID: 0x5902

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXOMSG], [MS-OXCMAIL]

Alternate names: PR_INETMAIL_OVERRIDE_FORMAT, ptagInetMailOverrideFormat

2.656 PidTagInternetMessageId

Canonical name: PidTagInternetMessageId

Property ID: 0x1035

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_INTERNET_MESSAGE_ID, PR_INTERNET_MESSAGE_ID_A,
PR_INTERNET_MESSAGE_ID_W

2.657 PidTagInternetReferences

Canonical name: PidTagInternetReferences

Property ID: 0x1039

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_INTERNET_REFERENCES, PR_INTERNET_REFERENCES_A,
PR_INTERNET_REFERENCES_W

2.658 PidTagInternetReturnPath

Canonical name: PidTagInternetReturnPath

Property ID: 0x1046

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCICAL]

Alternate names: PR_INTERNET_RETURN_PATH,
PR_INTERNET_RETURN_PATH_A, PR_INTERNET_RETURN_PATH_W

2.659 PidTagIpmAppointmentEntryId

Canonical name: PidTagIpmAppointmentEntryId

Property ID: 0x36D0

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXOSFLD], [MS-OXODLGT]

Alternate names: PR_IPM_APPOINTMENT_ENTRYID

2.660 PidTagIpmContactEntryId

Canonical name: PidTagIpmContactEntryId
Property ID: 0x36D1
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD], [MS-OXODLGT]
Alternate names: PR_IPM_CONTACT_ENTRYID

2.661 PidTagIpmDraftsEntryId

Canonical name: PidTagIpmDraftsEntryId
Property ID: 0x36D7
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD]
Alternate names: PR_IPM_DRAFTS_ENTRYID

2.662 PidTagIpmJournalEntryId

Canonical name: PidTagIpmJournalEntryId
Property ID: 0x36D2
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD], [MS-OXODLGT]
Alternate names: PR_IPM_JOURNAL_ENTRYID

2.663 PidTagIpmNoteEntryId

Canonical name: PidTagIpmNoteEntryId
Property ID: 0x36D3
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD], [MS-OXODLGT]
Alternate names: PR_IPM_NOTE_ENTRYID

2.664 PidTagIpmTaskEntryId

Canonical name: PidTagIpmTaskEntryId
Property ID: 0x36D4
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD], [MS-OXODLGT]
Alternate names: PR_IPM_TASK_ENTRYID

2.665 PidTagIsdnNumber

Canonical name: PidTagIsdnNumber
Property ID: 0x3A2D
Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_ISDN_NUMBER, PR_ISDN_NUMBER_A, PR_ISDN_NUMBER_W

2.666 PidTagItemTemporaryflags

Canonical name: PidTagItemTemporaryflags

Property ID: 0x1097

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFOLD]

Alternate names: PR_ITEM_TMPFLAGS

2.667 PidTagJunkAddRecipientsToSafeSendersList

Canonical name: PidTagJunkAddRecipientsToSafeSendersList

Property ID: 0x6103

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_ADD_RECIPS_TO_SSL

2.668 PidTagJunkIncludeContacts

Canonical name: PidTagJunkIncludeContacts

Property ID: 0x6100

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_INCLUDE_CONTACTS

2.669 PidTagJunkPermanentlyDelete

Canonical name: PidTagJunkPermanentlyDelete

Property ID: 0x6102

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_PERMANENTLY_DELETE

2.670 PidTagJunkPhishingEnableLinks

Canonical name: PidTagJunkPhishingEnableLinks

Property ID: 0x6107

Data type: PtypBoolean, 0x000B

Area: Spam

References: [MS-OXCSPAM], [MS-OXPHISH]

Alternate names: PR_JUNK_PHISHING_ENABLE_LINKS

2.671 PidTagJunkPostmarkOutgoingMail

Canonical name: PidTagJunkPostmarkOutgoingMail

Property ID: 0x6109

Data type: PtypBoolean, 0x000B

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_POSTMARK_OUTGOING_MAIL

2.672 PidTagJunkThreshold

Canonical name: PidTagJunkThreshold

Property ID: 0x6101

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_THRESHOLD

2.673 PidTagKeyword

Canonical name: PidTagKeyword

Property ID: 0x3A0B

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_KEYWORD, PR_KEYWORD_A, PR_KEYWORD_W

2.674 PidTagLanguage

Canonical name: PidTagLanguage

Property ID: 0x3A0C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_LANGUAGE, PR_LANGUAGE_A, PR_LANGUAGE_W

2.675 PidTagLastModificationTime

Canonical name: PidTagLastModificationTime

Property ID: 0x3008

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCMMSG], [MS-OXCSYNC], [MS-OXOABK]

Alternate names: PR_LAST_MODIFICATION_TIME, ptagLastModificationTime

2.676 PidTagLastModifierEntryId

Canonical name: PidTagLastModifierEntryId

Property ID: 0x3FFB

Data type: PtypBinary, 0x0102

Area: History Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_LAST_MODIFIER_ENTRYID, ptagLastModifierEntryId

2.677 PidTagLastModifierName

Canonical name: PidTagLastModifierName

Property ID: 0x3FFA

Data type: PtypString, 0x001F

Area: History Properties

References: [MS-OXCMSG]

Alternate names: PR_LAST_MODIFIER_NAME, PR_LAST_MODIFIER_NAME_A, ptagLastModifierName, PR_LAST_MODIFIER_NAME_W

2.678 PidTagLastModifierSimpleDisplayName

Canonical name: PidTagLastModifierSimpleDisplayName

Property ID: 0x4039

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagLastModifierSimpleDispName

2.679 PidTagLastVerbExecuted

Canonical name: PidTagLastVerbExecuted

Property ID: 0x1081

Data type: PtypInteger32, 0x0003

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTED, ptagLastVerbExecuted

2.680 PidTagLastVerbExecutionTime

Canonical name: PidTagLastVerbExecutionTime

Property ID: 0x1082

Data type: PtypTime, 0x0040

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTION_TIME, ptagLastVerbExecutionTime

2.681 PidTagListHelp

Canonical name: PidTagListHelp

Property ID: 0x1043

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_HELP, PR_LIST_HELP_A, PR_LIST_HELP_W

2.682 PidTagListSubscribe

Canonical name: PidTagListSubscribe

Property ID: 0x1044

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_SUBSCRIBE, PR_LIST_SUBSCRIBE_A,
PR_LIST_SUBSCRIBE_W

2.683 PidTagListUnsubscribe

Canonical name: PidTagListUnsubscribe

Property ID: 0x1045

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_UNSUBSCRIBE, PR_LIST_UNSUBSCRIBE_A,
PR_LIST_UNSUBSCRIBE_W

2.684 PidTagLocalCommitTime

Canonical name: PidTagLocalCommitTime

Property ID: 0x6709

Data type: PtypTime, 0x0040

Area: Server

References: [MS-OXCMSG]

Alternate names: PR_LOCAL_COMMIT_TIME, ptagLocalCommitTime

2.685 PidTagLocaleId

Canonical name: PidTagLocaleId

Property ID: 0x66A1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCSTOR]

Alternate names: PR_LOCALE_ID, ptagLocaleId

2.686 PidTagLocality

Canonical name: PidTagLocality

Property ID: 0x3A27

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_LOCALITY, PR_LOCALITY_A, PR_LOCALITY_W,
PR_BUSINESS_ADDRESS_LOCALITY, PR_BUSINESS_ADDRESS_LOCALITY_A,
PR_BUSINESS_ADDRESS_LOCALITY_W

2.687 PidTagLocation

Canonical name: PidTagLocation

Property ID: 0x3A0D

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_LOCATION, PR_LOCATION_A, PR_LOCATION_W

2.688 PidTagMailboxOwnerEntryId

Canonical name: PidTagMailboxOwnerEntryId

Property ID: 0x661B

Data type: PtypBinary, 0x0102

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL]

Alternate names: PR_MAILBOX_OWNER_ENTRYID, ptagMailboxOwnerEntryId

2.689 PidTagMailboxOwnerName

Canonical name: PidTagMailboxOwnerName

Property ID: 0x661C

Data type: PtypString, 0x001F

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAILBOX_OWNER_NAME,
PR_MAILBOX_OWNER_NAME_A, ptagMailboxOwnerName,
PR_MAILBOX_OWNER_NAME_W

2.690 PidTagManagerName

Canonical name: PidTagManagerName

Property ID: 0x3A4E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_MANAGER_NAME, PR_MANAGER_NAME_A,
PR_MANAGER_NAME_W

2.691 PidTagMappingSignature

Canonical name: PidTagMappingSignature

Property ID: 0x0FF8

Data type: PtypBinary, 0x0102

Area: Miscellaneous Properties

References: [MS-OXOABK]

Alternate names: PR_MAPPING_SIGNATURE, ptagMappingSignature

2.692 PidTagMaximumSubmitMessageSize

Canonical name: PidTagMaximumSubmitMessageSize

Property ID: 0x666D

Data type: PtypInteger32, 0x0003

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAX_SUBMIT_MESSAGE_SIZE

2.693 PidTagMemberId

Canonical name: PidTagMemberId

Property ID: 0x6671

Data type: PtypInteger64, 0x0014

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_ID, ptagMemberId

2.694 PidTagMemberName

Canonical name: PidTagMemberName

Property ID: 0x6672

Data type: PtypString, 0x001F

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_NAME, PR_MEMBER_NAME_A, ptagMemberName, PR_MEMBER_NAME_W

2.695 PidTagMemberRights

Canonical name: PidTagMemberRights

Property ID: 0x6673

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_RIGHTS, ptagMemberRights

2.696 PidTagMessageAttachments

Canonical name: PidTagMessageAttachments

Property ID: 0x0E13

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_MESSAGE_ATTACHMENTS, ptagMessageAttachments

2.697 PidTagMessageCcMe

Canonical name: PidTagMessageCcMe

Property ID: 0x0058

Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_MESSAGE_CC_ME, ptagMessageCcMe

2.698 PidTagMessageClass

Canonical name: PidTagMessageClass
Property ID: 0x001A
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXCMSG], [MS-OXOMSG], [MS-OXOUM], [MS-OXPROPS]
Alternate names: PR_MESSAGE_CLASS, PR_MESSAGE_CLASS_A, ptagMessageClass, PR_MESSAGE_CLASS_W

2.699 PidTagMessageCodepage

Canonical name: PidTagMessageCodepage
Property ID: 0x3FFD
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXCMSG], [MS-OXPFOAB]
Alternate names: PR_MESSAGE_CODEPAGE

2.700 PidTagMessageDeliveryTime

Canonical name: PidTagMessageDeliveryTime
Property ID: 0x0E06
Data type: PtypTime, 0x0040
Area: Message Time Properties
References: [MS-OXOMSG]
Alternate names: PR_MESSAGE_DELIVERY_TIME

2.701 PidTagMessageEditorFormat

Canonical name: PidTagMessageEditorFormat
Property ID: 0x5909
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXOMSG]
Alternate names: PR_MSG_EDITOR_FORMAT, ptagMsgEditorFormat

2.702 PidTagMessageFlags

Canonical name: PidTagMessageFlags
Property ID: 0x0E07
Data type: PtypInteger32, 0x0003
Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR_MESSAGE_FLAGS, ptagMessageFlags

2.703 PidTagMessageHandlingSystemCommonName

Canonical name: PidTagMessageHandlingSystemCommonName

Property ID: 0x3A0F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_MHS_COMMON_NAME, PR_MHS_COMMON_NAME_A,
PR_MHS_COMMON_NAME_W

2.704 PidTagMessageLocaleId

Canonical name: PidTagMessageLocaleId

Property ID: 0x3FF1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG]

Alternate names: PR_MESSAGE_LOCALE_ID

2.705 PidTagMessageRecipientMe

Canonical name: PidTagMessageRecipientMe

Property ID: 0x0059

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_MESSAGE_RECIP_ME, ptagMessageRecipMe

2.706 PidTagMessageRecipients

Canonical name: PidTagMessageRecipients

Property ID: 0x0E12

Data type: PtypComObject, 0x000D

Area: Address Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM],
[MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIPIENTS, ptagMessageRecipients

2.707 PidTagMessageSize

Canonical name: PidTagMessageSize

Property ID: 0x0E08

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXCFOLD], [MS-OXCSTOR]

Alternate names: PR_MESSAGE_SIZE, ptagMessageSize

2.708 PidTagMessageSizeExtended

Canonical name: PidTagMessageSizeExtended

Property ID: 0x0E08

Data type: PtypInteger64, 0x0014

Area: General Message Properties

References: [MS-OXCMMSG], [MS-OXCFCOLD], [MS-OXCSTOR]

Alternate names: PR_MESSAGE_SIZE_EXTENDED, ptagMessageSizeExtended

2.709 PidTagMessageStatus

Canonical name: PidTagMessageStatus

Property ID: 0x0E17

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCSYNC]

Alternate names: PR_MSG_STATUS, ptagMsgStatus

2.710 PidTagMessageSubmissionId

Canonical name: PidTagMessageSubmissionId

Property ID: 0x0047

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXTNEF]

Alternate names: PR_MESSAGE_SUBMISSION_ID, ptagMessageSubmissionId

2.711 PidTagMessageToMe

Canonical name: PidTagMessageToMe

Property ID: 0x0057

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_MESSAGE_TO_ME, ptagMessageToMe

2.712 PidTagMid

Canonical name: PidTagMid

Property ID: 0x674A

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFCICS], [MS-OXCMMSG], [MS-OXCCTABL], [MS-OXCOCAL], [MS-OXCOCFG], [MS-OXOPFFB], [MS-OXOTASK]

Alternate names: ptagMID

2.713 PidTagMiddleName

Canonical name: PidTagMiddleName

Property ID: 0x3A44

Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOCNTC]
Alternate names: PR_MIDDLE_NAME, PR_MIDDLE_NAME_A,
PR_MIDDLE_NAME_W

2.714 PidTagMobileTelephoneNumber

Canonical name: PidTagMobileTelephoneNumber
Property ID: 0x3A1C
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_MOBILE_TELEPHONE_NUMBER,
PR_MOBILE_TELEPHONE_NUMBER_A, PR_MOBILE_TELEPHONE_NUMBER_W

2.715 PidTagNewFXFolder

Canonical name: PidTagNewFXFolder
Property ID: 0x4011
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagNewFXFolder

2.716 PidTagNextSendAcct

Canonical name: PidTagNextSendAcct
Property ID: 0x0E29
Data type: PtypString, 0x001F
Area:
References: [MS-OXOMSG]
Alternate names: PR_NEXT_SEND_ACCT

2.717 PidTagNickname

Canonical name: PidTagNickname
Property ID: 0x3A4F
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_NICKNAME, PR_NICKNAME_A, PR_NICKNAME_W

2.718 PidTagNormalizedSubject

Canonical name: PidTagNormalizedSubject
Property ID: 0x0E1D
Data type: PtypString, 0x001F
Area: Email

References: [MS-OXCMMSG], [MS-OXOCNTC]

Alternate names: PR_NORMALIZED_SUBJECT, PR_NORMALIZED_SUBJECT_A, ptagNormalizedSubject, PR_NORMALIZED_SUBJECT_W

2.719 PidTagNormalMessageSize

Canonical name: PidTagNormalMessageSize

Property ID: 0x66B3

Data type: PtypInteger32, 0x0003

Area: Server

References: [MS-OXCFOLD]

Alternate names: PR_NORMAL_MESSAGE_SIZE

2.720 PidTagObjectType

Canonical name: PidTagObjectType

Property ID: 0x0FFE

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXOABK]

Alternate names: PR_OBJECT_TYPE, ptagObjectType

2.721 PidTagOfficeLocation

Canonical name: PidTagOfficeLocation

Property ID: 0x3A19

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_OFFICE_LOCATION, PR_OFFICE_LOCATION_A, PR_OFFICE_LOCATION_W

2.722 PidTagOfflineAddressBookCompressedSize

Canonical name: PidTagOfflineAddressBookCompressedSize

Property ID: 0x6809

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_COMPRESSED_SIZE

2.723 PidTagOfflineAddressBookContainerGuid

Canonical name: PidTagOfflineAddressBookContainerGuid

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_CONTAINER_GUID, PR_OAB_CONTAINER_GUID_W

2.724 PidTagOfflineAddressBookDistinguishedName

Canonical name: PidTagOfflineAddressBookDistinguishedName

Property ID: 0x6804

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_DN, PR_OAB_DN_W

2.725 PidTagOfflineAddressBookFileSize

Canonical name: PidTagOfflineAddressBookFileSize

Property ID: 0x680A

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_FILE_SIZE

2.726 PidTagOfflineAddressBookFileType

Canonical name: PidTagOfflineAddressBookFileType

Property ID: 0x6808

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_FILETYPE

2.727 PidTagOfflineAddressBookLanguageid

Canonical name: PidTagOfflineAddressBookLanguageid

Property ID: 0x6807

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_LANGID

2.728 PidTagOfflineAddressBookMessageClass

Canonical name: PidTagOfflineAddressBookMessageClass

Property ID: 0x6803

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_MESSAGE_CLASS

2.729 PidTagOfflineAddressBookName

Canonical name: PidTagOfflineAddressBookName

Property ID: 0x6800

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_NAME, PR_OAB_NAME_W

2.730 PidTagOfflineAddressBookSequence

Canonical name: PidTagOfflineAddressBookSequence

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_SEQUENCE

2.731 PidTagOfflineAddressBookShaHash

Canonical name: PidTagOfflineAddressBookShaHash

Property ID: 0x6806

Data type: PtypBinary, 0x0102

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_SHA_HASH

2.732 PidTagOfflineAddressBookTruncatedProperties

Canonical name: PidTagOfflineAddressBookTruncatedProperties

Property ID: 0x6805

Data type: PtypMultipleInteger32, 0x1003

Area: Offline Address Book Properties

References: [MS-OXOAB]

Alternate names: PR_OAB_TRUNCATED_PROPS

2.733 PidTagOrdinalMost

Canonical name: PidTagOrdinalMost

Property ID: 0x36E2

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: PR_ORDINAL_MOST

2.734 PidTagOrganizationalIdNumber

Canonical name: PidTagOrganizationalIdNumber

Property ID: 0x3A10

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_ORGANIZATIONAL_ID_NUMBER,
PR_ORGANIZATIONAL_ID_NUMBER_A, PR_ORGANIZATIONAL_ID_NUMBER_W

2.735 PidTagOriginalAuthorName

Canonical name: PidTagOriginalAuthorName

Property ID: 0x004D

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL]

Alternate names: PR_ORIGINAL_AUTHOR_NAME,
PR_ORIGINAL_AUTHOR_NAME_A, ptagOriginalAuthorName,
PR_ORIGINAL_AUTHOR_NAME_W

2.736 PidTagOriginalDeliveryTime

Canonical name: PidTagOriginalDeliveryTime

Property ID: 0x0055

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DELIVERY_TIME, ptagOriginalDeliveryTime

2.737 PidTagOriginalDisplayBcc

Canonical name: PidTagOriginalDisplayBcc

Property ID: 0x0072

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_BCC, PR_ORIGINAL_DISPLAY_BCC_A,
ptagOriginalDisplayBcc, PR_ORIGINAL_DISPLAY_BCC_W

2.738 PidTagOriginalDisplayCc

Canonical name: PidTagOriginalDisplayCc

Property ID: 0x0073

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_CC, PR_ORIGINAL_DISPLAY_CC_A,
ptagOriginalDisplayCc, PR_ORIGINAL_DISPLAY_CC_W

2.739 PidTagOriginalDisplayName

Canonical name: PidTagOriginalDisplayName

Property ID: 0x3A13

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_DISPLAY_NAME,

PR_ORIGINAL_DISPLAY_NAME_A, ptagOriginalDisplayName,
PR_ORIGINAL_DISPLAY_NAME_W

2.740 PidTagOriginalDisplayTo

Canonical name: PidTagOriginalDisplayTo

Property ID: 0x0074

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_TO, PR_ORIGINAL_DISPLAY_TO_A,
ptagOriginalDisplayTo, PR_ORIGINAL_DISPLAY_TO_W

2.741 PidTagOriginalEntryId

Canonical name: PidTagOriginalEntryId

Property ID: 0x3A12

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOABK], [MS-OXCSYNC]

Alternate names: PR_ORIGINAL_ENTRYID, ptagOriginalEntryId

2.742 PidTagOriginalMessageClass

Canonical name: PidTagOriginalMessageClass

Property ID: 0x004B

Data type: PtypString, 0x001F

Area: Secure Messaging Properties

References: [MS-OXTNEF]

Alternate names: PR_ORIG_MESSAGE_CLASS, PR_ORIG_MESSAGE_CLASS_A,
PR_ORIG_MESSAGE_CLASS_W

2.743 PidTagOriginalMessageEntryId

Canonical name: PidTagOriginalMessageEntryId

Property ID: 0x300F

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCSYNC]

Alternate names: PR_ORIG_ENTRYID

2.744 PidTagOriginalSearchKey

Canonical name: PidTagOriginalSearchKey

Property ID: 0x3A14

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_SEARCH_KEY, ptagOriginalSearchKey

2.745 PidTagOriginalSenderAddressType

Canonical name: PidTagOriginalSenderAddressType

Property ID: 0x0066

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ADDRTYPE,
PR_ORIGINAL_SENDER_ADDRTYPE_A, ptagOriginalSenderAddrType,
PR_ORIGINAL_SENDER_ADDRTYPE_W

2.746 PidTagOriginalSenderEmailAddress

Canonical name: PidTagOriginalSenderEmailAddress

Property ID: 0x0067

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_EMAIL_ADDRESS,
PR_ORIGINAL_SENDER_EMAIL_ADDRESS_A,
PR_ORIGINAL_SENDER_EMAIL_ADDRESS_W

2.747 PidTagOriginalSenderEntryId

Canonical name: PidTagOriginalSenderEntryId

Property ID: 0x005B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ENTRYID, ptagOriginalSenderEntryId

2.748 PidTagOriginalSenderName

Canonical name: PidTagOriginalSenderName

Property ID: 0x005A

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_NAME,
PR_ORIGINAL_SENDER_NAME_A, ptagOriginalSenderName,
PR_ORIGINAL_SENDER_NAME_W

2.749 PidTagOriginalSenderSearchKey

Canonical name: PidTagOriginalSenderSearchKey

Property ID: 0x005C

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_SEARCH_KEY,
ptagOriginalSenderSearchKey

2.750 PidTagOriginalSensitivity

Canonical name: PidTagOriginalSensitivity

Property ID: 0x002E

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENSITIVITY, ptagOriginalSensitivity

2.751 PidTagOriginalSentRepresentingAddressType

Canonical name: PidTagOriginalSentRepresentingAddressType

Property ID: 0x0068

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE,
PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_A,
ptagOriginalSentRepresentingAddrType,
PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_W

2.752 PidTagOriginalSentRepresentingEmailAddress

Canonical name: PidTagOriginalSentRepresentingEmailAddress

Property ID: 0x0069

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_A,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.753 PidTagOriginalSentRepresentingEntryId

Canonical name: PidTagOriginalSentRepresentingEntryId

Property ID: 0x005E

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ENTRYID,
ptagOriginalSentRepresentingEntryId

2.754 PidTagOriginalSentRepresentingName

Canonical name: PidTagOriginalSentRepresentingName

Property ID: 0x005D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_NAME,
PR_ORIGINAL_SENT_REPRESENTING_NAME_A, ptagOriginalSentRepresentingName,
PR_ORIGINAL_SENT_REPRESENTING_NAME_W

2.755 PidTagOriginalSentRepresentingSearchKey

Canonical name: PidTagOriginalSentRepresentingSearchKey

Property ID: 0x005F

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_SEARCH_KEY,
ptagOriginalSentRepresentingSearchKey

2.756 PidTagOriginalSubject

Canonical name: PidTagOriginalSubject

Property ID: 0x0049

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCSYNC], [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SUBJECT, PR_ORIGINAL_SUBJECT_A,
ptagOriginalSubject, PR_ORIGINAL_SUBJECT_W

2.757 PidTagOriginalSubmitTime

Canonical name: PidTagOriginalSubmitTime

Property ID: 0x004E

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SUBMIT_TIME, ptagOriginalSubmitTime

2.758 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED

2.759 PidTagOriginatorNonDeliveryReportRequested

Canonical name: PidTagOriginatorNonDeliveryReportRequested

Property ID: 0x0C08

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_NON_DELIVERY_REPORT_REQUESTED

2.760 PidTagOtherAddressCity

Canonical name: PidTagOtherAddressCity

Property ID: 0x3A5F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_CITY, PR_OTHER_ADDRESS_CITY_A,
PR_OTHER_ADDRESS_CITY_W

2.761 PidTagOtherAddressCountry

Canonical name: PidTagOtherAddressCountry

Property ID: 0x3A60

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_COUNTRY,
PR_OTHER_ADDRESS_COUNTRY_A, PR_OTHER_ADDRESS_COUNTRY_W

2.762 PidTagOtherAddressPostalCode

Canonical name: PidTagOtherAddressPostalCode

Property ID: 0x3A61

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_POSTAL_CODE,
PR_OTHER_ADDRESS_POSTAL_CODE_A,
PR_OTHER_ADDRESS_POSTAL_CODE_W

2.763 PidTagOtherAddressPostOfficeBox

Canonical name: PidTagOtherAddressPostOfficeBox

Property ID: 0x3A64

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_POST_OFFICE_BOX,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_A,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_W

2.764 PidTagOtherAddressStateOrProvince

Canonical name: PidTagOtherAddressStateOrProvince

Property ID: 0x3A62

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_STATE_OR_PROVINCE,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_A,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_W

2.765 PidTagOtherAddressStreet

Canonical name: PidTagOtherAddressStreet

Property ID: 0x3A63

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_STREET,
PR_OTHER_ADDRESS_STREET_A, PR_OTHER_ADDRESS_STREET_W

2.766 PidTagOtherTelephoneNumber

Canonical name: PidTagOtherTelephoneNumber

Property ID: 0x3A1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_TELEPHONE_NUMBER,
PR_OTHER_TELEPHONE_NUMBER_A, PR_OTHER_TELEPHONE_NUMBER_W

2.767 PidTagOutOfOfficeState

Canonical name: PidTagOutOfOfficeState

Property ID: 0x661D

Data type: PtypBoolean, 0x000B

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_OOF_STATE, ptagOOFState

2.768 PidTagOwnerAppointmentId

Canonical name: PidTagOwnerAppointmentId

Property ID: 0x0062

Data type: PtypInteger32, 0x0003

Area: Appointment

References: [MS-OXOCAL]

Alternate names: PR_OWNER_APPT_ID

2.769 PidTagPagerTelephoneNumber

Canonical name: PidTagPagerTelephoneNumber

Property ID: 0x3A21

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_PAGER_TELEPHONE_NUMBER,
PR_PAGER_TELEPHONE_NUMBER_A, PR_PAGER_TELEPHONE_NUMBER_W

2.770 PidTagParentEntryId

Canonical name: PidTagParentEntryId

Property ID: 0x0E09

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCSPAM],
[MS-OXOSFLD], [MS-OXPFOAB]

Alternate names: PR_PARENT_ENTRYID, ptagParentEntryId

2.771 PidTagParentFolderId

Canonical name: PidTagParentFolderId

Property ID: 0x6749

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFXICS]

Alternate names: ptagParentFID

2.772 PidTagParentKey

Canonical name: PidTagParentKey

Property ID: 0x0025

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_PARENT_KEY, ptagParentKey

2.773 PidTagParentSourceKey

Canonical name: PidTagParentSourceKey

Property ID: 0x65E1

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PARENT_SOURCE_KEY

2.774 PidTagPersonalHomePage

Canonical name: PidTagPersonalHomePage

Property ID: 0x3A50

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_PERSONAL_HOME_PAGE, PR_PERSONAL_HOME_PAGE_A, PR_PERSONAL_HOME_PAGE_W

2.775 PidTagPostalAddress

Canonical name: PidTagPostalAddress

Property ID: 0x3A15

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_POSTAL_ADDRESS, PR_POSTAL_ADDRESS_A, PR_POSTAL_ADDRESS_W

2.776 PidTagPostalCode

Canonical name: PidTagPostalCode

Property ID: 0x3A2A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_POSTAL_CODE, PR_POSTAL_CODE_A, PR_POSTAL_CODE_W, PR_BUSINESS_ADDRESS_POSTAL_CODE, PR_BUSINESS_ADDRESS_POSTAL_CODE_A, PR_BUSINESS_ADDRESS_POSTAL_CODE_W

2.777 PidTagPostOfficeBox

Canonical name: PidTagPostOfficeBox

Property ID: 0x3A2B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_POST_OFFICE_BOX, PR_POST_OFFICE_BOX_A, PR_POST_OFFICE_BOX_W, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_A, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_W

2.778 PidTagPredecessorChangeList

Canonical name: PidTagPredecessorChangeList

Property ID: 0x65E3

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PREDECESSOR_CHANGE_LIST

2.779 PidTagPreferredByName

Canonical name: PidTagPreferredByName

Property ID: 0x3A47

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_PREFERRED_BY_NAME, PR_PREFERRED_BY_NAME_A,
PR_PREFERRED_BY_NAME_W

2.780 PidTagPrimaryFaxNumber

Canonical name: PidTagPrimaryFaxNumber

Property ID: 0x3A23

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_PRIMARY_FAX_NUMBER, PR_PRIMARY_FAX_NUMBER_A,
PR_PRIMARY_FAX_NUMBER_W

2.781 PidTagPrimarySendAccount

Canonical name: PidTagPrimarySendAccount

Property ID: 0x0E28

Data type: PtypString, 0x001F

Area:

References: [MS-OXOMSG]

Alternate names: PR_PRIMARY_SEND_ACCT

2.782 PidTagPrimarySmtAddress

Canonical name: PidTagPrimarySmtAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: MapiAddressBook

References: [MS-OXCFXICS], [MS-OXOSRCH]

Alternate names: ptagPrimarySMTPAddress

2.783 PidTagPrimaryTelephoneNumber

Canonical name: PidTagPrimaryTelephoneNumber

Property ID: 0x3A1A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_PRIMARY_TELEPHONE_NUMBER,
PR_PRIMARY_TELEPHONE_NUMBER_A,
PR_PRIMARY_TELEPHONE_NUMBER_W

2.784 PidTagPriority

Canonical name: PidTagPriority
Property ID: 0x0026
Data type: PtypInteger32, 0x0003
Area: Email
References: [MS-OXCMSG]
Alternate names: PR_PRIORITY, ptagPriority

2.785 PidTagProcessed

Canonical name: PidTagProcessed
Property ID: 0x7D01
Data type: PtypBoolean, 0x000B
Area: Calendar
References: [MS-OXOCAL], [MS-OXOTASK]
Alternate names: PR_PROCESSED

2.786 PidTagProfession

Canonical name: PidTagProfession
Property ID: 0x3A46
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_PROFESSION, PR_PROFESSION_A, PR_PROFESSION_W

2.787 PidTagProhibitReceiveQuota

Canonical name: PidTagProhibitReceiveQuota
Property ID: 0x666A
Data type: PtypInteger32, 0x0003
Area: Exchange Administrative
References: [MS-OXCSTOR]
Alternate names: PR_PROHIBIT_RECEIVE_QUOTA, ptagProhibitReceiveQuota

2.788 PidTagProhibitSendQuota

Canonical name: PidTagProhibitSendQuota
Property ID: 0x666E
Data type: PtypInteger32, 0x0003
Area: ExchangeAdministrative
References: [MS-OXCSTOR]
Alternate names: PR_PROHIBIT_SEND_QUOTA, ptagProhibitSendQuota

2.789 PidTagPurportedSenderDomain

Canonical name: PidTagPurportedSenderDomain
Property ID: 0x4083
Data type: PtypString, 0x001F
Area: TransportEnvelope
References: [MS-OXCMAIL]
Alternate names: PR_PURPORTED_SENDER_DOMAIN

2.790 PidTagRadioTelephoneNumber

Canonical name: PidTagRadioTelephoneNumber
Property ID: 0x3A1D
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_RADIO_TELEPHONE_NUMBER,
PR_RADIO_TELEPHONE_NUMBER_A, PR_RADIO_TELEPHONE_NUMBER_W

2.791 PidTagRead

Canonical name: PidTagRead
Property ID: 0x0E69
Data type: PtypBoolean, 0x000B
Area: MapiNonTransmittable
References: [MS-OXCTABL]
Alternate names: PR_READ, ptagRead

2.792 PidTagReadReceiptEntryId

Canonical name: PidTagReadReceiptEntryId
Property ID: 0x0046
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_READ_RECEIPT_ENTRYID, ptagReadReceiptEntryId

2.793 PidTagReadReceiptRequested

Canonical name: PidTagReadReceiptRequested
Property ID: 0x0029
Data type: PtypBoolean, 0x000B
Area: Email
References: [MS-OXOMSG]
Alternate names: PR_READ_RECEIPT_REQUESTED, ptagReadReceiptRequested

2.794 PidTagReadReceiptSearchKey

Canonical name: PidTagReadReceiptSearchKey
Property ID: 0x0053

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_SEARCH_KEY, ptagReadReceiptSearchKey

2.795 PidTagReceivedByAddressType

Canonical name: PidTagReceivedByAddressType

Property ID: 0x0075

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_RECEIVED_BY_ADDRTYPE,
PR_RECEIVED_BY_ADDRTYPE_A, ptagReceivedByAddrType,
PR_RECEIVED_BY_ADDRTYPE_W

2.796 PidTagReceivedByEmailAddress

Canonical name: PidTagReceivedByEmailAddress

Property ID: 0x0076

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RECEIVED_BY_EMAIL_ADDRESS,
PR_RECEIVED_BY_EMAIL_ADDRESS_A,
PR_RECEIVED_BY_EMAIL_ADDRESS_W

2.797 PidTagReceivedByEntryId

Canonical name: PidTagReceivedByEntryId

Property ID: 0x003F

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT],
[MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_ENTRYID

2.798 PidTagReceivedByFlags

Canonical name: PidTagReceivedByFlags

Property ID: 0x401B

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagRcvdByFlags

2.799 PidTagReceivedByName

Canonical name: PidTagReceivedByName

Property ID: 0x0040

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RECEIVED_BY_NAME, PR_RECEIVED_BY_NAME_A, PR_RECEIVED_BY_NAME_W

2.800 PidTagReceivedBySearchKey

Canonical name: PidTagReceivedBySearchKey

Property ID: 0x0051

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RECEIVED_BY_SEARCH_KEY

2.801 PidTagReceivedRepresentingAddressType

Canonical name: PidTagReceivedRepresentingAddressType

Property ID: 0x0077

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD_REPRESENTING_ADDRTYPE, PR_RCVD_REPRESENTING_ADDRTYPE_A, ptagRcvdRepresentingAddrType, PR_RCVD_REPRESENTING_ADDRTYPE_W

2.802 PidTagReceivedRepresentingEmailAddress

Canonical name: PidTagReceivedRepresentingEmailAddress

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD_REPRESENTING_EMAIL_ADDRESS, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_A, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_W

2.803 PidTagReceivedRepresentingEntryId

Canonical name: PidTagReceivedRepresentingEntryId

Property ID: 0x0043

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG], [MS-OXCFXICS], [MS-OXODLGT]

Alternate names: PR_RCVD_REPRESENTING_ENTRYID,
ptagRcvdRepresentingEntryId

2.804 PidTagReceivedRepresentingFlags

Canonical name: PidTagReceivedRepresentingFlags

Property ID: 0x401C

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagRcvdRepresentingFlags

2.805 PidTagReceivedRepresentingName

Canonical name: PidTagReceivedRepresentingName

Property ID: 0x0044

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD_REPRESENTING_NAME,
PR_RCVD_REPRESENTING_NAME_A, ptagRcvdRepresentingName,
PR_RCVD_REPRESENTING_NAME_W

2.806 PidTagReceivedRepresentingSearchKey

Canonical name: PidTagReceivedRepresentingSearchKey

Property ID: 0x0052

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD_REPRESENTING_SEARCH_KEY,
ptagRcvdRepresentingSearchKey

2.807 PidTagRecipientDisplayName

Canonical name: PidTagRecipientDisplayName

Property ID: 0x5FF6

Data type: PtypString, 0x001F

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_DISPLAY_NAME,
PR_RECIPIENT_DISPLAY_NAME_W

2.808 PidTagRecipientEntryId

Canonical name: PidTagRecipientEntryId

Property ID: 0x5FF7

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_ENTRYID, ptagRecipientEntryId

2.809 PidTagRecipientFlags

Canonical name: PidTagRecipientFlags
Property ID: 0x5FFD
Data type: PtypInteger32, 0x0003
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_FLAGS

2.810 PidTagRecipientOrder

Canonical name: PidTagRecipientOrder
Property ID: 0x5FDF
Data type: PtypInteger32, 0x0003
Area: TransportRecipient
References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_ORDER, ptagRecipientOrder

2.811 PidTagRecipientProposed

Canonical name: PidTagRecipientProposed
Property ID: 0x5FE1
Data type: PtypBoolean, 0x000B
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_PROPOSED, ptagRecipientProposed

2.812 PidTagRecipientProposedEndTime

Canonical name: PidTagRecipientProposedEndTime
Property ID: 0x5FE4
Data type: PtypTime, 0x0040
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_PROPOSEDENDTIME, ptagRecipientProposedEndTime

2.813 PidTagRecipientProposedStartTime

Canonical name: PidTagRecipientProposedStartTime
Property ID: 0x5FE3
Data type: PtypTime, 0x0040
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_PROPOSEDSTARTTIME, ptagRecipientProposedStartTime

2.814 PidTagRecipientReassignmentProhibited

Canonical name: PidTagRecipientReassignmentProhibited

Property ID: 0x002B

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_RECIPIENT_REASSIGNMENT_PROHIBITED, ptagRecipientReassignmentProhibited

2.815 PidTagRecipientResourceState

Canonical name: PidTagRecipientResourceState

Property ID: 0x5FDE

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFCICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_RESOURCESTATE

2.816 PidTagRecipientTrackStatus

Canonical name: PidTagRecipientTrackStatus

Property ID: 0x5FFF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXOCAL], [MS-OXCMSG]

Alternate names: PR_RECIPIENT_TRACKSTATUS, ptagRecipientTrackStatus

2.817 PidTagRecipientTrackStatusTime

Canonical name: PidTagRecipientTrackStatusTime

Property ID: 0x5FFB

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_TRACKSTATUS_TIME, ptagRecipientTrackStatusTime

2.818 PidTagRecipientType

Canonical name: PidTagRecipientType

Property ID: 0x0C15

Data type: PtypInteger32, 0x0003

Area: MapiRecipient

References: [MS-OXCMSG], [MS-OXOMSG], [MS-OXOCAL]

Alternate names: PR_RECIPIENT_TYPE, ptagRecipientType

2.819 PidTagRecordKey

Canonical name: PidTagRecordKey

Property ID: 0x0FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_RECORD_KEY, ptagRecordKey

2.820 PidTagReferredByName

Canonical name: PidTagReferredByName

Property ID: 0x3A47

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PRREFERRED_BY_NAME, PRREFERRED_BY_NAME_A,
PRREFERRED_BY_NAME_W

2.821 PidTagRemindersOnlineEntryId

Canonical name: PidTagRemindersOnlineEntryId

Property ID: 0x36D5

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXOSFLD]

Alternate names: PR_REM_ONLINE_ENTRYID, ptagRemOnlineEntryId

2.822 PidTagRemoteHeaderLoc

Canonical name: PidTagRemoteHeaderLoc

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXODLGT]

Alternate names: PR_REMOTE_HEADER_LOC

2.823 PidTagRenderingPosition

Canonical name: PidTagRenderingPosition

Property ID: 0x370B

Data type: PtypInteger32, 0x0003

Area: MapiAttachment

References: [MS-OXCMSG]

Alternate names: PR_RENDERING_POSITION, ptagRenderingPosition

2.824 PidTagReplyRecipientEntries

Canonical name: PidTagReplyRecipientEntries

Property ID: 0x004F

Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG], [MS-OXCMAIL]
Alternate names: PR_REPLY_RECIPIENT_ENTRIES, ptagReplyRecipientEntries

2.825 PidTagReplyRecipientNames

Canonical name: PidTagReplyRecipientNames
Property ID: 0x0050
Data type: PtypString, 0x001F
Area: MapiEnvelope
References: [MS-OXOMSG], [MS-OXCMAIL]
Alternate names: PR_REPLY_RECIPIENT_NAMES,
PR_REPLY_RECIPIENT_NAMES_A, ptagReplyRecipientNames,
PR_REPLY_RECIPIENT_NAMES_W

2.826 PidTagReplyRequested

Canonical name: PidTagReplyRequested
Property ID: 0x0C17
Data type: PtypBoolean, 0x000B
Area: MapiRecipient
References: [MS-OXOMSG], [MS-OXOFLAG], [MS-OXOCAL]
Alternate names: PR_REPLY_REQUESTED, ptagReplyRequested

2.827 PidTagReplyTemplateId

Canonical name: PidTagReplyTemplateId
Property ID: 0x65C2
Data type: PtypBinary, 0x0102
Area: Rules
References: [MS-OXORULE]
Alternate names: PR_REPLY_TEMPLATE_ID, ptagReplyTemplateId

2.828 PidTagReplyTime

Canonical name: PidTagReplyTime
Property ID: 0x0030
Data type: PtypTime, 0x0040
Area: MapiEnvelope
References: [MS-OXOFLAG], [MS-OXORMDR]
Alternate names: PR_REPLY_TIME

2.829 PidTagReportEntryId

Canonical name: PidTagReportEntryId
Property ID: 0x0045
Data type: PtypBinary, 0x0102
Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_ENTRYID, ptagReportEntryId

2.830 PidTagReportSearchKey

Canonical name: PidTagReportSearchKey

Property ID: 0x0054

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_SEARCH_KEY, ptagReportSearchKey

2.831 PidTagReportTag

Canonical name: PidTagReportTag

Property ID: 0x0031

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TAG, ptagReportTag

2.832 PidTagReportText

Canonical name: PidTagReportText

Property ID: 0x1001

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TEXT, PR_REPORT_TEXT_A, ptagReportText, PR_REPORT_TEXT_W

2.833 PidTagReportTime

Canonical name: PidTagReportTime

Property ID: 0x0032

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXCSPAM]

Alternate names: PR_REPORT_TIME, ptagReportTime

2.834 PidTagResolveMethod

Canonical name: PidTagResolveMethod

Property ID: 0x3FE7

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXCSYNC], [MS-OXCFXICS]

Alternate names: PR_RESOLVE_METHOD, ptagResolveMethod

2.835 PidTagResponseRequested

Canonical name: PidTagResponseRequested

Property ID: 0x0063

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXOFLAG], [MS-OXOCAL]

Alternate names: PR_RESPONSE_REQUESTED

2.836 PidTagResponsibility

Canonical name: PidTagResponsibility

Property ID: 0x0E0F

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCFXICS]

Alternate names: PR_RESPONSIBILITY, ptagResponsibility

2.837 PidTagRights

Canonical name: PidTagRights

Property ID: 0x6639

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_RIGHTS, ptagRights

2.838 PidTagRoamingDatatypes

Canonical name: PidTagRoamingDatatypes

Property ID: 0x7C06

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DATATYPES

2.839 PidTagRoamingDictionary

Canonical name: PidTagRoamingDictionary

Property ID: 0x7C07

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DICTIONARY

2.840 PidTagRoamingXmlStream

Canonical name: PidTagRoamingXmlStream

Property ID: 0x7C08

Data type: PtypBinary, 0x0102

Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_ROAMING_XMLSTREAM

2.841 PidTagRowid

Canonical name: PidTagRowid
Property ID: 0x3000
Data type: PtypInteger32, 0x0003
Area: MapiCommon
References: [MS-OXCFXICS]
Alternate names: PR_ROWID, ptagRowId

2.842 PidTagRowType

Canonical name: PidTagRowType
Property ID: 0x0FF5
Data type: PtypInteger32, 0x0003
Area: MapiNonTransmittable
References: [MS-OXCTABL]
Alternate names: PR_ROW_TYPE, ptagRowType

2.843 PidTagRtfCompressed

Canonical name: PidTagRtfCompressed
Property ID: 0x1009
Data type: PtypBinary, 0x0102
Area: Email
References: [MS-OXCMSG], [MS-OXRTFCP], [MS-OXRTFEX]
Alternate names: PR_RTF_COMPRESSED, ptagRtfCompressed

2.844 PidTagRtfInSync

Canonical name: PidTagRtfInSync
Property ID: 0x0E1F
Data type: PtypBoolean, 0x000B
Area: Email
References: [MS-OXCMSG]
Alternate names: PR_RTF_IN_SYNC, ptagRtfInSync

2.845 PidTagRtfSyncBodyCount

Canonical name: PidTagRtfSyncBodyCount
Property ID: 0x1007
Data type: PtypInteger32, 0x0003
Area: MapiMessage
References: [MS-OXTNEF]
Alternate names: PR_RTF_SYNC_BODY_COUNT, ptagRtfSyncBodyCount

2.846 PidTagRtfSyncBodyCrc

Canonical name: PidTagRtfSyncBodyCrc

Property ID: 0x1006

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_CRC, ptagRTFSyncBodyCRC

2.847 PidTagRtfSyncBodyTag

Canonical name: PidTagRtfSyncBodyTag

Property ID: 0x1008

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_TAG, PR_RTF_SYNC_BODY_TAG_A, ptagRTFSyncBodyTag, PR_RTF_SYNC_BODY_TAG_W

2.848 PidTagRtfSyncPrefixCount

Canonical name: PidTagRtfSyncPrefixCount

Property ID: 0x1010

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_PREFIX_COUNT

2.849 PidTagRtfSyncTrailingCount

Canonical name: PidTagRtfSyncTrailingCount

Property ID: 0x1011

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_TRAILING_COUNT

2.850 PidTagRuleActionNumber

Canonical name: PidTagRuleActionNumber

Property ID: 0x6650

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_NUMBER, ptagRuleActionNumber

2.851 PidTagRuleActions

Canonical name: PidTagRuleActions

Property ID: 0x6680

Data type: PtypServerEntryId, 0x00FE
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_ACTIONS, ptagRuleActions

2.852 PidTagRuleActionType

Canonical name: PidTagRuleActionType
Property ID: 0x6649
Data type: PtypInteger32, 0x0003
Area: ExchangeMessageReadOnly
References: [MS-OXORULE]
Alternate names: PR_RULE_ACTION_TYPE, ptagRuleActionType

2.853 PidTagRuleCondition

Canonical name: PidTagRuleCondition
Property ID: 0x6679
Data type: PtypServerEntryId, 0x00FD
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_CONDITION, ptagRuleCondition

2.854 PidTagRuleError

Canonical name: PidTagRuleError
Property ID: 0x6648
Data type: PtypInteger32, 0x0003
Area: ExchangeMessageReadOnly
References: [MS-OXORULE]
Alternate names: PR_RULE_ERROR, ptagRuleError

2.855 PidTagRuleFolderEntryId

Canonical name: PidTagRuleFolderEntryId
Property ID: 0x6651
Data type: PtypBinary, 0x0102
Area: ExchangeMessageReadOnly
References: [MS-OXORULE]
Alternate names: PR_RULE_FOLDER_ENTRYID, ptagRuleFolderEntryId

2.856 PidTagRuleId

Canonical name: PidTagRuleId
Property ID: 0x6674
Data type: PtypInteger64, 0x0014
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_ID, ptagRuleId

2.857 PidTagRuleLevel

Canonical name: PidTagRuleLevel
Property ID: 0x6683
Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_LEVEL, ptagRuleLevel

2.858 PidTagRuleMessageLevel

Canonical name: PidTagRuleMessageLevel
Property ID: 0x65ED
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.859 PidTagRuleMessageProviderData

Canonical name: PidTagRuleMessageProviderData
Property ID: 0x65EE
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.860 PidTagRuleMessageSequence

Canonical name: PidTagRuleMessageSequence
Property ID: 0x65F3
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.861 PidTagRuleMessageState

Canonical name: PidTagRuleMessageState
Property ID: 0x65E9
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.862 PidTagRuleMessageUserFlags

Canonical name: PidTagRuleMessageUserFlags
Property ID: 0x65EA
Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.863 PidTagRuleMsgActions

Canonical name: PidTagRuleMsgActions

Property ID: 0x65EF

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM]

Alternate names: PR_RULE_MSG_ACTIONS, ptagRuleMsgActions

2.864 PidTagRuleMsgCondition

Canonical name: PidTagRuleMsgCondition

Property ID: 0x65F0

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM]

Alternate names: PR_RULE_MSG_CONDITION, ptagRuleMsgCondition

2.865 PidTagRuleMsgLevel

Canonical name: PidTagRuleMsgLevel

Property ID: 0x65ED

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.866 PidTagRuleMsgName

Canonical name: PidTagRuleMsgName

Property ID: 0x65EC

Data type: PtypString, 0x001F

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: ptagRuleMsgName

2.867 PidTagRuleMsgProvider

Canonical name: PidTagRuleMsgProvider

Property ID: 0x65EB

Data type: PtypString, 0x001F

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: ptagRuleMsgProvider

2.868 PidTagRuleMsgProviderData

Canonical name: PidTagRuleMsgProviderData

Property ID: 0x65EE

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.869 PidTagRuleMsgSequence

Canonical name: PidTagRuleMsgSequence

Property ID: 0x65F3

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.870 PidTagRuleMsgState

Canonical name: PidTagRuleMsgState

Property ID: 0x65E9

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.871 PidTagRuleMsgUserFlags

Canonical name: PidTagRuleMsgUserFlags

Property ID: 0x65EA

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.872 PidTagRuleName

Canonical name: PidTagRuleName

Property ID: 0x6682

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_NAME, PR_RULE_NAME_A, ptagRuleName, PR_RULE_NAME_W

2.873 PidTagRuleProvider

Canonical name: PidTagRuleProvider

Property ID: 0x6681

Data type: PtypString, 0x001F
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_PROVIDER, ptagRuleProvider, PR_RULE_PROVIDER_W

2.874 PidTagRuleProviderData

Canonical name: PidTagRuleProviderData
Property ID: 0x6684
Data type: PtypBinary, 0x0102
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_PROVIDER_DATA, ptagRuleProviderData

2.875 PidTagRuleSequence

Canonical name: PidTagRuleSequence
Property ID: 0x6676
Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_SEQUENCE, ptagRuleSequence

2.876 PidTagRuleState

Canonical name: PidTagRuleState
Property ID: 0x6677
Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_STATE, ptagRuleState

2.877 PidTagRuleUserFlags

Canonical name: PidTagRuleUserFlags
Property ID: 0x6678
Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_USER_FLAGS, ptagRuleUserFlags

2.878 PidTagScheduleInfoAppointmentTombstone

Canonical name: PidTagScheduleInfoAppointmentTombstone
Property ID: 0x686A
Data type: PtypBinary, 0x0102
Area: Free/Busy Properties
References: [MS-OXOCAL]
Alternate names: PR_SCHDINFO_APPT_TOMBSTONE

2.879 PidTagScheduleInfoAutoAcceptAppointments

Canonical name: PidTagScheduleInfoAutoAcceptAppointments

Property ID: 0x686D

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_AUTO_ACCEPT_APPTS

2.880 PidTagScheduleInfoDelegateEntryIds

Canonical name: PidTagScheduleInfoDelegateEntryIds

Property ID: 0x6845

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_ENTRYIDS

2.881 PidTagScheduleInfoDelegateNames

Canonical name: PidTagScheduleInfoDelegateNames

Property ID: 0x6844

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES

2.882 PidTagScheduleInfoDelegateNamesW

Canonical name: PidTagScheduleInfoDelegateNamesW

Property ID: 0x684A

Data type: PtypString, 0x001F

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES_W

2.883 PidTagScheduleInfoDelegatorWantsCopy

Canonical name: PidTagScheduleInfoDelegatorWantsCopy

Property ID: 0x6842

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXODLGT], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_BOSS_WANTS_COPY

2.884 PidTagScheduleInfoDelegatorWantsInfo

Canonical name: PidTagScheduleInfoDelegatorWantsInfo

Property ID: 0x684B

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXODLGT], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_BOSS_WANTS_INFO

2.885 PidTagScheduleInfoDisallowOverlappingAppts

Canonical name: PidTagScheduleInfoDisallowOverlappingAppts

Property ID: 0x686F

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DISALLOW_OVERLAPPING_APPTS

2.886 PidTagScheduleInfoDisallowRecurringAppts

Canonical name: PidTagScheduleInfoDisallowRecurringAppts

Property ID: 0x686E

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DISALLOW_RECURRING_APPTS

2.887 PidTagScheduleInfoDontMailDelegates

Canonical name: PidTagScheduleInfoDontMailDelegates

Property ID: 0x6843

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DONT_MAIL_DELEGATES

2.888 PidTagScheduleInfoFreeBusy

Canonical name: PidTagScheduleInfoFreeBusy

Property ID: 0x686C

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY

2.889 PidTagScheduleInfoFreeBusyAway

Canonical name: PidTagScheduleInfoFreeBusyAway

Property ID: 0x6856

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_OOF

2.890 PidTagScheduleInfoFreeBusyBusy

Canonical name: PidTagScheduleInfoFreeBusyBusy

Property ID: 0x6854

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_BUSY

2.891 PidTagScheduleInfoFreeBusyMerged

Canonical name: PidTagScheduleInfoFreeBusyMerged

Property ID: 0x6850

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_MERGED

2.892 PidTagScheduleInfoFreeBusyTentative

Canonical name: PidTagScheduleInfoFreeBusyTentative

Property ID: 0x6852

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_TENTATIVE

2.893 PidTagScheduleInfoMonthsAway

Canonical name: PidTagScheduleInfoMonthsAway

Property ID: 0x6855

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_OOF

2.894 PidTagScheduleInfoMonthsBusy

Canonical name: PidTagScheduleInfoMonthsBusy

Property ID: 0x6853

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_BUSY

2.895 PidTagScheduleInfoMonthsMerged

Canonical name: PidTagScheduleInfoMonthsMerged

Property ID: 0x684F

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_MONTHS_MERGED

2.896 PidTagScheduleInfoMonthsTentative

Canonical name: PidTagScheduleInfoMonthsTentative
Property ID: 0x6851
Data type: PtypMultipleInteger32, 0x1003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_MONTHS_TENTATIVE

2.897 PidTagScheduleInfoResourceType

Canonical name: PidTagScheduleInfoResourceType
Property ID: 0x6841
Data type: PtypInteger32, 0x0003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_RESOURCE_TYPE

2.898 PidTagSchedulePlusFreeBusyEntryId

Canonical name: PidTagSchedulePlusFreeBusyEntryId
Property ID: 0x6622
Data type: PtypBinary, 0x0102
Area: ExchangeMessageStore
References: [MS-OXOPFFB]
Alternate names: PR_SPLUS_FREE_BUSY_ENTRYID

2.899 PidTagScriptData

Canonical name: PidTagScriptData
Property ID: 0x0004
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABKT]
Alternate names: PR_EMS_SCRIPT_BLOB

2.900 PidTagSearchFolderDefinition

Canonical name: PidTagSearchFolderDefinition
Property ID: 0x6845
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_DEFINITION

2.901 PidTagSearchFolderEfpFlags

Canonical name: PidTagSearchFolderEfpFlags

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_EFP_FLAGS

2.902 PidTagSearchFolderExpiration

Canonical name: PidTagSearchFolderExpiration

Property ID: 0x683A

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_EXPIRATION

2.903 PidTagSearchFolderId

Canonical name: PidTagSearchFolderId

Property ID: 0x6842

Data type: PtypBinary, 0x0102

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_ID

2.904 PidTagSearchFolderLastUsed

Canonical name: PidTagSearchFolderLastUsed

Property ID: 0x6834

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_LAST_USED

2.905 PidTagSearchFolderRecreateInfo

Canonical name: PidTagSearchFolderRecreateInfo

Property ID: 0x6844

Data type: PtypBinary, 0x0102

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_RECREATE_INFO

2.906 PidTagSearchFolderStorageType

Canonical name: PidTagSearchFolderStorageType

Property ID: 0x6846

Data type: PtypInteger32, 0x0003

Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_STORAGE_TYPE

2.907 PidTagSearchFolderTag

Canonical name: PidTagSearchFolderTag
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TAG

2.908 PidTagSearchFolderTemplateId

Canonical name: PidTagSearchFolderTemplateId
Property ID: 0x6841
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TEMPLATE_ID

2.909 PidTagSearchKey

Canonical name: PidTagSearchKey
Property ID: 0x300B
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-OXCMSG], [MS-OXOABK]
Alternate names: PR_SEARCH_KEY, ptagSearchKey

2.910 PidTagSecureSubmitFlags

Canonical name: PidTagSecureSubmitFlags
Property ID: 0x65C6
Data type: PtypInteger32, 0x0003
Area: Exchange
References: [MS-OXCFXICS]
Alternate names: PR_SECURE_SUBMIT_FLAGS, ptagSecureSubmitFlags

2.911 PidTagSecurityDescriptor

Canonical name: PidTagSecurityDescriptor
Property ID: 0x0E27
Data type: PtypBinary, 0x0102
Area: Access Control Properties
References: [MS-OXCMSG]
Alternate names: PR_NT_SECURITY_DESCRIPTOR

2.912 PidTagSecurityDescriptorAsXml

Canonical name: PidTagSecurityDescriptorAsXml

Property ID: 0x0E6A

Data type: PtypString, 0x001F

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_NT_SECURITY_DESCRIPTOR_AS_XML,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_A,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_W

2.913 PidTagSelectable

Canonical name: PidTagSelectable

Property ID: 0x3609

Data type: PtypBoolean, 0x000B

Area: AB Container

References: [MS-OXOABKT]

Alternate names: PR_SELECTABLE

2.914 PidTagSenderAddressType

Canonical name: PidTagSenderAddressType

Property ID: 0x0C1E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENDER_ADDRRTYPE, PR_SENDER_ADDRRTYPE_A,
ptagSenderAddrType, PR_SENDER_ADDRRTYPE_W

2.915 PidTagSenderEmailAddress

Canonical name: PidTagSenderEmailAddress

Property ID: 0x0C1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENDER_EMAIL_ADDRESS,
PR_SENDER_EMAIL_ADDRESS_A, PR_SENDER_EMAIL_ADDRESS_W

2.916 PidTagSenderEntryId

Canonical name: PidTagSenderEntryId

Property ID: 0x0C19

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG], [MS-OXORSS], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPOST]

Alternate names: PR_SENDER_ENTRYID, ptagSenderEntryId

2.917 PidTagSenderFlags

Canonical name: PidTagSenderFlags
Property ID: 0x4019
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXTNEF]
Alternate names: ptagSenderFlags

2.918 PidTagSenderIdStatus

Canonical name: PidTagSenderIdStatus
Property ID: 0x4079
Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXCSPAM]
Alternate names: PR_SENDER_ID_STATUS

2.919 PidTagSenderName

Canonical name: PidTagSenderName
Property ID: 0x0C1A
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOMSG], [MS-OXORSS]
Alternate names: PR_SENDER_NAME, PR_SENDER_NAME_A, ptagSenderName, PR_SENDER_NAME_W

2.920 PidTagSenderSearchKey

Canonical name: PidTagSenderSearchKey
Property ID: 0x0C1D
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXOMSG]
Alternate names: PR_SENDER_SEARCH_KEY, ptagSenderSearchKey

2.921 PidTagSenderSimpleDisplayName

Canonical name: PidTagSenderSimpleDisplayName
Property ID: 0x4030
Data type: PtypString, 0x001F
Area: TransportEnvelope
References: [MS-OXTNEF]
Alternate names: ptagSenderSimpleDispName

2.922 PidTagSenderTelephoneNumber

Canonical name: PidTagSenderTelephoneNumber
Property ID: 0x6802

Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXOUM]
Alternate names: InternalSchemaSenderTelephoneNumber

2.923 PidTagSendInternetEncoding

Canonical name: PidTagSendInternetEncoding
Property ID: 0x3A71
Data type: PtypInteger32, 0x0003
Area: Address Properties
References: [MS-OXOABK]
Alternate names: PR_SEND_INTERNET_ENCODING, ptagSendInternetEncoding

2.924 PidTagSendRichInfo

Canonical name: PidTagSendRichInfo
Property ID: 0x3A40
Data type: PtypBoolean, 0x000B
Area: Address Properties
References: [MS-OXOABK], [MS-OXOMSG], [MS-OXCMAIL]
Alternate names: PR_SEND_RICH_INFO, ptagSendRichInfo

2.925 PidTagSensitivity

Canonical name: PidTagSensitivity
Property ID: 0x0036
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCMSG]
Alternate names: PR_SENSITIVITY, ptagSensitivity

2.926 PidTagSentMailEntryId

Canonical name: PidTagSentMailEntryId
Property ID: 0x0E0A
Data type: PtypBinary, 0x0102
Area: MapiNonTransmittable
References: [MS-OXOMSG], [MS-OXCICAL]
Alternate names: PR_SENTMAIL_ENTRYID, ptagSentMailEntryId

2.927 PidTagSentMailSvrEID

Canonical name: PidTagSentMailSvrEID
Property ID: 0x6740
Data type: PtypServerEntryId, 0x00FB
Area: ProviderDefinedNonTransmittable
References: [MS-OXCSTOR], [MS-OXOMSG]
Alternate names: ptagSentMailSvrEID

2.928 PidTagSentRepresentingAddressType

Canonical name: PidTagSentRepresentingAddressType

Property ID: 0x0064

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENT_REPRESENTING_ADDRTYPE,
PR_SENT_REPRESENTING_ADDRTYPE_A, ptagSentRepresentingAddrType,
PR_SENT_REPRESENTING_ADDRTYPE_W

2.929 PidTagSentRepresentingEmailAddress

Canonical name: PidTagSentRepresentingEmailAddress

Property ID: 0x0065

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG], [MS-OXORSS]

Alternate names: PR_SENT_REPRESENTING_EMAIL_ADDRESS,
PR_SENT_REPRESENTING_EMAIL_ADDRESS_A,
PR_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.930 PidTagSentRepresentingEntryId

Canonical name: PidTagSentRepresentingEntryId

Property ID: 0x0041

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG], [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOPOST]

Alternate names: PR_SENT_REPRESENTING_ENTRYID, ptagSentRepresentingEntryId

2.931 PidTagSentRepresentingFlags

Canonical name: PidTagSentRepresentingFlags

Property ID: 0x401A

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFCICS], [MS-OXTNEF]

Alternate names: ptagSentRepresentingFlags

2.932 PidTagSentRepresentingName

Canonical name: PidTagSentRepresentingName

Property ID: 0x0042

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG], [MS-OXORSS]

Alternate names: PR_SENT_REPRESENTING_NAME,

PR_SENT_REPRESENTING_NAME_A, ptagSentRepresentingName,
PR_SENT_REPRESENTING_NAME_W

2.933 PidTagSentRepresentingSearchKey

Canonical name: PidTagSentRepresentingSearchKey

Property ID: 0x003B

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENT_REPRESENTING_SEARCH_KEY,
ptagSentRepresentingSearchKey

2.934 PidTagSentRepresentingSimpleDisplayName

Canonical name: PidTagSentRepresentingSimpleDisplayName

Property ID: 0x4031

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSentRepresentingSimpleDispName

2.935 PidTagSmtAddress

Canonical name: PidTagSmtAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXCMAIL]

Alternate names: PR_SMTP_ADDRESS, PR_SMTP_ADDRESS_A,
PR_SMTP_ADDRESS_W

2.936 PidTagSortLocaleId

Canonical name: PidTagSortLocaleId

Property ID: 0x6705

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR], [MS-OXPFOAB]

Alternate names: PR_SORT_LOCALE_ID, ptagSortLocaleId

2.937 PidTagSourceKey

Canonical name: PidTagSourceKey

Property ID: 0x65E0

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_SOURCE_KEY

2.938 PidTagSpouseName

Canonical name: PidTagSpouseName

Property ID: 0x3A48

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_SPOUSE_NAME, PR_SPOUSE_NAME_A, PR_SPOUSE_NAME_W

2.939 PidTagStartDate

Canonical name: PidTagStartDate

Property ID: 0x0060

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXOCAL]

Alternate names: PR_START_DATE

2.940 PidTagStateOrProvince

Canonical name: PidTagStateOrProvince

Property ID: 0x3A28

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_STATE_OR_PROVINCE, PR_STATE_OR_PROVINCE_A, PR_STATE_OR_PROVINCE_W, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_A, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_W

2.941 PidTagStatus

Canonical name: PidTagStatus

Property ID: 0x360B

Data type: PtypInteger32, 0x0003

Area: MapiContainer

References: [MS-OXCMSG]

Alternate names: PR_STATUS

2.942 PidTagStoreEntryId

Canonical name: PidTagStoreEntryId

Property ID: 0x0FFB

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXCICAL], [MS-OXOFLAG], [MS-OXSHARE]

Alternate names: PR_STORE_ENTRYID, ptagStoreEntryId

2.943 PidTagStoreState

Canonical name: PidTagStoreState
Property ID: 0x340E
Data type: PtypInteger32, 0x0003
Area: MapiMessageStore
References: [MS-OXCSTOR]
Alternate names: PR_STORE_STATE

2.944 PidTagStoreSupportMask

Canonical name: PidTagStoreSupportMask
Property ID: 0x340D
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXMSG]
Alternate names: PR_STORE_SUPPORT_MASK, ptagStoreSupportMask

2.945 PidTagStoreUserEntryId

Canonical name: PidTagStoreUserEntryId
Property ID: 0x7CF6
Data type: PtypBinary, 0x0102
Area: MessageClassDefinedNonTransmittable
References: [MS-OXCSTOR]
Alternate names: PR_STORE_USER_ENTRYID

2.946 PidTagStreetAddress

Canonical name: PidTagStreetAddress
Property ID: 0x3A29
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_STREET_ADDRESS, PR_STREET_ADDRESS_A,
PR_STREET_ADDRESS_W, PR_BUSINESS_ADDRESS_STREET,
PR_BUSINESS_ADDRESS_STREET_A, PR_BUSINESS_ADDRESS_STREET_W

2.947 PidTagSubfolders

Canonical name: PidTagSubfolders
Property ID: 0x360A
Data type: PtypBoolean, 0x000B
Area: MapiContainer
References: [MS-OXCFOLD]
Alternate names: PR_SUBFOLDERS, ptagSubFolders

2.948 PidTagSubject

Canonical name: PidTagSubject

Property ID: 0x0037

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR_SUBJECT, PR_SUBJECT_A, ptagSubject, PR_SUBJECT_W

2.949 PidTagSubjectPrefix

Canonical name: PidTagSubjectPrefix

Property ID: 0x003D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_SUBJECT_PREFIX, PR_SUBJECT_PREFIX_A, ptagSubjectPrefix, PR_SUBJECT_PREFIX_W

2.950 PidTagSubmitFlags

Canonical name: PidTagSubmitFlags

Property ID: 0x0E14

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SUBMIT_FLAGS, ptagSubmitFlags

2.951 PidTagSurname

Canonical name: PidTagSurname

Property ID: 0x3A11

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_SURNAME, PR_SURNAME_A, PR_SURNAME_W

2.952 PidTagSwappedToDoData

Canonical name: PidTagSwappedToDoData

Property ID: 0x0E2D

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_SWAPPED_TODO_DATA, ptagSwappedToDoData

2.953 PidTagSwappedToDoStore

Canonical name: PidTagSwappedToDoStore

Property ID: 0x0E2C

Data type: PtypBinary, 0x0102
Area: MapiNonTransmittable
References: [MS-OXOFLAG], [MS-OXORMDR]
Alternate names: PR_SWAPPED_TODO_STORE, ptagSwappedTodoStore

2.954 PidTagTargetEntryId

Canonical name: PidTagTargetEntryId
Property ID: 0x3010
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-OXCSYNC], [MS-OXCFXICS]
Alternate names: PR_TARGET_ENTRYID, ptagTargetEntryId

2.955 PidTagTcvConstLongOne

Canonical name: PidTagTcvConstLongOne
Property ID: 0x8008
Data type: PtypInteger32, 0x0003
Area: PST Internal
References: [MS-OXCTABL]
Alternate names: PR_TCV_CONST_LONG_ONE

2.956 PidTagTelecommunicationsDeviceForDeafTelephoneNumber

Canonical name: PidTagTelecommunicationsDeviceForDeafTelephoneNumber
Property ID: 0x3A4B
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_TTYTDD_PHONE_NUMBER,
PR_TTYTDD_PHONE_NUMBER_A, PR_TTYTDD_PHONE_NUMBER_W

2.957 PidTagTelexNumber

Canonical name: PidTagTelexNumber
Property ID: 0x3A2C
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_TELEX_NUMBER, PR_TELEX_NUMBER_A,
PR_TELEX_NUMBER_W

2.958 PidTagTemplateData

Canonical name: PidTagTemplateData
Property ID: 0x0001
Data type: PtypBinary, 0x0102
Area: Exchange Address Book

References: [MS-OXOABKT]
Alternate names: PR_EMS_TEMPLATE_BLOB

2.959 PidTagTemplateid

Canonical name: PidTagTemplateid
Property ID: 0x3902
Data type: PtypBinary, 0x0102
Area: MapiAddressBook
References: [MS-OXOABK]
Alternate names: PR_TEMPLATEID

2.960 PidTagTextAttachmentCharset

Canonical name: PidTagTextAttachmentCharset
Property ID: 0x371B
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMAIL]
Alternate names: ptagTextAttachmentCharset

2.961 PidTagTitle

Canonical name: PidTagTitle
Property ID: 0x3A17
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_TITLE, PR_TITLE_A, PR_TITLE_W

2.962 PidTagTnefCorrelationKey

Canonical name: PidTagTnefCorrelationKey
Property ID: 0x007F
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXTNEF]
Alternate names: PR_TNEF_CORRELATION_KEY

2.963 PidTagToDoItemFlags

Canonical name: PidTagToDoItemFlags
Property ID: 0x0E2B
Data type: PtypInteger32, 0x0003
Area: MapiNonTransmittable
References: [MS-OXOFLAG]
Alternate names: PR_TODO_ITEM_FLAGS, ptagToDoItemFlags

2.964 PidTagTransmittableDisplayName

Canonical name: PidTagTransmittableDisplayName

Property ID: 0x3A20

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_TRANSMITTABLE_DISPLAY_NAME,
PR_TRANSMITTABLE_DISPLAY_NAME_A, ptagTransmittableDisplayName,
PR_TRANSMITTABLE_DISPLAY_NAME_W

2.965 PidTagTransportMessageHeaders

Canonical name: PidTagTransportMessageHeaders

Property ID: 0x007D

Data type: PtypString, 0x001F

Area: EMail

References: [MS-OXOMSG], [MS-OXCMAIL]

Alternate names: PR_TRANSPORT_MESSAGE_HEADERS,
PR_TRANSPORT_MESSAGE_HEADERS_A,
PR_TRANSPORT_MESSAGE_HEADERS_W

2.966 PidTagTrustSender

Canonical name: PidTagTrustSender

Property ID: 0x0E79

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_TRUST_SENDER, ptagTrustSender

2.967 PidTagTtyTddPhoneNumber

Canonical name: PidTagTtyTddPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_TTYTDD_PHONE_NUMBER

2.968 PidTagUrlCompName

Canonical name: PidTagUrlCompName

Property ID: 0x10F3

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_URL_COMP_NAME, PR_URL_COMP_NAME_A,
PR_URL_COMP_NAME_W, ptagURLCompName

2.969 PidTagUrlCompNameSet

Canonical name: PidTagUrlCompNameSet

Property ID: 0x0E62

Data type: PtypBoolean, 0x000B

Area: ID Properties

References: [MS-OXCMSG]

Alternate names: ptagURLCompNameSet

2.970 PidTagUserCertificate

Canonical name: PidTagUserCertificate

Property ID: 0x3A22

Data type: PtypBinary, 0x0102

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_USER_CERTIFICATE, ptagUserCertificate

2.971 PidTagUserEntryId

Canonical name: PidTagUserEntryId

Property ID: 0x6619

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_USER_ENTRYID, ptagUserEntryId

2.972 PidTagUserX509Certificate

Canonical name: PidTagUserX509Certificate

Property ID: 0x3A70

Data type: PtypMultipleBinary, 0x1102

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_USER_X509_CERTIFICATE

2.973 PidTagViewDescriptorBinary

Canonical name: PidTagViewDescriptorBinary

Property ID: 0x7001

Data type: PtypBinary, 0x0102

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_BINARY

2.974 PidTagViewDescriptorName

Canonical name: PidTagViewDescriptorName

Property ID: 0x7006

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable
References: [MS-OXOCFG]
Alternate names: PR_VD_NAME, PR_VD_NAME_W

2.975 PidTagViewDescriptorStrings

Canonical name: PidTagViewDescriptorStrings
Property ID: 0x7002
Data type: PtypString, 0x001F
Area: MessageClassDefinedTransmittable
References: [MS-OXOCFG]
Alternate names: PR_VD_STRINGS, PR_VD_STRINGS_W

2.976 PidTagViewDescriptorVersion

Canonical name: PidTagViewDescriptorVersion
Property ID: 0x7007
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXOCFG]
Alternate names: PR_VD_VERSION

2.977 PidTagVoiceMessageAttachmentOrder

Canonical name: PidTagVoiceMessageAttachmentOrder
Property ID: 0x6805
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXOUM]
Alternate names: InternalSchemaVoiceMessageAttachmentOrder

2.978 PidTagVoiceMessageDuration

Canonical name: PidTagVoiceMessageDuration
Property ID: 0x6801
Data type: PtypInteger32, 0x0003
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaVoiceMessageDuration

2.979 PidTagVoiceMessageSenderName

Canonical name: PidTagVoiceMessageSenderName
Property ID: 0x6803
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaVoiceMessageSenderName

2.980 PidTagWeddingAnniversary

Canonical name: PidTagWeddingAnniversary

Property ID: 0x3A41

Data type: PtypTime, 0x0040

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_WEDDING_ANNIVERSARY

3 Structure Examples

None.

4 Security Considerations

There are no security considerations unique to this specification.

5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

6 Index

Appendix A

Office/Exchange behavior, 225

Introduction, 26

Applicability statement, 33

Glossary, 26

References, 26

Relationship to protocols and other structures, 32

Structure overview (synopsis), 29

Vendor-extensible fields, 33

Versioning and localization, 33

References

Informative references, 29

Normative references, 26

Security considerations, 225

Structure examples, 225

Structures, 33

Preliminary