

[MS-OXPROPS]: Office Exchange Protocols Master Property List Specification

Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting protocol@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. This protocol documentation is intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	April 25, 2008	0.2	Revised and updated property names and other technical content.
Microsoft Corporation	June 27, 2008	1.0	Initial Release.
Microsoft Corporation	August 6, 2008	1.01	Updated references to reflect date of initial release.

Table of Contents

1	Introduction.....	24
1.1	Glossary.....	24
1.2	References.....	24
1.2.1	Normative References.....	24
1.2.2	Informative References.....	27
1.3	Structure Overview.....	27
1.3.1	Common Message Classes.....	27
1.3.2	Commonly Used Property Sets.....	28
1.3.3	Property ID Ranges.....	29
1.4	Relationship to Protocols and Other Structures.....	30
1.5	Applicability Statement.....	31
1.6	Versioning and Localization.....	31
1.7	Vendor-Extensible Fields.....	31
2	Structures.....	31
2.1	PidLidAddressBookProviderArrayType.....	31
2.2	PidLidAddressBookProviderEmailList.....	31
2.3	PidLidAddressCountryCode.....	31
2.4	PidLidAgingDontAgeMe.....	32
2.5	PidLidAllAttendeesList.....	32
2.6	PidLidAllAttendeesString.....	32
2.7	PidLidAllowExternalCheck.....	32
2.8	PidLidAnniversaryEventEntryId.....	32
2.9	PidLidAppointmentAuxiliaryFlags.....	33
2.10	PidLidAppointmentColor.....	33
2.11	PidLidAppointmentCounterProposal.....	33
2.12	PidLidAppointmentDuration.....	33
2.13	PidLidAppointmentEndWhole.....	34
2.14	PidLidAppointmentLastSequence.....	34
2.15	PidLidAppointmentMessageClass.....	34
2.16	PidLidAppointmentNotAllowPropose.....	34
2.17	PidLidAppointmentProposalNumber.....	34
2.18	PidLidAppointmentProposedDuration.....	35
2.19	PidLidAppointmentProposedEndWhole.....	35
2.20	PidLidAppointmentProposedStartWhole.....	35
2.21	PidLidAppointmentRecur.....	35
2.22	PidLidAppointmentReplyName.....	35
2.23	PidLidAppointmentReplyTime.....	36
2.24	PidLidAppointmentSequence.....	36
2.25	PidLidAppointmentSequenceTime.....	36
2.26	PidLidAppointmentStartWhole.....	36
2.27	PidLidAppointmentStateFlags.....	37
2.28	PidLidAppointmentSubType.....	37

2.29	PidLidAppointmentTimeZoneDefinitionEndDisplay.....	37
2.30	PidLidAppointmentTimeZoneDefinitionRecur.....	37
2.31	PidLidAppointmentTimeZoneDefinitionStartDisplay.....	37
2.32	PidLidAppointmentUnsendableRecipients.....	38
2.33	PidLidAttendeeCriticalChange.....	38
2.34	PidLidAutoFillLocation.....	38
2.35	PidLidAutoLog.....	38
2.36	PidLidAutoProcessState.....	38
2.37	PidLidAutoStartCheck.....	39
2.38	PidLidAutoStartWhen.....	39
2.39	PidLidBirthdayEventEntryId.....	39
2.40	PidLidBusinessCardCardPicture.....	39
2.41	PidLidBusinessCardDisplayDefinition.....	40
2.42	PidLidBusyStatus.....	40
2.43	PidLidCalendarType.....	40
2.44	PidLidCategories.....	40
2.45	PidLidCcAttendeesString.....	40
2.46	PidLidChangeHighlight.....	41
2.47	PidLidClassification.....	41
2.48	PidLidClassificationDescription.....	41
2.49	PidLidClassificationGuid.....	41
2.50	PidLidClassificationKeep.....	41
2.51	PidLidClassified.....	42
2.52	PidLidCleanGlobalObjectId.....	42
2.53	PidLidClipEnd.....	42
2.54	PidLidClipStart.....	42
2.55	PidLidCollaborateDoc.....	43
2.56	PidLidCommonEnd.....	43
2.57	PidLidCommonStart.....	43
2.58	PidLidCompanies.....	43
2.59	PidLidConferencingCheck.....	43
2.60	PidLidConferencingType.....	44
2.61	PidLidContactCharacterSet.....	44
2.62	PidLidContactItemData.....	44
2.63	PidLidContactLinkEntry.....	44
2.64	PidLidContactLinkName.....	44
2.65	PidLidContactLinkSearchKey.....	45
2.66	PidLidContacts.....	45
2.67	PidLidContactUserField1.....	45
2.68	PidLidContactUserField2.....	45
2.69	PidLidContactUserField3.....	46
2.70	PidLidContactUserField4.....	46
2.71	PidLidCurrentVersion.....	46
2.72	PidLidCurrentVersionName.....	46

2.73	PidLidDayInterval	46
2.74	PidLidDelegateMail	47
2.75	PidLidDepartment	47
2.76	PidLidDirectory	47
2.77	PidLidDistributionListChecksum	47
2.78	PidLidDistributionListMembers	47
2.79	PidLidDistributionListName	48
2.80	PidLidDistributionListOneOffMembers	48
2.81	PidLidEmail1AddressType	48
2.82	PidLidEmail1DisplayName	48
2.83	PidLidEmail1EmailAddress	49
2.84	PidLidEmail1EmailType	49
2.85	PidLidEmail1OriginalDisplayName	49
2.86	PidLidEmail1OriginalEntryId	49
2.87	PidLidEmail2AddressType	49
2.88	PidLidEmail2DisplayName	50
2.89	PidLidEmail2EmailAddress	50
2.90	PidLidEmail2EntryId	50
2.91	PidLidEmail2OriginalDisplayName	50
2.92	PidLidEmail2OriginalEntryId	50
2.93	PidLidEmail3AddressType	51
2.94	PidLidEmail3DisplayName	51
2.95	PidLidEmail3EmailAddress	51
2.96	PidLidEmail3EntryId	51
2.97	PidLidEmail3OriginalDisplayName	52
2.98	PidLidEmail3OriginalEntryId	52
2.99	PidLidEmailList	52
2.100	PidLidExceptionReplaceTime	52
2.101	PidLidFax1AddressType	52
2.102	PidLidFax1EmailAddress	53
2.103	PidLidFax1OriginalDisplayName	53
2.104	PidLidFax1OriginalEntryId	53
2.105	PidLidFax2AddressType	53
2.106	PidLidFax2EmailAddress	53
2.107	PidLidFax2OriginalDisplayName	54
2.108	PidLidFax2OriginalEntryId	54
2.109	PidLidFax3AddressType	54
2.110	PidLidFax3EmailAddress	54
2.111	PidLidFax3OriginalDisplayName	55
2.112	PidLidFax3OriginalEntryId	55
2.113	PidLidFExceptionalAttendees	55
2.114	PidLidFExceptionalBody	55
2.115	PidLidFileUnder	55
2.116	PidLidFileUnderId	56

2.117	PidLidFileUnderList	56
2.118	PidLidFInvited.....	56
2.119	PidLidFlagRequest.....	56
2.120	PidLidFlagString	56
2.121	PidLidForwardInstance.....	57
2.122	PidLidFreeBusyLocation	57
2.123	PidLidGlobalObjectId.....	57
2.124	PidLidHasPicture	57
2.125	PidLidHomeAddress.....	58
2.126	PidLidHomeAddressCountryCode	58
2.127	PidLidHtml	58
2.128	PidLidInstantMessagingAddress.....	58
2.129	PidLidIntendedBusyStatus.....	58
2.130	PidLidInternetAccountName.....	59
2.131	PidLidInternetAccountStamp	59
2.132	PidLidIsException.....	59
2.133	PidLidIsRecurring	59
2.134	PidLidIsSilent.....	59
2.135	PidLidLinkedTaskItems.....	60
2.136	PidLidLocation.....	60
2.137	PidLidLogDocumentPosted	60
2.138	PidLidLogDocumentPrinted.....	60
2.139	PidLidLogDocumentRouted.....	61
2.140	PidLidLogDocumentSaved	61
2.141	PidLidLogDuration	61
2.142	PidLidLogEnd	61
2.143	PidLidLogFlags.....	61
2.144	PidLidLogStart.....	62
2.145	PidLidLogType	62
2.146	PidLidLogTypeDesc	62
2.147	PidLidMeetingType	62
2.148	PidLidMeetingWorkspaceUrl.....	62
2.149	PidLidMonthInterval.....	63
2.150	PidLidNetShowUrl.....	63
2.151	PidLidNonSendableBcc.....	63
2.152	PidLidNonSendableCc.....	63
2.153	PidLidNonSendableTo.....	64
2.154	PidLidNonSendBccTrackStatus.....	64
2.155	PidLidNonSendCcTrackStatus.....	64
2.156	PidLidNonSendToTrackStatus.....	64
2.157	PidLidNoteColor	64
2.158	PidLidNoteHeight	65
2.159	PidLidNoteWidth	65
2.160	PidLidNoteX.....	65

2.161	PidLidNoteY	65
2.162	PidLidOldLocation	65
2.163	PidLidOldWhenEndWhole	66
2.164	PidLidOldWhenStartWhole	66
2.165	PidLidOnlinePassword	66
2.166	PidLidOptionalAttendees	66
2.167	PidLidOrganizerAlias	67
2.168	PidLidOriginalStoreEntryId	67
2.169	PidLidOtherAddress	67
2.170	PidLidOtherAddressCountryCode	67
2.171	PidLidOwnerCriticalChange	67
2.172	PidLidPercentComplete	68
2.173	PidLidPostalAddressId	68
2.174	PidLidPostRssChannel	68
2.175	PidLidPostRssChannelLink	68
2.176	PidLidPostRssItemGuid	68
2.177	PidLidPostRssItemHash	69
2.178	PidLidPostRssItemLink	69
2.179	PidLidPostRssItemXml	69
2.180	PidLidPostRssSubscription	69
2.181	PidLidPrivate	70
2.182	PidLidRecurrencePattern	70
2.183	PidLidRecurrenceType	70
2.184	PidLidRecurring	70
2.185	PidLidReferenceEntryId	70
2.186	PidLidReminderDelta	71
2.187	PidLidReminderFileParameter	71
2.188	PidLidReminderOverride	71
2.189	PidLidReminderPlaySound	71
2.190	PidLidReminderSet	72
2.191	PidLidReminderSignalTime	72
2.192	PidLidReminderTime	72
2.193	PidLidReminderType	72
2.194	PidLidRequiredAttendees	72
2.195	PidLidResourceAttendees	73
2.196	PidLidResponseStatus	73
2.197	PidLidSendMeetingAsIcal	73
2.198	PidLidSharingAnonymity	73
2.199	PidLidSharingBindingEntryId	73
2.200	PidLidSharingBrowseUrl	74
2.201	PidLidSharingCapabilities	74
2.202	PidLidSharingConfigurationUrl	74
2.203	PidLidSharingDataRangeEnd	74
2.204	PidLidSharingDataRangeStart	75

2.205	PidLidSharingDetail.....	75
2.206	PidLidSharingExtensionXml.....	75
2.207	PidLidSharingFilter.....	75
2.208	PidLidSharingFlags.....	75
2.209	PidLidSharingFlavor.....	76
2.210	PidLidSharingFolderEntryId.....	76
2.211	PidLidSharingIndexEntryId.....	76
2.212	PidLidSharingInitiatorEntryId.....	76
2.213	PidLidSharingInitiatorName.....	76
2.214	PidLidSharingInitiatorSntp.....	77
2.215	PidLidSharingInstanceGuid.....	77
2.216	PidLidSharingLastAutoSyncTime.....	77
2.217	PidLidSharingLastSyncTime.....	77
2.218	PidLidSharingLocalComment.....	78
2.219	PidLidSharingLocalLastModificationTime.....	78
2.220	PidLidSharingLocalName.....	78
2.221	PidLidSharingLocalPath.....	78
2.222	PidLidSharingLocalStoreUid.....	78
2.223	PidLidSharingLocalType.....	79
2.224	PidLidSharingLocalUid.....	79
2.225	PidLidSharingOriginalMessageEntryId.....	79
2.226	PidLidSharingParentBindingEntryId.....	79
2.227	PidLidSharingParticipants.....	79
2.228	PidLidSharingPermissions.....	80
2.229	PidLidSharingProviderExtension.....	80
2.230	PidLidSharingProviderGuid.....	80
2.231	PidLidSharingProviderName.....	80
2.232	PidLidSharingProviderUrl.....	81
2.233	PidLidSharingRangeEnd.....	81
2.234	PidLidSharingRangeStart.....	81
2.235	PidLidSharingReciprocation.....	81
2.236	PidLidSharingRemoteByteSize.....	81
2.237	PidLidSharingRemoteComment.....	82
2.238	PidLidSharingRemoteCrc.....	82
2.239	PidLidSharingRemoteLastModificationTime.....	82
2.240	PidLidSharingRemoteMessageCount.....	82
2.241	PidLidSharingRemoteName.....	82
2.242	PidLidSharingRemotePass.....	83
2.243	PidLidSharingRemotePath.....	83
2.244	PidLidSharingRemoteStoreUid.....	83
2.245	PidLidSharingRemoteType.....	83
2.246	PidLidSharingRemoteUid.....	84
2.247	PidLidSharingRemoteUser.....	84
2.248	PidLidSharingRemoteVersion.....	84

2.249	PidLidSharingResponseTime	84
2.250	PidLidSharingResponseType	84
2.251	PidLidSharingRoamLog	85
2.252	PidLidSharingStart	85
2.253	PidLidSharingStatus	85
2.254	PidLidSharingStop	85
2.255	PidLidSharingSyncFlags	85
2.256	PidLidSharingSyncInterval	86
2.257	PidLidSharingTimeToLive	86
2.258	PidLidSharingTimeToLiveAuto	86
2.259	PidLidSharingWorkingHoursDays	86
2.260	PidLidSharingWorkingHoursEnd	87
2.261	PidLidSharingWorkingHoursStart	87
2.262	PidLidSharingWorkingHoursTimeZone	87
2.263	PidLidSideEffects	87
2.264	PidLidSingleInvite	87
2.265	PidLidSmartNoAttach	88
2.266	PidLidSpamOriginalFolder	88
2.267	PidLidTaskAcceptanceState	88
2.268	PidLidTaskAccepted	88
2.269	PidLidTaskActualEffort	88
2.270	PidLidTaskAssigner	89
2.271	PidLidTaskAssigners	89
2.272	PidLidTaskComplete	89
2.273	PidLidTaskDateCompleted	89
2.274	PidLidTaskDeadOccurrence	90
2.275	PidLidTaskDueDate	90
2.276	PidLidTaskEstimatedEffort	90
2.277	PidLidTaskFCreator	90
2.278	PidLidTaskFFixOffline	90
2.279	PidLidTaskFRecurring	91
2.280	PidLidTaskGlobalId	91
2.281	PidLidTaskHistory	91
2.282	PidLidTaskLastDelegate	91
2.283	PidLidTaskLastUpdate	91
2.284	PidLidTaskLastUser	92
2.285	PidLidTaskMode	92
2.286	PidLidTaskMultipleRecipients	92
2.287	PidLidTaskNoCompute	92
2.288	PidLidTaskOrdinal	93
2.289	PidLidTaskOwner	93
2.290	PidLidTaskOwnership	93
2.291	PidLidTaskRecurrence	93
2.292	PidLidTaskResetReminder	93

2.293	PidLidTaskRole.....	94
2.294	PidLidTaskStartDate.....	94
2.295	PidLidTaskState.....	94
2.296	PidLidTaskStatus.....	94
2.297	PidLidTaskStatusOnComplete.....	95
2.298	PidLidTaskUpdates.....	95
2.299	PidLidTaskVersion.....	95
2.300	PidLidTeamTask.....	95
2.301	PidLidTimeZone.....	95
2.302	PidLidTimeZoneDescription.....	96
2.303	PidLidTimeZoneStruct.....	96
2.304	PidLidToAttendeesString.....	96
2.305	PidLidToDoOrdinalDate.....	96
2.306	PidLidToDoSubOrdinal.....	96
2.307	PidLidToDoTitle.....	97
2.308	PidLidUseTnef.....	97
2.309	PidLidValidFlagStringProof.....	97
2.310	PidLidVerbResponse.....	97
2.311	PidLidVerbStream.....	98
2.312	PidLidWeekInterval.....	98
2.313	PidLidWhere.....	98
2.314	PidLidWorkAddress.....	98
2.315	PidLidWorkAddressCity.....	98
2.316	PidLidWorkAddressCountry.....	99
2.317	PidLidWorkAddressCountryCode.....	99
2.318	PidLidWorkAddressPostalCode.....	99
2.319	PidLidWorkAddressPostOfficeBox.....	99
2.320	PidLidWorkAddressState.....	99
2.321	PidLidWorkAddressStreet.....	100
2.322	PidLidYearInterval.....	100
2.323	PidLidYomiCompanyName.....	100
2.324	PidLidYomiFirstName.....	100
2.325	PidLidYomiLastName.....	101
2.326	PidLidInfoPathFormName.....	101
2.327	PidNameAcceptLanguage.....	101
2.328	PidNameApplicationName.....	101
2.329	PidNameAttachmentMacContentType.....	101
2.330	PidNameAttachmentMacInfo.....	102
2.331	PidNameAudioNotes.....	102
2.332	PidNameAuthor.....	102
2.333	PidNameByteCount.....	102
2.334	PidNameCategory.....	102
2.335	PidNameCharacterCount.....	103
2.336	PidNameComments.....	103

2.337	PidNameCompany	103
2.338	PidNameContentBase	103
2.339	PidNameContentClass	104
2.340	PidNameContentTransferEncoding	104
2.341	PidNameContentType	104
2.342	PidNameCreateDateTimeReadOnly	104
2.343	PidNameCrossReference	104
2.344	PidNameEditTime	105
2.345	PidNameExchangeJunkEmailMoveStamp	105
2.346	PidNameHiddenCount	105
2.347	PidNameKeywords	105
2.348	PidNameLastAuthor	105
2.349	PidNameLastPrinted	106
2.350	PidNameLastSaveDateTime	106
2.351	PidNameLineCount	106
2.352	PidNameManager	106
2.353	PidNameMultimediaClipCount	107
2.354	PidNameNoteCount	107
2.355	PidNameOMSAccountGuid	107
2.356	PidNameOMSMobileModel	107
2.357	PidNameOMSScheduleTime	107
2.358	PidNameOMSServiceType	108
2.359	PidNameOMSSourceType	108
2.360	PidNamePhishingStamp	108
2.361	PidNamePageCount	108
2.362	PidNameParagraphCount	108
2.363	PidNamePresentationFormat	109
2.364	PidNameRevisionNumber	109
2.365	PidNameRightsManagementLicense	109
2.366	PidNameSecurity	109
2.367	PidNameSlideCount	110
2.368	PidNameSubject	110
2.369	PidNameTemplate	110
2.370	PidNameTitle	110
2.371	PidNameWordCount	110
2.372	PidNameXSharingBrowseUrl	111
2.373	PidNameXSharingCapabilities	111
2.374	PidNameXSharingConfigUrl	111
2.375	PidNameXSharingExendedCaps	111
2.376	PidNameXSharingFlavor	111
2.377	PidNameXSharingInstanceGuid	112
2.378	PidNameXSharingLocalType	112
2.379	PidNameXSharingProviderGuid	112
2.380	PidNameXSharingProviderName	112

2.381	PidNameXSharingProviderUrl.....	113
2.382	PidNameXSharingRemoteName	113
2.383	PidNameXSharingRemotePath	113
2.384	PidNameXSharingRemoteStoreUid.....	113
2.385	PidNameXSharingRemoteType	113
2.386	PidNameXSharingRemoteUid	114
2.387	PidNameQuarantineOriginalSender.....	114
2.388	PidNameXCallId	114
2.389	PidNameXFaxNumberOfPages	114
2.390	PidNameXSenderTelephoneNumber.....	114
2.391	PidNameXVoiceMessageAttachmentOrder.....	115
2.392	PidNameXVoiceMessageDuration	115
2.393	PidNameXVoiceMessageSenderName	115
2.394	PidTag7BitDisplayName	115
2.395	PidTagAccess	116
2.396	PidTagAccessLevel.....	116
2.397	PidTagAccount.....	116
2.398	PidTagAdditionalRenEntryIds	116
2.399	PidTagAdditionalRenEntryIdsEx.....	116
2.400	PidTagAddressBookContainerId	117
2.401	PidTagAddressBookDisplayNamePrintable	117
2.402	PidTagAddressBookEntryId.....	117
2.403	PidTagAddressBookExtensionAttribute1	117
2.404	PidTagAddressBookExtensionAttribute15.....	117
2.405	PidTagAddressBookFolderPathname	118
2.406	PidTagAddressBookHierarchicalChildDepartments	118
2.407	PidTagAddressBookHierarchicalDepartmentMembers	118
2.408	PidTagAddressBookHierarchicalParentDepartment.....	118
2.409	PidTagAddressBookHierarchicalRootDepartment	118
2.410	PidTagAddressBookHierarchicalShowInDepartments.....	119
2.411	PidTagAddressBookHomeMessageDatabase	119
2.412	PidTagAddressBookIsMaster.....	119
2.413	PidTagAddressBookIsMemberOfDistributionList	119
2.414	PidTagAddressBookManageDistributionList	119
2.415	PidTagAddressBookManager	120
2.416	PidTagAddressBookManagerDistinguishedName	120
2.417	PidTagAddressBookMember	120
2.418	PidTagAddressBookMessageId	120
2.419	PidTagAddressBookNetworkAddress	120
2.420	PidTagAddressBookObjectDistinguishedName	121
2.421	PidTagAddressBookObjectGuid.....	121
2.422	PidTagAddressBookOwner	121
2.423	PidTagAddressBookOwnerBackLink	121
2.424	PidTagAddressBookParentEntryId.....	121

2.425	PidTagAddressBookPhoneticCompanyName	122
2.426	PidTagAddressBookPhoneticDepartmentName	122
2.427	PidTagAddressBookPhoneticDisplayName	122
2.428	PidTagAddressBookPhoneticGivenName	122
2.429	PidTagAddressBookPhoneticSurname	122
2.430	PidTagAddressBookProxyAddresses	123
2.431	PidTagAddressBookPublicDelegates	123
2.432	PidTagAddressBookReports	123
2.433	PidTagAddressBookRoomCapacity	123
2.434	PidTagAddressBookRoomContainers	124
2.435	PidTagAddressBookRoomDescription	124
2.436	PidTagAddressBookSeniorityIndex	124
2.437	PidTagAddressBookTargetAddress	124
2.438	PidTagAddressBookX509Certificate	124
2.439	PidTagAddressType	125
2.440	PidTagAlternateRecipientAllowed	125
2.441	PidTagAnr	125
2.442	PidTagAssistant	125
2.443	PidTagAssistantTelephoneNumber	125
2.444	PidTagAssociated	126
2.445	PidTagAttachAdditionalInformation	126
2.446	PidTagAttachContentBase	126
2.447	PidTagAttachContentId	126
2.448	PidTagAttachContentLocation	126
2.449	PidTagAttachDataBinary	127
2.450	PidTagAttachDataObject	127
2.451	PidTagAttachEncoding	127
2.452	PidTagAttachExtension	127
2.453	PidTagAttachFilename	128
2.454	PidTagAttachFlags	128
2.455	PidTagAttachLongFilename	128
2.456	PidTagAttachLongPathname	128
2.457	PidTagAttachmentContactPhoto	128
2.458	PidTagAttachmentFlags	129
2.459	PidTagAttachmentHidden	129
2.460	PidTagAttachmentLinkId	129
2.461	PidTagAttachMethod	129
2.462	PidTagAttachMimeTag	130
2.463	PidTagAttachNumber	130
2.464	PidTagAttachPathname	130
2.465	PidTagAttachPayloadClass	130
2.466	PidTagAttachPayloadProviderGuidString	130
2.467	PidTagAttachRendering	131
2.468	PidTagAttachSize	131

2.469	PidTagAttachTag	131
2.470	PidTagAttachTransportName.....	131
2.471	PidTagAttributeHidden.....	131
2.472	PidTagAttributeReadOnly	132
2.473	PidTagAttributeSystem.....	132
2.474	PidTagAutoForwarded.....	132
2.475	PidTagAutoResponseSuppress.....	132
2.476	PidTagBirthday	132
2.477	PidTagBlockStatus.....	133
2.478	PidTagBody.....	133
2.479	PidTagBodyContentId	133
2.480	PidTagBodyContentLocation	133
2.481	PidTagBodyHtml	133
2.482	PidTagBusiness2TelephoneNumber.....	134
2.483	PidTagBusiness2TelephoneNumbers	134
2.484	PidTagBusinessFaxNumber	134
2.485	PidTagBusinessHomePage.....	134
2.486	PidTagBusinessTelephoneNumber.....	134
2.487	PidTagCallbackTelephoneNumber	135
2.488	PidTagCallId.....	135
2.489	PidTagCarTelephoneNumber.....	135
2.490	PidTagChangeKey	135
2.491	PidTagChangeNotificationGuid.....	136
2.492	PidTagChangeNumber	136
2.493	PidTagChildrensNames	136
2.494	PidTagClientActions.....	136
2.495	PidTagClientSubmitTime	136
2.496	PidTagCnsetRead	137
2.497	PidTagCnsetSeen	137
2.498	PidTagCnsetSeenFAI.....	137
2.499	PidTagCodePageId.....	137
2.500	PidTagComment	137
2.501	PidTagCompanyMainTelephoneNumber.....	138
2.502	PidTagCompanyName.....	138
2.503	PidTagComputerNetworkName.....	138
2.504	PidTagConflictEntryId.....	138
2.505	PidTagConflictItems	138
2.506	PidTagContainerClass.....	139
2.507	PidTagContainerContents.....	139
2.508	PidTagContainerFlags.....	139
2.509	PidTagContainerHierarchy	139
2.510	PidTagContentCount.....	139
2.511	PidTagContentFilterSpamConfidenceLevel.....	140
2.512	PidTagContentUnreadCount	140

2.513	PidTagConversationIndex	140
2.514	PidTagConversationKey	140
2.515	PidTagConversationTopic	140
2.516	PidTagCountry	141
2.517	PidTagCreationTime	141
2.518	PidTagCreatorEntryId	141
2.519	PidTagCreatorName	141
2.520	PidTagCreatorSimpleDisplayName	141
2.521	PidTagCustomerId	142
2.522	PidTagDamBackPatched	142
2.523	PidTagDamOriginalEntryId	142
2.524	PidTagDefaultPostMessageClass	142
2.525	PidTagDeferredDeliveryTime	142
2.526	PidTagDeferredSendNumber	143
2.527	PidTagDeferredSendTime	143
2.528	PidTagDeferredSendUnits	143
2.529	PidTagDelegatedByRule	143
2.530	PidTagDelegateFlags	143
2.531	PidTagDelegation	143
2.532	PidTagDeleteAfterSubmit	144
2.533	PidTagDeletedOn	144
2.534	PidTagDepartmentName	144
2.535	PidTagDepth	144
2.536	PidTagDisplayBcc	144
2.537	PidTagDisplayCc	145
2.538	PidTagDisplayName	145
2.539	PidTagDisplayNamePrefix	145
2.540	PidTagDisplayTo	145
2.541	PidTagDisplayType	146
2.542	PidTagDisplayTypeEx	146
2.543	PidTagEcWarning	146
2.544	PidTagEmailAddress	146
2.545	PidTagEmailAddress1	147
2.546	PidTagEndDate	147
2.547	PidTagEntryId	147
2.548	PidTagExceptionEndTime	147
2.549	PidTagExceptionReplaceTime	147
2.550	PidTagExceptionStartTime	148
2.551	PidTagExpiryNumber	148
2.552	PidTagExpiryTime	148
2.553	PidTagExpiryUnits	148
2.554	PidTagExtendedFolderFlags	148
2.555	PidTagExtendedRuleMessageActions	148
2.556	PidTagExtendedRuleMessageCondition	149

2.557	PidTagExtendedRuleSizeLimit	149
2.558	PidTagFaxNumberOfPages	149
2.559	PidTagFlagCompleteTime	149
2.560	PidTagFlagStatus	149
2.561	PidTagFolderAssociatedContents	150
2.562	PidTagFolderId	150
2.563	PidTagFolderType	150
2.564	PidTagFollowupIcon	150
2.565	PidTagFreeBusyCountMonths	150
2.566	PidTagFreeBusyEntryIds	151
2.567	PidTagFreeBusyMessageEmailAddress	151
2.568	PidTagFreeBusyPublishEnd	151
2.569	PidTagFreeBusyPublishStart	151
2.570	PidTagFreeBusyRangeTimestamp	151
2.571	PidTagFtpSite	151
2.572	PidTagFXDelProp	152
2.573	PidTagGatewayNeedsToRefresh	152
2.574	PidTagGender	152
2.575	PidTagGeneration	152
2.576	PidTagGivenName	152
2.577	PidTagGovernmentIdNumber	153
2.578	PidTagHasAttachments	153
2.579	PidTagHasDeferredActionMessages	153
2.580	PidTagHasNamedProperties	153
2.581	PidTagHasRules	153
2.582	PidTagHierarchyChangeNumber	154
2.583	PidTagHobbies	154
2.584	PidTagHome2TelephoneNumber	154
2.585	PidTagHome2TelephoneNumbers	154
2.586	PidTagHomeAddressCity	154
2.587	PidTagHomeAddressCountry	155
2.588	PidTagHomeAddressPostalCode	155
2.589	PidTagHomeAddressPostOfficeBox	155
2.590	PidTagHomeAddressStateOrProvince	155
2.591	PidTagHomeAddressStreet	155
2.592	PidTagHomeFaxNumber	156
2.593	PidTagHomeTelephoneNumber	156
2.594	PidTagHtml	156
2.595	PidTagIconIndex	156
2.596	PidTagIdsetDeleted	157
2.597	PidTagIdsetExpired	157
2.598	PidTagIdsetGiven	157
2.599	PidTagIdsetRead	157
2.600	PidTagIdsetSoftDeleted	157

2.601	PidTagIdsetUnread.....	157
2.602	PidTagImapCachedMsgsize.....	158
2.603	PidTagImportance.....	158
2.604	PidTagInConflict.....	158
2.605	PidTagIncrementalSyncMessagePartial.....	158
2.606	PidTagIncrSyncGroupId.....	158
2.607	PidTagInitialDetailsPane.....	159
2.608	PidTagInitials.....	159
2.609	PidTagInReplyToId.....	159
2.610	PidTagInstanceKey.....	159
2.611	PidTagInstanceNum.....	159
2.612	PidTagInstID.....	160
2.613	PidTagInternetArticleNumber.....	160
2.614	PidTagInternetCodepage.....	160
2.615	PidTagInternetMailOverrideFormat.....	160
2.616	PidTagInternetMessageId.....	160
2.617	PidTagInternetReferences.....	161
2.618	PidTagInternetReturnPath.....	161
2.619	PidTagIpmAppointmentEntryId.....	161
2.620	PidTagIpmContactEntryId.....	161
2.621	PidTagIpmDraftsEntryId.....	161
2.622	PidTagIpmJournalEntryId.....	162
2.623	PidTagIpmNoteEntryId.....	162
2.624	PidTagIpmTaskEntryId.....	162
2.625	PidTagIsdnNumber.....	162
2.626	PidTagItemTemporaryflags.....	162
2.627	PidTagJunkAddRecipientsToSafeSendersList.....	163
2.628	PidTagJunkIncludeContacts.....	163
2.629	PidTagJunkPermanentlyDelete.....	163
2.630	PidTagJunkPhishingEnableLinks.....	163
2.631	PidTagJunkThreshold.....	163
2.632	PidTagKeyword.....	163
2.633	PidTagLanguage.....	164
2.634	PidTagLastModificationTime.....	164
2.635	PidTagLastModifierEntryId.....	164
2.636	PidTagLastModifierName.....	164
2.637	PidTagLastModifierSimpleDisplayName.....	165
2.638	PidTagLastVerbExecuted.....	165
2.639	PidTagLastVerbExecutionTime.....	165
2.640	PidTagListHelp.....	165
2.641	PidTagListSubscribe.....	165
2.642	PidTagListUnsubscribe.....	166
2.643	PidTagLocalCommitTime.....	166
2.644	PidTagLocaleId.....	166

2.645	PidTagLocality	166
2.646	PidTagLocation	166
2.647	PidTagMailboxOwnerEntryId	167
2.648	PidTagMailboxOwnerName	167
2.649	PidTagManagerName	167
2.650	PidTagMappingSignature	167
2.651	PidTagMaximumSubmitMessageSize	167
2.652	PidTagMemberId	168
2.653	PidTagMemberName	168
2.654	PidTagMemberRights	168
2.655	PidTagMessageAttachments	168
2.656	PidTagMessageCcMe	168
2.657	PidTagMessageClass	169
2.658	PidTagMessageCodepage	169
2.659	PidTagMessageDeliveryTime	169
2.660	PidTagMessageEditorFormat	169
2.661	PidTagMessageFlags	170
2.662	PidTagMessageHandlingSystemCommonName	170
2.663	PidTagMessageLocaleId	170
2.664	PidTagMessageRecipientMe	170
2.665	PidTagMessageRecipients	170
2.666	PidTagMessageSize	171
2.667	PidTagMessageSizeExtended	171
2.668	PidTagMessageStatus	171
2.669	PidTagMessageSubmissionId	171
2.670	PidTagMessageToMe	171
2.671	PidTagMid	172
2.672	PidTagMiddleName	172
2.673	PidTagMobileTelephoneNumber	172
2.674	PidTagNewFXFolder	172
2.675	PidTagNextSendAcct	172
2.676	PidTagNickname	173
2.677	PidTagNormalizedSubject	173
2.678	PidTagNormalMessageSize	173
2.679	PidTagObjectType	173
2.680	PidTagOfficeLocation	173
2.681	PidTagOfflineAddressBookContainerGuid	174
2.682	PidTagOfflineAddressBookDistinguishedName	174
2.683	PidTagOfflineAddressBookMessageClass	174
2.684	PidTagOfflineAddressBookName	174
2.685	PidTagOfflineAddressBookSequence	174
2.686	PidTagOfflineAddressBookTruncatedProperties	175
2.687	PidTagOrdinalMost	175
2.688	PidTagOrganizationalIdNumber	175

2.689	PidTagOriginalAuthorName	175
2.690	PidTagOriginalDeliveryTime	175
2.691	PidTagOriginalDisplayBcc	176
2.692	PidTagOriginalDisplayCc	176
2.693	PidTagOriginalDisplayName	176
2.694	PidTagOriginalDisplayTo	176
2.695	PidTagOriginalEntryId	176
2.696	PidTagOriginalMessageClass	177
2.697	PidTagOriginalSearchKey	177
2.698	PidTagOriginalSenderAddressType	177
2.699	PidTagOriginalSenderEmailAddress	177
2.700	PidTagOriginalSenderEntryId	178
2.701	PidTagOriginalSenderName	178
2.702	PidTagOriginalSenderSearchKey	178
2.703	PidTagOriginalSensitivity	178
2.704	PidTagOriginalSentRepresentingAddressType	178
2.705	PidTagOriginalSentRepresentingEmailAddress	179
2.706	PidTagOriginalSentRepresentingEntryId	179
2.707	PidTagOriginalSentRepresentingName	179
2.708	PidTagOriginalSentRepresentingSearchKey	179
2.709	PidTagOriginalSubject	180
2.710	PidTagOriginalSubmitTime	180
2.711	PidTagOriginatorDeliveryReportRequested	180
2.712	PidTagOriginatorNonDeliveryReportRequested	180
2.713	PidTagOtherAddressCity	180
2.714	PidTagOtherAddressCountry	181
2.715	PidTagOtherAddressPostalCode	181
2.716	PidTagOtherAddressPostOfficeBox	181
2.717	PidTagOtherAddressStateOrProvince	181
2.718	PidTagOtherAddressStreet	181
2.719	PidTagOtherTelephoneNumber	182
2.720	PidTagOutOfOfficeState	182
2.721	PidTagOwnerAppointmentId	182
2.722	PidTagPagerTelephoneNumber	182
2.723	PidTagParentEntryId	182
2.724	PidTagParentFolderId	183
2.725	PidTagParentKey	183
2.726	PidTagParentSourceKey	183
2.727	PidTagPersonalHomePage	183
2.728	PidTagPostalAddress	183
2.729	PidTagPostalCode	184
2.730	PidTagPostOfficeBox	184
2.731	PidTagPredecessorChangeList	184
2.732	PidTagPrimaryFaxNumber	184

2.733	PidTagPrimarySendAccount	185
2.734	PidTagPrimarySmtpAddress	185
2.735	PidTagPrimaryTelephoneNumber	185
2.736	PidTagPriority	185
2.737	PidTagProcessed	185
2.738	PidTagProfession	186
2.739	PidTagProhibitReceiveQuota	186
2.740	PidTagProhibitSendQuota	186
2.741	PidTagProviderSubmitTime	186
2.742	PidTagPurportedSenderDomain	186
2.743	PidTagRadioTelephoneNumber	186
2.744	PidTagRead	187
2.745	PidTagReadReceiptEntryId	187
2.746	PidTagReadReceiptRequested	187
2.747	PidTagReadReceiptSearchKey	187
2.748	PidTagReceivedByAddressType	187
2.749	PidTagReceivedByEmailAddress	188
2.750	PidTagReceivedByEntryId	188
2.751	PidTagReceivedByFlags	188
2.752	PidTagReceivedByName	188
2.753	PidTagReceivedBySearchKey	189
2.754	PidTagReceivedRepresentingAddressType	189
2.755	PidTagReceivedRepresentingEmailAddress	189
2.756	PidTagReceivedRepresentingEntryId	189
2.757	PidTagReceivedRepresentingFlags	190
2.758	PidTagReceivedRepresentingName	190
2.759	PidTagReceivedRepresentingSearchKey	190
2.760	PidTagReceivedRepresentingSimpleDisplayName	190
2.761	PidTagReceivedRepresentingSimpleDisplayName	190
2.762	PidTagRecipientDisplayName	191
2.763	PidTagRecipientEntryId	191
2.764	PidTagRecipientFlags	191
2.765	PidTagRecipientOrder	191
2.766	PidTagRecipientProposed	191
2.767	PidTagRecipientProposedEndTime	192
2.768	PidTagRecipientProposedStartTime	192
2.769	PidTagRecipientReassignmentProhibited	192
2.770	PidTagRecipientResourceState	192
2.771	PidTagRecipientTrackStatus	192
2.772	PidTagRecipientTrackStatusTime	193
2.773	PidTagRecipientType	193
2.774	PidTagRecordKey	193
2.775	PidTagReferredByName	193
2.776	PidTagRemindersOnlineEntryId	193

2.777	PidTagRemoteHeaderLoc	194
2.778	PidTagRenderingPosition	194
2.779	PidTagReplyRecipientEntries	194
2.780	PidTagReplyRecipientNames.....	194
2.781	PidTagReplyRequested.....	194
2.782	PidTagReplyTemplateId.....	195
2.783	PidTagReplyTime	195
2.784	PidTagReportEntryId.....	195
2.785	PidTagReportSearchKey	195
2.786	PidTagReportTag	195
2.787	PidTagReportText.....	196
2.788	PidTagReportTime.....	196
2.789	PidTagResolveMethod.....	196
2.790	PidTagResponseRequested.....	196
2.791	PidTagResponsibility	196
2.792	PidTagRights	197
2.793	PidTagRoamingDatatypes	197
2.794	PidTagRoamingDictionary	197
2.795	PidTagRoamingXmlStream	197
2.796	PidTagRowid.....	197
2.797	PidTagRowType	198
2.798	PidTagRtfCompressed.....	198
2.799	PidTagRtfInSync.....	198
2.800	PidTagRtfSyncBodyCount.....	198
2.801	PidTagRtfSyncBodyCrc	198
2.802	PidTagRtfSyncBodyTag.....	199
2.803	PidTagRtfSyncPrefixCount.....	199
2.804	PidTagRtfSyncTrailingCount.....	199
2.805	PidTagRuleActionNumber	199
2.806	PidTagRuleActions	199
2.807	PidTagRuleActionType	200
2.808	PidTagRuleCondition.....	200
2.809	PidTagRuleError	200
2.810	PidTagRuleFolderEntryId.....	200
2.811	PidTagRuleId.....	200
2.812	PidTagRuleLevel.....	200
2.813	PidTagRuleMessageLevel	201
2.814	PidTagRuleMessageProviderData	201
2.815	PidTagRuleMessageSequence.....	201
2.816	PidTagRuleMessageState	201
2.817	PidTagRuleMsgActions.....	201
2.818	PidTagRuleMsgCondition	202
2.819	PidTagRuleMsgLevel	202
2.820	PidTagRuleMsgName.....	202

2.821	PidTagRuleMsgProvider	202
2.822	PidTagRuleMsgProviderData.....	202
2.823	PidTagRuleMsgSequence.....	203
2.824	PidTagRuleMsgState	203
2.825	PidTagRuleMsgUserFlags.....	203
2.826	PidTagRuleName	203
2.827	PidTagRuleProvider.....	203
2.828	PidTagRuleProviderData.....	204
2.829	PidTagRuleSequence	204
2.830	PidTagRuleState.....	204
2.831	PidTagRuleUserFlags	204
2.832	PidTagScheduleInfoAppointmentTombstone	204
2.833	PidTagScheduleInfoAutoAcceptAppointments	205
2.834	PidTagScheduleInfoDelegateEntryIds.....	205
2.835	PidTagScheduleInfoDelegateNames	205
2.836	PidTagScheduleInfoDelegateNamesW	205
2.837	PidTagScheduleInfoDelegatorWantsCopy.....	205
2.838	PidTagScheduleInfoDelegatorWantsInfo	205
2.839	PidTagScheduleInfoDisallowOverlappingAppts	206
2.840	PidTagScheduleInfoDisallowRecurringAppts	206
2.841	PidTagScheduleInfoDontMailDelegates	206
2.842	PidTagScheduleInfoFreeBusy.....	206
2.843	PidTagScheduleInfoFreeBusyAway.....	206
2.844	PidTagScheduleInfoFreeBusyBusy	207
2.845	PidTagScheduleInfoFreeBusyMerged.....	207
2.846	PidTagScheduleInfoFreeBusyTentative	207
2.847	PidTagScheduleInfoMonthsAway	207
2.848	PidTagScheduleInfoMonthsBusy.....	207
2.849	PidTagScheduleInfoMonthsMerged	208
2.850	PidTagScheduleInfoMonthsTentative	208
2.851	PidTagScheduleInfoResourceType.....	208
2.852	PidTagSchedulePlusFreeBusyEntryId	208
2.853	PidTagScriptData	208
2.854	PidTagSearchFolderDefinition.....	208
2.855	PidTagSearchFolderEfpFlags.....	209
2.856	PidTagSearchFolderExpiration	209
2.857	PidTagSearchFolderId	209
2.858	PidTagSearchFolderLastUsed.....	209
2.859	PidTagSearchFolderRecreateInfo	209
2.860	PidTagSearchFolderStorageType.....	210
2.861	PidTagSearchFolderTag	210
2.862	PidTagSearchFolderTemplateId.....	210
2.863	PidTagSearchKey.....	210
2.864	PidTagSecureSubmitFlags.....	210

2.865	PidTagSecurityDescriptor.....	211
2.866	PidTagSecurityDescriptorAsXml.....	211
2.867	PidTagSelectable.....	211
2.868	PidTagSenderAddressType.....	211
2.869	PidTagSenderEmailAddress.....	211
2.870	PidTagSenderEntryId.....	212
2.871	PidTagSenderFlags.....	212
2.872	PidTagSenderIdStatus.....	212
2.873	PidTagSenderName.....	212
2.874	PidTagSenderSearchKey.....	213
2.875	PidTagSenderSimpleDisplayName.....	213
2.876	PidTagSenderTelephoneNumber.....	213
2.877	PidTagSendInternetEncoding.....	213
2.878	PidTagSendRichInfo.....	213
2.879	PidTagSensitivity.....	214
2.880	PidTagSentMailEntryId.....	214
2.881	PidTagSentMailSvrEID.....	214
2.882	PidTagSentRepresentingAddressType.....	214
2.883	PidTagSentRepresentingEmailAddress.....	214
2.884	PidTagSentRepresentingEntryId.....	215
2.885	PidTagSentRepresentingFlags.....	215
2.886	PidTagSentRepresentingName.....	215
2.887	PidTagSentRepresentingSearchKey.....	215
2.888	PidTagSentRepresentingSimpleDisplayName.....	216
2.889	PidTagSntpAddress.....	216
2.890	PidTagSortLocaleId.....	216
2.891	PidTagSourceKey.....	216
2.892	PidTagSpouseName.....	216
2.893	PidTagStartDate.....	217
2.894	PidTagStateOrProvince.....	217
2.895	PidTagStoreEntryId.....	217
2.896	PidTagStoreState.....	217
2.897	PidTagStoreSupportMask.....	217
2.898	PidTagStreetAddress.....	218
2.899	PidTagSubfolders.....	218
2.900	PidTagSubject.....	218
2.901	PidTagSubjectPrefix.....	218
2.902	PidTagSubmitFlags.....	219
2.903	PidTagSurname.....	219
2.904	PidTagSwappedToDoData.....	219
2.905	PidTagSwappedToDoStore.....	219
2.906	PidTagTargetEntryId.....	219
2.907	PidTagTcvConstLongOne.....	219
2.908	PidTagTelecommunicationsDeviceForDeafTelephoneNumber.....	220

2.909	PidTagTelexNumber.....	220
2.910	PidTagTemplateData	220
2.911	PidTagTemplateid	220
2.912	PidTagTextAttachmentCharset	220
2.913	PidTagTitle	221
2.914	PidTagTnefCorrelationKey	221
2.915	PidTagToDoItemFlags.....	221
2.916	PidTagTransmittableDisplayName	221
2.917	PidTagTransportMessageHeaders.....	221
2.918	PidTagTrustSender.....	222
2.919	PidTagTtyTddPhoneNumber	222
2.920	PidTagUrlCompName	222
2.921	PidTagUrlCompNameSet.....	222
2.922	PidTagUserCertificate.....	222
2.923	PidTagUserEntryId	223
2.924	PidTagUserX509Certificate	223
2.925	PidTagViewDescriptorBinary	223
2.926	PidTagViewDescriptorName	223
2.927	PidTagViewDescriptorStrings.....	223
2.928	PidTagViewDescriptorVersion	224
2.929	PidTagVoiceMessageAttachmentOrder	224
2.930	PidTagVoiceMessageDuration.....	224
2.931	PidTagVoiceMessageSenderName.....	224
2.932	PidTagWeddingAnniversary	224
3	<i>Structure Examples</i>	224
4	<i>Security Considerations</i>	225
5	<i>Appendix A: Office/Exchange Behavior</i>	225
	<i>Index</i>	226

1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

- message class**
- named property**
- property**
- property ID**
- property set**

The following terms are specific to this document:

tagged property: A property defined by a 16-bit **property ID** and a 16-bit **property type**. The **property ID** for a **tagged property** MUST fall in the range 0x001 – 0x7FFF. **Property IDs** in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", June 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", June 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-mail Object Conversion Protocol Specification", June 2008.

[MS-OXCMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", June 2008.

[MS-OXCPerm] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", June 2008.

[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", June 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", June 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", June 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", June 2008.

[MS-OXGLOS] Microsoft Corporation, "Office Exchange Protocols Master Glossary", June 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", June 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", June 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", June 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", June 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", June 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", June 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", June 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", June 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", June 2008.

[MS-OXOJRNL] Microsoft Corporation, "Journal Object Protocol Specification", June 2008.

[MS-OXOMSG] Microsoft Corporation, "E-mail Object Protocol Specification", June 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", June 2008.

[MS-OXPROPS] - v1.01

Office Exchange Protocols Master Property List Specification
Copyright © 2008 Microsoft Corporation.
Release: Wednesday, August 6, 2008

[MS-OXOPFFB] Microsoft Corporation, "Public Folder Based Free/Busy Protocol Specification", June 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", June 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", June 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-mail Object Protocol Specification", June 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", June 2008.

[MS-OXORULE] Microsoft Corporation, "E-mail Rules Protocol Specification", June 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", June 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", June 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", June 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", June 2008.

[MS-OXOUM] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", June 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", June 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", June 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", June 2008.

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", June 2008.

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each **property**:

Alternate names: Any additional names used to refer to this property.

Area: A group of properties with related functionality.

Canonical name: The name used to refer to this property in other protocol specifications.

data type: A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

property ID: An unsigned 16-bit quantity that identifies a **tagged property**.

Property long ID (LID): An unsigned 32-bit quantity that, along with the **property set**, identifies a **named property**.

property name: A string that, along with the property set, identifies a named property.

property set: A GUID that identifies a group of properties with a similar purpose.

References: One or more protocol documents that specify the semantics and allowed values for this property.

1.3.1 Common Message Classes

Applications **MUST** set certain required properties corresponding to the object's **message class**. Applications **SHOULD** handle the case where required properties are missing; treating a

message object as **IPM.Note** is a common fallback strategy. The following table lists several common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk "*" denotes that any string MAY appear at that point.

Area	PidTagMessageClass values	Document
Common	IPM.*	[MS-OXCMSG]
Email	IPM.Note, REPORT.*	[MS-OXOMSG]
Calendar	IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification	[MS-OXOCAL]
Contact	IPM.Contact, IPM DistList	[MS-OXOCNTC]
Task	IPM.Task, IPM.TaskRequest.*	[MS-OXOTASK]
Journal	IPM.Activity	[MS-OXOJRNL]
Sticky note	IPM.StickyNote	[MS-OXONOTE]
Document	IPM.Document.*	[MS-OXODOC]
Post	IPM.Post	[MS-OXOPOST]
RSS feed	IPM.Post.RSS	[MS-OXORSS]
Rights-managed email	IPM.Note with PidNameContentClass= rmsg.message	[MS-OXORMMS]
S/MIME email	IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned	[MS-OXOSMIME]
Short message service / Multimedia Message Service Message	IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS	[MS-OXOSMMS]
Unified messaging	IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax	[MS-OXOUM]
Sharing	IPM.Sharing IPM.Sharing.*	[MS-OXSHARE]

1.3.2 Commonly Used Property Sets

In the **property** index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

Area	Property set name and GUID value
Common	PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Common	PSETID_Common {00062008-0000-0000-C000-000000000046}
Contact	PSETID_Address {00062004-0000-0000-C000-000000000046}
Email	PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Calendar	PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Calendar	PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Journal	PSETID_Log {0006200A-0000-0000-C000-000000000046}
Sticky note	PSETID_Note {0006200E-0000-0000-C000-000000000046}
RSS feed	PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Task	PSETID_Task {00062003-0000-0000-C000-000000000046}
Unified messaging	PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}
Common	PS_MAPI {00020328-0000-0000-C000-000000000046}
Sync	PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Sharing	PSETID_Sharing {00062040-0000-0000-C000-000000000046}

1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term "non-transmittable" refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers SHOULD NOT allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. Property IDs in ranges not specified as non-transmittable SHOULD be submitted for transport to another server.

- Clients MAY use properties in ranges specified as **message class**-defined for application-defined purposes. When doing so, applications MUST specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients MAY use any **named property** for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's **property set** MUST be distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients MAY use properties in ranges specified as transport-defined, but they MUST NOT define new properties in those ranges.
- Clients MAY use and define properties in ranges specified as user-defined, but SHOULD take care to avoid conflicts with alternate definitions of the same **property ID**.

Range minimum	Range maximum	Specification
0x0001	0x0BFF	Message envelope property; reserved
0x0C00	0x0DFF	Recipient property; reserved
0x0E00	0x0FFF	Non-transmittable message property; reserved
0x1000	0x2FFF	Message content property; reserved
0x3000	0x33FF	Multi-purpose property that can appear on all or most objects; reserved
0x3400	0x35FF	Message store property; reserved
0x3600	0x36FF	Folder and address book container property; reserved
0x3700	0x38FF	Attachment property; reserved
0x3900	0x39FF	Address book object property; reserved
0x3A00	0x3BFF	Mail user object property; reserved
0x3C00	0x3CFF	Distribution list property; reserved
0x3D00	0x3DFF	Profile section property; reserved
0x3E00	0x3EFF	Status object property; reserved
0x4000	0x57FF	Transport-defined envelope property
0x5800	0x5FFF	Transport-defined recipient property
0x6000	0x65FF	User-defined non-transmittable property
0x6600	0x67FF	Provider-defined internal non-transmittable property
0x6800	0x7BFF	Message class-defined content property
0x7C00	0x7FFF	Message class-defined non-transmittable property
0x8000	0x8FFF	Reserved for mapping to named properties

1.4 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [MS-OXCDATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCDATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

1.5 Applicability Statement

This document provides the numeric values needed to encode **property** names, tags, and types in ROP buffers. It also serves as a convenient index to the object type documents that define how each property is used.

1.6 Versioning and Localization

None.

1.7 Vendor-Extensible Fields

Section 1.3.3, "Property ID ranges," specifies how applications choose properties to create new message object types or to add functionality to existing types.

2 Structures

2.1 PidLidAddressBookProviderArrayType

Canonical name: PidLidAddressBookProviderArrayType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008029
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidABPArrayType

2.2 PidLidAddressBookProviderEmailList

Canonical name: PidLidAddressBookProviderEmailList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008028
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidABPEmailList

2.3 PidLidAddressCountryCode

Canonical name: PidLidAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DD
Data type: PtypString, 0x001F

Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAddressCountryCode

2.4 PidLidAgingDontAgeMe

Canonical name: PidLidAgingDontAgeMe
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000850E
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidAgingDontAgeMe

2.5 PidLidAllAttendeesList

Canonical name: PidLidAllAttendeesList
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000001D
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_ALL_ATTENDEES_LIST

2.6 PidLidAllAttendeesString

Canonical name: PidLidAllAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008238
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAllAttendeesString

2.7 PidLidAllowExternalCheck

Canonical name: PidLidAllowExternalCheck
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008246
Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAllowExternCheck

2.8 PidLidAnniversaryEventEntryId

Canonical name: PidLidAnniversaryEventEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804E
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAnniversaryEventEID

2.9 PidLidAppointmentAuxiliaryFlags

Canonical name: PidLidAppointmentAuxiliaryFlags
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008207
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptAuxFlags

2.10 PidLidAppointmentColor

Canonical name: PidLidAppointmentColor
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008214
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptColor

2.11 PidLidAppointmentCounterProposal

Canonical name: PidLidAppointmentCounterProposal
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008257
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptCounterProposal

2.12 PidLidAppointmentDuration

Canonical name: PidLidAppointmentDuration
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008213
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptDuration

2.13 PidLidAppointmentEndWhole

Canonical name: PidLidAppointmentEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820E

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: dispidApptEndWhole

2.14 PidLidAppointmentLastSequence

Canonical name: PidLidAppointmentLastSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008203

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptLastSequence

2.15 PidLidAppointmentMessageClass

Canonical name: PidLidAppointmentMessageClass

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000024

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptMessageClass

2.16 PidLidAppointmentNotAllowPropose

Canonical name: PidLidAppointmentNotAllowPropose

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptNotAllowPropose

2.17 PidLidAppointmentProposalNumber

Canonical name: PidLidAppointmentProposalNumber

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008259

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposalNum

2.18 PidLidAppointmentProposedDuration

Canonical name: PidLidAppointmentProposedDuration
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008256
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposedDuration

2.19 PidLidAppointmentProposedEndWhole

Canonical name: PidLidAppointmentProposedEndWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008251
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedEndWhole

2.20 PidLidAppointmentProposedStartWhole

Canonical name: PidLidAppointmentProposedStartWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008250
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedStartWhole

2.21 PidLidAppointmentRecur

Canonical name: PidLidAppointmentRecur
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008216
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidApptRecur

2.22 PidLidAppointmentReplyName

Canonical name: PidLidAppointmentReplyName
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008230

Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptReplyName

2.23 PidLidAppointmentReplyTime

Canonical name: PidLidAppointmentReplyTime
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008220
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptReplyTime

2.24 PidLidAppointmentSequence

Canonical name: PidLidAppointmentSequence
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008201
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptSequence

2.25 PidLidAppointmentSequenceTime

Canonical name: PidLidAppointmentSequenceTime
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008202
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptSeqTime

2.26 PidLidAppointmentStartWhole

Canonical name: PidLidAppointmentStartWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000820D
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: dispidApptStartWhole

2.27 PidLidAppointmentStateFlags

Canonical name: PidLidAppointmentStateFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008217

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]

Alternate names: dispidApptStateFlags

2.28 PidLidAppointmentSubType

Canonical name: PidLidAppointmentSubType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008215

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptSubType

2.29 PidLidAppointmentTimeZoneDefinitionEndDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionEndDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825F

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefEndDisplay

2.30 PidLidAppointmentTimeZoneDefinitionRecur

Canonical name: PidLidAppointmentTimeZoneDefinitionRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008260

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefRecur

2.31 PidLidAppointmentTimeZoneDefinitionStartDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionStartDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825E

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]
Alternate names: dispidApptTZDefStartDisplay

2.32 PidLidAppointmentUnsendableRecipients

Canonical name: PidLidAppointmentUnsendableRecipients
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823D
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptUnsendableRecips

2.33 PidLidAttendeeCriticalChange

Canonical name: PidLidAttendeeCriticalChange
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: LID_ATTENDEE_CRITICAL_CHANGE

2.34 PidLidAutoFillLocation

Canonical name: PidLidAutoFillLocation
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAutoFillLocation

2.35 PidLidAutoLog

Canonical name: PidLidAutoLog
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008025
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAutoLog

2.36 PidLidAutoProcessState

Canonical name: PidLidAutoProcessState
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851A

Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidSniffState

2.37 PidLidAutoStartCheck

Canonical name: PidLidAutoStartCheck
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008244
Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL], [MS-OXORMDR]
Alternate names: dispidAutoStartCheck

2.38 PidLidAutoStartWhen

Canonical name: PidLidAutoStartWhen
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008245
Data type: PtypInteger32, 0x0003
Area: Conferencing
References: [MS-OXCICAL]
Alternate names: dispidAutoStartWhen

2.39 PidLidBirthdayEventEntryId

Canonical name: PidLidBirthdayEventEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804D
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidBirthdayEventEID

2.40 PidLidBusinessCardCardPicture

Canonical name: PidLidBusinessCardCardPicture
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008041
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidBCCardPicture

2.41 PidLidBusinessCardDisplayDefinition

Canonical name: PidLidBusinessCardDisplayDefinition
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008040
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidBCDisplayDefinition

2.42 PidLidBusyStatus

Canonical name: PidLidBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008205
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: dispidBusyStatus

2.43 PidLidCalendarType

Canonical name: PidLidCalendarType
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000001C
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: LID_CALENDAR_TYPE

2.44 PidLidCategories

Canonical name: PidLidCategories
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property long ID (LID): 0x00002328
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-OXCMAIL]
Alternate names: dispidCategories

2.45 PidLidCcAttendeesString

Canonical name: PidLidCcAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823C
Data type: PtypString, 0x001F
Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidCCAttendeesString

2.46 PidLidChangeHighlight

Canonical name: PidLidChangeHighlight
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008204
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]
Alternate names: dispidChangeHighlight

2.47 PidLidClassification

Canonical name: PidLidClassification
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B6
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassification

2.48 PidLidClassificationDescription

Canonical name: PidLidClassificationDescription
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B7
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassDesc

2.49 PidLidClassificationGuid

Canonical name: PidLidClassificationGuid
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B8
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassGuid

2.50 PidLidClassificationKeep

Canonical name: PidLidClassificationKeep
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085BA

Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassKeep

2.51 PidLidClassified

Canonical name: PidLidClassified
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B5
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassified

2.52 PidLidCleanGlobalObjectId

Canonical name: PidLidCleanGlobalObjectId
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000023
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidCleanGlobalObjId

2.53 PidLidClipEnd

Canonical name: PidLidClipEnd
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008236
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidClipEnd

2.54 PidLidClipStart

Canonical name: PidLidClipStart
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008235
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidClipStart

2.55 PidLidCollaborateDoc

Canonical name: PidLidCollaborateDoc

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008247

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidCollaborateDoc

2.56 PidLidCommonEnd

Canonical name: PidLidCommonEnd

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008517

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRNL], [MS-OXOTASK]

Alternate names: dispidCommonEnd

2.57 PidLidCommonStart

Canonical name: PidLidCommonStart

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008516

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRNL], [MS-OXOTASK]

Alternate names: dispidCommonStart

2.58 PidLidCompanies

Canonical name: PidLidCompanies

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008539

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXOJRNL]

Alternate names: dispidCompanies

2.59 PidLidConferencingCheck

Canonical name: PidLidConferencingCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008240

Data type: PtypBoolean, 0x000B

Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]
Alternate names: dispidConfCheck

2.60 PidLidConferencingType

Canonical name: PidLidConferencingType
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008241
Data type: PtypInteger32, 0x0003
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidConfType

2.61 PidLidContactCharacterSet

Canonical name: PidLidContactCharacterSet
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008023
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactCharSet

2.62 PidLidContactItemData

Canonical name: PidLidContactItemData
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008007
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactItemData

2.63 PidLidContactLinkEntry

Canonical name: PidLidContactLinkEntry
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008585
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]
Alternate names: dispidContactLinkEntry

2.64 PidLidContactLinkName

Canonical name: PidLidContactLinkName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008586
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]
Alternate names: dispidContactLinkName

2.65 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008584
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]
Alternate names: dispidContactLinkSearchKey

2.66 PidLidContacts

Canonical name: PidLidContacts
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000853A
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL]
Alternate names: dispidContacts

2.67 PidLidContactUserField1

Canonical name: PidLidContactUserField1
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804F
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField1

2.68 PidLidContactUserField2

Canonical name: PidLidContactUserField2
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008050
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField2

2.69 PidLidContactUserField3

Canonical name: PidLidContactUserField3

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008051

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactUserField3

2.70 PidLidContactUserField4

Canonical name: PidLidContactUserField4

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008052

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactUserField4

2.71 PidLidCurrentVersion

Canonical name: PidLidCurrentVersion

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008552

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: dispidCurrentVersion

2.72 PidLidCurrentVersionName

Canonical name: PidLidCurrentVersionName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008554

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: dispidCurrentVersionName

2.73 PidLidDayInterval

Canonical name: PidLidDayInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000011

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL]
Alternate names: LID_DAY_INTERVAL

2.74 PidLidDelegateMail

Canonical name: PidLidDelegateMail
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000009
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_DELEGATE_MAIL

2.75 PidLidDepartment

Canonical name: PidLidDepartment
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008010
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDepartment

2.76 PidLidDirectory

Canonical name: PidLidDirectory
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008242
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidDirectory

2.77 PidLidDistributionListChecksum

Canonical name: PidLidDistributionListChecksum
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804C
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLChecksum

2.78 PidLidDistributionListMembers

Canonical name: PidLidDistributionListMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008055

Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXCADATA], [MS-OXOCNTC]
Alternate names: dispidDLMembers

2.79 PidLidDistributionListName

Canonical name: PidLidDistributionListName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008053
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLName

2.80 PidLidDistributionListOneOffMembers

Canonical name: PidLidDistributionListOneOffMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008054
Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLOneOffMembers

2.81 PidLidEmail1AddressType

Canonical name: PidLidEmail1AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008082
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1AddrType

2.82 PidLidEmail1DisplayName

Canonical name: PidLidEmail1DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008080
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1DisplayName

2.83 PidLidEmail1EmailAddress

Canonical name: PidLidEmail1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008083
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailAddress

2.84 PidLidEmail1EmailType

Canonical name: PidLidEmail1EmailType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008087
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailType

2.85 PidLidEmail1OriginalDisplayName

Canonical name: PidLidEmail1OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008084
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1OriginalDisplayName

2.86 PidLidEmail1OriginalEntryId

Canonical name: PidLidEmail1OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008085
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1OriginalEntryID

2.87 PidLidEmail2AddressType

Canonical name: PidLidEmail2AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008092
Data type: PtypString, 0x001F
Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidEmail2AddrType

2.88 PidLidEmail2DisplayName

Canonical name: PidLidEmail2DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008090
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2DisplayName

2.89 PidLidEmail2EmailAddress

Canonical name: PidLidEmail2EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008093
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2EmailAddress

2.90 PidLidEmail2EntryId

Canonical name: PidLidEmail2EntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008091
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2EntryID

2.91 PidLidEmail2OriginalDisplayName

Canonical name: PidLidEmail2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008094
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalDisplayName

2.92 PidLidEmail2OriginalEntryId

Canonical name: PidLidEmail2OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008095

Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalEntryID

2.93 PidLidEmail3AddressType

Canonical name: PidLidEmail3AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3AddrType

2.94 PidLidEmail3DisplayName

Canonical name: PidLidEmail3DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A0
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3DisplayName

2.95 PidLidEmail3EmailAddress

Canonical name: PidLidEmail3EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EmailAddress

2.96 PidLidEmail3EntryId

Canonical name: PidLidEmail3EntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A1
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EntryID

2.97 PidLidEmail3OriginalDisplayName

Canonical name: PidLidEmail3OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalDisplayName

2.98 PidLidEmail3OriginalEntryId

Canonical name: PidLidEmail3OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalEntryID

2.99 PidLidEmailList

Canonical name: PidLidEmailList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008027
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmailList

2.100 PidLidExceptionReplaceTime

Canonical name: PidLidExceptionReplaceTime
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008228
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidExceptionReplaceTime

2.101 PidLidFax1AddressType

Canonical name: PidLidFax1AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B2
Data type: PtypString, 0x001F
Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidFax1AddrType

2.102 PidLidFax1EmailAddress

Canonical name: PidLidFax1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1EmailAddress

2.103 PidLidFax1OriginalDisplayName

Canonical name: PidLidFax1OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalDisplayName

2.104 PidLidFax1OriginalEntryId

Canonical name: PidLidFax1OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalEntryID

2.105 PidLidFax2AddressType

Canonical name: PidLidFax2AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2AddrType

2.106 PidLidFax2EmailAddress

Canonical name: PidLidFax2EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C3

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2EmailAddress

2.107 PidLidFax2OriginalDisplayName

Canonical name: PidLidFax2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2OriginalDisplayName

2.108 PidLidFax2OriginalEntryId

Canonical name: PidLidFax2OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2OriginalEntryID

2.109 PidLidFax3AddressType

Canonical name: PidLidFax3AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3AddrType

2.110 PidLidFax3EmailAddress

Canonical name: PidLidFax3EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3EmailAddress

2.111 PidLidFax3OriginalDisplayName

Canonical name: PidLidFax3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalDisplayName

2.112 PidLidFax3OriginalEntryId

Canonical name: PidLidFax3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalEntryID

2.113 PidLidFExceptionalAttendees

Canonical name: PidLidFExceptionalAttendees

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822B

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidFExceptionalAttendees

2.114 PidLidFExceptionalBody

Canonical name: PidLidFExceptionalBody

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008206

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidFExceptionalBody

2.115 PidLidFileUnder

Canonical name: PidLidFileUnder

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008005

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidFileUnder

2.116 PidLidFileUnderId

Canonical name: PidLidFileUnderId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008006
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderId

2.117 PidLidFileUnderList

Canonical name: PidLidFileUnderList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008026
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderList

2.118 PidLidFInvited

Canonical name: PidLidFInvited
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008229
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidFInvited

2.119 PidLidFlagRequest

Canonical name: PidLidFlagRequest
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008530
Data type: PtypString, 0x001F
Area: Flagging
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]
Alternate names: dispidRequest

2.120 PidLidFlagString

Canonical name: PidLidFlagString
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085C0

Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidFlagStringEnum

2.121 PidLidForwardInstance

Canonical name: PidLidForwardInstance
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000820A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFwrInstance

2.122 PidLidFreeBusyLocation

Canonical name: PidLidFreeBusyLocation
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D8
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFreeBusyLocation

2.123 PidLidGlobalObjectId

Canonical name: PidLidGlobalObjectId
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000003
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]
Alternate names: LID_GLOBAL_OBJID

2.124 PidLidHasPicture

Canonical name: PidLidHasPicture
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008015
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHasPicture

2.125 PidLidHomeAddress

Canonical name: PidLidHomeAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHomeAddress

2.126 PidLidHomeAddressCountryCode

Canonical name: PidLidHomeAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DA

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHomeAddressCountryCode

2.127 PidLidHtml

Canonical name: PidLidHtml

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHTML

2.128 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008062

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidInstMsg

2.129 PidLidIntendedBusyStatus

Canonical name: PidLidIntendedBusyStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008224

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidIntendedBusyStatus

2.130 PidLidInternetAccountName

Canonical name: PidLidInternetAccountName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008580
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXOMSG]
Alternate names: dispidInetAcctName

2.131 PidLidInternetAccountStamp

Canonical name: PidLidInternetAccountStamp
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008581
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXOMSG]
Alternate names: dispidInetAcctStamp

2.132 PidLidIsException

Canonical name: PidLidIsException
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]
Alternate names: LID_IS_EXCEPTION

2.133 PidLidIsRecurring

Canonical name: PidLidIsRecurring
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000005
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: LID_IS_RECURRING

2.134 PidLidIsSilent

Canonical name: PidLidIsSilent
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000004

Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: LID_IS_SILENT

2.135 PidLidLinkedTaskItems

Canonical name: PidLidLinkedTaskItems
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000820C
Data type: PtypMultipleBinary, 0x1102
Area: Tasks
References: [MS-OXOCAL]
Alternate names: dispidLinkedTaskItems

2.136 PidLidLocation

Canonical name: PidLidLocation
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008208
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]
Alternate names: dispidLocation

2.137 PidLidLogDocumentPosted

Canonical name: PidLidLogDocumentPosted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008711
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogDocPosted

2.138 PidLidLogDocumentPrinted

Canonical name: PidLidLogDocumentPrinted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870E
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogDocPrinted

2.139 PidLidLogDocumentRouted

Canonical name: PidLidLogDocumentRouted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008710
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogDocRouted

2.140 PidLidLogDocumentSaved

Canonical name: PidLidLogDocumentSaved
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870F
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogDocSaved

2.141 PidLidLogDuration

Canonical name: PidLidLogDuration
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008707
Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogDuration

2.142 PidLidLogEnd

Canonical name: PidLidLogEnd
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008708
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogEnd

2.143 PidLidLogFlags

Canonical name: PidLidLogFlags
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870C
Data type: PtypInteger32, 0x0003
Area: Journal

References: [MS-OXOJRNL]
Alternate names: dispidLogFlags

2.144 PidLidLogStart

Canonical name: PidLidLogStart
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008706
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogStart

2.145 PidLidLogType

Canonical name: PidLidLogType
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008700
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogType

2.146 PidLidLogTypeDesc

Canonical name: PidLidLogTypeDesc
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008712
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogTypeDesc

2.147 PidLidMeetingType

Canonical name: PidLidMeetingType
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000026
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidMeetingType

2.148 PidLidMeetingWorkspaceUrl

Canonical name: PidLidMeetingWorkspaceUrl
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008209

Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidMWSURL

2.149 PidLidMonthInterval

Canonical name: PidLidMonthInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000013
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_MONTH_INTERVAL

2.150 PidLidNetShowUrl

Canonical name: PidLidNetShowUrl
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008248
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidNetShowURL

2.151 PidLidNonSendableBcc

Canonical name: PidLidNonSendableBcc
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008538
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidNonSendableBCC

2.152 PidLidNonSendableCc

Canonical name: PidLidNonSendableCc
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008537
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidNonSendableCC

2.153 PidLidNonSendableTo

Canonical name: PidLidNonSendableTo

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008536

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidNonSendableTo

2.154 PidLidNonSendBccTrackStatus

Canonical name: PidLidNonSendBccTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008545

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL]

Alternate names: dispidNonSendBccTrackStatus

2.155 PidLidNonSendCcTrackStatus

Canonical name: PidLidNonSendCcTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008544

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL]

Alternate names: dispidNonSendCcTrackStatus

2.156 PidLidNonSendToTrackStatus

Canonical name: PidLidNonSendToTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008543

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL]

Alternate names: dispidNonSendToTrackStatus

2.157 PidLidNoteColor

Canonical name: PidLidNoteColor

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B00

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]
Alternate names: dispidNoteColor

2.158 PidLidNoteHeight

Canonical name: PidLidNoteHeight
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B03
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteHeight

2.159 PidLidNoteWidth

Canonical name: PidLidNoteWidth
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B02
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteWidth

2.160 PidLidNoteX

Canonical name: PidLidNoteX
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B04
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteX

2.161 PidLidNoteY

Canonical name: PidLidNoteY
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B05
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteY

2.162 PidLidOldLocation

Canonical name: PidLidOldLocation
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000028

Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOldLocation

2.163 PidLidOldWhenEndWhole

Canonical name: PidLidOldWhenEndWhole
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000002A
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOldWhenEndWhole

2.164 PidLidOldWhenStartWhole

Canonical name: PidLidOldWhenStartWhole
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000029
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOldWhenStartWhole

2.165 PidLidOnlinePassword

Canonical name: PidLidOnlinePassword
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008249
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOnlinePassword

2.166 PidLidOptionalAttendees

Canonical name: PidLidOptionalAttendees
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000007
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_OPTIONAL_ATTENDEES

2.167 PidLidOrganizerAlias

Canonical name: PidLidOrganizerAlias

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008243

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidOrgAlias

2.168 PidLidOriginalStoreEntryId

Canonical name: PidLidOriginalStoreEntryId

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008237

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidOrigStoreEid

2.169 PidLidOtherAddress

Canonical name: PidLidOtherAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidOtherAddress

2.170 PidLidOtherAddressCountryCode

Canonical name: PidLidOtherAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DC

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidOtherAddressCountryCode

2.171 PidLidOwnerCriticalChange

Canonical name: PidLidOwnerCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: LID_OWNER_CRITICAL_CHANGE

2.172 PidLidPercentComplete

Canonical name: PidLidPercentComplete
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008102
Data type: PtypFloating64, 0x0005
Area: Tasks
References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]
Alternate names: dispidPercentComplete

2.173 PidLidPostalAddressId

Canonical name: PidLidPostalAddressId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008022
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidPostalAddressId

2.174 PidLidPostRssChannel

Canonical name: PidLidPostRssChannel
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008904
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssChannel

2.175 PidLidPostRssChannelLink

Canonical name: PidLidPostRssChannelLink
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008900
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssChannelLink

2.176 PidLidPostRssItemGuid

Canonical name: PidLidPostRssItemGuid
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008903
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemGuid

2.177 PidLidPostRssItemHash

Canonical name: PidLidPostRssItemHash
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008902
Data type: PtypInteger32, 0x0003
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemHash

2.178 PidLidPostRssItemLink

Canonical name: PidLidPostRssItemLink
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008901
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemLink

2.179 PidLidPostRssItemXml

Canonical name: PidLidPostRssItemXml
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008905
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemXml

2.180 PidLidPostRssSubscription

Canonical name: PidLidPostRssSubscription
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008906
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssSubscription

2.181 PidLidPrivate

Canonical name: PidLidPrivate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008506

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXTNEF]

Alternate names: dispidPrivate

2.182 PidLidRecurrencePattern

Canonical name: PidLidRecurrencePattern

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008232

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidRecurPattern

2.183 PidLidRecurrenceType

Canonical name: PidLidRecurrenceType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008231

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidRecurType

2.184 PidLidRecurring

Canonical name: PidLidRecurring

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008223

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCADATA], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOSFLD], [MS-OXWAVLS]

Alternate names: dispidRecurring

2.185 PidLidReferenceEntryId

Canonical name: PidLidReferenceEntryId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BD

Data type: PtypBinary, 0x0102

Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidReferenceEID

2.186 PidLidReminderDelta

Canonical name: PidLidReminderDelta
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008501
Data type: PtypInteger32, 0x0003
Area: Reminders
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXTNEF]
Alternate names: dispidReminderDelta

2.187 PidLidReminderFileParameter

Canonical name: PidLidReminderFileParameter
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851F
Data type: PtypString, 0x001F
Area: Reminders
References: [MS-OXORMDR]
Alternate names: dispidReminderFileParam

2.188 PidLidReminderOverride

Canonical name: PidLidReminderOverride
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851C
Data type: PtypBoolean, 0x000B
Area: Reminders
References: [MS-OXORMDR]
Alternate names: dispidReminderOverride

2.189 PidLidReminderPlaySound

Canonical name: PidLidReminderPlaySound
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851E
Data type: PtypBoolean, 0x000B
Area: Reminders
References: [MS-OXORMDR]
Alternate names: dispidReminderPlaySound

2.190 PidLidReminderSet

Canonical name: PidLidReminderSet

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008503

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD], [MS-OXOTASK], [MS-OXTNEF], [MS-OXWAVLS]

Alternate names: dispidReminderSet

2.191 PidLidReminderSignalTime

Canonical name: PidLidReminderSignalTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008560

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: dispidReminderNextTime

2.192 PidLidReminderTime

Canonical name: PidLidReminderTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008502

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: dispidReminderTime

2.193 PidLidReminderType

Canonical name: PidLidReminderType

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851D

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderType

2.194 PidLidRequiredAttendees

Canonical name: PidLidRequiredAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000006

Data type: PtypString, 0x001F

Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_REQUIRED_ATTENDEES

2.195 PidLidResourceAttendees

Canonical name: PidLidResourceAttendees
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000008
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_RESOURCE_ATTENDEES

2.196 PidLidResponseStatus

Canonical name: PidLidResponseStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008218
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidResponseStatus

2.197 PidLidSendMeetingAsIcal

Canonical name: PidLidSendMeetingAsIcal
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008200
Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL]
Alternate names: dispidSendMtgAsICAL

2.198 PidLidSharingAnonymity

Canonical name: PidLidSharingAnonymity
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A19
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingAnonymity

2.199 PidLidSharingBindingEntryId

Canonical name: PidLidSharingBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2D
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingBindingEid

2.200 PidLidSharingBrowseUrl

Canonical name: PidLidSharingBrowseUrl
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A51
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingBrowseUrl

2.201 PidLidSharingCapabilities

Canonical name: PidLidSharingCapabilities
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A17
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingCaps

2.202 PidLidSharingConfigurationUrl

Canonical name: PidLidSharingConfigurationUrl
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A24
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingConfigUrl

2.203 PidLidSharingDataRangeEnd

Canonical name: PidLidSharingDataRangeEnd
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A45
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingDataRangeEnd

2.204 PidLidSharingDataRangeStart

Canonical name: PidLidSharingDataRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A44

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeStart

2.205 PidLidSharingDetail

Canonical name: PidLidSharingDetail

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDetail

2.206 PidLidSharingExtensionXml

Canonical name: PidLidSharingExtensionXml

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A21

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingExtXml

2.207 PidLidSharingFilter

Canonical name: PidLidSharingFilter

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A13

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingFilter

2.208 PidLidSharingFlags

Canonical name: PidLidSharingFlags

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingFlags

2.209 PidLidSharingFlavor

Canonical name: PidLidSharingFlavor
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A18
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlavor

2.210 PidLidSharingFolderEntryId

Canonical name: PidLidSharingFolderEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A15
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFolderEid

2.211 PidLidSharingIndexEntryId

Canonical name: PidLidSharingIndexEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2E
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingIndexEid

2.212 PidLidSharingInitiatorEntryId

Canonical name: PidLidSharingInitiatorEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A09
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorEid

2.213 PidLidSharingInitiatorName

Canonical name: PidLidSharingInitiatorName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A07

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorName

2.214 PidLidSharingInitiatorSntp

Canonical name: PidLidSharingInitiatorSntp
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A08
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorSntp

2.215 PidLidSharingInstanceGuid

Canonical name: PidLidSharingInstanceGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInstanceGuid

2.216 PidLidSharingLastAutoSyncTime

Canonical name: PidLidSharingLastAutoSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A55
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastAutoSync

2.217 PidLidSharingLastSyncTime

Canonical name: PidLidSharingLastSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1F
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastSync

2.218 PidLidSharingLocalComment

Canonical name: PidLidSharingLocalComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalComment

2.219 PidLidSharingLocalLastModificationTime

Canonical name: PidLidSharingLocalLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A23
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalLastMod

2.220 PidLidSharingLocalName

Canonical name: PidLidSharingLocalName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0F
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalName

2.221 PidLidSharingLocalPath

Canonical name: PidLidSharingLocalPath
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0E
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalPath

2.222 PidLidSharingLocalStoreUid

Canonical name: PidLidSharingLocalStoreUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A49
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingLocalStoreUid

2.223 PidLidSharingLocalType

Canonical name: PidLidSharingLocalType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A14
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalType

2.224 PidLidSharingLocalUid

Canonical name: PidLidSharingLocalUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A10
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalUid

2.225 PidLidSharingOriginalMessageEntryId

Canonical name: PidLidSharingOriginalMessageEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A29
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingOriginalMessageEid

2.226 PidLidSharingParentBindingEntryId

Canonical name: PidLidSharingParentBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParentBindingEid

2.227 PidLidSharingParticipants

Canonical name: PidLidSharingParticipants
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1E

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParticipants

2.228 PidLidSharingPermissions

Canonical name: PidLidSharingPermissions
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingPermissions

2.229 PidLidSharingProviderExtension

Canonical name: PidLidSharingProviderExtension
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderExtension

2.230 PidLidSharingProviderGuid

Canonical name: PidLidSharingProviderGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A01
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderGuid

2.231 PidLidSharingProviderName

Canonical name: PidLidSharingProviderName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A02
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderName

2.232 PidLidSharingProviderUrl

Canonical name: PidLidSharingProviderUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A03

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingProviderUrl

2.233 PidLidSharingRangeEnd

Canonical name: PidLidSharingRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A47

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRangeEnd

2.234 PidLidSharingRangeStart

Canonical name: PidLidSharingRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A46

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRangeStart

2.235 PidLidSharingReciprocation

Canonical name: PidLidSharingReciprocation

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingReciprocation

2.236 PidLidSharingRemoteByteSize

Canonical name: PidLidSharingRemoteByteSize

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteByteSize

2.237 PidLidSharingRemoteComment

Canonical name: PidLidSharingRemoteComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2F
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteComment

2.238 PidLidSharingRemoteCrc

Canonical name: PidLidSharingRemoteCrc
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteCrc

2.239 PidLidSharingRemoteLastModificationTime

Canonical name: PidLidSharingRemoteLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A22
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteLastMod

2.240 PidLidSharingRemoteMessageCount

Canonical name: PidLidSharingRemoteMessageCount
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4F
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteMsgCount

2.241 PidLidSharingRemoteName

Canonical name: PidLidSharingRemoteName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A05

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteName

2.242 PidLidSharingRemotePass

Canonical name: PidLidSharingRemotePass
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePass

2.243 PidLidSharingRemotePath

Canonical name: PidLidSharingRemotePath
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A04
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePath

2.244 PidLidSharingRemoteStoreUid

Canonical name: PidLidSharingRemoteStoreUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A48
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteStoreUid

2.245 PidLidSharingRemoteType

Canonical name: PidLidSharingRemoteType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteType

2.246 PidLidSharingRemoteUid

Canonical name: PidLidSharingRemoteUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A06
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteUid

2.247 PidLidSharingRemoteUser

Canonical name: PidLidSharingRemoteUser
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0C
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteUser

2.248 PidLidSharingRemoteVersion

Canonical name: PidLidSharingRemoteVersion
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteVersion

2.249 PidLidSharingResponseTime

Canonical name: PidLidSharingResponseTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A28
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingResponseTime

2.250 PidLidSharingResponseType

Canonical name: PidLidSharingResponseType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A27
Data type: PtypInteger32, 0x0003
Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingResponseType

2.251 PidLidSharingRoamLog

Canonical name: PidLidSharingRoamLog
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4E
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRoamLog

2.252 PidLidSharingStart

Canonical name: PidLidSharingStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A25
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStart

2.253 PidLidSharingStatus

Canonical name: PidLidSharingStatus
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A00
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStatus

2.254 PidLidSharingStop

Canonical name: PidLidSharingStop
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A26
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStop

2.255 PidLidSharingSyncFlags

Canonical name: PidLidSharingSyncFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A60

Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncFlags

2.256 PidLidSharingSyncInterval

Canonical name: PidLidSharingSyncInterval
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncInterval

2.257 PidLidSharingTimeToLive

Canonical name: PidLidSharingTimeToLive
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingTimeToLive

2.258 PidLidSharingTimeToLiveAuto

Canonical name: PidLidSharingTimeToLiveAuto
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A56
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingTimeToLiveAuto

2.259 PidLidSharingWorkingHoursDays

Canonical name: PidLidSharingWorkingHoursDays
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A42
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursDays

2.260 PidLidSharingWorkingHoursEnd

Canonical name: PidLidSharingWorkingHoursEnd
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A41
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursEnd

2.261 PidLidSharingWorkingHoursStart

Canonical name: PidLidSharingWorkingHoursStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A40
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursStart

2.262 PidLidSharingWorkingHoursTimeZone

Canonical name: PidLidSharingWorkingHoursTimeZone
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A43
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursTZ

2.263 PidLidSideEffects

Canonical name: PidLidSideEffects
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008510
Data type: PtypInteger32, 0x0003
Area: Run-time configuration
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORSS], [MS-OXTNEF]
Alternate names: dispidSideEffects

2.264 PidLidSingleInvite

Canonical name: PidLidSingleInvite
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000B
Data type: PtypBoolean, 0x000B
Area: Meetings

References: [MS-OXCICAL]
Alternate names: LID_SINGLE_INVITE

2.265 PidLidSmartNoAttach

Canonical name: PidLidSmartNoAttach
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008514
Data type: PtypBoolean, 0x000B
Area: Run-time configuration
References: [MS-OXCICAL], [MS-OXCMSG]
Alternate names: dispidSmartNoAttach

2.266 PidLidSpamOriginalFolder

Canonical name: PidLidSpamOriginalFolder
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000859C
Data type: PtypBinary, 0x0102
Area: Spam
References: [MS-OXCSPAM]
Alternate names: dispidSpamOriginalFolder

2.267 PidLidTaskAcceptanceState

Canonical name: PidLidTaskAcceptanceState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOTASK]
Alternate names: dispidTaskDelegValue

2.268 PidLidTaskAccepted

Canonical name: PidLidTaskAccepted
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008108
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOSFLD], [MS-OXOTASK]
Alternate names: dispidTaskAccepted

2.269 PidLidTaskActualEffort

Canonical name: PidLidTaskActualEffort
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008110

Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskActualEffort

2.270 PidLidTaskAssigner

Canonical name: PidLidTaskAssigner
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008121
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOTASK]
Alternate names: dispidTaskDelegator

2.271 PidLidTaskAssigners

Canonical name: PidLidTaskAssigners
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008117
Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskMyDelegators

2.272 PidLidTaskComplete

Canonical name: PidLidTaskComplete
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811C
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]
Alternate names: dispidTaskComplete

2.273 PidLidTaskDateCompleted

Canonical name: PidLidTaskDateCompleted
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000810F
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]
Alternate names: dispidTaskDateCompleted

2.274 PidLidTaskDeadOccurrence

Canonical name: PidLidTaskDeadOccurrence
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008109
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskDeadOccur

2.275 PidLidTaskDueDate

Canonical name: PidLidTaskDueDate
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008105
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskDueDate

2.276 PidLidTaskEstimatedEffort

Canonical name: PidLidTaskEstimatedEffort
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008111
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskEstimatedEffort

2.277 PidLidTaskFCreator

Canonical name: PidLidTaskFCreator
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811E
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskFCreator

2.278 PidLidTaskFFixOffline

Canonical name: PidLidTaskFFixOffline
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812C
Data type: PtypBoolean, 0x000B
Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskFFixOffline

2.279 PidLidTaskFRecurring

Canonical name: PidLidTaskFRecurring
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008126
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskFRecur

2.280 PidLidTaskGlobalId

Canonical name: PidLidTaskGlobalId
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008519
Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskGlobalObjId

2.281 PidLidTaskHistory

Canonical name: PidLidTaskHistory
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskHistory

2.282 PidLidTaskLastDelegate

Canonical name: PidLidTaskLastDelegate
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008125
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskLastDelegate

2.283 PidLidTaskLastUpdate

Canonical name: PidLidTaskLastUpdate
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008115

Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskLastUpdate

2.284 PidLidTaskLastUser

Canonical name: PidLidTaskLastUser
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008122
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskLastUser

2.285 PidLidTaskMode

Canonical name: PidLidTaskMode
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008518
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: dispidTaskMode

2.286 PidLidTaskMultipleRecipients

Canonical name: PidLidTaskMultipleRecipients
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008120
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskMultRecips

2.287 PidLidTaskNoCompute

Canonical name: PidLidTaskNoCompute
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008124
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL]
Alternate names: dispidTaskNoCompute

2.288 PidLidTaskOrdinal

Canonical name: PidLidTaskOrdinal

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008123

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskOrdinal

2.289 PidLidTaskOwner

Canonical name: PidLidTaskOwner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811F

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskOwner

2.290 PidLidTaskOwnership

Canonical name: PidLidTaskOwnership

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008129

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskOwnership

2.291 PidLidTaskRecurrence

Canonical name: PidLidTaskRecurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008116

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskRecur

2.292 PidLidTaskResetReminder

Canonical name: PidLidTaskResetReminder

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008107

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskResetReminder

2.293 PidLidTaskRole

Canonical name: PidLidTaskRole

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008127

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskRole

2.294 PidLidTaskStartDate

Canonical name: PidLidTaskStartDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008104

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskStartDate

2.295 PidLidTaskState

Canonical name: PidLidTaskState

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008113

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskState

2.296 PidLidTaskStatus

Canonical name: PidLidTaskStatus

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008101

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskStatus

2.297 PidLidTaskStatusOnComplete

Canonical name: PidLidTaskStatusOnComplete
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008119
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskSOC

2.298 PidLidTaskUpdates

Canonical name: PidLidTaskUpdates
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811B
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskUpdates

2.299 PidLidTaskVersion

Canonical name: PidLidTaskVersion
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008112
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskVersion

2.300 PidLidTeamTask

Canonical name: PidLidTeamTask
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008103
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL]
Alternate names: dispidTeamTask

2.301 PidLidTimeZone

Canonical name: PidLidTimeZone
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000C
Data type: PtypInteger32, 0x0003
Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: LID_TIME_ZONE

2.302 PidLidTimeZoneDescription

Canonical name: PidLidTimeZoneDescription
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008234
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidTimeZoneDesc

2.303 PidLidTimeZoneStruct

Canonical name: PidLidTimeZoneStruct
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008233
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidTimeZoneStruct

2.304 PidLidToAttendeesString

Canonical name: PidLidToAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823B
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidToAttendeesString

2.305 PidLidToDoOrdinalDate

Canonical name: PidLidToDoOrdinalDate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085A0
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCFCICS], [MS-OXOFLAG]
Alternate names: dispidToDoOrdinalDate

2.306 PidLidToDoSubOrdinal

Canonical name: PidLidToDoSubOrdinal
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085A1

Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOFLAG]
Alternate names: dispidToDoSubOrdinal

2.307 PidLidToDoTitle

Canonical name: PidLidToDoTitle
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085A4
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]
Alternate names: dispidToDoTitle

2.308 PidLidUseTnef

Canonical name: PidLidUseTnef
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008582
Data type: PtypBoolean, 0x000B
Area: Run-time configuration
References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]
Alternate names: dispidUseTNEF

2.309 PidLidValidFlagStringProof

Canonical name: PidLidValidFlagStringProof
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085BF
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidValidFlagStringProof

2.310 PidLidVerbResponse

Canonical name: PidLidVerbResponse
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008524
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidVerbResponse

2.311 PidLidVerbStream

Canonical name: PidLidVerbStream
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008520
Data type: PtypBinary, 0x0102
Area: Run-time configuration
References: [MS-OXOMSG]
Alternate names: dispidVerbStream

2.312 PidLidWeekInterval

Canonical name: PidLidWeekInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000012
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_WEEK_INTERVAL

2.313 PidLidWhere

Canonical name: PidLidWhere
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000002
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: LID_WHERE

2.314 PidLidWorkAddress

Canonical name: PidLidWorkAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000801B
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddress

2.315 PidLidWorkAddressCity

Canonical name: PidLidWorkAddressCity
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008046
Data type: PtypString, 0x001F
Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressCity

2.316 PidLidWorkAddressCountry

Canonical name: PidLidWorkAddressCountry
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008049
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressCountry

2.317 PidLidWorkAddressCountryCode

Canonical name: PidLidWorkAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DB
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressCountryCode

2.318 PidLidWorkAddressPostalCode

Canonical name: PidLidWorkAddressPostalCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008048
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressPostalCode

2.319 PidLidWorkAddressPostOfficeBox

Canonical name: PidLidWorkAddressPostOfficeBox
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804A
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressPostOfficeBox

2.320 PidLidWorkAddressState

Canonical name: PidLidWorkAddressState
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008047

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressState

2.321 PidLidWorkAddressStreet

Canonical name: PidLidWorkAddressStreet
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008045
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressStreet

2.322 PidLidYearInterval

Canonical name: PidLidYearInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000014
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_YEAR_INTERVAL

2.323 PidLidYomiCompanyName

Canonical name: PidLidYomiCompanyName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802E
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiCompanyName

2.324 PidLidYomiFirstName

Canonical name: PidLidYomiFirstName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802C
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiFirstName

2.325 PidLidYomiLastName

Canonical name: PidLidYomiLastName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802D

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidYomiLastName

2.326 PidLidInfoPathFormName

Canonical name: PidLidInfoPathFormName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x85B1

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.327 PidNameAcceptLanguage

Canonical name: PidNameAcceptLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Accept-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: AcceptLanguage

2.328 PidNameApplicationName

Canonical name: PidNameApplicationName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: AppName

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.329 PidNameAttachmentMacContentType

Canonical name: PidNameAttachmentMacContentType

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacContentType

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.330 PidNameAttachmentMacInfo

Canonical name: PidNameAttachmentMacInfo

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacInfo

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.331 PidNameAudioNotes

Canonical name: PidNameAudioNotes

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: UMAudioNotes

Data type: PtypString, 0x001F

Area: UM

References: [MS-OXOUM]

Alternate names: UMAudioNotes

2.332 PidNameAuthor

Canonical name: PidNameAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Author

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.333 PidNameByteCount

Canonical name: PidNameByteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ByteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.334 PidNameCategory

Canonical name: PidNameCategory

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Category

Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC]
Alternate names:

2.335 PidNameCharacterCount

Canonical name: PidNameCharacterCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: CharCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC]
Alternate names:

2.336 PidNameComments

Canonical name: PidNameComments
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Comments
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC]
Alternate names:

2.337 PidNameCompany

Canonical name: PidNameCompany
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Company
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC]
Alternate names:

2.338 PidNameContentBase

Canonical name: PidNameContentBase
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Content-Base
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCMAIL]
Alternate names: BodyContentBase

2.339 PidNameContentClass

Canonical name: PidNameContentClass

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Class

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXBBODY], [MS-OXCMAIL], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXSHARE]

Alternate names:

2.340 PidNameContentTransferEncoding

Canonical name: PidNameContentTransferEncoding

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Transfer-Encoding

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL]

Alternate names:

2.341 PidNameContentType

Canonical name: PidNameContentType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Type

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names:

2.342 PidNameCreateDateTimeReadOnly

Canonical name: PidNameCreateDateTimeReadOnly

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CreateDtmRo

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC]

Alternate names:

2.343 PidNameCrossReference

Canonical name: PidNameCrossReference

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Xref

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names:

2.344 PidNameEditTime

Canonical name: PidNameEditTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: EditTime

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.345 PidNameExchangeJunkEmailMoveStamp

Canonical name: PidNameExchangeJunkEmailMoveStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/junkemailmovestamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCSPAM], [MS-OXORSS]

Alternate names:

2.346 PidNameHiddenCount

Canonical name: PidNameHiddenCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: HiddenCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.347 PidNameKeywords

Canonical name: PidNameKeywords

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Keywords

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODOC]

Alternate names:

2.348 PidNameLastAuthor

Canonical name: PidNameLastAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastAuthor
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC]
Alternate names:

2.349 PidNameLastPrinted

Canonical name: PidNameLastPrinted
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastPrinted
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC]
Alternate names:

2.350 PidNameLastSaveDateTime

Canonical name: PidNameLastSaveDateTime
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastSaveDtm
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC]
Alternate names:

2.351 PidNameLineCount

Canonical name: PidNameLineCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LineCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC]
Alternate names:

2.352 PidNameManager

Canonical name: PidNameManager
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Manager
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC]
Alternate names:

2.353 PidNameMultimediaClipCount

Canonical name: PidNameMultimediaClipCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: MMClipCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.354 PidNameNoteCount

Canonical name: PidNameNoteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: NoteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.355 PidNameOMSAccountGuid

Canonical name: PidNameOMSAccountGuid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSAccountGuid

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.356 PidNameOMSMobileModel

Canonical name: PidNameOMSMobileModel

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSMobileModel

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.357 PidNameOMSScheduleTime

Canonical name: PidNameOMSScheduleTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSScheduleTime

Data type: PtypTime, 0x0040

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.358 PidNameOMSServiceType

Canonical name: PidNameOMSServiceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSServiceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.359 PidNameOMSSourceType

Canonical name: PidNameOMSSourceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSSourceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.360 PidNamePhishingStamp

Canonical name: PidNamePhishingStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/outlook/phishingstamp>

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXPHISH]

Alternate names:

2.361 PidNamePageCount

Canonical name: PidNamePageCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PageCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.362 PidNameParagraphCount

Canonical name: PidNameParagraphCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ParCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.363 PidNamePresentationFormat

Canonical name: PidNamePresentationFormat

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PresFormat

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.364 PidNameRevisionNumber

Canonical name: PidNameRevisionNumber

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: RevNumber

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.365 PidNameRightsManagementLicense

Canonical name: PidNameRightsManagementLicense

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DRMLicense

Data type: PtypMultipleBinary, 0x1102

Area: Secure Messaging Properties

References: [MS-OXORMMS]

Alternate names:

2.366 PidNameSecurity

Canonical name: PidNameSecurity

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Security

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.367 PidNameSlideCount

Canonical name: PidNameSlideCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: SlideCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.368 PidNameSubject

Canonical name: PidNameSubject

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.369 PidNameTemplate

Canonical name: PidNameTemplate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Template

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.370 PidNameTitle

Canonical name: PidNameTitle

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Title

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.371 PidNameWordCount

Canonical name: PidNameWordCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: WordCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.372 PidNameXSharingBrowseUrl

Canonical name: PidNameXSharingBrowseUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Browse-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.373 PidNameXSharingCapabilities

Canonical name: PidNameXSharingCapabilities

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Capabilities

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.374 PidNameXSharingConfigUrl

Canonical name: PidNameXSharingConfigUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Config-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.375 PidNameXSharingExendedCaps

Canonical name: PidNameXSharingExendedCaps

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Exended-Caps

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.376 PidNameXSharingFlavor

Canonical name: PidNameXSharingFlavor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Flavor

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.377 PidNameXSharingInstanceGuid

Canonical name: PidNameXSharingInstanceGuid
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Instance-Guid
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.378 PidNameXSharingLocalType

Canonical name: PidNameXSharingLocalType
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Local-Type
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.379 PidNameXSharingProviderGuid

Canonical name: PidNameXSharingProviderGuid
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Provider-Guid
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.380 PidNameXSharingProviderName

Canonical name: PidNameXSharingProviderName
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Provider-Name
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.381 PidNameXSharingProviderUrl

Canonical name: PidNameXSharingProviderUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.382 PidNameXSharingRemoteName

Canonical name: PidNameXSharingRemoteName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.383 PidNameXSharingRemotePath

Canonical name: PidNameXSharingRemotePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Path

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.384 PidNameXSharingRemoteStoreUid

Canonical name: PidNameXSharingRemoteStoreUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Store-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.385 PidNameXSharingRemoteType

Canonical name: PidNameXSharingRemoteType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.386 PidNameXSharingRemoteUid

Canonical name: PidNameXSharingRemoteUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.387 PidNameQuarantineOriginalSender

Canonical name: PidNameQuarantineOriginalSender

Property set: PSETID_PublicStrings

Property name: "ÿ"quarantine-original-sender""

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.388 PidNameXCallId

Canonical name: PidNameXCallId

Property set: PSETID_InternetHeaders

Property name: "ÿ"X-CallID""

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.389 PidNameXFaxNumberOfPages

Canonical name: PidNameXFaxNumberOfPages

Property set: PSETID_InternetHeaders

Property name: "ÿ"X-FaxNumberOfPages""

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.390 PidNameXSenderTelephoneNumber

Canonical name: PidNameXSenderTelephoneNumber

Property set: PSETID_InternetHeaders

Property name: "ÿ"X-CallingTelephoneNumber""

Data type: PtypString, 0x001F
Area: Unified Messaging
References: [MS-OXCMAIL]
Alternate names:

2.391 PidNameXVoiceMessageAttachmentOrder

Canonical name: PidNameXVoiceMessageAttachmentOrder
Property set: PSETID_InternetHeaders
Property name: ""X-AttachmentOrder""
Data type: PtypString, 0x001F
Area: Unified Messaging
References: [MS-OXCMAIL]
Alternate names:

2.392 PidNameXVoiceMessageDuration

Canonical name: PidNameXVoiceMessageDuration
Property set: PSETID_InternetHeaders
Property name: "y""X-VoiceMessageDuration""
Data type: PtypInteger16, 0x0002
Area: Unified Messaging
References: [MS-OXCMAIL]
Alternate names:

2.393 PidNameXVoiceMessageSenderName

Canonical name: PidNameXVoiceMessageSenderName
Property set: PSETID_InternetHeaders
Property name: "y""X-VoiceMessageSenderName""
Data type: PtypString, 0x001F
Area: Unified Messaging
References: [MS-OXCMAIL]
Alternate names:

2.394 PidTag7BitDisplayName

Canonical name: PidTag7BitDisplayName
Property ID: 0x39FF
Data type: PtypString, 0x001F
Area: Address Book
References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]
Alternate names: PR_7BIT_DISPLAY_NAME, PR_7BIT_DISPLAY_NAME_A, PR_7BIT_DISPLAY_NAME_W

2.395 PidTagAccess

Canonical name: PidTagAccess

Property ID: 0x0FF4

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOJRNL]

Alternate names: PR_ACCESS, ptagAccess

2.396 PidTagAccessLevel

Canonical name: PidTagAccessLevel

Property ID: 0x0FF7

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT]

Alternate names: PR_ACCESS_LEVEL, ptagAccessLevel

2.397 PidTagAccount

Canonical name: PidTagAccount

Property ID: 0x3A00

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXCFXICS], [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG]

Alternate names: PR_ACCOUNT, PR_ACCOUNT_A, PR_ACCOUNT_W

2.398 PidTagAdditionalRenEntryIds

Canonical name: PidTagAdditionalRenEntryIds

Property ID: 0x36D8

Data type: PtypMultipleBinary, 0x1102

Area: Outlook Application

References: [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPHISH]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS, ptagAdditionalRenEntryIds

2.399 PidTagAdditionalRenEntryIdsEx

Canonical name: PidTagAdditionalRenEntryIdsEx

Property ID: 0x36D9

Data type: PtypBinary, 0x0102

Area: Outlook Application

References: [MS-OXOSFLD]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS_EX, ptagAdditionalRenEntryIdsEx

2.400 PidTagAddressBookContainerId

Canonical name: PidTagAddressBookContainerId

Property ID: 0xFFFFD

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_CONTAINERID

2.401 PidTagAddressBookDisplayNamePrintable

Canonical name: PidTagAddressBookDisplayNamePrintable

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXCMSG]

Alternate names: PR_EMS_AB_DISPLAY_NAME_PRINTABLE,

PR_EMS_AB_DISPLAY_NAME_PRINTABLE_A,

PR_EMS_AB_DISPLAY_NAME_PRINTABLE_W

2.402 PidTagAddressBookEntryId

Canonical name: PidTagAddressBookEntryId

Property ID: 0x663B

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXCFOLD]

Alternate names: PR_ADDRESS_BOOK_ENTRYID, ptagAddressBookEntryId

2.403 PidTagAddressBookExtensionAttribute1

Canonical name: PidTagAddressBookExtensionAttribute1

Property ID: 0x802D

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_1,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_W

2.404 PidTagAddressBookExtensionAttribute15

Canonical name: PidTagAddressBookExtensionAttribute15

Property ID: 0x8C61

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_15,

PR_EMS_AB_EXTENSION_ATTRIBUTE_15_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_15_W

2.405 PidTagAddressBookFolderPathname

Canonical name: PidTagAddressBookFolderPathname

Property ID: 0x8004

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_FOLDER_PATHNAME,
PR_EMS_AB_FOLDER_PATHNAME_A, PR_EMS_AB_FOLDER_PATHNAME_W

2.406 PidTagAddressBookHierarchicalChildDepartments

Canonical name: PidTagAddressBookHierarchicalChildDepartments

Property ID: 0x8C9A

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_CHILD_DEPARTMENTS

2.407 PidTagAddressBookHierarchicalDepartmentMembers

Canonical name: PidTagAddressBookHierarchicalDepartmentMembers

Property ID: 0x8C97

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_DEPARTMENT_MEMBERS

2.408 PidTagAddressBookHierarchicalParentDepartment

Canonical name: PidTagAddressBookHierarchicalParentDepartment

Property ID: 0x8C99

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_PARENT_DEPARTMENT

2.409 PidTagAddressBookHierarchicalRootDepartment

Canonical name: PidTagAddressBookHierarchicalRootDepartment

Property ID: 0x8C98

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_ROOT_DEPARTMENT

2.410 PidTagAddressBookHierarchicalShowInDepartments

Canonical name: PidTagAddressBookHierarchicalShowInDepartments

Property ID: 0x8C94

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_SHOW_IN_DEPARTMENTS

2.411 PidTagAddressBookHomeMessageDatabase

Canonical name: PidTagAddressBookHomeMessageDatabase

Property ID: 0x8006

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXABREF], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_HOME_MDB, PR_EMS_AB_HOME_MDB_A, PR_EMS_AB_HOME_MDB_W

2.412 PidTagAddressBookIsMaster

Canonical name: PidTagAddressBookIsMaster

Property ID: 0xFFFFB

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MASTER

2.413 PidTagAddressBookIsMemberOfDistributionList

Canonical name: PidTagAddressBookIsMemberOfDistributionList

Property ID: 0x8008

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MEMBER_OF_DL, PR_EMS_AB_IS_MEMBER_OF_DL_A, PR_EMS_AB_IS_MEMBER_OF_DL_W

2.414 PidTagAddressBookManageDistributionList

Canonical name: PidTagAddressBookManageDistributionList

Property ID: 0x6704

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_EMS_AB_MANAGE_DL

2.415 PidTagAddressBookManager

Canonical name: PidTagAddressBookManager

Property ID: 0x8005

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER, PR_EMS_AB_MANAGER_A, PR_EMS_AB_MANAGER_W

2.416 PidTagAddressBookManagerDistinguishedName

Canonical name: PidTagAddressBookManagerDistinguishedName

Property ID: 0x8005

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER_T

2.417 PidTagAddressBookMember

Canonical name: PidTagAddressBookMember

Property ID: 0x8009

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MEMBER, PR_EMS_AB_MEMBER_A, PR_EMS_AB_MEMBER_W

2.418 PidTagAddressBookMessageId

Canonical name: PidTagAddressBookMessageId

Property ID: 0x674F

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR]

Alternate names: ptagAddrbookMID

2.419 PidTagAddressBookNetworkAddress

Canonical name: PidTagAddressBookNetworkAddress

Property ID: 0x8170

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_NETWORK_ADDRESS, PR_EMS_AB_NETWORK_ADDRESS_A, PR_EMS_AB_NETWORK_ADDRESS_W

2.420 PidTagAddressBookObjectDistinguishedName

Canonical name: PidTagAddressBookObjectDistinguishedName

Property ID: 0x803C

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJ_DIST_NAME,
PR_EMS_AB_OBJ_DIST_NAME_A, PR_EMS_AB_OBJ_DIST_NAME_W

2.421 PidTagAddressBookObjectGuid

Canonical name: PidTagAddressBookObjectGuid

Property ID: 0x8C6D

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJECT_GUID

2.422 PidTagAddressBookOwner

Canonical name: PidTagAddressBookOwner

Property ID: 0x800C

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_O

2.423 PidTagAddressBookOwnerBackLink

Canonical name: PidTagAddressBookOwnerBackLink

Property ID: 0x8024

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_BL_O

2.424 PidTagAddressBookParentEntryId

Canonical name: PidTagAddressBookParentEntryId

Property ID: 0xFFFFC

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PARENT_ENTRYID

2.425 PidTagAddressBookPhoneticCompanyName

Canonical name: PidTagAddressBookPhoneticCompanyName

Property ID: 0x8C91

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_COMPANY_NAME,
PR_EMS_AB_PHONETIC_COMPANY_NAME_A,
PR_EMS_AB_PHONETIC_COMPANY_NAME_W

2.426 PidTagAddressBookPhoneticDepartmentName

Canonical name: PidTagAddressBookPhoneticDepartmentName

Property ID: 0x8C90

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DEPARTMENT_NAME,
PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_A,
PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_W

2.427 PidTagAddressBookPhoneticDisplayName

Canonical name: PidTagAddressBookPhoneticDisplayName

Property ID: 0x8C92

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DISPLAY_NAME,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_A,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_W

2.428 PidTagAddressBookPhoneticGivenName

Canonical name: PidTagAddressBookPhoneticGivenName

Property ID: 0x8C8E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_GIVEN_NAME,
PR_EMS_AB_PHONETIC_GIVEN_NAME_A,
PR_EMS_AB_PHONETIC_GIVEN_NAME_W

2.429 PidTagAddressBookPhoneticSurname

Canonical name: PidTagAddressBookPhoneticSurname

Property ID: 0x8C8F

Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_PHONETIC_SURNAME,
PR_EMS_AB_PHONETIC_SURNAME_A, PR_EMS_AB_PHONETIC_SURNAME_W

2.430 PidTagAddressBookProxyAddresses

Canonical name: PidTagAddressBookProxyAddresses
Property ID: 0x800F
Data type: PtypMultipleString, 0x101F
Area: Exchange Address Book
References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]
Alternate names: PR_EMS_AB_PROXY_ADDRESSES,
PR_EMS_AB_PROXY_ADDRESSES_A, PR_EMS_AB_PROXY_ADDRESSES_W

2.431 PidTagAddressBookPublicDelegates

Canonical name: PidTagAddressBookPublicDelegates
Property ID: 0x8015
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK], [MS-OXODLGT]
Alternate names: PR_EMS_AB_PUBLIC_DELEGATES,
PR_EMS_AB_PUBLIC_DELEGATES_A, PR_EMS_AB_PUBLIC_DELEGATES_W

2.432 PidTagAddressBookReports

Canonical name: PidTagAddressBookReports
Property ID: 0x800E
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_REPORTS, PR_EMS_AB_REPORTS_A,
PR_EMS_AB_REPORTS_W

2.433 PidTagAddressBookRoomCapacity

Canonical name: PidTagAddressBookRoomCapacity
Property ID: 0x0807
Data type: PtypInteger32, 0x0003
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_ROOM_CAPACITY

2.434 PidTagAddressBookRoomContainers

Canonical name: PidTagAddressBookRoomContainers

Property ID: 0x8C96

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CONTAINERS,
PR_EMS_AB_ROOM_CONTAINERS_A, PR_EMS_AB_ROOM_CONTAINERS_W

2.435 PidTagAddressBookRoomDescription

Canonical name: PidTagAddressBookRoomDescription

Property ID: 0x0809

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_DESCRIPTION,
PR_EMS_AB_ROOM_DESCRIPTION_A, PR_EMS_AB_ROOM_DESCRIPTION_W

2.436 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex

Property ID: 0x8CA0

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_SENIORITY_INDEX

2.437 PidTagAddressBookTargetAddress

Canonical name: PidTagAddressBookTargetAddress

Property ID: 0x8011

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_TARGET_ADDRESS,
PR_EMS_AB_TARGET_ADDRESS_A, PR_EMS_AB_TARGET_ADDRESS_W

2.438 PidTagAddressBookX509Certificate

Canonical name: PidTagAddressBookX509Certificate

Property ID: 0x8C6A

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_X509_CERT

2.439 PidTagAddressType

Canonical name: PidTagAddressType

Property ID: 0x3002

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSTOR], [MS-OXOABK], [MS-OXOABKT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPSVAL]

Alternate names: PR_ADDRTYPE, PR_ADDRTYPE_A, ptagAddrType, PR_ADDRTYPE_W

2.440 PidTagAlternateRecipientAllowed

Canonical name: PidTagAlternateRecipientAllowed

Property ID: 0x0002

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: PR_ALTERNATE_RECIPIENT_ALLOWED, ptagAlternateRecipientAllowed

2.441 PidTagAnr

Canonical name: PidTagAnr

Property ID: 0x360C

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOABK]

Alternate names: PR_ANR, PR_ANR_A, PR_ANR_W

2.442 PidTagAssistant

Canonical name: PidTagAssistant

Property ID: 0x3A30

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_ASSISTANT, PR_ASSISTANT_A, PR_ASSISTANT_W

2.443 PidTagAssistantTelephoneNumber

Canonical name: PidTagAssistantTelephoneNumber

Property ID: 0x3A2E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_ASSISTANT_TELEPHONE_NUMBER,

PR_ASSISTANT_TELEPHONE_NUMBER_A,
PR_ASSISTANT_TELEPHONE_NUMBER_W

2.444 PidTagAssociated

Canonical name: PidTagAssociated
Property ID: 0x67AA
Data type: PtypBoolean, 0x000B
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagAssociated

2.445 PidTagAttachAdditionalInformation

Canonical name: PidTagAttachAdditionalInformation
Property ID: 0x370F
Data type: PtypBinary, 0x0102
Area: Message Attachment Properties
References: [MS-OXCMAIL], [MS-OXCMSG]
Alternate names: PR_ATTACH_ADDITIONAL_INFO

2.446 PidTagAttachContentBase

Canonical name: PidTagAttachContentBase
Property ID: 0x3711
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMAIL], [MS-OXCMSG]
Alternate names: PR_ATTACH_CONTENT_BASE,
PR_ATTACH_CONTENT_BASE_A, PR_ATTACH_CONTENT_BASE_W

2.447 PidTagAttachContentId

Canonical name: PidTagAttachContentId
Property ID: 0x3712
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS],
[MS-OXOSMMS]
Alternate names: PR_ATTACH_CONTENT_ID, PR_ATTACH_CONTENT_ID_A,
PR_ATTACH_CONTENT_ID_W

2.448 PidTagAttachContentLocation

Canonical name: PidTagAttachContentLocation
Property ID: 0x3713
Data type: PtypString, 0x001F
Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_CONTENT_LOCATION,
PR_ATTACH_CONTENT_LOCATION_A, PR_ATTACH_CONTENT_LOCATION_W

2.449 PidTagAttachDataBinary

Canonical name: PidTagAttachDataBinary

Property ID: 0x3701

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_DATA_BIN, ptagAttachDataBin

2.450 PidTagAttachDataObject

Canonical name: PidTagAttachDataObject

Property ID: 0x3701

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_DATA_OBJ, ptagAttachDataObj

2.451 PidTagAttachEncoding

Canonical name: PidTagAttachEncoding

Property ID: 0x3702

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR], [MS-OXTNEF]

Alternate names: PR_ATTACH_ENCODING

2.452 PidTagAttachExtension

Canonical name: PidTagAttachExtension

Property ID: 0x3703

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXODOC], [MS-OXORMMS]

Alternate names: PR_ATTACH_EXTENSION, PR_ATTACH_EXTENSION_A,
PR_ATTACH_EXTENSION_W

2.453 PidTagAttachFilename

Canonical name: PidTagAttachFilename

Property ID: 0x3704

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_ATTACH_FILENAME, PR_ATTACH_FILENAME_A, ptagAttachFilename, PR_ATTACH_FILENAME_W

2.454 PidTagAttachFlags

Canonical name: PidTagAttachFlags

Property ID: 0x3714

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_FLAGS

2.455 PidTagAttachLongFilename

Canonical name: PidTagAttachLongFilename

Property ID: 0x3707

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXODOC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM], [MS-OXRTFEX]

Alternate names: PR_ATTACH_LONG_FILENAME, PR_ATTACH_LONG_FILENAME_A, PR_ATTACH_LONG_FILENAME_W

2.456 PidTagAttachLongPathname

Canonical name: PidTagAttachLongPathname

Property ID: 0x370D

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_LONG_PATHNAME, PR_ATTACH_LONG_PATHNAME_A, ptagAttachLongPathname, PR_ATTACH_LONG_PATHNAME_W

2.457 PidTagAttachmentContactPhoto

Canonical name: PidTagAttachmentContactPhoto

Property ID: 0x7FFF

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCNTC], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_CONTACTPHOTO

2.458 PidTagAttachmentFlags

Canonical name: PidTagAttachmentFlags

Property ID: 0x7FFD

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_FLAGS, ptagAttachmentFlags

2.459 PidTagAttachmentHidden

Canonical name: PidTagAttachmentHidden

Property ID: 0x7FFE

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: PR_ATTACHMENT_HIDDEN

2.460 PidTagAttachmentLinkId

Canonical name: PidTagAttachmentLinkId

Property ID: 0x7FFA

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOJRNL], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_LINKID, ptagAttachmentLinkId

2.461 PidTagAttachMethod

Canonical name: PidTagAttachMethod

Property ID: 0x3705

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_ATTACH_METHOD, ptagAttachMethod

2.462 PidTagAttachMimeTag

Canonical name: PidTagAttachMimeTag

Property ID: 0x370E

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM]

Alternate names: PR_ATTACH_MIME_TAG, PR_ATTACH_MIME_TAG_A, PR_ATTACH_MIME_TAG_W

2.463 PidTagAttachNumber

Canonical name: PidTagAttachNumber

Property ID: 0x0E21

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFCICS], [MS-OXCMSG], [MS-OXCROPS], [MS-OXOCAL], [MS-OXRTFEX]

Alternate names: PR_ATTACH_NUM, ptagAttachNum

2.464 PidTagAttachPathname

Canonical name: PidTagAttachPathname

Property ID: 0x3708

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_PATHNAME, PR_ATTACH_PATHNAME_A, ptagAttachPathname, PR_ATTACH_PATHNAME_W

2.465 PidTagAttachPayloadClass

Canonical name: PidTagAttachPayloadClass

Property ID: 0x371A

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_CLASS, PR_ATTACH_PAYLOAD_CLASS_A, PR_ATTACH_PAYLOAD_CLASS_W, ptagAttachPayloadClass

2.466 PidTagAttachPayloadProviderGuidString

Canonical name: PidTagAttachPayloadProviderGuidString

Property ID: 0x3719

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_PROV_GUID_STR,
PR_ATTACH_PAYLOAD_PROV_GUID_STR_A,
PR_ATTACH_PAYLOAD_PROV_GUID_STR_W

2.467 PidTagAttachRendering

Canonical name: PidTagAttachRendering

Property ID: 0x3709

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_ATTACH_RENDERING, ptagAttachRendering

2.468 PidTagAttachSize

Canonical name: PidTagAttachSize

Property ID: 0x0E20

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_SIZE, ptagAttachSize

2.469 PidTagAttachTag

Canonical name: PidTagAttachTag

Property ID: 0x370A

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_TAG

2.470 PidTagAttachTransportName

Canonical name: PidTagAttachTransportName

Property ID: 0x370C

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_ATTACH_TRANSPORT_NAME,
PR_ATTACH_TRANSPORT_NAME_A, PR_ATTACH_TRANSPORT_NAME_W

2.471 PidTagAttributeHidden

Canonical name: PidTagAttributeHidden

Property ID: 0x10F4

Data type: PtypBoolean, 0x000B

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXTNEF]
Alternate names: PR_ATTR_HIDDEN, ptagAttrHidden

2.472 PidTagAttributeReadOnly

Canonical name: PidTagAttributeReadOnly
Property ID: 0x10F6
Data type: PtypBoolean, 0x000B
Area: Access Control Properties
References: [MS-OXTNEF]
Alternate names: PR_ATTR_READONLY, ptagAttrReadonly

2.473 PidTagAttributeSystem

Canonical name: PidTagAttributeSystem
Property ID: 0x10F5
Data type: PtypBoolean, 0x000B
Area: Access Control Properties
References: [MS-OXTNEF]
Alternate names: PR_ATTR_SYSTEM, ptagAttrSystem

2.474 PidTagAutoForwarded

Canonical name: PidTagAutoForwarded
Property ID: 0x0005
Data type: PtypBoolean, 0x000B
Area: General Report Properties
References: [MS-OXCMAIL]
Alternate names: PR_AUTO_FORWARDED, ptagAutoForwarded

2.475 PidTagAutoResponseSuppress

Canonical name: PidTagAutoResponseSuppress
Property ID: 0x3FDF
Data type: PtypInteger32, 0x0003
Area: Email
References: [MS-OXCMAIL], [MS-OXORULE]
Alternate names: PR_AUTO_RESPONSE_SUPPRESS, ptagAutoResponseSuppress

2.476 PidTagBirthday

Canonical name: PidTagBirthday
Property ID: 0x3A42
Data type: PtypTime, 0x0040
Area: Contact Properties
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_BIRTHDAY

2.477 PidTagBlockStatus

Canonical name: PidTagBlockStatus

Property ID: 0x1096

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXOMSG]

Alternate names: PR_BLOCK_STATUS, ptagBlockStatus

2.478 PidTagBody

Canonical name: PidTagBody

Property ID: 0x1000

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXBBODY], [MS-OXCADATA], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_BODY, PR_BODY_A, ptagBody, PR_BODY_W

2.479 PidTagBodyContentId

Canonical name: PidTagBodyContentId

Property ID: 0x1015

Data type: PtypString, 0x001F

Area: Exchange

References: [MS-OXCMAIL]

Alternate names: PR_BODY_CONTENT_ID, PR_BODY_CONTENT_ID_A, PR_BODY_CONTENT_ID_W

2.480 PidTagBodyContentLocation

Canonical name: PidTagBodyContentLocation

Property ID: 0x1014

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_BODY_CONTENT_LOCATION, PR_BODY_CONTENT_LOCATION_A, PR_BODY_CONTENT_LOCATION_W

2.481 PidTagBodyHtml

Canonical name: PidTagBodyHtml

Property ID: 0x1013

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

Alternate names: PR_BODY_HTML, PR_BODY_HTML_A, ptagBodyHtml, PR_BODY_HTML_W

2.482 PidTagBusiness2TelephoneNumber

Canonical name: PidTagBusiness2TelephoneNumber

Property ID: 0x3A1B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER, PR_BUSINESS2_TELEPHONE_NUMBER_A, PR_BUSINESS2_TELEPHONE_NUMBER_W, PR_OFFICE2_TELEPHONE_NUMBER

2.483 PidTagBusiness2TelephoneNumbers

Canonical name: PidTagBusiness2TelephoneNumbers

Property ID: 0x3A1B

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOABK]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER_A_MV

2.484 PidTagBusinessFaxNumber

Canonical name: PidTagBusinessFaxNumber

Property ID: 0x3A24

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BUSINESS_FAX_NUMBER, PR_BUSINESS_FAX_NUMBER_A, PR_BUSINESS_FAX_NUMBER_W

2.485 PidTagBusinessHomePage

Canonical name: PidTagBusinessHomePage

Property ID: 0x3A51

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BUSINESS_HOME_PAGE, PR_BUSINESS_HOME_PAGE_A, PR_BUSINESS_HOME_PAGE_W

2.486 PidTagBusinessTelephoneNumber

Canonical name: PidTagBusinessTelephoneNumber

Property ID: 0x3A08

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BUSINESS_TELEPHONE_NUMBER,
PR_BUSINESS_TELEPHONE_NUMBER_A,
PR_BUSINESS_TELEPHONE_NUMBER_W, PR_OFFICE_TELEPHONE_NUMBER

2.487 PidTagCallbackTelephoneNumber

Canonical name: PidTagCallbackTelephoneNumber

Property ID: 0x3A02

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_CALLBACK_TELEPHONE_NUMBER,
PR_CALLBACK_TELEPHONE_NUMBER_A,
PR_CALLBACK_TELEPHONE_NUMBER_W

2.488 PidTagCallId

Canonical name: PidTagCallId

Property ID: 0x6806

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaCallID

2.489 PidTagCarTelephoneNumber

Canonical name: PidTagCarTelephoneNumber

Property ID: 0x3A1E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_CAR_TELEPHONE_NUMBER,
PR_CAR_TELEPHONE_NUMBER_A, PR_CAR_TELEPHONE_NUMBER_W

2.490 PidTagChangeKey

Canonical name: PidTagChangeKey

Property ID: 0x65E2

Data type: PtypBinary, 0x0102

Area: History Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT],
[MS-OXCSYNC]

Alternate names: PR_CHANGE_KEY

2.491 PidTagChangeNotificationGuid

Canonical name: PidTagChangeNotificationGuid

Property ID: 0x6637

Data type: PtypGuid, 0x0048

Area: Exchange

References: [MS-OXCNOTIF]

Alternate names: PR_CHANGE_NOTIFICATION_GUID

2.492 PidTagChangeNumber

Canonical name: PidTagChangeNumber

Property ID: 0x67A4

Data type: PtypInteger64, 0x0014

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSTOR]

Alternate names: ptagCn

2.493 PidTagChildrensNames

Canonical name: PidTagChildrensNames

Property ID: 0x3A58

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_CHILDRENS_NAMES, PR_CHILDRENS_NAMES_A,
PR_CHILDRENS_NAMES_W

2.494 PidTagClientActions

Canonical name: PidTagClientActions

Property ID: 0x6645

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_CLIENT_ACTIONS, ptagClientActions

2.495 PidTagClientSubmitTime

Canonical name: PidTagClientSubmitTime

Property ID: 0x0039

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG],
[MS-OXORSS], [MS-OXTNEF]

Alternate names: PR_CLIENT_SUBMIT_TIME

2.496 PidTagCnsetRead

Canonical name: PidTagCnsetRead
Property ID: 0x67D2
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetRead

2.497 PidTagCnsetSeen

Canonical name: PidTagCnsetSeen
Property ID: 0x6796
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeen

2.498 PidTagCnsetSeenFAI

Canonical name: PidTagCnsetSeenFAI
Property ID: 0x67DA
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeenFAI

2.499 PidTagCodePageId

Canonical name: PidTagCodePageId
Property ID: 0x66C3
Data type: PtypInteger32, 0x0003
Area: Exchange Profile Configuration
References: [MS-OXCSTOR]
Alternate names: PR_CODE_PAGE_ID, ptagCodePageId

2.500 PidTagComment

Canonical name: PidTagComment
Property ID: 0x3004
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOAB], [MS-OXOABK]
Alternate names: PR_COMMENT, PR_COMMENT_A, ptagComment, PR_COMMENT_W

2.501 PidTagCompanyMainTelephoneNumber

Canonical name: PidTagCompanyMainTelephoneNumber

Property ID: 0x3A57

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_COMPANY_MAIN_PHONE_NUMBER,
PR_COMPANY_MAIN_PHONE_NUMBER_A,
PR_COMPANY_MAIN_PHONE_NUMBER_W

2.502 PidTagCompanyName

Canonical name: PidTagCompanyName

Property ID: 0x3A16

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_COMPANY_NAME, PR_COMPANY_NAME_A,
PR_COMPANY_NAME_W

2.503 PidTagComputerNetworkName

Canonical name: PidTagComputerNetworkName

Property ID: 0x3A49

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_COMPUTER_NETWORK_NAME,
PR_COMPUTER_NETWORK_NAME_A, PR_COMPUTER_NETWORK_NAME_W

2.504 PidTagConflictEntryId

Canonical name: PidTagConflictEntryId

Property ID: 0x3FF0

Data type: PtypBinary, 0x0102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ENTRYID, ptagConflictEntryId

2.505 PidTagConflictItems

Canonical name: PidTagConflictItems

Property ID: 0x1098

Data type: PtypMultipleBinary, 0x1102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ITEMS

2.506 PidTagContainerClass

Canonical name: PidTagContainerClass

Property ID: 0x3613

Data type: PtypString, 0x001F

Area: Container Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOSFLD], [MS-OXOSRCH], [MS-OXSHARE]

Alternate names: PR_CONTAINER_CLASS, PR_CONTAINER_CLASS_A, ptagContainerClass, PR_CONTAINER_CLASS_W

2.507 PidTagContainerContents

Canonical name: PidTagContainerContents

Property ID: 0x360F

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOABK]

Alternate names: PR_CONTAINER_CONTENTS, ptagContainerContents

2.508 PidTagContainerFlags

Canonical name: PidTagContainerFlags

Property ID: 0x3600

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_CONTAINER_FLAGS

2.509 PidTagContainerHierarchy

Canonical name: PidTagContainerHierarchy

Property ID: 0x360E

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_CONTAINER_HIERARCHY, ptagContainerHierarchy

2.510 PidTagContentCount

Canonical name: PidTagContentCount

Property ID: 0x3602

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_COUNT, ptagContentCount

2.511 PidTagContentFilterSpamConfidenceLevel

Canonical name: PidTagContentFilterSpamConfidenceLevel

Property ID: 0x4076

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_CONTENT_FILTER_SCL, ptagContentFilterSCL

2.512 PidTagContentUnreadCount

Canonical name: PidTagContentUnreadCount

Property ID: 0x3603

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_UNREAD, ptagContentUnread

2.513 PidTagConversationIndex

Canonical name: PidTagConversationIndex

Property ID: 0x0071

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXTNEF]

Alternate names: PR_CONVERSATION_INDEX, ptagConversationIndex

2.514 PidTagConversationKey

Canonical name: PidTagConversationKey

Property ID: 0x000B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXTNEF]

Alternate names: PR_CONVERSATION_KEY, ptagConversationKey

2.515 PidTagConversationTopic

Canonical name: PidTagConversationTopic

Property ID: 0x0070

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXTNEF]

Alternate names: PR_CONVERSATION_TOPIC, PR_CONVERSATION_TOPIC_A, ptagConversationTopic, PR_CONVERSATION_TOPIC_W

2.516 PidTagCountry

Canonical name: PidTagCountry

Property ID: 0x3A26

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXCMAIL]

Alternate names: PR_COUNTRY, PR_COUNTRY_A, PR_COUNTRY_W,
PR_BUSINESS_ADDRESS_COUNTRY, PR_BUSINESS_ADDRESS_COUNTRY_A,
PR_BUSINESS_ADDRESS_COUNTRY_W

2.517 PidTagCreationTime

Canonical name: PidTagCreationTime

Property ID: 0x3007

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCMAIL]

Alternate names: PR_CREATION_TIME, ptagCreationTime

2.518 PidTagCreatorEntryId

Canonical name: PidTagCreatorEntryId

Property ID: 0x3FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_CREATOR_ENTRYID, ptagCreatorEntryId

2.519 PidTagCreatorName

Canonical name: PidTagCreatorName

Property ID: 0x3FF8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_CREATOR_NAME, PR_CREATOR_NAME_A, ptagCreatorName,
PR_CREATOR_NAME_W

2.520 PidTagCreatorSimpleDisplayName

Canonical name: PidTagCreatorSimpleDisplayName

Property ID: 0x4038

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagCreatorSimpleDispName

2.521 PidTagCustomerId

Canonical name: PidTagCustomerId

Property ID: 0x3A4A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_CUSTOMER_ID, PR_CUSTOMER_ID_A,
PR_CUSTOMER_ID_W

2.522 PidTagDamBackPatched

Canonical name: PidTagDamBackPatched

Property ID: 0x6647

Data type: PtypBoolean, 0x000B

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_BACK_PATCHED, ptagDamBackPatched

2.523 PidTagDamOriginalEntryId

Canonical name: PidTagDamOriginalEntryId

Property ID: 0x6646

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_ORIGINAL_ENTRYID

2.524 PidTagDefaultPostMessageClass

Canonical name: PidTagDefaultPostMessageClass

Property ID: 0x36E5

Data type: PtypString, 0x001F

Area: MapiContainer

References: [MS-OXOCAL]

Alternate names: PR_DEF_POST_MSGCLASS

2.525 PidTagDeferredDeliveryTime

Canonical name: PidTagDeferredDeliveryTime

Property ID: 0x000F

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_DEFERRED_DELIVERY_TIME, ptagDeferredDeliveryTime

2.526 PidTagDeferredSendNumber

Canonical name: PidTagDeferredSendNumber
Property ID: 0x3FEB
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_NUMBER

2.527 PidTagDeferredSendTime

Canonical name: PidTagDeferredSendTime
Property ID: 0x3FEF
Data type: PtypTime, 0x0040
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_TIME, ptagDeferredSendTime

2.528 PidTagDeferredSendUnits

Canonical name: PidTagDeferredSendUnits
Property ID: 0x3FEC
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_UNITS

2.529 PidTagDelegatedByRule

Canonical name: PidTagDelegatedByRule
Property ID: 0x3FE3
Data type: PtypBoolean, 0x000B
Area: MapiStatus
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_DELEGATED_BY_RULE

2.530 PidTagDelegateFlags

Canonical name: PidTagDelegateFlags
Property ID: 0x686B
Data type: PtypMultipleInteger32, 0x1003
Area: MessageClassDefinedTransmittable
References: [MS-OXODLGT]
Alternate names: PR_DELEGATE_FLAGS, ptagDelegateFlags

2.531 PidTagDelegation

Canonical name: PidTagDelegation
Property ID: 0x007E

Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXTNEF]
Alternate names: PR_DELEGATION

2.532 PidTagDeleteAfterSubmit

Canonical name: PidTagDeleteAfterSubmit
Property ID: 0x0E01
Data type: PtypBoolean, 0x000B
Area: MapiNonTransmittable
References: [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOMSG]
Alternate names: PR_DELETE_AFTER_SUBMIT, ptagDeleteAfterSubmit

2.533 PidTagDeletedOn

Canonical name: PidTagDeletedOn
Property ID: 0x668F
Data type: PtypTime, 0x0040
Area: ExchangeFolder
References: [MS-OXCFOLD]
Alternate names: PR_DELETED_ON, ptagDeletedOn

2.534 PidTagDepartmentName

Canonical name: PidTagDepartmentName
Property ID: 0x3A18
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_DEPARTMENT_NAME, PR_DEPARTMENT_NAME_A, PR_DEPARTMENT_NAME_W

2.535 PidTagDepth

Canonical name: PidTagDepth
Property ID: 0x3005
Data type: PtypInteger32, 0x0003
Area: MapiCommon
References: [MS-NSPI], [MS-OXCTABL], [MS-OXOABK], [MS-OXOABKT]
Alternate names: PR_DEPTH, ptagDepth

2.536 PidTagDisplayBcc

Canonical name: PidTagDisplayBcc
Property ID: 0x0E02
Data type: PtypString, 0x001F
Area: Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_DISPLAY_BCC, PR_DISPLAY_BCC_A, ptagDisplayBcc, PR_DISPLAY_BCC_W

2.537 PidTagDisplayCc

Canonical name: PidTagDisplayCc

Property ID: 0x0E03

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_DISPLAY_CC, PR_DISPLAY_CC_A, ptagDisplayCc, PR_DISPLAY_CC_W

2.538 PidTagDisplayName

Canonical name: PidTagDisplayName

Property ID: 0x3001

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOPFFB], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORULE], [MS-OXOSMIME], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXSHARE], [MS-XWDVSEC]

Alternate names: PR_DISPLAY_NAME, PR_DISPLAY_NAME_A, ptagDisplayName, PR_DISPLAY_NAME_W

2.539 PidTagDisplayNamePrefix

Canonical name: PidTagDisplayNamePrefix

Property ID: 0x3A45

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_DISPLAY_NAME_PREFIX, PR_DISPLAY_NAME_PREFIX_A, PR_DISPLAY_NAME_PREFIX_W

2.540 PidTagDisplayTo

Canonical name: PidTagDisplayTo

Property ID: 0x0E04

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_DISPLAY_TO, PR_DISPLAY_TO_A, ptagDisplayTo, PR_DISPLAY_TO_W

2.541 PidTagDisplayType

Canonical name: PidTagDisplayType

Property ID: 0x3900

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE, ptagDisplayType

2.542 PidTagDisplayTypeEx

Canonical name: PidTagDisplayTypeEx

Property ID: 0x3905

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE_EX

2.543 PidTagEcWarning

Canonical name: PidTagEcWarning

Property ID: 0x400F

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagEcWarning

2.544 PidTagEmailAddress

Canonical name: PidTagEmailAddress

Property ID: 0x3003

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSPAM], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPFFB], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXPSVAL]

Alternate names: PR_EMAIL_ADDRESS, PR_EMAIL_ADDRESS_A, PR_EMAIL_ADDRESS_W

2.545 PidTagEmailAddress1

Canonical name: PidTagEmailAddress1

Property ID: 0x8093

Data type: PtypString, 0x001F

Area: ExchangeDirectorySchemaDefined

References: [MS-OXPROTO]

Alternate names: PR_EMAIL_ADDRESS_1

2.546 PidTagEndDate

Canonical name: PidTagEndDate

Property ID: 0x0061

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF]

Alternate names: PR_END_DATE

2.547 PidTagEntryId

Canonical name: PidTagEntryId

Property ID: 0x0FFF

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPerm], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXSHARE], [MS-OXWAVLS]

Alternate names: PR_ENTRYID, ptagEntryId

2.548 PidTagExceptionEndTime

Canonical name: PidTagExceptionEndTime

Property ID: 0x7FFC

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_ENDTIME, ptagExceptionEndTime

2.549 PidTagExceptionReplaceTime

Canonical name: PidTagExceptionReplaceTime

Property ID: 0x7FF9

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXOCAL]

Alternate names: PR_EXCEPTION_REPLACETIME

2.550 PidTagExceptionStartTime

Canonical name: PidTagExceptionStartTime

Property ID: 0x7FFB

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_STARTTIME, ptagExceptionStartTime

2.551 PidTagExpiryNumber

Canonical name: PidTagExpiryNumber

Property ID: 0x3FED

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_EXPIRY_NUMBER

2.552 PidTagExpiryTime

Canonical name: PidTagExpiryTime

Property ID: 0x0015

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_EXPIRY_TIME, ptagExpiryTime

2.553 PidTagExpiryUnits

Canonical name: PidTagExpiryUnits

Property ID: 0x3FEE

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_EXPIRY_UNITS

2.554 PidTagExtendedFolderFlags

Canonical name: PidTagExtendedFolderFlags

Property ID: 0x36DA

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXCICAL], [MS-OXOCFG], [MS-OXOSRCH]

Alternate names: PR_EXTENDED_FOLDER_FLAGS, ptagExtendedFolderFlags

2.555 PidTagExtendedRuleMessageActions

Canonical name: PidTagExtendedRuleMessageActions

Property ID: 0x0E99

Data type: PtypBinary, 0x0102
Area: Rules
References: [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_MSG_ACTIONS

2.556 PidTagExtendedRuleMessageCondition

Canonical name: PidTagExtendedRuleMessageCondition
Property ID: 0x0E9A
Data type: PtypBinary, 0x0102
Area: Rules
References: [MS-OXCPRPT], [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_MSG_CONDITION

2.557 PidTagExtendedRuleSizeLimit

Canonical name: PidTagExtendedRuleSizeLimit
Property ID: 0x0E9B
Data type: PtypInteger32, 0x0003
Area: Rules
References: [MS-OXCSTOR], [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_SIZE_LIMIT

2.558 PidTagFaxNumberOfPages

Canonical name: PidTagFaxNumberOfPages
Property ID: 0x6804
Data type: PtypInteger32, 0x0003
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaFaxNumberOfPages

2.559 PidTagFlagCompleteTime

Canonical name: PidTagFlagCompleteTime
Property ID: 0x1091
Data type: PtypTime, 0x0040
Area: Miscellaneous Properties
References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR]
Alternate names: PR_FLAG_COMPLETE_TIME, ptagFlagCompleteTime

2.560 PidTagFlagStatus

Canonical name: PidTagFlagStatus
Property ID: 0x1090
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOCFG], [MS-OXOFLAG],

[MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_FLAG_STATUS, ptagFlagStatus

2.561 PidTagFolderAssociatedContents

Canonical name: PidTagFolderAssociatedContents

Property ID: 0x3610

Data type: PtypComObject, 0x000D

Area: MapiContainer

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_FOLDER_ASSOCIATED_CONTENTS

2.562 PidTagFolderId

Canonical name: PidTagFolderId

Property ID: 0x6748

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCROPS], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: ptagFID

2.563 PidTagFolderType

Canonical name: PidTagFolderType

Property ID: 0x3601

Data type: PtypInteger32, 0x0003

Area: MapiContainer

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXOSRCH]

Alternate names: PR_FOLDER_TYPE, ptagFolderType

2.564 PidTagFollowupIcon

Canonical name: PidTagFollowupIcon

Property ID: 0x1095

Data type: PtypInteger32, 0x0003

Area: RenMessageFolder

References: [MS-OXCFXICS], [MS-OXOFLAG], [MS-OXOSFLD]

Alternate names: PR_FOLLOWUP_ICON, ptagFollowupIcon

2.565 PidTagFreeBusyCountMonths

Canonical name: PidTagFreeBusyCountMonths

Property ID: 0x6869

Data type: PtypInteger32, 0x0003

Area: MessageClassDefinedTransmittable

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_COUNT_MONTHS

2.566 PidTagFreeBusyEntryIds

Canonical name: PidTagFreeBusyEntryIds

Property ID: 0x36E4

Data type: PtypMultipleBinary, 0x1102

Area: MapiContainer

References: [MS-OXODLGT], [MS-OXOPFFB], [MS-OXOSFLD]

Alternate names: PR_FREEBUSY_ENTRYIDS, ptagFreeBusyEntryIds

2.567 PidTagFreeBusyMessageEmailAddress

Canonical name: PidTagFreeBusyMessageEmailAddress

Property ID: 0x6849

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_EMA

2.568 PidTagFreeBusyPublishEnd

Canonical name: PidTagFreeBusyPublishEnd

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_END

2.569 PidTagFreeBusyPublishStart

Canonical name: PidTagFreeBusyPublishStart

Property ID: 0x6847

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_START

2.570 PidTagFreeBusyRangeTimestamp

Canonical name: PidTagFreeBusyRangeTimestamp

Property ID: 0x6868

Data type: PtypTime, 0x0040

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_RANGE_TIMESTAMP

2.571 PidTagFtpSite

Canonical name: PidTagFtpSite

Property ID: 0x3A4C

Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_FTP_SITE, PR_FTP_SITE_A, PR_FTP_SITE_W

2.572 PidTagFXDelProp

Canonical name: PidTagFXDelProp
Property ID: 0x4016
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagFXDelProp

2.573 PidTagGatewayNeedsToRefresh

Canonical name: PidTagGatewayNeedsToRefresh
Property ID: 0x6846
Data type: PtypBoolean, 0x000B
Area: MessageClassDefinedTransmittable
References: [MS-OXOPFFB]
Alternate names: PR_GATEWAY_NEEDS_TO_REFRESH

2.574 PidTagGender

Canonical name: PidTagGender
Property ID: 0x3A4D
Data type: PtypInteger16, 0x0002
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_GENDER

2.575 PidTagGeneration

Canonical name: PidTagGeneration
Property ID: 0x3A05
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_GENERATION, PR_GENERATION_A, PR_GENERATION_W

2.576 PidTagGivenName

Canonical name: PidTagGivenName
Property ID: 0x3A06
Data type: PtypString, 0x001F
Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_GIVEN_NAME, PR_GIVEN_NAME_A, PR_GIVEN_NAME_W

2.577 PidTagGovernmentIdNumber

Canonical name: PidTagGovernmentIdNumber

Property ID: 0x3A07

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_GOVERNMENT_ID_NUMBER,

PR_GOVERNMENT_ID_NUMBER_A, PR_GOVERNMENT_ID_NUMBER_W

2.578 PidTagHasAttachments

Canonical name: PidTagHasAttachments

Property ID: 0x0E1B

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCFG]

Alternate names: PR_HASATTACH, ptagHasAttach

2.579 PidTagHasDeferredActionMessages

Canonical name: PidTagHasDeferredActionMessages

Property ID: 0x3FEA

Data type: PtypBoolean, 0x000B

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_HAS_DAMS, ptagHasDAMs

2.580 PidTagHasNamedProperties

Canonical name: PidTagHasNamedProperties

Property ID: 0x664A

Data type: PtypBoolean, 0x000B

Area: ExchangeMessageReadOnly

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_HAS_NAMED_PROPERTIES, ptagHasNamedProperties

2.581 PidTagHasRules

Canonical name: PidTagHasRules

Property ID: 0x663A

Data type: PtypBoolean, 0x000B

Area: ExchangeFolder

References: [MS-OXORULE]

Alternate names: PR_HAS_RULES, ptagHasRules

2.582 PidTagHierarchyChangeNumber

Canonical name: PidTagHierarchyChangeNumber
Property ID: 0x663E
Data type: PtypInteger32, 0x0003
Area: ExchangeFolder
References: [MS-OXCFOLD]
Alternate names: PR_HIERARCHY_CHANGE_NUM

2.583 PidTagHobbies

Canonical name: PidTagHobbies
Property ID: 0x3A43
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_HOBBIES, PR_HOBBIES_A, PR_HOBBIES_W

2.584 PidTagHome2TelephoneNumber

Canonical name: PidTagHome2TelephoneNumber
Property ID: 0x3A2F
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_HOME2_TELEPHONE_NUMBER,
PR_HOME2_TELEPHONE_NUMBER_A, PR_HOME2_TELEPHONE_NUMBER_W

2.585 PidTagHome2TelephoneNumbers

Canonical name: PidTagHome2TelephoneNumbers
Property ID: 0x3A2F
Data type: PtypMultipleString, 0x101F
Area: MapiMailUser
References: [MS-OXOABK]
Alternate names: PR_HOME2_TELEPHONE_NUMBER_A_MV

2.586 PidTagHomeAddressCity

Canonical name: PidTagHomeAddressCity
Property ID: 0x3A59
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_HOME_ADDRESS_CITY, PR_HOME_ADDRESS_CITY_A,
PR_HOME_ADDRESS_CITY_W

2.587 PidTagHomeAddressCountry

Canonical name: PidTagHomeAddressCountry

Property ID: 0x3A5A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_COUNTRY,
PR_HOME_ADDRESS_COUNTRY_A, PR_HOME_ADDRESS_COUNTRY_W

2.588 PidTagHomeAddressPostalCode

Canonical name: PidTagHomeAddressPostalCode

Property ID: 0x3A5B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_POSTAL_CODE,
PR_HOME_ADDRESS_POSTAL_CODE_A,
PR_HOME_ADDRESS_POSTAL_CODE_W

2.589 PidTagHomeAddressPostOfficeBox

Canonical name: PidTagHomeAddressPostOfficeBox

Property ID: 0x3A5E

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_POST_OFFICE_BOX,
PR_HOME_ADDRESS_POST_OFFICE_BOX_A,
PR_HOME_ADDRESS_POST_OFFICE_BOX_W

2.590 PidTagHomeAddressStateOrProvince

Canonical name: PidTagHomeAddressStateOrProvince

Property ID: 0x3A5C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_STATE_OR_PROVINCE,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_A,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_W

2.591 PidTagHomeAddressStreet

Canonical name: PidTagHomeAddressStreet

Property ID: 0x3A5D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_STREET, PR_HOME_ADDRESS_STREET_A, PR_HOME_ADDRESS_STREET_W

2.592 PidTagHomeFaxNumber

Canonical name: PidTagHomeFaxNumber

Property ID: 0x3A25

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_FAX_NUMBER, PR_HOME_FAX_NUMBER_A, PR_HOME_FAX_NUMBER_W

2.593 PidTagHomeTelephoneNumber

Canonical name: PidTagHomeTelephoneNumber

Property ID: 0x3A09

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_TELEPHONE_NUMBER, PR_HOME_TELEPHONE_NUMBER_A, PR_HOME_TELEPHONE_NUMBER_W

2.594 PidTagHtml

Canonical name: PidTagHtml

Property ID: 0x1013

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXBBODY], [MS-OXCMAIL], [MS-OXOPOST], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS]

Alternate names: PR_HTML, ptagHtml

2.595 PidTagIconIndex

Canonical name: PidTagIconIndex

Property ID: 0x1080

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPOST], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_ICON_INDEX, ptagIconIndex

2.596 PidTagIdsetDeleted

Canonical name: PidTagIdsetDeleted
Property ID: 0x67E5
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagIdsetDeleted

2.597 PidTagIdsetExpired

Canonical name: PidTagIdsetExpired
Property ID: 0x6793
Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagMidsetExpired

2.598 PidTagIdsetGiven

Canonical name: PidTagIdsetGiven
Property ID: 0x4017
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetGiven

2.599 PidTagIdsetRead

Canonical name: PidTagIdsetRead
Property ID: 0x402D
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetRead

2.600 PidTagIdsetSoftDeleted

Canonical name: PidTagIdsetSoftDeleted
Property ID: 0x4021
Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagSoftDeletes

2.601 PidTagIdsetUnread

Canonical name: PidTagIdsetUnread
Property ID: 0x402E

Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetUnread

2.602 PidTagImapCachedMsgsize

Canonical name: PidTagImapCachedMsgsize
Property ID: 0x10F0
Data type: PtypBinary, 0x0102
Area: RenMessageFolder
References: [MS-OXTNEF]
Alternate names: ptagImapCachedMsgsize

2.603 PidTagImportance

Canonical name: PidTagImportance
Property ID: 0x0017
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCFG], [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_IMPORTANCE, ptagImportance

2.604 PidTagInConflict

Canonical name: PidTagInConflict
Property ID: 0x666C
Data type: PtypBoolean, 0x000B
Area: Conflict Note
References: [MS-OXCSYNC]
Alternate names: PR_IN_CONFLICT, ptagInConflict

2.605 PidTagIncrementalSyncMessagePartial

Canonical name: PidTagIncrementalSyncMessagePartial
Property ID: 0x407A
Data type: PtypInteger32, 0x0003
Area: ICS
References: [MS-OXCFXICS]
Alternate names: ptagIncrSyncMsgPartial

2.606 PidTagIncrSyncGroupId

Canonical name: PidTagIncrSyncGroupId
Property ID: 0x407C
Data type: PtypInteger32, 0x0003
Area: ICS

References: [MS-OXCFXICS]
Alternate names: ptagIncrSyncGroupId

2.607 PidTagInitialDetailsPane

Canonical name: PidTagInitialDetailsPane
Property ID: 0x3F08
Data type: PtypInteger32, 0x0003
Area: MAPI Display Tables
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_INITIAL_DETAILS_PANE

2.608 PidTagInitials

Canonical name: PidTagInitials
Property ID: 0x3A0A
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_INITIALS, PR_INITIALS_A, PR_INITIALS_W

2.609 PidTagInReplyToId

Canonical name: PidTagInReplyToId
Property ID: 0x1042
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL], [MS-OXOMSG]
Alternate names: PR_IN_REPLY_TO_ID, PR_IN_REPLY_TO_ID_A, PR_IN_REPLY_TO_ID_W

2.610 PidTagInstanceKey

Canonical name: PidTagInstanceKey
Property ID: 0x0FF6
Data type: PtypBinary, 0x0102
Area: Table Properties
References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOABKT]
Alternate names: PR_INSTANCE_KEY, ptagInstanceKey

2.611 PidTagInstanceNum

Canonical name: PidTagInstanceNum
Property ID: 0x674E
Data type: PtypInteger32, 0x0003
Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]
Alternate names: ptagInstanceNum

2.612 PidTagInstID

Canonical name: PidTagInstID
Property ID: 0x674D
Data type: PtypInteger64, 0x0014
Area: ProviderDefinedNonTransmittable
References: [MS-OXCTABL], [MS-OXOPFFB]
Alternate names: ptagInstID

2.613 PidTagInternetArticleNumber

Canonical name: PidTagInternetArticleNumber
Property ID: 0x0E23
Data type: PtypInteger32, 0x0003
Area: MIME Properties
References: [MS-OXCFXICS]
Alternate names: PR_INTERNET_ARTICLE_NUMBER

2.614 PidTagInternetCodepage

Canonical name: PidTagInternetCodepage
Property ID: 0x3FDE
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS], [MS-OXTNEF]
Alternate names: PR_INTERNET_CPID, ptagInternetCpid

2.615 PidTagInternetMailOverrideFormat

Canonical name: PidTagInternetMailOverrideFormat
Property ID: 0x5902
Data type: PtypInteger32, 0x0003
Area: MIME Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG]
Alternate names: PR_INETMAIL_OVERRIDE_FORMAT, ptagInetMailOverrideFormat

2.616 PidTagInternetMessageId

Canonical name: PidTagInternetMessageId
Property ID: 0x1035
Data type: PtypString, 0x001F
Area: MIME Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_INTERNET_MESSAGE_ID, PR_INTERNET_MESSAGE_ID_A, PR_INTERNET_MESSAGE_ID_W

2.617 PidTagInternetReferences

Canonical name: PidTagInternetReferences

Property ID: 0x1039

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_INTERNET_REFERENCES, PR_INTERNET_REFERENCES_A, PR_INTERNET_REFERENCES_W

2.618 PidTagInternetReturnPath

Canonical name: PidTagInternetReturnPath

Property ID: 0x1046

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCICAL]

Alternate names: PR_INTERNET_RETURN_PATH, PR_INTERNET_RETURN_PATH_A, PR_INTERNET_RETURN_PATH_W

2.619 PidTagIpmAppointmentEntryId

Canonical name: PidTagIpmAppointmentEntryId

Property ID: 0x36D0

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_APPOINTMENT_ENTRYID

2.620 PidTagIpmContactEntryId

Canonical name: PidTagIpmContactEntryId

Property ID: 0x36D1

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_CONTACT_ENTRYID

2.621 PidTagIpmDraftsEntryId

Canonical name: PidTagIpmDraftsEntryId

Property ID: 0x36D7

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXOSFLD]
Alternate names: PR_IPM_DRAFTS_ENTRYID

2.622 PidTagIpmJournalEntryId

Canonical name: PidTagIpmJournalEntryId
Property ID: 0x36D2
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_JOURNAL_ENTRYID

2.623 PidTagIpmNoteEntryId

Canonical name: PidTagIpmNoteEntryId
Property ID: 0x36D3
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_NOTE_ENTRYID

2.624 PidTagIpmTaskEntryId

Canonical name: PidTagIpmTaskEntryId
Property ID: 0x36D4
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_TASK_ENTRYID

2.625 PidTagIsdnNumber

Canonical name: PidTagIsdnNumber
Property ID: 0x3A2D
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_ISDN_NUMBER, PR_ISDN_NUMBER_A, PR_ISDN_NUMBER_W

2.626 PidTagItemTemporaryflags

Canonical name: PidTagItemTemporaryflags
Property ID: 0x1097
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFOLD]
Alternate names: PR_ITEM_TMPFLAGS

2.627 PidTagJunkAddRecipientsToSafeSendersList

Canonical name: PidTagJunkAddRecipientsToSafeSendersList

Property ID: 0x6103

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_ADD_RECIPS_TO_SSL

2.628 PidTagJunkIncludeContacts

Canonical name: PidTagJunkIncludeContacts

Property ID: 0x6100

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_INCLUDE_CONTACTS

2.629 PidTagJunkPermanentlyDelete

Canonical name: PidTagJunkPermanentlyDelete

Property ID: 0x6102

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_PERMANENTLY_DELETE

2.630 PidTagJunkPhishingEnableLinks

Canonical name: PidTagJunkPhishingEnableLinks

Property ID: 0x6107

Data type: PtypBoolean, 0x000B

Area: Spam

References: [MS-OXCSPAM], [MS-OXPHISH]

Alternate names: PR_JUNK_PHISHING_ENABLE_LINKS

2.631 PidTagJunkThreshold

Canonical name: PidTagJunkThreshold

Property ID: 0x6101

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_THRESHOLD

2.632 PidTagKeyword

Canonical name: PidTagKeyword

Property ID: 0x3A0B

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_KEYWORD, PR_KEYWORD_A, PR_KEYWORD_W

2.633 PidTagLanguage

Canonical name: PidTagLanguage

Property ID: 0x3A0C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_LANGUAGE, PR_LANGUAGE_A, PR_LANGUAGE_W

2.634 PidTagLastModificationTime

Canonical name: PidTagLastModificationTime

Property ID: 0x3008

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOABK], [MS-OXOCFG], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_LAST_MODIFICATION_TIME, ptagLastModificationTime

2.635 PidTagLastModifierEntryId

Canonical name: PidTagLastModifierEntryId

Property ID: 0x3FFB

Data type: PtypBinary, 0x0102

Area: History Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_LAST_MODIFIER_ENTRYID, ptagLastModifierEntryId

2.636 PidTagLastModifierName

Canonical name: PidTagLastModifierName

Property ID: 0x3FFA

Data type: PtypString, 0x001F

Area: History Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXTNEF]

Alternate names: PR_LAST_MODIFIER_NAME, PR_LAST_MODIFIER_NAME_A, ptagLastModifierName, PR_LAST_MODIFIER_NAME_W

2.637 PidTagLastModifierSimpleDisplayName

Canonical name: PidTagLastModifierSimpleDisplayName

Property ID: 0x4039

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagLastModifierSimpleDispName

2.638 PidTagLastVerbExecuted

Canonical name: PidTagLastVerbExecuted

Property ID: 0x1081

Data type: PtypInteger32, 0x0003

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTED, ptagLastVerbExecuted

2.639 PidTagLastVerbExecutionTime

Canonical name: PidTagLastVerbExecutionTime

Property ID: 0x1082

Data type: PtypTime, 0x0040

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTION_TIME, ptagLastVerbExecutionTime

2.640 PidTagListHelp

Canonical name: PidTagListHelp

Property ID: 0x1043

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_HELP, PR_LIST_HELP_A, PR_LIST_HELP_W

2.641 PidTagListSubscribe

Canonical name: PidTagListSubscribe

Property ID: 0x1044

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_SUBSCRIBE, PR_LIST_SUBSCRIBE_A,
PR_LIST_SUBSCRIBE_W

2.642 PidTagListUnsubscribe

Canonical name: PidTagListUnsubscribe

Property ID: 0x1045

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_UNSUBSCRIBE, PR_LIST_UNSUBSCRIBE_A, PR_LIST_UNSUBSCRIBE_W

2.643 PidTagLocalCommitTime

Canonical name: PidTagLocalCommitTime

Property ID: 0x6709

Data type: PtypTime, 0x0040

Area: Server

References: [MS-OXCMSG]

Alternate names: PR_LOCAL_COMMIT_TIME, ptagLocalCommitTime

2.644 PidTagLocaleId

Canonical name: PidTagLocaleId

Property ID: 0x66A1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG], [MS-OXCSTOR]

Alternate names: PR_LOCALE_ID, ptagLocaleId

2.645 PidTagLocality

Canonical name: PidTagLocality

Property ID: 0x3A27

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_LOCALITY, PR_LOCALITY_A, PR_LOCALITY_W, PR_BUSINESS_ADDRESS_LOCALITY, PR_BUSINESS_ADDRESS_LOCALITY_A, PR_BUSINESS_ADDRESS_LOCALITY_W

2.646 PidTagLocation

Canonical name: PidTagLocation

Property ID: 0x3A0D

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXWAVLS]

Alternate names: PR_LOCATION, PR_LOCATION_A, PR_LOCATION_W

2.647 PidTagMailboxOwnerEntryId

Canonical name: PidTagMailboxOwnerEntryId

Property ID: 0x661B

Data type: PtypBinary, 0x0102

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_MAILBOX_OWNER_ENTRYID, ptagMailboxOwnerEntryId

2.648 PidTagMailboxOwnerName

Canonical name: PidTagMailboxOwnerName

Property ID: 0x661C

Data type: PtypString, 0x001F

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL]

Alternate names: PR_MAILBOX_OWNER_NAME,
PR_MAILBOX_OWNER_NAME_A, ptagMailboxOwnerName,
PR_MAILBOX_OWNER_NAME_W

2.649 PidTagManagerName

Canonical name: PidTagManagerName

Property ID: 0x3A4E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_MANAGER_NAME, PR_MANAGER_NAME_A,
PR_MANAGER_NAME_W

2.650 PidTagMappingSignature

Canonical name: PidTagMappingSignature

Property ID: 0x0FF8

Data type: PtypBinary, 0x0102

Area: Miscellaneous Properties

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_MAPPING_SIGNATURE, ptagMappingSignature

2.651 PidTagMaximumSubmitMessageSize

Canonical name: PidTagMaximumSubmitMessageSize

Property ID: 0x666D

Data type: PtypInteger32, 0x0003

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAX_SUBMIT_MESSAGE_SIZE

2.652 PidTagMemberId

Canonical name: PidTagMemberId
Property ID: 0x6671
Data type: PtypInteger64, 0x0014
Area: Access Control Properties
References: [MS-OXCPERM]
Alternate names: PR_MEMBER_ID, ptagMemberId

2.653 PidTagMemberName

Canonical name: PidTagMemberName
Property ID: 0x6672
Data type: PtypString, 0x001F
Area: Access Control Properties
References: [MS-OXCPERM]
Alternate names: PR_MEMBER_NAME, PR_MEMBER_NAME_A, ptagMemberName, PR_MEMBER_NAME_W

2.654 PidTagMemberRights

Canonical name: PidTagMemberRights
Property ID: 0x6673
Data type: PtypInteger32, 0x0003
Area: Access Control Properties
References: [MS-OXCFCFOLD], [MS-OXCPERM], [MS-OXODLGT]
Alternate names: PR_MEMBER_RIGHTS, ptagMemberRights

2.655 PidTagMessageAttachments

Canonical name: PidTagMessageAttachments
Property ID: 0x0E13
Data type: PtypComObject, 0x000D
Area: Message Attachment Properties
References: [MS-OXCDCDATA], [MS-OXCFCXICS]
Alternate names: PR_MESSAGE_ATTACHMENTS, ptagMessageAttachments

2.656 PidTagMessageCcMe

Canonical name: PidTagMessageCcMe
Property ID: 0x0058
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_MESSAGE_CC_ME, ptagMessageCcMe

2.657 PidTagMessageClass

Canonical name: PidTagMessageClass

Property ID: 0x001A

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXBBODY], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXOUM], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CLASS, PR_MESSAGE_CLASS_A, ptagMessageClass, PR_MESSAGE_CLASS_W

2.658 PidTagMessageCodepage

Canonical name: PidTagMessageCodepage

Property ID: 0x3FFD

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CODEPAGE

2.659 PidTagMessageDeliveryTime

Canonical name: PidTagMessageDeliveryTime

Property ID: 0x0E06

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF]

Alternate names: PR_MESSAGE_DELIVERY_TIME

2.660 PidTagMessageEditorFormat

Canonical name: PidTagMessageEditorFormat

Property ID: 0x5909

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MSG_EDITOR_FORMAT, ptagMsgEditorFormat

2.661 PidTagMessageFlags

Canonical name: PidTagMessageFlags

Property ID: 0x0E07

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_MESSAGE_FLAGS, ptagMessageFlags

2.662 PidTagMessageHandlingSystemCommonName

Canonical name: PidTagMessageHandlingSystemCommonName

Property ID: 0x3A0F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_MHS_COMMON_NAME, PR_MHS_COMMON_NAME_A, PR_MHS_COMMON_NAME_W

2.663 PidTagMessageLocaleId

Canonical name: PidTagMessageLocaleId

Property ID: 0x3FF1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_LOCALE_ID

2.664 PidTagMessageRecipientMe

Canonical name: PidTagMessageRecipientMe

Property ID: 0x0059

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIP_ME, ptagMessageRecipMe

2.665 PidTagMessageRecipients

Canonical name: PidTagMessageRecipients

Property ID: 0x0E12

Data type: PtypComObject, 0x000D

Area: Address Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCSPAM], [MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIPIENTS, ptagMessageRecipients

2.666 PidTagMessageSize

Canonical name: PidTagMessageSize

Property ID: 0x0E08

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFCAL], [MS-OXCFCICS], [MS-OXCFCICAL], [MS-OXCFCMSG], [MS-OXCFCSTOR], [MS-OXCFCOFCG], [MS-OXCFCFOAB]

Alternate names: PR_MESSAGE_SIZE, ptagMessageSize

2.667 PidTagMessageSizeExtended

Canonical name: PidTagMessageSizeExtended

Property ID: 0x0E08

Data type: PtypInteger64, 0x0014

Area: General Message Properties

References: [MS-OXCFCAL], [MS-OXCFCSTOR]

Alternate names: PR_MESSAGE_SIZE_EXTENDED, ptagMessageSizeExtended

2.668 PidTagMessageStatus

Canonical name: PidTagMessageStatus

Property ID: 0x0E17

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFCICS], [MS-OXCFCMSG], [MS-OXCFCSYNC]

Alternate names: PR_MSG_STATUS, ptagMsgStatus

2.669 PidTagMessageSubmissionId

Canonical name: PidTagMessageSubmissionId

Property ID: 0x0047

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_SUBMISSION_ID, ptagMessageSubmissionId

2.670 PidTagMessageToMe

Canonical name: PidTagMessageToMe

Property ID: 0x0057

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_TO_ME, ptagMessageToMe

2.671 PidTagMid

Canonical name: PidTagMid

Property ID: 0x674A

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCTABL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: ptagMID

2.672 PidTagMiddleName

Canonical name: PidTagMiddleName

Property ID: 0x3A44

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC]

Alternate names: PR_MIDDLE_NAME, PR_MIDDLE_NAME_A, PR_MIDDLE_NAME_W

2.673 PidTagMobileTelephoneNumber

Canonical name: PidTagMobileTelephoneNumber

Property ID: 0x3A1C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_MOBILE_TELEPHONE_NUMBER, PR_MOBILE_TELEPHONE_NUMBER_A, PR_MOBILE_TELEPHONE_NUMBER_W

2.674 PidTagNewFXFolder

Canonical name: PidTagNewFXFolder

Property ID: 0x4011

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagNewFXFolder

2.675 PidTagNextSendAcct

Canonical name: PidTagNextSendAcct

Property ID: 0x0E29

Data type: PtypString, 0x001F

Area:

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_NEXT_SEND_ACCT

2.676 PidTagNickname

Canonical name: PidTagNickname

Property ID: 0x3A4F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG]

Alternate names: PR_NICKNAME, PR_NICKNAME_A, PR_NICKNAME_W

2.677 PidTagNormalizedSubject

Canonical name: PidTagNormalizedSubject

Property ID: 0x0E1D

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXOSMMS], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF]

Alternate names: PR_NORMALIZED_SUBJECT, PR_NORMALIZED_SUBJECT_A, ptagNormalizedSubject, PR_NORMALIZED_SUBJECT_W

2.678 PidTagNormalMessageSize

Canonical name: PidTagNormalMessageSize

Property ID: 0x66B3

Data type: PtypInteger32, 0x0003

Area: Server

References: [MS-OXCFOLD]

Alternate names: PR_NORMAL_MESSAGE_SIZE

2.679 PidTagObjectType

Canonical name: PidTagObjectType

Property ID: 0x0FFE

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_OBJECT_TYPE, ptagObjectType

2.680 PidTagOfficeLocation

Canonical name: PidTagOfficeLocation

Property ID: 0x3A19

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OFFICE_LOCATION, PR_OFFICE_LOCATION_A, PR_OFFICE_LOCATION_W

2.681 PidTagOfflineAddressBookContainerGuid

Canonical name: PidTagOfflineAddressBookContainerGuid

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_CONTAINER_GUID, PR_OAB_CONTAINER_GUID_W

2.682 PidTagOfflineAddressBookDistinguishedName

Canonical name: PidTagOfflineAddressBookDistinguishedName

Property ID: 0x6804

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_DN, PR_OAB_DN_W

2.683 PidTagOfflineAddressBookMessageClass

Canonical name: PidTagOfflineAddressBookMessageClass

Property ID: 0x6803

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_MESSAGE_CLASS

2.684 PidTagOfflineAddressBookName

Canonical name: PidTagOfflineAddressBookName

Property ID: 0x6800

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_NAME, PR_OAB_NAME_W

2.685 PidTagOfflineAddressBookSequence

Canonical name: PidTagOfflineAddressBookSequence

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]
Alternate names: PR_OAB_SEQUENCE

2.686 PidTagOfflineAddressBookTruncatedProperties

Canonical name: PidTagOfflineAddressBookTruncatedProperties
Property ID: 0x6805
Data type: PtypMultipleInteger32, 0x1003
Area: Offline Address Book Properties
References: [MS-OXOAB]
Alternate names: PR_OAB_TRUNCATED_PROPS

2.687 PidTagOrdinalMost

Canonical name: PidTagOrdinalMost
Property ID: 0x36E2
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: PR_ORDINAL_MOST

2.688 PidTagOrganizationalIdNumber

Canonical name: PidTagOrganizationalIdNumber
Property ID: 0x3A10
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_ORGANIZATIONAL_ID_NUMBER,
PR_ORGANIZATIONAL_ID_NUMBER_A, PR_ORGANIZATIONAL_ID_NUMBER_W

2.689 PidTagOriginalAuthorName

Canonical name: PidTagOriginalAuthorName
Property ID: 0x004D
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCICAL]
Alternate names: PR_ORIGINAL_AUTHOR_NAME,
PR_ORIGINAL_AUTHOR_NAME_A, ptagOriginalAuthorName,
PR_ORIGINAL_AUTHOR_NAME_W

2.690 PidTagOriginalDeliveryTime

Canonical name: PidTagOriginalDeliveryTime
Property ID: 0x0055
Data type: PtypTime, 0x0040
Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DELIVERY_TIME, ptagOriginalDeliveryTime

2.691 PidTagOriginalDisplayBcc

Canonical name: PidTagOriginalDisplayBcc

Property ID: 0x0072

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_BCC, PR_ORIGINAL_DISPLAY_BCC_A, ptagOriginalDisplayBcc, PR_ORIGINAL_DISPLAY_BCC_W

2.692 PidTagOriginalDisplayCc

Canonical name: PidTagOriginalDisplayCc

Property ID: 0x0073

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_CC, PR_ORIGINAL_DISPLAY_CC_A, ptagOriginalDisplayCc, PR_ORIGINAL_DISPLAY_CC_W

2.693 PidTagOriginalDisplayName

Canonical name: PidTagOriginalDisplayName

Property ID: 0x3A13

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_DISPLAY_NAME, PR_ORIGINAL_DISPLAY_NAME_A, ptagOriginalDisplayName, PR_ORIGINAL_DISPLAY_NAME_W

2.694 PidTagOriginalDisplayTo

Canonical name: PidTagOriginalDisplayTo

Property ID: 0x0074

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_TO, PR_ORIGINAL_DISPLAY_TO_A, ptagOriginalDisplayTo, PR_ORIGINAL_DISPLAY_TO_W

2.695 PidTagOriginalEntryId

Canonical name: PidTagOriginalEntryId

Property ID: 0x3A12

Data type: PtypBinary, 0x0102
Area: General Message Properties
References: [MS-OXCSYNC], [MS-OXOABK]
Alternate names: PR_ORIGINAL_ENTRYID, ptagOriginalEntryId

2.696 PidTagOriginalMessageClass

Canonical name: PidTagOriginalMessageClass
Property ID: 0x004B
Data type: PtypString, 0x001F
Area: Secure Messaging Properties
References: [MS-OXTNEF]
Alternate names: PR_ORIG_MESSAGE_CLASS, PR_ORIG_MESSAGE_CLASS_A, PR_ORIG_MESSAGE_CLASS_W

2.697 PidTagOriginalSearchKey

Canonical name: PidTagOriginalSearchKey
Property ID: 0x3A14
Data type: PtypBinary, 0x0102
Area: General Message Properties
References: [MS-OXOABK]
Alternate names: PR_ORIGINAL_SEARCH_KEY, ptagOriginalSearchKey

2.698 PidTagOriginalSenderAddressType

Canonical name: PidTagOriginalSenderAddressType
Property ID: 0x0066
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_ORIGINAL_SENDER_ADDRTYPE, PR_ORIGINAL_SENDER_ADDRTYPE_A, ptagOriginalSenderAddrType, PR_ORIGINAL_SENDER_ADDRTYPE_W

2.699 PidTagOriginalSenderEmailAddress

Canonical name: PidTagOriginalSenderEmailAddress
Property ID: 0x0067
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_ORIGINAL_SENDER_EMAIL_ADDRESS, PR_ORIGINAL_SENDER_EMAIL_ADDRESS_A, PR_ORIGINAL_SENDER_EMAIL_ADDRESS_W

2.700 PidTagOriginalSenderEntryId

Canonical name: PidTagOriginalSenderEntryId

Property ID: 0x005B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ENTRYID, ptagOriginalSenderEntryId

2.701 PidTagOriginalSenderName

Canonical name: PidTagOriginalSenderName

Property ID: 0x005A

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_NAME,
PR_ORIGINAL_SENDER_NAME_A, ptagOriginalSenderName,
PR_ORIGINAL_SENDER_NAME_W

2.702 PidTagOriginalSenderSearchKey

Canonical name: PidTagOriginalSenderSearchKey

Property ID: 0x005C

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_SEARCH_KEY,
ptagOriginalSenderSearchKey

2.703 PidTagOriginalSensitivity

Canonical name: PidTagOriginalSensitivity

Property ID: 0x002E

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENSITIVITY, ptagOriginalSensitivity

2.704 PidTagOriginalSentRepresentingAddressType

Canonical name: PidTagOriginalSentRepresentingAddressType

Property ID: 0x0068

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE,
PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_A,

ptagOriginalSentRepresentingAddrType,
PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_W

2.705 PidTagOriginalSentRepresentingEmailAddress

Canonical name: PidTagOriginalSentRepresentingEmailAddress

Property ID: 0x0069

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_A,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.706 PidTagOriginalSentRepresentingEntryId

Canonical name: PidTagOriginalSentRepresentingEntryId

Property ID: 0x005E

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ENTRYID,
ptagOriginalSentRepresentingEntryId

2.707 PidTagOriginalSentRepresentingName

Canonical name: PidTagOriginalSentRepresentingName

Property ID: 0x005D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_NAME,
PR_ORIGINAL_SENT_REPRESENTING_NAME_A, ptagOriginalSentRepresentingName,
PR_ORIGINAL_SENT_REPRESENTING_NAME_W

2.708 PidTagOriginalSentRepresentingSearchKey

Canonical name: PidTagOriginalSentRepresentingSearchKey

Property ID: 0x005F

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_SEARCH_KEY,
ptagOriginalSentRepresentingSearchKey

2.709 PidTagOriginalSubject

Canonical name: PidTagOriginalSubject

Property ID: 0x0049

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCSYNC], [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SUBJECT, PR_ORIGINAL_SUBJECT_A, ptagOriginalSubject, PR_ORIGINAL_SUBJECT_W

2.710 PidTagOriginalSubmitTime

Canonical name: PidTagOriginalSubmitTime

Property ID: 0x004E

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SUBMIT_TIME, ptagOriginalSubmitTime

2.711 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED

2.712 PidTagOriginatorNonDeliveryReportRequested

Canonical name: PidTagOriginatorNonDeliveryReportRequested

Property ID: 0x0C08

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_NON_DELIVERY_REPORT_REQUESTED

2.713 PidTagOtherAddressCity

Canonical name: PidTagOtherAddressCity

Property ID: 0x3A5F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_CITY, PR_OTHER_ADDRESS_CITY_A, PR_OTHER_ADDRESS_CITY_W

2.714 PidTagOtherAddressCountry

Canonical name: PidTagOtherAddressCountry

Property ID: 0x3A60

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_COUNTRY,
PR_OTHER_ADDRESS_COUNTRY_A, PR_OTHER_ADDRESS_COUNTRY_W

2.715 PidTagOtherAddressPostalCode

Canonical name: PidTagOtherAddressPostalCode

Property ID: 0x3A61

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_POSTAL_CODE,
PR_OTHER_ADDRESS_POSTAL_CODE_A,
PR_OTHER_ADDRESS_POSTAL_CODE_W

2.716 PidTagOtherAddressPostOfficeBox

Canonical name: PidTagOtherAddressPostOfficeBox

Property ID: 0x3A64

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_POST_OFFICE_BOX,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_A,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_W

2.717 PidTagOtherAddressStateOrProvince

Canonical name: PidTagOtherAddressStateOrProvince

Property ID: 0x3A62

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_STATE_OR_PROVINCE,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_A,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_W

2.718 PidTagOtherAddressStreet

Canonical name: PidTagOtherAddressStreet

Property ID: 0x3A63

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_STREET,
PR_OTHER_ADDRESS_STREET_A, PR_OTHER_ADDRESS_STREET_W

2.719 PidTagOtherTelephoneNumber

Canonical name: PidTagOtherTelephoneNumber

Property ID: 0x3A1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_TELEPHONE_NUMBER,
PR_OTHER_TELEPHONE_NUMBER_A, PR_OTHER_TELEPHONE_NUMBER_W

2.720 PidTagOutOfOfficeState

Canonical name: PidTagOutOfOfficeState

Property ID: 0x661D

Data type: PtypBoolean, 0x000B

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_OOF_STATE, ptagOOFState

2.721 PidTagOwnerAppointmentId

Canonical name: PidTagOwnerAppointmentId

Property ID: 0x0062

Data type: PtypInteger32, 0x0003

Area: Appointment

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXTNEF]

Alternate names: PR_OWNER_APPT_ID

2.722 PidTagPagerTelephoneNumber

Canonical name: PidTagPagerTelephoneNumber

Property ID: 0x3A21

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_PAGER_TELEPHONE_NUMBER,
PR_PAGER_TELEPHONE_NUMBER_A, PR_PAGER_TELEPHONE_NUMBER_W

2.723 PidTagParentEntryId

Canonical name: PidTagParentEntryId

Property ID: 0x0E09

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPFOAB]

Alternate names: PR_PARENT_ENTRYID, ptagParentEntryId

2.724 PidTagParentFolderId

Canonical name: PidTagParentFolderId

Property ID: 0x6749

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFXICS]

Alternate names: ptagParentFID

2.725 PidTagParentKey

Canonical name: PidTagParentKey

Property ID: 0x0025

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_PARENT_KEY, ptagParentKey

2.726 PidTagParentSourceKey

Canonical name: PidTagParentSourceKey

Property ID: 0x65E1

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PARENT_SOURCE_KEY

2.727 PidTagPersonalHomePage

Canonical name: PidTagPersonalHomePage

Property ID: 0x3A50

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_PERSONAL_HOME_PAGE, PR_PERSONAL_HOME_PAGE_A, PR_PERSONAL_HOME_PAGE_W

2.728 PidTagPostalAddress

Canonical name: PidTagPostalAddress

Property ID: 0x3A15

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_POSTAL_ADDRESS, PR_POSTAL_ADDRESS_A, PR_POSTAL_ADDRESS_W

2.729 PidTagPostalCode

Canonical name: PidTagPostalCode

Property ID: 0x3A2A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_POSTAL_CODE, PR_POSTAL_CODE_A, PR_POSTAL_CODE_W, PR_BUSINESS_ADDRESS_POSTAL_CODE, PR_BUSINESS_ADDRESS_POSTAL_CODE_A, PR_BUSINESS_ADDRESS_POSTAL_CODE_W

2.730 PidTagPostOfficeBox

Canonical name: PidTagPostOfficeBox

Property ID: 0x3A2B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_POST_OFFICE_BOX, PR_POST_OFFICE_BOX_A, PR_POST_OFFICE_BOX_W, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_A, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_W

2.731 PidTagPredecessorChangeList

Canonical name: PidTagPredecessorChangeList

Property ID: 0x65E3

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PREDECESSOR_CHANGE_LIST

2.732 PidTagPrimaryFaxNumber

Canonical name: PidTagPrimaryFaxNumber

Property ID: 0x3A23

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_PRIMARY_FAX_NUMBER, PR_PRIMARY_FAX_NUMBER_A, PR_PRIMARY_FAX_NUMBER_W

2.733 PidTagPrimarySendAccount

Canonical name: PidTagPrimarySendAccount

Property ID: 0x0E28

Data type: PtypString, 0x001F

Area: MapiNonTransmittable

References: [MS-OXOMSG]

Alternate names: PR_PRIMARY_SEND_ACCT

2.734 PidTagPrimarySntpAddress

Canonical name: PidTagPrimarySntpAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: MapiAddressBook

References: [MS-OXCFXICS], [MS-OXOSRCH]

Alternate names: ptagPrimarySMTPAddress

2.735 PidTagPrimaryTelephoneNumber

Canonical name: PidTagPrimaryTelephoneNumber

Property ID: 0x3A1A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_PRIMARY_TELEPHONE_NUMBER,

PR_PRIMARY_TELEPHONE_NUMBER_A,

PR_PRIMARY_TELEPHONE_NUMBER_W

2.736 PidTagPriority

Canonical name: PidTagPriority

Property ID: 0x0026

Data type: PtypInteger32, 0x0003

Area: Email

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_PRIORITY, ptagPriority

2.737 PidTagProcessed

Canonical name: PidTagProcessed

Property ID: 0x7D01

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOTASK]

Alternate names: PR_PROCESSED

2.738 PidTagProfession

Canonical name: PidTagProfession

Property ID: 0x3A46

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_PROFESSION, PR_PROFESSION_A, PR_PROFESSION_W

2.739 PidTagProhibitReceiveQuota

Canonical name: PidTagProhibitReceiveQuota

Property ID: 0x666A

Data type: PtypInteger32, 0x0003

Area: Exchange Administrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_RECEIVE_QUOTA, ptagProhibitReceiveQuota

2.740 PidTagProhibitSendQuota

Canonical name: PidTagProhibitSendQuota

Property ID: 0x666E

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_SEND_QUOTA, ptagProhibitSendQuota

2.741 PidTagProviderSubmitTime

Canonical name: PidTagProviderSubmitTime

Property ID: 0x0048

Data type: PtypTime, 0x0040

Area: Email

References: [MS-OXOMSG]

Alternate names: PR_PROVIDER_SUBMIT_TIME

2.742 PidTagPurportedSenderDomain

Canonical name: PidTagPurportedSenderDomain

Property ID: 0x4083

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXCMAIL]

Alternate names: PR_PURPORTED_SENDER_DOMAIN

2.743 PidTagRadioTelephoneNumber

Canonical name: PidTagRadioTelephoneNumber

Property ID: 0x3A1D

Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_RADIO_TELEPHONE_NUMBER,
PR_RADIO_TELEPHONE_NUMBER_A, PR_RADIO_TELEPHONE_NUMBER_W

2.744 PidTagRead

Canonical name: PidTagRead
Property ID: 0x0E69
Data type: PtypBoolean, 0x000B
Area: MapiNonTransmittable
References: [MS-OXCTABL]
Alternate names: PR_READ, ptagRead

2.745 PidTagReadReceiptEntryId

Canonical name: PidTagReadReceiptEntryId
Property ID: 0x0046
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_READ_RECEIPT_ENTRYID, ptagReadReceiptEntryId

2.746 PidTagReadReceiptRequested

Canonical name: PidTagReadReceiptRequested
Property ID: 0x0029
Data type: PtypBoolean, 0x000B
Area: Email
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG],
[MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_READ_RECEIPT_REQUESTED, ptagReadReceiptRequested

2.747 PidTagReadReceiptSearchKey

Canonical name: PidTagReadReceiptSearchKey
Property ID: 0x0053
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_READ_RECEIPT_SEARCH_KEY, ptagReadReceiptSearchKey

2.748 PidTagReceivedByAddressType

Canonical name: PidTagReceivedByAddressType
Property ID: 0x0075
Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_ADDRTYPE, PR_RECEIVED_BY_ADDRTYPE_A, ptagReceivedByAddrType, PR_RECEIVED_BY_ADDRTYPE_W

2.749 PidTagReceivedByEmailAddress

Canonical name: PidTagReceivedByEmailAddress

Property ID: 0x0076

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_EMAIL_ADDRESS, PR_RECEIVED_BY_EMAIL_ADDRESS_A, PR_RECEIVED_BY_EMAIL_ADDRESS_W

2.750 PidTagReceivedByEntryId

Canonical name: PidTagReceivedByEntryId

Property ID: 0x003F

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_ENTRYID

2.751 PidTagReceivedByFlags

Canonical name: PidTagReceivedByFlags

Property ID: 0x401B

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdByFlags

2.752 PidTagReceivedByName

Canonical name: PidTagReceivedByName

Property ID: 0x0040

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_NAME, PR_RECEIVED_BY_NAME_A, PR_RECEIVED_BY_NAME_W

2.753 PidTagReceivedBySearchKey

Canonical name: PidTagReceivedBySearchKey

Property ID: 0x0051

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_SEARCH_KEY

2.754 PidTagReceivedRepresentingAddressType

Canonical name: PidTagReceivedRepresentingAddressType

Property ID: 0x0077

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFCICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_ADDRTYPE, PR_RCVD_REPRESENTING_ADDRTYPE_A, ptagRcvdRepresentingAddrType, PR_RCVD_REPRESENTING_ADDRTYPE_W

2.755 PidTagReceivedRepresentingEmailAddress

Canonical name: PidTagReceivedRepresentingEmailAddress

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFCICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_EMAIL_ADDRESS, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_A, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_W

2.756 PidTagReceivedRepresentingEntryId

Canonical name: PidTagReceivedRepresentingEntryId

Property ID: 0x0043

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFCICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_ENTRYID, ptagRcvdRepresentingEntryId

2.757 PidTagReceivedRepresentingFlags

Canonical name: PidTagReceivedRepresentingFlags

Property ID: 0x401C

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingFlags

2.758 PidTagReceivedRepresentingName

Canonical name: PidTagReceivedRepresentingName

Property ID: 0x0044

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_NAME, PR_RCVD_REPRESENTING_NAME_A, ptagRcvdRepresentingName, PR_RCVD_REPRESENTING_NAME_W

2.759 PidTagReceivedRepresentingSearchKey

Canonical name: PidTagReceivedRepresentingSearchKey

Property ID: 0x0052

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_SEARCH_KEY, ptagRcvdRepresentingSearchKey

2.760 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXCMAIL], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingSimpleDispName

2.761 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXTNEF]

Alternate names:

2.762 PidTagRecipientDisplayName

Canonical name: PidTagRecipientDisplayName

Property ID: 0x5FF6

Data type: PtypString, 0x001F

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_DISPLAY_NAME,
PR_RECIPIENT_DISPLAY_NAME_W

2.763 PidTagRecipientEntryId

Canonical name: PidTagRecipientEntryId

Property ID: 0x5FF7

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_ENTRYID, ptagRecipientEntryId

2.764 PidTagRecipientFlags

Canonical name: PidTagRecipientFlags

Property ID: 0x5FFD

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_FLAGS

2.765 PidTagRecipientOrder

Canonical name: PidTagRecipientOrder

Property ID: 0x5FDF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_ORDER, ptagRecipientOrder

2.766 PidTagRecipientProposed

Canonical name: PidTagRecipientProposed

Property ID: 0x5FE1

Data type: PtypBoolean, 0x000B

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSED, ptagRecipientProposed

2.767 PidTagRecipientProposedEndTime

Canonical name: PidTagRecipientProposedEndTime

Property ID: 0x5FE4

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDENDTIME, ptagRecipientProposedEndTime

2.768 PidTagRecipientProposedStartTime

Canonical name: PidTagRecipientProposedStartTime

Property ID: 0x5FE3

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDSTARTTIME, ptagRecipientProposedStartTime

2.769 PidTagRecipientReassignmentProhibited

Canonical name: PidTagRecipientReassignmentProhibited

Property ID: 0x002B

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_REASSIGNMENT_PROHIBITED, ptagRecipientReassignmentProhibited

2.770 PidTagRecipientResourceState

Canonical name: PidTagRecipientResourceState

Property ID: 0x5FDE

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFCICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_RESOURCESTATE

2.771 PidTagRecipientTrackStatus

Canonical name: PidTagRecipientTrackStatus

Property ID: 0x5FFF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_TRACKSTATUS, ptagRecipientTrackStatus

2.772 PidTagRecipientTrackStatusTime

Canonical name: PidTagRecipientTrackStatusTime
Property ID: 0x5FFB
Data type: PtypTime, 0x0040
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_TRACKSTATUS_TIME, ptagRecipientTrackStatusTime

2.773 PidTagRecipientType

Canonical name: PidTagRecipientType
Property ID: 0x0C15
Data type: PtypInteger32, 0x0003
Area: MapiRecipient
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH]
Alternate names: PR_RECIPIENT_TYPE, ptagRecipientType

2.774 PidTagRecordKey

Canonical name: PidTagRecordKey
Property ID: 0x0FF9
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK]
Alternate names: PR_RECORD_KEY, ptagRecordKey

2.775 PidTagReferredByName

Canonical name: PidTagReferredByName
Property ID: 0x3A47
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PRREFERRED_BY_NAME, PRREFERRED_BY_NAME_A, PRREFERRED_BY_NAME_W

2.776 PidTagRemindersOnlineEntryId

Canonical name: PidTagRemindersOnlineEntryId
Property ID: 0x36D5
Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXOSFLD]

Alternate names: PR_REM_ONLINE_ENTRYID, ptagRemOnlineEntryId

2.777 PidTagRemoteHeaderLoc

Canonical name: PidTagRemoteHeaderLoc

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXODLGT]

Alternate names: PR_REMOTE_HEADER_LOC

2.778 PidTagRenderingPosition

Canonical name: PidTagRenderingPosition

Property ID: 0x370B

Data type: PtypInteger32, 0x0003

Area: MapiAttachment

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXOTASK], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_RENDERING_POSITION, ptagRenderingPosition

2.779 PidTagReplyRecipientEntries

Canonical name: PidTagReplyRecipientEntries

Property ID: 0x004F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_REPLY_RECIPIENT_ENTRIES, ptagReplyRecipientEntries

2.780 PidTagReplyRecipientNames

Canonical name: PidTagReplyRecipientNames

Property ID: 0x0050

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_REPLY_RECIPIENT_NAMES, PR_REPLY_RECIPIENT_NAMES_A, ptagReplyRecipientNames, PR_REPLY_RECIPIENT_NAMES_W

2.781 PidTagReplyRequested

Canonical name: PidTagReplyRequested

Property ID: 0x0C17

Data type: PtypBoolean, 0x000B

Area: MapiRecipient

References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR]

Alternate names: PR_REPLY_REQUESTED, ptagReplyRequested

2.782 PidTagReplyTemplateId

Canonical name: PidTagReplyTemplateId

Property ID: 0x65C2

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_REPLY_TEMPLATE_ID, ptagReplyTemplateId

2.783 PidTagReplyTime

Canonical name: PidTagReplyTime

Property ID: 0x0030

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_REPLY_TIME

2.784 PidTagReportEntryId

Canonical name: PidTagReportEntryId

Property ID: 0x0045

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_ENTRYID, ptagReportEntryId

2.785 PidTagReportSearchKey

Canonical name: PidTagReportSearchKey

Property ID: 0x0054

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_SEARCH_KEY, ptagReportSearchKey

2.786 PidTagReportTag

Canonical name: PidTagReportTag

Property ID: 0x0031

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TAG, ptagReportTag

2.787 PidTagReportText

Canonical name: PidTagReportText

Property ID: 0x1001

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TEXT, PR_REPORT_TEXT_A, ptagReportText, PR_REPORT_TEXT_W

2.788 PidTagReportTime

Canonical name: PidTagReportTime

Property ID: 0x0032

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXCSPAM]

Alternate names: PR_REPORT_TIME, ptagReportTime

2.789 PidTagResolveMethod

Canonical name: PidTagResolveMethod

Property ID: 0x3FE7

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_RESOLVE_METHOD, ptagResolveMethod

2.790 PidTagResponseRequested

Canonical name: PidTagResponseRequested

Property ID: 0x0063

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXTNEF]

Alternate names: PR_RESPONSE_REQUESTED

2.791 PidTagResponsibility

Canonical name: PidTagResponsibility

Property ID: 0x0E0F

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCFXICS]

Alternate names: PR_RESPONSIBILITY, ptagResponsibility

2.792 PidTagRights

Canonical name: PidTagRights

Property ID: 0x6639

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_RIGHTS, ptagRights

2.793 PidTagRoamingDatatypes

Canonical name: PidTagRoamingDatatypes

Property ID: 0x7C06

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DATATYPES

2.794 PidTagRoamingDictionary

Canonical name: PidTagRoamingDictionary

Property ID: 0x7C07

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DICTIONARY

2.795 PidTagRoamingXmlStream

Canonical name: PidTagRoamingXmlStream

Property ID: 0x7C08

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_XMLSTREAM

2.796 PidTagRowid

Canonical name: PidTagRowid

Property ID: 0x3000

Data type: PtypInteger32, 0x0003

Area: MapiCommon

References: [MS-OXCFXICS]

Alternate names: PR_ROWID, ptagRowId

2.797 PidTagRowType

Canonical name: PidTagRowType

Property ID: 0x0FF5

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCTABL]

Alternate names: PR_ROW_TYPE, ptagRowType

2.798 PidTagRtfCompressed

Canonical name: PidTagRtfCompressed

Property ID: 0x1009

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFCP], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_RTF_COMPRESSED, ptagRTFCompressed

2.799 PidTagRtfInSync

Canonical name: PidTagRtfInSync

Property ID: 0x0E1F

Data type: PtypBoolean, 0x000B

Area: Email

References: [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

Alternate names: PR_RTF_IN_SYNC, ptagRTFInSync

2.800 PidTagRtfSyncBodyCount

Canonical name: PidTagRtfSyncBodyCount

Property ID: 0x1007

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_COUNT, ptagRTFSyncBodyCount

2.801 PidTagRtfSyncBodyCrc

Canonical name: PidTagRtfSyncBodyCrc

Property ID: 0x1006

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_CRC, ptagRTFSyncBodyCRC

2.802 PidTagRtfSyncBodyTag

Canonical name: PidTagRtfSyncBodyTag

Property ID: 0x1008

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_TAG, PR_RTF_SYNC_BODY_TAG_A, ptagRTFSyncBodyTag, PR_RTF_SYNC_BODY_TAG_W

2.803 PidTagRtfSyncPrefixCount

Canonical name: PidTagRtfSyncPrefixCount

Property ID: 0x1010

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_PREFIX_COUNT

2.804 PidTagRtfSyncTrailingCount

Canonical name: PidTagRtfSyncTrailingCount

Property ID: 0x1011

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_TRAILING_COUNT

2.805 PidTagRuleActionNumber

Canonical name: PidTagRuleActionNumber

Property ID: 0x6650

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_NUMBER, ptagRuleActionNumber

2.806 PidTagRuleActions

Canonical name: PidTagRuleActions

Property ID: 0x6680

Data type: PtypServerEntryId, 0x00FE

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_ACTIONS, ptagRuleActions

2.807 PidTagRuleActionType

Canonical name: PidTagRuleActionType

Property ID: 0x6649

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_TYPE, ptagRuleActionType

2.808 PidTagRuleCondition

Canonical name: PidTagRuleCondition

Property ID: 0x6679

Data type: PtypServerEntryId, 0x00FD

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_CONDITION, ptagRuleCondition

2.809 PidTagRuleError

Canonical name: PidTagRuleError

Property ID: 0x6648

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ERROR, ptagRuleError

2.810 PidTagRuleFolderEntryId

Canonical name: PidTagRuleFolderEntryId

Property ID: 0x6651

Data type: PtypBinary, 0x0102

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_FOLDER_ENTRYID, ptagRuleFolderEntryId

2.811 PidTagRuleId

Canonical name: PidTagRuleId

Property ID: 0x6674

Data type: PtypInteger64, 0x0014

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_ID, ptagRuleId

2.812 PidTagRuleLevel

Canonical name: PidTagRuleLevel

Property ID: 0x6683

Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_RULE_LEVEL, ptagRuleLevel

2.813 PidTagRuleMessageLevel

Canonical name: PidTagRuleMessageLevel
Property ID: 0x65ED
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.814 PidTagRuleMessageProviderData

Canonical name: PidTagRuleMessageProviderData
Property ID: 0x65EE
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.815 PidTagRuleMessageSequence

Canonical name: PidTagRuleMessageSequence
Property ID: 0x65F3
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.816 PidTagRuleMessageState

Canonical name: PidTagRuleMessageState
Property ID: 0x65E9
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.817 PidTagRuleMsgActions

Canonical name: PidTagRuleMsgActions
Property ID: 0x65EF
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM]

Alternate names: PR_RULE_MSG_ACTIONS, ptagRuleMsgActions

2.818 PidTagRuleMsgCondition

Canonical name: PidTagRuleMsgCondition

Property ID: 0x65F0

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM]

Alternate names: PR_RULE_MSG_CONDITION, ptagRuleMsgCondition

2.819 PidTagRuleMsgLevel

Canonical name: PidTagRuleMsgLevel

Property ID: 0x65ED

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.820 PidTagRuleMsgName

Canonical name: PidTagRuleMsgName

Property ID: 0x65EC

Data type: PtypString, 0x001F

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: ptagRuleMsgName

2.821 PidTagRuleMsgProvider

Canonical name: PidTagRuleMsgProvider

Property ID: 0x65EB

Data type: PtypString, 0x001F

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: ptagRuleMsgProvider

2.822 PidTagRuleMsgProviderData

Canonical name: PidTagRuleMsgProviderData

Property ID: 0x65EE

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.823 PidTagRuleMsgSequence

Canonical name: PidTagRuleMsgSequence

Property ID: 0x65F3

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.824 PidTagRuleMsgState

Canonical name: PidTagRuleMsgState

Property ID: 0x65E9

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.825 PidTagRuleMsgUserFlags

Canonical name: PidTagRuleMsgUserFlags

Property ID: 0x65EA

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.826 PidTagRuleName

Canonical name: PidTagRuleName

Property ID: 0x6682

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_NAME, PR_RULE_NAME_A, ptagRuleName, PR_RULE_NAME_W

2.827 PidTagRuleProvider

Canonical name: PidTagRuleProvider

Property ID: 0x6681

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER, ptagRuleProvider, PR_RULE_PROVIDER_W

2.828 PidTagRuleProviderData

Canonical name: PidTagRuleProviderData

Property ID: 0x6684

Data type: PtypBinary, 0x0102

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER_DATA, ptagRuleProviderData

2.829 PidTagRuleSequence

Canonical name: PidTagRuleSequence

Property ID: 0x6676

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_SEQUENCE, ptagRuleSequence

2.830 PidTagRuleState

Canonical name: PidTagRuleState

Property ID: 0x6677

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_STATE, ptagRuleState

2.831 PidTagRuleUserFlags

Canonical name: PidTagRuleUserFlags

Property ID: 0x6678

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_USER_FLAGS, ptagRuleUserFlags

2.832 PidTagScheduleInfoAppointmentTombstone

Canonical name: PidTagScheduleInfoAppointmentTombstone

Property ID: 0x686A

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOCAL]

Alternate names: PR_SCHDINFO_APPT_TOMBSTONE

2.833 PidTagScheduleInfoAutoAcceptAppointments

Canonical name: PidTagScheduleInfoAutoAcceptAppointments

Property ID: 0x686D

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_AUTO_ACCEPT_APPTS

2.834 PidTagScheduleInfoDelegateEntryIds

Canonical name: PidTagScheduleInfoDelegateEntryIds

Property ID: 0x6845

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_ENTRYIDS

2.835 PidTagScheduleInfoDelegateNames

Canonical name: PidTagScheduleInfoDelegateNames

Property ID: 0x6844

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES

2.836 PidTagScheduleInfoDelegateNamesW

Canonical name: PidTagScheduleInfoDelegateNamesW

Property ID: 0x684A

Data type: PtypString, 0x001F

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES_W

2.837 PidTagScheduleInfoDelegatorWantsCopy

Canonical name: PidTagScheduleInfoDelegatorWantsCopy

Property ID: 0x6842

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXODLGT], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_BOSS_WANTS_COPY

2.838 PidTagScheduleInfoDelegatorWantsInfo

Canonical name: PidTagScheduleInfoDelegatorWantsInfo

Property ID: 0x684B

Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXODLGT], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_BOSS_WANTS_INFO

2.839 PidTagScheduleInfoDisallowOverlappingAppts

Canonical name: PidTagScheduleInfoDisallowOverlappingAppts
Property ID: 0x686F
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DISALLOW_OVERLAPPING_APPTS

2.840 PidTagScheduleInfoDisallowRecurringAppts

Canonical name: PidTagScheduleInfoDisallowRecurringAppts
Property ID: 0x686E
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DISALLOW_RECURRING_APPTS

2.841 PidTagScheduleInfoDontMailDelegates

Canonical name: PidTagScheduleInfoDontMailDelegates
Property ID: 0x6843
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DONT_MAIL_DELEGATES

2.842 PidTagScheduleInfoFreeBusy

Canonical name: PidTagScheduleInfoFreeBusy
Property ID: 0x686C
Data type: PtypBinary, 0x0102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY

2.843 PidTagScheduleInfoFreeBusyAway

Canonical name: PidTagScheduleInfoFreeBusyAway
Property ID: 0x6856
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties

References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY_OOF

2.844 PidTagScheduleInfoFreeBusyBusy

Canonical name: PidTagScheduleInfoFreeBusyBusy
Property ID: 0x6854
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY_BUSY

2.845 PidTagScheduleInfoFreeBusyMerged

Canonical name: PidTagScheduleInfoFreeBusyMerged
Property ID: 0x6850
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY_MERGED

2.846 PidTagScheduleInfoFreeBusyTentative

Canonical name: PidTagScheduleInfoFreeBusyTentative
Property ID: 0x6852
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY_TENTATIVE

2.847 PidTagScheduleInfoMonthsAway

Canonical name: PidTagScheduleInfoMonthsAway
Property ID: 0x6855
Data type: PtypMultipleInteger32, 0x1003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_MONTHS_OOF

2.848 PidTagScheduleInfoMonthsBusy

Canonical name: PidTagScheduleInfoMonthsBusy
Property ID: 0x6853
Data type: PtypMultipleInteger32, 0x1003
Area: Free/Busy Properties
References: [MS-OXMSG], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_MONTHS_BUSY

2.849 PidTagScheduleInfoMonthsMerged

Canonical name: PidTagScheduleInfoMonthsMerged
Property ID: 0x684F
Data type: PtypMultipleInteger32, 0x1003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_MONTHS_MERGED

2.850 PidTagScheduleInfoMonthsTentative

Canonical name: PidTagScheduleInfoMonthsTentative
Property ID: 0x6851
Data type: PtypMultipleInteger32, 0x1003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_MONTHS_TENTATIVE

2.851 PidTagScheduleInfoResourceType

Canonical name: PidTagScheduleInfoResourceType
Property ID: 0x6841
Data type: PtypInteger32, 0x0003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_RESOURCE_TYPE

2.852 PidTagSchedulePlusFreeBusyEntryId

Canonical name: PidTagSchedulePlusFreeBusyEntryId
Property ID: 0x6622
Data type: PtypBinary, 0x0102
Area: ExchangeMessageStore
References: [MS-OXOPFFB]
Alternate names: PR_SPLUS_FREE_BUSY_ENTRYID

2.853 PidTagScriptData

Canonical name: PidTagScriptData
Property ID: 0x0004
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABKT]
Alternate names: PR_EMS_SCRIPT_BLOB

2.854 PidTagSearchFolderDefinition

Canonical name: PidTagSearchFolderDefinition
Property ID: 0x6845

Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_DEFINITION

2.855 PidTagSearchFolderEfpFlags

Canonical name: PidTagSearchFolderEfpFlags
Property ID: 0x6848
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_EFP_FLAGS

2.856 PidTagSearchFolderExpiration

Canonical name: PidTagSearchFolderExpiration
Property ID: 0x683A
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_EXPIRATION

2.857 PidTagSearchFolderId

Canonical name: PidTagSearchFolderId
Property ID: 0x6842
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOCFG], [MS-OXOSRCH]
Alternate names: PR_WB_SF_ID

2.858 PidTagSearchFolderLastUsed

Canonical name: PidTagSearchFolderLastUsed
Property ID: 0x6834
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_LAST_USED

2.859 PidTagSearchFolderRecreateInfo

Canonical name: PidTagSearchFolderRecreateInfo
Property ID: 0x6844
Data type: PtypBinary, 0x0102
Area: Search

References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_RECREATE_INFO

2.860 PidTagSearchFolderStorageType

Canonical name: PidTagSearchFolderStorageType
Property ID: 0x6846
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_STORAGE_TYPE

2.861 PidTagSearchFolderTag

Canonical name: PidTagSearchFolderTag
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TAG

2.862 PidTagSearchFolderTemplateId

Canonical name: PidTagSearchFolderTemplateId
Property ID: 0x6841
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TEMPLATE_ID

2.863 PidTagSearchKey

Canonical name: PidTagSearchKey
Property ID: 0x300B
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-NSPI], [MS-OXCFCOLD], [MS-OXCFCXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORULE], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SEARCH_KEY, ptagSearchKey

2.864 PidTagSecureSubmitFlags

Canonical name: PidTagSecureSubmitFlags
Property ID: 0x65C6
Data type: PtypInteger32, 0x0003
Area: Exchange

References: [MS-OXCFXICS]

Alternate names: PR_SECURE_SUBMIT_FLAGS, ptagSecureSubmitFlags

2.865 PidTagSecurityDescriptor

Canonical name: PidTagSecurityDescriptor

Property ID: 0x0E27

Data type: PtypBinary, 0x0102

Area: Access Control Properties

References: [MS-OXCMSG]

Alternate names: PR_NT_SECURITY_DESCRIPTOR

2.866 PidTagSecurityDescriptorAsXml

Canonical name: PidTagSecurityDescriptorAsXml

Property ID: 0x0E6A

Data type: PtypString, 0x001F

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_NT_SECURITY_DESCRIPTOR_AS_XML,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_A,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_W

2.867 PidTagSelectable

Canonical name: PidTagSelectable

Property ID: 0x3609

Data type: PtypBoolean, 0x000B

Area: AB Container

References: [MS-OXOABKT]

Alternate names: PR_SELECTABLE

2.868 PidTagSenderAddressType

Canonical name: PidTagSenderAddressType

Property ID: 0x0C1E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENDER_ADDRTYPE, PR_SENDER_ADDRTYPE_A,
ptagSenderAddrType, PR_SENDER_ADDRTYPE_W

2.869 PidTagSenderEmailAddress

Canonical name: PidTagSenderEmailAddress

Property ID: 0x0C1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXPSVAL], [MS-OXTNEF]

Alternate names: PR_SENDER_EMAIL_ADDRESS,
PR_SENDER_EMAIL_ADDRESS_A, PR_SENDER_EMAIL_ADDRESS_W

2.870 PidTagSenderEntryId

Canonical name: PidTagSenderEntryId

Property ID: 0x0C19

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENDER_ENTRYID, ptagSenderEntryId

2.871 PidTagSenderFlags

Canonical name: PidTagSenderFlags

Property ID: 0x4019

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagSenderFlags

2.872 PidTagSenderIdStatus

Canonical name: PidTagSenderIdStatus

Property ID: 0x4079

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCMAIL], [MS-OXCSPAM]

Alternate names: PR_SENDER_ID_STATUS

2.873 PidTagSenderName

Canonical name: PidTagSenderName

Property ID: 0x0C1A

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENDER_NAME, PR_SENDER_NAME_A, ptagSenderName,
PR_SENDER_NAME_W

2.874 PidTagSenderSearchKey

Canonical name: PidTagSenderSearchKey

Property ID: 0x0C1D

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

Alternate names: PR_SENDER_SEARCH_KEY, ptagSenderSearchKey

2.875 PidTagSenderSimpleDisplayName

Canonical name: PidTagSenderSimpleDisplayName

Property ID: 0x4030

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSenderSimpleDispName

2.876 PidTagSenderTelephoneNumber

Canonical name: PidTagSenderTelephoneNumber

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaSenderTelephoneNumber

2.877 PidTagSendInternetEncoding

Canonical name: PidTagSendInternetEncoding

Property ID: 0x3A71

Data type: PtypInteger32, 0x0003

Area: Address Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_INTERNET_ENCODING, ptagSendInternetEncoding

2.878 PidTagSendRichInfo

Canonical name: PidTagSendRichInfo

Property ID: 0x3A40

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_RICH_INFO, ptagSendRichInfo

2.879 PidTagSensitivity

Canonical name: PidTagSensitivity

Property ID: 0x0036

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF], [MS-OXWAVLS]

Alternate names: PR_SENSITIVITY, ptagSensitivity

2.880 PidTagSentMailEntryId

Canonical name: PidTagSentMailEntryId

Property ID: 0x0E0A

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SENTMAIL_ENTRYID, ptagSentMailEntryId

2.881 PidTagSentMailSvrEID

Canonical name: PidTagSentMailSvrEID

Property ID: 0x6740

Data type: PtypServerEntryId, 0x00FB

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR], [MS-OXOMSG]

Alternate names: ptagSentMailSvrEID

2.882 PidTagSentRepresentingAddressType

Canonical name: PidTagSentRepresentingAddressType

Property ID: 0x0064

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_ADDRTYPE, PR_SENT_REPRESENTING_ADDRTYPE_A, ptagSentRepresentingAddrType, PR_SENT_REPRESENTING_ADDRTYPE_W

2.883 PidTagSentRepresentingEmailAddress

Canonical name: PidTagSentRepresentingEmailAddress

Property ID: 0x0065

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_EMAIL_ADDRESS,
PR_SENT_REPRESENTING_EMAIL_ADDRESS_A,
PR_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.884 PidTagSentRepresentingEntryId

Canonical name: PidTagSentRepresentingEntryId

Property ID: 0x0041

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],
[MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK],
[MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_ENTRYID, ptagSentRepresentingEntryId

2.885 PidTagSentRepresentingFlags

Canonical name: PidTagSentRepresentingFlags

Property ID: 0x401A

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagSentRepresentingFlags

2.886 PidTagSentRepresentingName

Canonical name: PidTagSentRepresentingName

Property ID: 0x0042

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-
OXOCFG], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-
OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_NAME,
PR_SENT_REPRESENTING_NAME_A, ptagSentRepresentingName,
PR_SENT_REPRESENTING_NAME_W

2.887 PidTagSentRepresentingSearchKey

Canonical name: PidTagSentRepresentingSearchKey

Property ID: 0x003B

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-
OXOPOST], [MS-OXOTASK]

Alternate names: PR_SENT_REPRESENTING_SEARCH_KEY,
ptagSentRepresentingSearchKey

2.888 PidTagSentRepresentingSimpleDisplayName

Canonical name: PidTagSentRepresentingSimpleDisplayName

Property ID: 0x4031

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSentRepresentingSimpleDispName

2.889 PidTagSmtAddress

Canonical name: PidTagSmtAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXSHARE]

Alternate names: PR_SMTTP_ADDRESS, PR_SMTTP_ADDRESS_A, PR_SMTTP_ADDRESS_W

2.890 PidTagSortLocaleId

Canonical name: PidTagSortLocaleId

Property ID: 0x6705

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR], [MS-OXPFOAB]

Alternate names: PR_SORT_LOCALE_ID, ptagSortLocaleId

2.891 PidTagSourceKey

Canonical name: PidTagSourceKey

Property ID: 0x65E0

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_SOURCE_KEY

2.892 PidTagSpouseName

Canonical name: PidTagSpouseName

Property ID: 0x3A48

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_SPOUSE_NAME, PR_SPOUSE_NAME_A, PR_SPOUSE_NAME_W

2.893 PidTagStartDate

Canonical name: PidTagStartDate

Property ID: 0x0060

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF]

Alternate names: PR_START_DATE

2.894 PidTagStateOrProvince

Canonical name: PidTagStateOrProvince

Property ID: 0x3A28

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_STATE_OR_PROVINCE, PR_STATE_OR_PROVINCE_A,
PR_STATE_OR_PROVINCE_W, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_A,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_W

2.895 PidTagStoreEntryId

Canonical name: PidTagStoreEntryId

Property ID: 0x0FFB

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXOFLAG], [MS-OXSHARE]

Alternate names: PR_STORE_ENTRYID, ptagStoreEntryId

2.896 PidTagStoreState

Canonical name: PidTagStoreState

Property ID: 0x340E

Data type: PtypInteger32, 0x0003

Area: MapiMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_STORE_STATE

2.897 PidTagStoreSupportMask

Canonical name: PidTagStoreSupportMask

Property ID: 0x340D

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXMSG]

Alternate names: PR_STORE_SUPPORT_MASK, ptagStoreSupportMask

2.898 PidTagStreetAddress

Canonical name: PidTagStreetAddress

Property ID: 0x3A29

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_STREET_ADDRESS, PR_STREET_ADDRESS_A, PR_STREET_ADDRESS_W, PR_BUSINESS_ADDRESS_STREET, PR_BUSINESS_ADDRESS_STREET_A, PR_BUSINESS_ADDRESS_STREET_W

2.899 PidTagSubfolders

Canonical name: PidTagSubfolders

Property ID: 0x360A

Data type: PtypBoolean, 0x000B

Area: MapiContainer

References: [MS-OXCFOLD], [MS-OXCICAL]

Alternate names: PR_SUBFOLDERS, ptagSubFolders

2.900 PidTagSubject

Canonical name: PidTagSubject

Property ID: 0x0037

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXCTABL], [MS-OXMSG], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOPFFB], [MS-OXORULE], [MS-OXPROTO], [MS-OXPSVAL], [MS-OXTNEF], [MS-OXWAVLS]

Alternate names: PR_SUBJECT, PR_SUBJECT_A, ptagSubject, PR_SUBJECT_W

2.901 PidTagSubjectPrefix

Canonical name: PidTagSubjectPrefix

Property ID: 0x003D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORSS], [MS-OXOSMMS], [MS-OXSHARE], [MS-OXTNEF]

Alternate names: PR_SUBJECT_PREFIX, PR_SUBJECT_PREFIX_A, ptagSubjectPrefix, PR_SUBJECT_PREFIX_W

2.902 PidTagSubmitFlags

Canonical name: PidTagSubmitFlags

Property ID: 0x0E14

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SUBMIT_FLAGS, ptagSubmitFlags

2.903 PidTagSurname

Canonical name: PidTagSurname

Property ID: 0x3A11

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_SURNAME, PR_SURNAME_A, PR_SURNAME_W

2.904 PidTagSwappedToDoData

Canonical name: PidTagSwappedToDoData

Property ID: 0x0E2D

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_SWAPPED_TODO_DATA, ptagSwappedToDoData

2.905 PidTagSwappedToDoStore

Canonical name: PidTagSwappedToDoStore

Property ID: 0x0E2C

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_SWAPPED_TODO_STORE, ptagSwappedToDoStore

2.906 PidTagTargetEntryId

Canonical name: PidTagTargetEntryId

Property ID: 0x3010

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCRPC], [MS-OXCSYNC], [MS-OXOMSG]

Alternate names: PR_TARGET_ENTRYID, ptagTargetEntryId

2.907 PidTagTcvConstLongOne

Canonical name: PidTagTcvConstLongOne

Property ID: 0x8008

Data type: PtypInteger32, 0x0003
Area: PST Internal
References: [MS-OXCTABL]
Alternate names: PR_TCV_CONST_LONG_ONE

2.908 PidTagTelecommunicationsDeviceForDeafTelephoneNumber

Canonical name: PidTagTelecommunicationsDeviceForDeafTelephoneNumber
Property ID: 0x3A4B
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK]
Alternate names: PR_TTYTDD_PHONE_NUMBER,
PR_TTYTDD_PHONE_NUMBER_A, PR_TTYTDD_PHONE_NUMBER_W

2.909 PidTagTelexNumber

Canonical name: PidTagTelexNumber
Property ID: 0x3A2C
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_TELEX_NUMBER, PR_TELEX_NUMBER_A,
PR_TELEX_NUMBER_W

2.910 PidTagTemplateData

Canonical name: PidTagTemplateData
Property ID: 0x0001
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABKT]
Alternate names: PR_EMS_TEMPLATE_BLOB

2.911 PidTagTemplateid

Canonical name: PidTagTemplateid
Property ID: 0x3902
Data type: PtypBinary, 0x0102
Area: MapiAddressBook
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_TEMPLATEID

2.912 PidTagTextAttachmentCharset

Canonical name: PidTagTextAttachmentCharset
Property ID: 0x371B
Data type: PtypString, 0x001F

Area: Message Attachment Properties
References: [MS-OXCMAIL]
Alternate names: ptagTextAttachmentCharset

2.913 PidTagTitle

Canonical name: PidTagTitle
Property ID: 0x3A17
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_TITLE, PR_TITLE_A, PR_TITLE_W

2.914 PidTagTnefCorrelationKey

Canonical name: PidTagTnefCorrelationKey
Property ID: 0x007F
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXTNEF]
Alternate names: PR_TNEF_CORRELATION_KEY

2.915 PidTagToDoItemFlags

Canonical name: PidTagToDoItemFlags
Property ID: 0x0E2B
Data type: PtypInteger32, 0x0003
Area: MapiNonTransmittable
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD]
Alternate names: PR_TODO_ITEM_FLAGS, ptagToDoItemFlags

2.916 PidTagTransmittableDisplayName

Canonical name: PidTagTransmittableDisplayName
Property ID: 0x3A20
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK]
Alternate names: PR_TRANSMITTABLE_DISPLAY_NAME,
PR_TRANSMITTABLE_DISPLAY_NAME_A, ptagTransmittableDisplayName,
PR_TRANSMITTABLE_DISPLAY_NAME_W

2.917 PidTagTransportMessageHeaders

Canonical name: PidTagTransportMessageHeaders
Property ID: 0x007D
Data type: PtypString, 0x001F
Area: EMail

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_TRANSPORT_MESSAGE_HEADERS,
PR_TRANSPORT_MESSAGE_HEADERS_A,
PR_TRANSPORT_MESSAGE_HEADERS_W

2.918 PidTagTrustSender

Canonical name: PidTagTrustSender

Property ID: 0x0E79

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_TRUST_SENDER, ptagTrustSender

2.919 PidTagTtyTddPhoneNumber

Canonical name: PidTagTtyTddPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_TTYTDD_PHONE_NUMBER

2.920 PidTagUrlCompName

Canonical name: PidTagUrlCompName

Property ID: 0x10F3

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_URL_COMP_NAME, PR_URL_COMP_NAME_A,
PR_URL_COMP_NAME_W, ptagURLCompName

2.921 PidTagUrlCompNameSet

Canonical name: PidTagUrlCompNameSet

Property ID: 0x0E62

Data type: PtypBoolean, 0x000B

Area: ID Properties

References: [MS-OXCMSG]

Alternate names: ptagURLCompNameSet

2.922 PidTagUserCertificate

Canonical name: PidTagUserCertificate

Property ID: 0x3A22

Data type: PtypBinary, 0x0102

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK]
Alternate names: PR_USER_CERTIFICATE, ptagUserCertificate

2.923 PidTagUserEntryId

Canonical name: PidTagUserEntryId
Property ID: 0x6619
Data type: PtypBinary, 0x0102
Area: ExchangeMessageStore
References: [MS-OXCSTOR]
Alternate names: PR_USER_ENTRYID, ptagUserEntryId

2.924 PidTagUserX509Certificate

Canonical name: PidTagUserX509Certificate
Property ID: 0x3A70
Data type: PtypMultipleBinary, 0x1102
Area: MapiMailUser
References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_USER_X509_CERTIFICATE

2.925 PidTagViewDescriptorBinary

Canonical name: PidTagViewDescriptorBinary
Property ID: 0x7001
Data type: PtypBinary, 0x0102
Area: MessageClassDefinedTransmittable
References: [MS-OXOCFG]
Alternate names: PR_VD_BINARY

2.926 PidTagViewDescriptorName

Canonical name: PidTagViewDescriptorName
Property ID: 0x7006
Data type: PtypString, 0x001F
Area: MessageClassDefinedTransmittable
References: [MS-OXOCFG]
Alternate names: PR_VD_NAME, PR_VD_NAME_W

2.927 PidTagViewDescriptorStrings

Canonical name: PidTagViewDescriptorStrings
Property ID: 0x7002
Data type: PtypString, 0x001F
Area: MessageClassDefinedTransmittable
References: [MS-OXOCFG]
Alternate names: PR_VD_STRINGS, PR_VD_STRINGS_W

2.928 PidTagViewDescriptorVersion

Canonical name: PidTagViewDescriptorVersion

Property ID: 0x7007

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXOCFG]

Alternate names: PR_VD_VERSION

2.929 PidTagVoiceMessageAttachmentOrder

Canonical name: PidTagVoiceMessageAttachmentOrder

Property ID: 0x6805

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL], [MS-OXOUM]

Alternate names: InternalSchemaVoiceMessageAttachmentOrder

2.930 PidTagVoiceMessageDuration

Canonical name: PidTagVoiceMessageDuration

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaVoiceMessageDuration

2.931 PidTagVoiceMessageSenderName

Canonical name: PidTagVoiceMessageSenderName

Property ID: 0x6803

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaVoiceMessageSenderName

2.932 PidTagWeddingAnniversary

Canonical name: PidTagWeddingAnniversary

Property ID: 0x3A41

Data type: PtypTime, 0x0040

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_WEDDING_ANNIVERSARY

3 Structure Examples

None.

4 Security Considerations

There are no security considerations unique to this specification.

5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies Office/Exchange does not follow the prescription.

Index

Appendix A

Office/Exchange behavior, 225

Introduction, 24

Applicability statement, 31

Glossary, 24

References, 24

Relationship to protocols and other structures, 30

Structure Overview, 27

Vendor-extensible fields, 31

Versioning and localization, 31

References

Informative references, 27

Normative references, 24

Security considerations, 225

Structure examples, 224

Structures, 31