

[MS-OXPROPS]: Exchange Server Protocols Master Property List Specification

Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting protocol@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. This protocol documentation is intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	April 25, 2008	0.2	Revised and updated property names and other technical content.
Microsoft Corporation	June 27, 2008	1.0	Initial Release.
Microsoft Corporation	August 6, 2008	1.01	Updated references to reflect date of initial release.
Microsoft Corporation	September 3, 2008	1.02	Changed title of document.

1 of 276

[MS-OXPROPS] - v1.04

Exchange Server Protocols Master Property List Specification

Copyright © 2008 Microsoft Corporation.

Release: Wednesday, December 3, 2008

Microsoft Corporation	October 1, 2008	1.03	Revised and edited technical content.
Microsoft Corporation	December 3, 2008	1.04	Revised and edited technical content.

Table of Contents

1	<i>Introduction</i>	30
1.1	Glossary.....	30
1.2	References	30
1.2.1	Normative References.....	30
1.2.2	Informative References.....	33
1.3	Structure Overview	33
1.3.1	Common Message Classes	34
1.3.2	Commonly Used Property Sets	35
1.3.3	Property ID Ranges	36
1.4	WebDAV Property Naming.....	37
1.4.1	http://schemas.microsoft.com/mapi/proptag Namespace.....	37
1.4.2	http://schemas.microsoft.com/mapi/id Namespace	37
1.4.3	http://schemas.microsoft.com/mapi/string Namespace	38
1.5	Relationship to Protocols and Other Structures	38
1.6	Applicability Statement	38
1.7	Versioning and Localization	39
1.8	Vendor-Extensible Fields.....	39
2	<i>Structures</i>	39
2.1	PidLidAddressBookProviderArrayType	39
2.2	PidLidAddressBookProviderEmailList.....	39
2.3	PidLidAddressCountryCode	39
2.4	PidLidAgingDontAgeMe	39
2.5	PidLidAllAttendeesList.....	40
2.6	PidLidAllAttendeesString	40
2.7	PidLidAllowExternalCheck	40
2.8	PidLidAnniversaryEventEntryId	40
2.9	PidLidAppointmentAuxiliaryFlags	40
2.10	PidLidAppointmentColor	41
2.11	PidLidAppointmentCounterProposal	41
2.12	PidLidAppointmentDuration	41
2.13	PidLidAppointmentEndDate	41
2.14	PidLidAppointmentEndTime	42
2.15	PidLidAppointmentEndWhole	42
2.16	PidLidAppointmentLastSequence	42
2.17	PidLidAppointmentMessageClass	42
2.18	PidLidAppointmentNotAllowedPropose	42
2.19	PidLidAppointmentProposalNumber	43
2.20	PidLidAppointmentProposedDuration	43
2.21	PidLidAppointmentProposedEndWhole	43
2.22	PidLidAppointmentProposedStartWhole	43
2.23	PidLidAppointmentRecur	43
2.24	PidLidAppointmentReplyName	44

2.25	PidLidAppointmentReplyTime	44
2.26	PidLidAppointmentSequence	44
2.27	PidLidAppointmentSequenceTime	44
2.28	PidLidAppointmentStartDate	45
2.29	PidLidAppointmentStartTime	45
2.30	PidLidAppointmentStartWhole	45
2.31	PidLidAppointmentStateFlags	45
2.32	PidLidAppointmentSubType	45
2.33	PidLidAppointmentTimeZoneDefinitionEndDisplay	46
2.34	PidLidAppointmentTimeZoneDefinitionRecur	46
2.35	PidLidAppointmentTimeZoneDefinitionStartDisplay	46
2.36	PidLidAppointmentUnsendableRecipients	46
2.37	PidLidAppointmentUpdateTime	46
2.38	PidLidAttendeeCriticalChange	47
2.39	PidLidAutoFillLocation	47
2.40	PidLidAutoLog	47
2.41	PidLidAutoProcessState	47
2.42	PidLidAutoStartCheck	48
2.43	PidLidAutoStartWhen	48
2.44	PidLidBirthdayEventEntryId	48
2.45	PidLidBusinessCardCardPicture	48
2.46	PidLidBusinessCardDisplayDefinition	48
2.47	PidLidBusyStatus	49
2.48	PidLidCalendarType	49
2.49	PidLidCategories	49
2.50	PidLidCcAttendeesString	49
2.51	PidLidChangeHighlight	49
2.52	PidLidClassification	50
2.53	PidLidClassificationDescription	50
2.54	PidLidClassificationGuid	50
2.55	PidLidClassificationKeep	50
2.56	PidLidClassified	51
2.57	PidLidCleanGlobalObjectId	51
2.58	PidLidClipEnd	51
2.59	PidLidClipStart	51
2.60	PidLidCollaborateDoc	51
2.61	PidLidCommonEnd	52
2.62	PidLidCommonStart	52
2.63	PidLidCompanies	52
2.64	PidLidConferencingCheck	52
2.65	PidLidConferencingType	53
2.66	PidLidContactCharacterSet	53
2.67	PidLidContactItemData	53
2.68	PidLidContactLinkEntry	53

2.69	PidLidContactLinkName	53
2.70	PidLidContactLinkSearchKey	54
2.71	PidLidContacts	54
2.72	PidLidContactUserField1	54
2.73	PidLidContactUserField2	54
2.74	PidLidContactUserField3	54
2.75	PidLidContactUserField4	55
2.76	PidLidCurrentVersion	55
2.77	PidLidCurrentVersionName	55
2.78	PidLidDayInterval	55
2.79	PidLidDayOfMonth	56
2.80	PidLidDelegateMail	56
2.81	PidLidDepartment	56
2.82	PidLidDirectory	56
2.83	PidLidDistributionListChecksum	56
2.84	PidLidDistributionListMembers	57
2.85	PidLidDistributionListName	57
2.86	PidLidDistributionListOneOffMembers	57
2.87	PidLidDistributionListStream	57
2.88	PidLidEmail1AddressType	57
2.89	PidLidEmail1DisplayName	58
2.90	PidLidEmail1EmailAddress	58
2.91	PidLidEmail1EmailType	58
2.92	PidLidEmail1OriginalDisplayName	58
2.93	PidLidEmail1OriginalEntryId	59
2.94	PidLidEmail2AddressType	59
2.95	PidLidEmail2DisplayName	59
2.96	PidLidEmail2EmailAddress	59
2.97	PidLidEmail2EntryId	59
2.98	PidLidEmail2OriginalDisplayName	60
2.99	PidLidEmail2OriginalEntryId	60
2.100	PidLidEmail3AddressType	60
2.101	PidLidEmail3DisplayName	60
2.102	PidLidEmail3EmailAddress	60
2.103	PidLidEmail3EntryId	61
2.104	PidLidEmail3OriginalDisplayName	61
2.105	PidLidEmail3OriginalEntryId	61
2.106	PidLidEmailList	61
2.107	PidLidEndRecurrenceDate	62
2.108	PidLidEndRecurrenceTime	62
2.109	PidLidExceptionReplaceTime	62
2.110	PidLidFax1AddressType	62
2.111	PidLidFax1EmailAddress	62
2.112	PidLidFax1OriginalDisplayName	63

2.113	PidLidFax1OriginalEntryId.....	63
2.114	PidLidFax2AddressType	63
2.115	PidLidFax2EmailAddress.....	63
2.116	PidLidFax2OriginalDisplayName.....	63
2.117	PidLidFax2OriginalEntryId.....	64
2.118	PidLidFax3AddressType	64
2.119	PidLidFax3EmailAddress.....	64
2.120	PidLidFax3OriginalDisplayName.....	64
2.121	PidLidFax3OriginalEntryId.....	65
2.122	PidLidFExceptionalAttendees	65
2.123	PidLidFExceptionalBody.....	65
2.124	PidLidFileUnder.....	65
2.125	PidLidFileUnderId	65
2.126	PidLidFileUnderList	66
2.127	PidLidFInvited.....	66
2.128	PidLidFlagRequest.....	66
2.129	PidLidFlagString	66
2.130	PidLidForwardInstance.....	67
2.131	PidLidFOthersAppointment	67
2.132	PidLidFreeBusyLocation.....	67
2.133	PidLidGlobalObjectId	67
2.134	PidLidHasPicture	67
2.135	PidLidHomeAddress.....	68
2.136	PidLidHomeAddressCountryCode	68
2.137	PidLidHtml	68
2.138	PidLidICalendarDayOfWeekMask	68
2.139	PidLidInstantMessagingAddress.....	68
2.140	PidLidIntendedBusyStatus.....	69
2.141	PidLidInternetAccountName	69
2.142	PidLidInternetAccountStamp	69
2.143	PidLidIsException	69
2.144	PidLidIsRecurring	70
2.145	PidLidIsSilent	70
2.146	PidLidLinkedTaskItems.....	70
2.147	PidLidLocation	70
2.148	PidLidLogDocumentPosted	70
2.149	PidLidLogDocumentPrinted.....	71
2.150	PidLidLogDocumentRouted.....	71
2.151	PidLidLogDocumentSaved	71
2.152	PidLidLogDuration	71
2.153	PidLidLogEnd	71
2.154	PidLidLogFlags	72
2.155	PidLidLogStart	72
2.156	PidLidLogType	72

2.157	PidLidLogTypeDesc	72
2.158	PidLidMeetingType	73
2.159	PidLidMeetingWorkspaceUrl.....	73
2.160	PidLidMonthInterval.....	73
2.161	PidLidMonthOfYear	73
2.162	PidLidMonthOfYearMask.....	73
2.163	PidLidNetShowUrl.....	74
2.164	PidLidNoEndDateFlag.....	74
2.165	PidLidNonSendableBcc	74
2.166	PidLidNonSendableCc.....	74
2.167	PidLidNonSendableTo.....	75
2.168	PidLidNonSendBccTrackStatus.....	75
2.169	PidLidNonSendCcTrackStatus.....	75
2.170	PidLidNonSendToTrackStatus.....	75
2.171	PidLidNoteColor	75
2.172	PidLidNoteHeight	76
2.173	PidLidNoteWidth	76
2.174	PidLidNoteX.....	76
2.175	PidLidNoteY.....	76
2.176	PidLidOccurrences	77
2.177	PidLidOldLocation.....	77
2.178	PidLidOldRecurrenceType	77
2.179	PidLidOldWhenEndWhole.....	77
2.180	PidLidOldWhenStartWhole	77
2.181	PidLidOnlinePassword	78
2.182	PidLidOptionalAttendees.....	78
2.183	PidLidOrganizerAlias	78
2.184	PidLidOriginalStoreEntryId.....	78
2.185	PidLidOtherAddress.....	78
2.186	PidLidOtherAddressCountryCode	79
2.187	PidLidOwnerCriticalChange	79
2.188	PidLidOwnerName	79
2.189	PidLidPercentComplete	79
2.190	PidLidPKMDocSummaryInformation17	80
2.191	PidLidPostalAddressId.....	80
2.192	PidLidPostRssChannel.....	80
2.193	PidLidPostRssChannelLink.....	80
2.194	PidLidPostRssItemGuid.....	80
2.195	PidLidPostRssItemHash	81
2.196	PidLidPostRssItemLink	81
2.197	PidLidPostRssItemXml	81
2.198	PidLidPostRssSubscription.....	81
2.199	PidLidPrivate	81
2.200	PidLidRecurrenceDuration	82

2.201	PidLidRecurrencePattern	82
2.202	PidLidRecurrenceType	82
2.203	PidLidRecurring	82
2.204	PidLidReferenceEntryId	83
2.205	PidLidReminderDelta	83
2.206	PidLidReminderFileParameter	83
2.207	PidLidReminderOverride	83
2.208	PidLidReminderPlaySound	83
2.209	PidLidReminderSet	84
2.210	PidLidReminderSignalTime	84
2.211	PidLidReminderTime	84
2.212	PidLidReminderTimeDate	84
2.213	PidLidReminderTimeTime	85
2.214	PidLidReminderType	85
2.215	PidLidRemoteStatus	85
2.216	PidLidRequiredAttendees	85
2.217	PidLidResourceAttendees	86
2.218	PidLidResponseStatus	86
2.219	PidLidSendMeetingAsIcal	86
2.220	PidLidServerProcessed	86
2.221	PidLidServerProcessingActions	86
2.222	PidLidSharingAnonymity	87
2.223	PidLidSharingBindingEntryId	87
2.224	PidLidSharingBrowseUrl	87
2.225	PidLidSharingCapabilities	87
2.226	PidLidSharingConfigurationUrl	88
2.227	PidLidSharingDataRangeEnd	88
2.228	PidLidSharingDataRangeStart	88
2.229	PidLidSharingDetail	88
2.230	PidLidSharingExtensionXml	88
2.231	PidLidSharingFilter	89
2.232	PidLidSharingFlags	89
2.233	PidLidSharingFlavor	89
2.234	PidLidSharingFolderEntryId	89
2.235	PidLidSharingIndexEntryId	89
2.236	PidLidSharingInitiatorEntryId	90
2.237	PidLidSharingInitiatorName	90
2.238	PidLidSharingInitiatorSntp	90
2.239	PidLidSharingInstanceId	90
2.240	PidLidSharingLastAutoSyncTime	91
2.241	PidLidSharingLastSyncTime	91
2.242	PidLidSharingLocalComment	91
2.243	PidLidSharingLocalLastModificationTime	91
2.244	PidLidSharingLocalName	91

2.245	PidLidSharingLocalPath	92
2.246	PidLidSharingLocalStoreUid	92
2.247	PidLidSharingLocalType	92
2.248	PidLidSharingLocalUid	92
2.249	PidLidSharingOriginalMessageEntryId	92
2.250	PidLidSharingParentBindingEntryId	93
2.251	PidLidSharingParticipants	93
2.252	PidLidSharingPermissions	93
2.253	PidLidSharingProviderExtension	93
2.254	PidLidSharingProviderGuid	94
2.255	PidLidSharingProviderName	94
2.256	PidLidSharingProviderUrl	94
2.257	PidLidSharingRangeEnd	94
2.258	PidLidSharingRangeStart	94
2.259	PidLidSharingReciprocation	95
2.260	PidLidSharingRemoteByteSize	95
2.261	PidLidSharingRemoteComment	95
2.262	PidLidSharingRemoteCrc	95
2.263	PidLidSharingRemoteLastModificationTime	95
2.264	PidLidSharingRemoteMessageCount	96
2.265	PidLidSharingRemoteName	96
2.266	PidLidSharingRemotePass	96
2.267	PidLidSharingRemotePath	96
2.268	PidLidSharingRemoteStoreUid	97
2.269	PidLidSharingRemoteType	97
2.270	PidLidSharingRemoteUid	97
2.271	PidLidSharingRemoteUser	97
2.272	PidLidSharingRemoteVersion	97
2.273	PidLidSharingResponseTime	98
2.274	PidLidSharingResponseType	98
2.275	PidLidSharingRoamLog	98
2.276	PidLidSharingStart	98
2.277	PidLidSharingStatus	98
2.278	PidLidSharingStop	99
2.279	PidLidSharingSyncFlags	99
2.280	PidLidSharingSyncInterval	99
2.281	PidLidSharingTimeToLive	99
2.282	PidLidSharingTimeToLiveAuto	100
2.283	PidLidSharingWorkingHoursDays	100
2.284	PidLidSharingWorkingHoursEnd	100
2.285	PidLidSharingWorkingHoursStart	100
2.286	PidLidSharingWorkingHoursTimeZone	100
2.287	PidLidSideEffects	101
2.288	PidLidSingleInvite	101

2.289	PidLidSmartNoAttach.....	101
2.290	PidLidSpamOriginalFolder.....	101
2.291	PidLidStartRecurrenceDate	101
2.292	PidLidStartRecurrenceTime	102
2.293	PidLidTaskAcceptanceState	102
2.294	PidLidTaskAccepted.....	102
2.295	PidLidTaskActualEffort.....	102
2.296	PidLidTaskAssigner.....	103
2.297	PidLidTaskAssigners	103
2.298	PidLidTaskComplete	103
2.299	PidLidTaskDateCompleted	103
2.300	PidLidTaskDeadOccurrence.....	103
2.301	PidLidTaskDueDate.....	104
2.302	PidLidTaskEstimatedEffort	104
2.303	PidLidTaskFCreator.....	104
2.304	PidLidTaskFFixOffline.....	104
2.305	PidLidTaskFRecurring.....	104
2.306	PidLidTaskGlobalId	105
2.307	PidLidTaskHistory	105
2.308	PidLidTaskLastDelegate	105
2.309	PidLidTaskLastUpdate	105
2.310	PidLidTaskLastUser.....	106
2.311	PidLidTaskMode.....	106
2.312	PidLidTaskMultipleRecipients	106
2.313	PidLidTaskNoCompute	106
2.314	PidLidTaskOrdinal	106
2.315	PidLidTaskOwner	107
2.316	PidLidTaskOwnership	107
2.317	PidLidTaskRecurrence.....	107
2.318	PidLidTaskResetReminder	107
2.319	PidLidTaskRole.....	107
2.320	PidLidTaskStartDate	108
2.321	PidLidTaskState	108
2.322	PidLidTaskStatus	108
2.323	PidLidTaskStatusOnComplete	108
2.324	PidLidTaskUpdates	109
2.325	PidLidTaskVersion	109
2.326	PidLidTeamTask	109
2.327	PidLidTimeZone	109
2.328	PidLidTimeZoneDescription	109
2.329	PidLidTimeZoneStruct	110
2.330	PidLidToDoAttendeesString	110
2.331	PidLidToDoOrdinalDate	110
2.332	PidLidToDoSubOrdinal	110

2.333	PidLidToDoTitle	110
2.334	PidLidUseTnef	111
2.335	PidLidValidFlagStringProof	111
2.336	PidLidVerbResponse	111
2.337	PidLidVerbStream	111
2.338	PidLidWeekInterval	112
2.339	PidLidWhere	112
2.340	PidLidWorkAddress	112
2.341	PidLidWorkAddressCity	112
2.342	PidLidWorkAddressCountry	112
2.343	PidLidWorkAddressCountryCode	113
2.344	PidLidWorkAddressPostalCode	113
2.345	PidLidWorkAddressPostOfficeBox	113
2.346	PidLidWorkAddressState	113
2.347	PidLidWorkAddressStreet	113
2.348	PidLidYearInterval	114
2.349	PidLidYomiCompanyName	114
2.350	PidLidYomiFirstName	114
2.351	PidLidYomiLastName	114
2.352	PidLidInfoPathFormName	115
2.353	PidNameAcceptLanguage	115
2.354	PidNameApplicationName	115
2.355	PidNameApproved	115
2.356	PidNameAttachmentMacContentType	115
2.357	PidNameAttachmentMacInfo	116
2.358	PidNameAudioNotes	116
2.359	PidNameAuthor	116
2.360	PidNameBcc	116
2.361	PidNameByteCount	116
2.362	PidNameCalendarAttendeeRole	117
2.363	PidNameCalendarBusystatus	117
2.364	PidNameCalendarContact	117
2.365	PidNameCalendarContactUrl	117
2.366	PidNameCalendarCreated	118
2.367	PidNameCalendarDescriptionUrl	118
2.368	PidNameCalendarDuration	118
2.369	PidNameCalendarExceptionDate	118
2.370	PidNameCalendarExceptionRule	118
2.371	PidNameCalendarGeoLatitude	119
2.372	PidNameCalendarGeoLongitude	119
2.373	PidNameCalendarInstanceType	119
2.374	PidNameCalendarIsOrganizer	119
2.375	PidNameCalendarLastModified	119
2.376	PidNameCalendarLocationUrl	120

2.377	PidNameCalendarMeetingStatus	120
2.378	PidNameCalendarMethod	120
2.379	PidNameCalendarProductId	120
2.380	PidNameCalendarRecurrenceIdRange	121
2.381	PidNameCalendarReminderOffset.....	121
2.382	PidNameCalendarResources	121
2.383	PidNameCalendarRsvp.....	121
2.384	PidNameCalendarSequence	121
2.385	PidNameCalendarTimeZone	122
2.386	PidNameCalendarTimeZoneId.....	122
2.387	PidNameCalendarTransparent.....	122
2.388	PidNameCalendarUid	122
2.389	PidNameCalendarVersion	122
2.390	PidNameCategory	123
2.391	PidNameCc.....	123
2.392	PidNameCharacterCount	123
2.393	PidNameComments	123
2.394	PidNameCompany	124
2.395	PidNameContentBase	124
2.396	PidNameContentClass	124
2.397	PidNameContentDisposition	124
2.398	PidNameContentID	124
2.399	PidNameContentLanguage	125
2.400	PidNameContentLocation.....	125
2.401	PidNameContentTransferEncoding	125
2.402	PidNameContentType.....	125
2.403	PidNameControl.....	125
2.404	PidNameCreateDateTextReadOnly	126
2.405	PidNameCrossReference	126
2.406	PidNameDavId	126
2.407	PidNameDavIsCollection	126
2.408	PidNameDavIsStructuredDocument.....	127
2.409	PidNameDavParentName	127
2.410	PidNameDavResourceType	127
2.411	PidNameDavSearchRequest.....	127
2.412	PidNameDavSearchType.....	127
2.413	PidNameDavUid	128
2.414	PidNameDisposition	128
2.415	PidNameDispositionNotificationOptions	128
2.416	PidNameDispositionNotificationTo	128
2.417	PidNameDistribution	128
2.418	PidNameDocumentParts.....	129
2.419	PidNameEditTime.....	129
2.420	PidNameExchangeArchive.....	129

2.421	PidNameExchangeComposeFontColor	129
2.422	PidNameExchangeComposeFontFlags.....	130
2.423	PidNameExchangeComposeFontName.....	130
2.424	PidNameExchangeComposeFontSize	130
2.425	PidNameExchangeIntendedBusyStatus.....	130
2.426	PidNameExchangeJunkEmailMoveStamp.....	130
2.427	PidNameExchangeMailboxOwnerEntryId.....	131
2.428	PidNameExchangeMailboxOwnerName	131
2.429	PidNameExchangeModifyExceptionStructure.....	131
2.430	PidNameExchangeMsexchembdefaultmailfolder.....	131
2.431	PidNameExchangeMsexchembdefaultmailfoldertype.....	131
2.432	PidNameExchangeNewMailNotify	132
2.433	PidNameExchangeNoModifyExceptions	132
2.434	PidNameExchangeOutOfOfficeState.....	132
2.435	PidNameExchangePatternEnd.....	132
2.436	PidNameExchangePatternStart.....	133
2.437	PidNameExchangePreviewMarkAsRead	133
2.438	PidNameExchangePreviewReadDelayTime	133
2.439	PidNameExchangePublicFolderEmailAddress	133
2.440	PidNameExchangeReadReceipt.....	133
2.441	PidNameExchangeReminderInterval	134
2.442	PidNameExchangeSmallIcon	134
2.443	PidNameExchangeSmimeEncrypt	134
2.444	PidNameExchangeSmimeSign	134
2.445	PidNameExchangeUserEntryId	134
2.446	PidNameExchDatabaseSchema	135
2.447	PidNameExchDataExpectedContentClass	135
2.448	PidNameExchDataSchemaCollectionReference.....	135
2.449	PidNameExpires	135
2.450	PidNameExpiryDate	136
2.451	PidNameFollowupTo	136
2.452	PidNameFrom	136
2.453	PidNameHeadingPairs	136
2.454	PidNameHiddenCount	136
2.455	PidNameHttpmailBcc	137
2.456	PidNameHttpmailCalendar	137
2.457	PidNameHttpmailCc	137
2.458	PidNameHttpmailContacts	137
2.459	PidNameHttpmailContentDispositionType	137
2.460	PidNameHttpmailContentMediaType	138
2.461	PidNameHttpmailDeleteditems	138
2.462	PidNameHttpmailDrafts	138
2.463	PidNameHttpmailFrom	138
2.464	PidNameHttpmailFromEmail	139

2.465	PidNameHttpmailHtmlDescription.....	139
2.466	PidNameHttpmailInbox	139
2.467	PidNameHttpmailJunkEmail	139
2.468	PidNameHttpmailMessageFolderRoot	139
2.469	PidNameHttpmailNotes	140
2.470	PidNameHttpmailOutbox	140
2.471	PidNameHttpmailReplyTo	140
2.472	PidNameHttpmailSaveDestination	140
2.473	PidNameHttpmailSaveInSent	140
2.474	PidNameHttpmailSender	141
2.475	PidNameHttpmailSenderEmail	141
2.476	PidNameHttpmailSendMessage	141
2.477	PidNameHttpmailSentItems	141
2.478	PidNameHttpmailSpecial	142
2.479	PidNameHttpmailSubmitted	142
2.480	PidNameHttpmailTo	142
2.481	PidNameICalendarRecurrenceDate	142
2.482	PidNameICalendarRecurrenceRule	142
2.483	PidNameImportance	143
2.484	PidNameInReplyTo	143
2.485	PidNameInternetComment	143
2.486	PidNameInternetKeywords	143
2.487	PidNameInternetSubject	143
2.488	PidNameKeywords	144
2.489	PidNameLastAuthor	144
2.490	PidNameLastPrinted	144
2.491	PidNameLastPrinted	144
2.492	PidNameLastSaveDateTime	145
2.493	PidNameLineCount	145
2.494	PidNameLines	145
2.495	PidNameLinksDirty	145
2.496	PidNameManager	146
2.497	PidNameMessageId	146
2.498	PidNameMimeType	146
2.499	PidNameMultimediaClipCount	146
2.500	PidNameNewsgroups	146
2.501	PidNameNntpPostingHost	147
2.502	PidNameNntpPostingUser	147
2.503	PidNameNoteCount	147
2.504	PidNameOMSAccountGuid	147
2.505	PidNameOMSMobileModel	148
2.506	PidNameOMSScheduleTime	148
2.507	PidNameOMSServiceType	148
2.508	PidNameOMSSourceType	148

2.509	PidNameOrganization.....	148
2.510	PidNameOriginalRecipient.....	149
2.511	PidNamePhishingStamp	149
2.512	PidNamePageCount	149
2.513	PidNameParagraphCount	149
2.514	PidNamePath	150
2.515	PidNamePostingVersion	150
2.516	PidNamePresentationFormat	150
2.517	PidNamePriority	150
2.518	PidNameReceived	150
2.519	PidNameReferences	151
2.520	PidNameRelayVersion	151
2.521	PidNameReplyBy	151
2.522	PidNameReplyTo	151
2.523	PidNameReturnPath	151
2.524	PidNameReturnReceiptTo	152
2.525	PidNameRevisionNumber	152
2.526	PidNameRightsManagementLicense	152
2.527	PidNameScale	152
2.528	PidNameSecurity	153
2.529	PidNameSender	153
2.530	PidNameSensitivity	153
2.531	PidNameSlideCount	153
2.532	PidNameSubject	153
2.533	PidNameSummary	154
2.534	PidNameTemplate	154
2.535	PidNameThreadIndex	154
2.536	PidNameThreadTopic	154
2.537	PidNameThumbnail	155
2.538	PidNameTitle	155
2.539	PidNameTo	155
2.540	PidNameWordCount	155
2.541	PidNameXMailer	155
2.542	PidNameXMessageCompleted	156
2.543	PidNameXMessageFlag	156
2.544	PidNameXSharingBrowseUrl	156
2.545	PidNameXSharingCapabilities	156
2.546	PidNameXSharingConfigUrl	157
2.547	PidNameXSharingExendedCaps	157
2.548	PidNameXSharingFlavor	157
2.549	PidNameXSharingInstanceGuid	157
2.550	PidNameXSharingLocalType	157
2.551	PidNameXSharingProviderGuid	158
2.552	PidNameXSharingProviderName	158

2.553	PidNameXSharingProviderUrl.....	158
2.554	PidNameXSharingRemoteName	158
2.555	PidNameXSharingRemotePath	158
2.556	PidNameXSharingRemoteStoreUid.....	159
2.557	PidNameXSharingRemoteType	159
2.558	PidNameXSharingRemoteUid	159
2.559	PidNameXUnsent.....	159
2.560	PidNameQuarantineOriginalSender.....	160
2.561	PidNameXCallId	160
2.562	PidNameXFaxNumberOfPages	160
2.563	PidNameXSenderTelephoneNumber.....	160
2.564	PidNameXVoiceMessageAttachmentOrder.....	160
2.565	PidNameXVoiceMessageDuration	161
2.566	PidNameXVoiceMessageSenderName	161
2.567	PidTag7BitDisplayName	161
2.568	PidTagAccess	161
2.569	PidTagAccessLevel.....	161
2.570	PidTagAccount	162
2.571	PidTagAdditionalRenEntryIds	162
2.572	PidTagAdditionalRenEntryIdsEx.....	162
2.573	PidTagAddressBookContainerId	162
2.574	PidTagAddressBookDisplayNamePrintable	162
2.575	PidTagAddressBookEntryId.....	163
2.576	PidTagAddressBookExtensionAttribute1	163
2.577	PidTagAddressBookExtensionAttribute15.....	163
2.578	PidTagAddressBookFolderPathname	163
2.579	PidTagAddressBookHierarchicalChildDepartments	164
2.580	PidTagAddressBookHierarchicalDepartmentMembers	164
2.581	PidTagAddressBookHierarchicalParentDepartment.....	164
2.582	PidTagAddressBookHierarchicalRootDepartment	164
2.583	PidTagAddressBookHierarchicalShowInDepartments	164
2.584	PidTagAddressBookHomeMessageDatabase	164
2.585	PidTagAddressBookIsMaster.....	165
2.586	PidTagAddressBookIsMemberOfDistributionList	165
2.587	PidTagAddressBookManageDistributionList	165
2.588	PidTagAddressBookManager	165
2.589	PidTagAddressBookManagerDistinguishedName	166
2.590	PidTagAddressBookMember	166
2.591	PidTagAddressBookMessageId	166
2.592	PidTagAddressBookNetworkAddress	166
2.593	PidTagAddressBookObjectDistinguishedName	166
2.594	PidTagAddressBookObjectGuid.....	167
2.595	PidTagAddressBookOwner	167
2.596	PidTagAddressBookOwnerBackLink	167

2.597	PidTagAddressBookParentEntryId	167
2.598	PidTagAddressBookPhoneticCompanyName	167
2.599	PidTagAddressBookPhoneticDepartmentName	168
2.600	PidTagAddressBookPhoneticDisplayName	168
2.601	PidTagAddressBookPhoneticGivenName	168
2.602	PidTagAddressBookPhoneticSurname	168
2.603	PidTagAddressBookProxyAddresses	168
2.604	PidTagAddressBookPublicDelegates	169
2.605	PidTagAddressBookReports	169
2.606	PidTagAddressBookRoomCapacity	169
2.607	PidTagAddressBookRoomContainers	169
2.608	PidTagAddressBookRoomDescription	169
2.609	PidTagAddressBookSeniorityIndex	170
2.610	PidTagAddressBookTargetAddress	170
2.611	PidTagAddressBookX509Certificate	170
2.612	PidTagAddressType	170
2.613	PidTagAlternateRecipientAllowed	171
2.614	PidTagAnr	171
2.615	PidTagAssistant	171
2.616	PidTagAssistantTelephoneNumber	171
2.617	PidTagAssociated	171
2.618	PidTagAttachAdditionalInformation	172
2.619	PidTagAttachContentBase	172
2.620	PidTagAttachContentId	172
2.621	PidTagAttachContentLocation	172
2.622	PidTagAttachDataBinary	172
2.623	PidTagAttachDataObject	173
2.624	PidTagAttachEncoding	173
2.625	PidTagAttachExtension	173
2.626	PidTagAttachFilename	173
2.627	PidTagAttachFlags	174
2.628	PidTagAttachLongFilename	174
2.629	PidTagAttachLongPathname	174
2.630	PidTagAttachmentContactPhoto	174
2.631	PidTagAttachmentFlags	174
2.632	PidTagAttachmentHidden	175
2.633	PidTagAttachmentLinkId	175
2.634	PidTagAttachMethod	175
2.635	PidTagAttachMimeType	175
2.636	PidTagAttachNumber	176
2.637	PidTagAttachPathname	176
2.638	PidTagAttachPayloadClass	176
2.639	PidTagAttachPayloadProviderGuidString	176
2.640	PidTagAttachRendering	176

2.641	PidTagAttachSize	177
2.642	PidTagAttachTag	177
2.643	PidTagAttachTransportName	177
2.644	PidTagAttributeHidden	177
2.645	PidTagAttributeReadOnly	177
2.646	PidTagAttributeSystem	178
2.647	PidTagAutoForwarded	178
2.648	PidTagAutoResponseSuppress	178
2.649	PidTagBirthday	178
2.650	PidTagBlockStatus	178
2.651	PidTagBody	179
2.652	PidTagBodyContentId	179
2.653	PidTagBodyContentLocation	179
2.654	PidTagBodyHtml	179
2.655	PidTagBusiness2TelephoneNumber	179
2.656	PidTagBusiness2TelephoneNumberNumbers	180
2.657	PidTagBusinessFaxNumber	180
2.658	PidTagBusinessHomePage	180
2.659	PidTagBusinessTelephoneNumber	180
2.660	PidTagCallbackTelephoneNumber	181
2.661	PidTagCallId	181
2.662	PidTagCarTelephoneNumber	181
2.663	PidTagCdoRecurrenceid	181
2.664	PidTagChangeKey	181
2.665	PidTagChangeNotificationGuid	182
2.666	PidTagChangeNumber	182
2.667	PidTagChildrensNames	182
2.668	PidTagClientActions	182
2.669	PidTagClientSubmitTime	182
2.670	PidTagCnsetRead	183
2.671	PidTagCnsetSeen	183
2.672	PidTagCnsetSeenFAI	183
2.673	PidTagCodePageId	183
2.674	PidTagComment	183
2.675	PidTagCompanyMainTelephoneNumber	184
2.676	PidTagCompanyName	184
2.677	PidTagComputerNetworkName	184
2.678	PidTagConflictEntryId	184
2.679	PidTagConflictItems	184
2.680	PidTagContainerClass	185
2.681	PidTagContainerContents	185
2.682	PidTagContainerFlags	185
2.683	PidTagContainerHierarchy	185
2.684	PidTagContentCount	185

2.685	PidTagContentFilterSpamConfidenceLevel	186
2.686	PidTagContentUnreadCount	186
2.687	PidTagConversationIndex	186
2.688	PidTagConversationKey	186
2.689	PidTagConversationTopic	186
2.690	PidTagConvertHtmlSecurity	187
2.691	PidTagCountry	187
2.692	PidTagCreationTime	187
2.693	PidTagCreatorEntryId	187
2.694	PidTagCreatorName	187
2.695	PidTagCreatorSimpleDisplayName	188
2.696	PidTagCustomerId	188
2.697	PidTagDamBackPatched	188
2.698	PidTagDamOriginalEntryId	188
2.699	PidTagDefaultPostMessageClass	188
2.700	PidTagDeferredDeliveryTime	189
2.701	PidTagDeferredSendNumber	189
2.702	PidTagDeferredSendTime	189
2.703	PidTagDeferredSendUnits	189
2.704	PidTagDelegatedByRule	189
2.705	PidTagDelegateFlags	190
2.706	PidTagDelegation	190
2.707	PidTagDeleteAfterSubmit	190
2.708	PidTagDeletedOn	190
2.709	PidTagDepartmentName	190
2.710	PidTagDepth	191
2.711	PidTagDisplayBcc	191
2.712	PidTagDisplayCc	191
2.713	PidTagDisplayName	191
2.714	PidTagDisplayNamePrefix	191
2.715	PidTagDisplayTo	192
2.716	PidTagDisplayType	192
2.717	PidTagDisplayTypeEx	192
2.718	PidTagEcWarning	192
2.719	PidTagEmailAddress	193
2.720	PidTagEmailAddress1	193
2.721	PidTagEndDate	193
2.722	PidTagEntryId	193
2.723	PidTagExceptionEndTime	194
2.724	PidTagExceptionReplaceTime	194
2.725	PidTagExceptionStartTime	194
2.726	PidTagExchangeNTSecurityDescriptor	194
2.727	PidTagExpiryNumber	194
2.728	PidTagExpiryTime	195

2.729	PidTagExpiryUnits	195
2.730	PidTagExtendedFolderFlags	195
2.731	PidTagExtendedRuleMessageActions	195
2.732	PidTagExtendedRuleMessageCondition	195
2.733	PidTagExtendedRuleSizeLimit	196
2.734	PidTagFaxNumberOfPages	196
2.735	PidTagFlagCompleteTime	196
2.736	PidTagFlagStatus	196
2.737	PidTagFlatUrlName	196
2.738	PidTagFolderAssociatedContents	197
2.739	PidTagFolderId	197
2.740	PidTagFolderType	197
2.741	PidTagFollowupIcon	197
2.742	PidTagFreeBusyCountMonths	197
2.743	PidTagFreeBusyEntryIds	198
2.744	PidTagFreeBusyMessageEmailAddress	198
2.745	PidTagFreeBusyPublishEnd	198
2.746	PidTagFreeBusyPublishStart	198
2.747	PidTagFreeBusyRangeTimestamp	198
2.748	PidTagFtpSite	198
2.749	PidTagFXDelProp	199
2.750	PidTagGatewayNeedsToRefresh	199
2.751	PidTagGender	199
2.752	PidTagGeneration	199
2.753	PidTagGivenName	199
2.754	PidTagGovernmentIdNumber	200
2.755	PidTagHasAttachments	200
2.756	PidTagHasDeferredActionMessages	200
2.757	PidTagHasNamedProperties	200
2.758	PidTagHasRules	200
2.759	PidTagHierarchyChangeNumber	201
2.760	PidTagHobbies	201
2.761	PidTagHome2TelephoneNumber	201
2.762	PidTagHome2TelephoneNumbers	201
2.763	PidTagHomeAddressCity	201
2.764	PidTagHomeAddressCountry	202
2.765	PidTagHomeAddressPostalCode	202
2.766	PidTagHomeAddressPostOfficeBox	202
2.767	PidTagHomeAddressStateOrProvince	202
2.768	PidTagHomeAddressStreet	203
2.769	PidTagHomeFaxNumber	203
2.770	PidTagHomeTelephoneNumber	203
2.771	PidTagHtml	203
2.772	PidTagICalendarEndTime	203

2.773	PidTagICalendarReminderNextTime	204
2.774	PidTagICalendarStartTime	204
2.775	PidTagIconIndex	204
2.776	PidTagIdsetDeleted	204
2.777	PidTagIdsetExpired	204
2.778	PidTagIdsetGiven	205
2.779	PidTagIdsetRead	205
2.780	PidTagIdsetSoftDeleted	205
2.781	PidTagIdsetUnread	205
2.782	PidTagImapCachedMsgsize	205
2.783	PidTagImportance	205
2.784	PidTagInConflict	206
2.785	PidTagIncrementalSyncMessagePartial	206
2.786	PidTagIncrSyncGroupId	206
2.787	PidTagInitialDetailsPane	206
2.788	PidTagInitials	206
2.789	PidTagInReplyToId	207
2.790	PidTagInstanceKey	207
2.791	PidTagInstanceNum	207
2.792	PidTagInstID	207
2.793	PidTagInternetArticleNumber	207
2.794	PidTagInternetCodepage	208
2.795	PidTagInternetLines	208
2.796	PidTagInternetMailOverrideFormat	208
2.797	PidTagInternetMessageId	208
2.798	PidTagInternetReferences	208
2.799	PidTagInternetReturnPath	209
2.800	PidTagIpmAppointmentEntryId	209
2.801	PidTagIpmContactEntryId	209
2.802	PidTagIpmDraftsEntryId	209
2.803	PidTagIpmJournalEntryId	209
2.804	PidTagIpmNoteEntryId	210
2.805	PidTagIpmTaskEntryId	210
2.806	PidTagIsdnNumber	210
2.807	PidTagItemTemporaryflags	210
2.808	PidTagJunkAddRecipientsToSafeSendersList	210
2.809	PidTagJunkIncludeContacts	211
2.810	PidTagJunkPermanentlyDelete	211
2.811	PidTagJunkPhishingEnableLinks	211
2.812	PidTagJunkThreshold	211
2.813	PidTagKeyword	211
2.814	PidTagLanguage	212
2.815	PidTagLastModificationTime	212
2.816	PidTagLastModifierEntryId	212

2.817	PidTagLastModifierName	212
2.818	PidTagLastModifierSimpleDisplayName	212
2.819	PidTagLastVerbExecuted	213
2.820	PidTagLastVerbExecutionTime	213
2.821	PidTagListHelp	213
2.822	PidTagListSubscribe	213
2.823	PidTagListUnsubscribe	213
2.824	PidTagLocalCommitTime	214
2.825	PidTagLocaleId	214
2.826	PidTagLocality	214
2.827	PidTagLocation	214
2.828	PidTagMailboxOwnerEntryId	214
2.829	PidTagMailboxOwnerName	215
2.830	PidTagManagerName	215
2.831	PidTagMappingSignature	215
2.832	PidTagMaximumSubmitMessageSize	215
2.833	PidTagMemberId	215
2.834	PidTagMemberName	216
2.835	PidTagMemberRights	216
2.836	PidTagMessageAttachments	216
2.837	PidTagMessageCcMe	216
2.838	PidTagMessageClass	216
2.839	PidTagMessageCodepage	217
2.840	PidTagMessageDeliveryTime	217
2.841	PidTagMessageEditorFormat	217
2.842	PidTagMessageFlags	217
2.843	PidTagMessageHandlingSystemCommonName	218
2.844	PidTagMessageLocaleId	218
2.845	PidTagMessageRecipientMe	218
2.846	PidTagMessageRecipients	218
2.847	PidTagMessageSize	218
2.848	PidTagMessageSizeExtended	219
2.849	PidTagMessageStatus	219
2.850	PidTagMessageSubmissionId	219
2.851	PidTagMessageToMe	219
2.852	PidTagMid	219
2.853	PidTagMiddleName	220
2.854	PidTagMobileTelephoneNumber	220
2.855	PidTagMsgFolderTemplateRes13	220
2.856	PidTagNewFXFolder	220
2.857	PidTagNextSendAcct	220
2.858	PidTagNickname	221
2.859	PidTagNormalizedSubject	221
2.860	PidTagNormalMessageSize	221

2.861	PidTagObjectType	221
2.862	PidTagOfficeLocation.....	222
2.863	PidTagOfflineAddressBookContainerGuid.....	222
2.864	PidTagOfflineAddressBookDistinguishedName	222
2.865	PidTagOfflineAddressBookMessageClass.....	222
2.866	PidTagOfflineAddressBookName	222
2.867	PidTagOfflineAddressBookSequence	223
2.868	PidTagOfflineAddressBookTruncatedProperties.....	223
2.869	PidTagOrdinalMost.....	223
2.870	PidTagOrganizationalIdNumber	223
2.871	PidTagOriginalAuthorName	223
2.872	PidTagOriginalDeliveryTime.....	224
2.873	PidTagOriginalDisplayBcc	224
2.874	PidTagOriginalDisplayCc.....	224
2.875	PidTagOriginalDisplayName	224
2.876	PidTagOriginalDisplayTo.....	224
2.877	PidTagOriginalEntryId.....	225
2.878	PidTagOriginalMessageClass.....	225
2.879	PidTagOriginalSearchKey	225
2.880	PidTagOriginalSenderAddressType	225
2.881	PidTagOriginalSenderEmailAddress	226
2.882	PidTagOriginalSenderEntryId	226
2.883	PidTagOriginalSenderName.....	226
2.884	PidTagOriginalSenderSearchKey	226
2.885	PidTagOriginalSensitivity.....	226
2.886	PidTagOriginalSentRepresentingAddressType	227
2.887	PidTagOriginalSentRepresentingEmailAddress	227
2.888	PidTagOriginalSentRepresentingEntryId	227
2.889	PidTagOriginalSentRepresentingName	227
2.890	PidTagOriginalSentRepresentingSearchKey	228
2.891	PidTagOriginalSubject.....	228
2.892	PidTagOriginalSubmitTime	228
2.893	PidTagOriginatorDeliveryReportRequested.....	228
2.894	PidTagOriginatorDeliveryReportRequested	228
2.895	PidTagOriginatorNonDeliveryReportRequested	229
2.896	PidTagOtherAddressCity	229
2.897	PidTagOtherAddressCountry	229
2.898	PidTagOtherAddressPostalCode	229
2.899	PidTagOtherAddressPostOfficeBox	230
2.900	PidTagOtherAddressStateOrProvince.....	230
2.901	PidTagOtherAddressStreet	230
2.902	PidTagOtherTelephoneNumber	230
2.903	PidTagOutOfOfficeState	230
2.904	PidTagOwnerAppointmentId	231

2.905	PidTagPagerTelephoneNumber	231
2.906	PidTagParentEntryId.....	231
2.907	PidTagParentFolderId	231
2.908	PidTagParentKey	231
2.909	PidTagParentSourceKey.....	232
2.910	PidTagPersonalHomePage	232
2.911	PidTagPostalAddress	232
2.912	PidTagPostalCode	232
2.913	PidTagPostOfficeBox	232
2.914	PidTagPredecessorChangeList	233
2.915	PidTagPrimaryFaxNumber.....	233
2.916	PidTagPrimarySendAccount	233
2.917	PidTagPrimarySmtpAddress	233
2.918	PidTagPrimaryTelephoneNumber	234
2.919	PidTagPriority	234
2.920	PidTagProcessed	234
2.921	PidTagProfession	234
2.922	PidTagProhibitReceiveQuota	234
2.923	PidTagProhibitSendQuota	235
2.924	PidTagProviderSubmitTime	235
2.925	PidTagPublicFolderAdministrativeDescription	235
2.926	PidTagPublicFolderProxy.....	235
2.927	PidTagPurportedSenderDomain.....	235
2.928	PidTagRadioTelephoneNumber	235
2.929	PidTagRead	236
2.930	PidTagReadReceiptEntryId	236
2.931	PidTagReadReceiptRequested	236
2.932	PidTagReadReceiptSearchKey	236
2.933	PidTagReceivedByAddressType	236
2.934	PidTagReceivedByEmailAddress	237
2.935	PidTagReceivedByEntryId	237
2.936	PidTagReceivedByFlags.....	237
2.937	PidTagReceivedByName.....	237
2.938	PidTagReceivedBySearchKey	238
2.939	PidTagReceivedRepresentingAddressType	238
2.940	PidTagReceivedRepresentingEmailAddress	238
2.941	PidTagReceivedRepresentingEntryId	238
2.942	PidTagReceivedRepresentingFlags.....	239
2.943	PidTagReceivedRepresentingName.....	239
2.944	PidTagReceivedRepresentingSearchKey	239
2.945	PidTagReceivedRepresentingSimpleDisplayName	239
2.946	PidTagReceivedRepresentingSimpleDisplayName	239
2.947	PidTagRecipientDisplayName	240
2.948	PidTagRecipientEntryId	240

2.949	PidTagRecipientFlags	240
2.950	PidTagRecipientOrder	240
2.951	PidTagRecipientProposed	240
2.952	PidTagRecipientProposedEndTime	241
2.953	PidTagRecipientProposedStartTime	241
2.954	PidTagRecipientReassignmentProhibited	241
2.955	PidTagRecipientResourceState	241
2.956	PidTagRecipientTrackStatus	241
2.957	PidTagRecipientTrackStatusTime	242
2.958	PidTagRecipientType	242
2.959	PidTagRecordKey	242
2.960	PidTagReferredByName	242
2.961	PidTagRemindersOnlineEntryId	242
2.962	PidTagRemoteHeaderLoc	243
2.963	PidTagRenderingPosition	243
2.964	PidTagReplyRecipientEntries	243
2.965	PidTagReplyRecipientNames	243
2.966	PidTagReplyRequested	244
2.967	PidTagReplyTemplateId	244
2.968	PidTagReplyTime	244
2.969	PidTagReportEntryId	244
2.970	PidTagReportSearchKey	244
2.971	PidTagReportTag	245
2.972	PidTagReportText	245
2.973	PidTagReportTime	245
2.974	PidTagResolveMethod	245
2.975	PidTagResponseRequested	245
2.976	PidTagResponsibility	246
2.977	PidTagRights	246
2.978	PidTagRoamingDatatypes	246
2.979	PidTagRoamingDictionary	246
2.980	PidTagRoamingXmlStream	246
2.981	PidTagRowid	247
2.982	PidTagRowType	247
2.983	PidTagRtfCompressed	247
2.984	PidTagRtfInSync	247
2.985	PidTagRtfSyncBodyCount	247
2.986	PidTagRtfSyncBodyCrc	248
2.987	PidTagRtfSyncBodyTag	248
2.988	PidTagRtfSyncPrefixCount	248
2.989	PidTagRtfSyncTrailingCount	248
2.990	PidTagRuleActionNumber	248
2.991	PidTagRuleActions	249
2.992	PidTagRuleActionType	249

2.993	PidTagRuleCondition.....	249
2.994	PidTagRuleError	249
2.995	PidTagRuleFolderEntryId.....	249
2.996	PidTagRuleId.....	249
2.997	PidTagRuleLevel.....	250
2.998	PidTagRuleMessageLevel	250
2.999	PidTagRuleMessageProviderData	250
2.1000	PidTagRuleMessageSequence	250
2.1001	PidTagRuleMessageState	250
2.1002	PidTagRuleMsgActions	251
2.1003	PidTagRuleMsgCondition.....	251
2.1004	PidTagRuleMsgLevel	251
2.1005	PidTagRuleMsgName	251
2.1006	PidTagRuleMsgProvider	251
2.1007	PidTagRuleMsgProviderData	252
2.1008	PidTagRuleMsgSequence	252
2.1009	PidTagRuleMsgState	252
2.1010	PidTagRuleMsgUserFlags	252
2.1011	PidTagRuleName.....	252
2.1012	PidTagRuleProvider	253
2.1013	PidTagRuleProviderData	253
2.1014	PidTagRuleSequence	253
2.1015	PidTagRuleState	253
2.1016	PidTagRuleUserFlags	253
2.1017	PidTagScheduleInfoAppointmentTombstone.....	254
2.1018	PidTagScheduleInfoAutoAcceptAppointments.....	254
2.1019	PidTagScheduleInfoDelegateEntryIds	254
2.1020	PidTagScheduleInfoDelegateNames	254
2.1021	PidTagScheduleInfoDelegateNamesW	254
2.1022	PidTagScheduleInfoDelegatorWantsCopy	254
2.1023	PidTagScheduleInfoDelegatorWantsInfo	255
2.1024	PidTagScheduleInfoDisallowOverlappingAppts.....	255
2.1025	PidTagScheduleInfoDisallowRecurringAppts	255
2.1026	PidTagScheduleInfoDontMailDelegates	255
2.1027	PidTagScheduleInfoFreeBusy	255
2.1028	PidTagScheduleInfoFreeBusyAway	256
2.1029	PidTagScheduleInfoFreeBusyBusy	256
2.1030	PidTagScheduleInfoFreeBusyMerged.....	256
2.1031	PidTagScheduleInfoFreeBusyTentative	256
2.1032	PidTagScheduleInfoMonthsAway.....	256
2.1033	PidTagScheduleInfoMonthsBusy	257
2.1034	PidTagScheduleInfoMonthsMerged.....	257
2.1035	PidTagScheduleInfoMonthsTentative	257
2.1036	PidTagScheduleInfoResourceType	257

2.1037	PidTagSchedulePlusFreeBusyEntryId.....	257
2.1038	PidTagScriptData.....	257
2.1039	PidTagSearchFolderDefinition	258
2.1040	PidTagSearchFolderEfpFlags	258
2.1041	PidTagSearchFolderExpiration	258
2.1042	PidTagSearchFolderId	258
2.1043	PidTagSearchFolderLastUsed.....	258
2.1044	PidTagSearchFolderRecreateInfo	259
2.1045	PidTagSearchFolderStorageType	259
2.1046	PidTagSearchFolderTag	259
2.1047	PidTagSearchFolderTemplateId	259
2.1048	PidTagSearchKey	259
2.1049	PidTagSecureSubmitFlags	260
2.1050	PidTagSecurityDescriptor	260
2.1051	PidTagSecurityDescriptorAsXml	260
2.1052	PidTagSelectable.....	260
2.1053	PidTagSenderAddressType	260
2.1054	PidTagSenderEmailAddress	261
2.1055	PidTagSenderEntryId	261
2.1056	PidTagSenderFlags	261
2.1057	PidTagSenderIdStatus	261
2.1058	PidTagSenderName	261
2.1059	PidTagSenderSearchKey	262
2.1060	PidTagSenderSimpleDisplayName	262
2.1061	PidTagSenderTelephoneNumber	262
2.1062	PidTagSendInternetEncoding	262
2.1063	PidTagSendRichInfo	263
2.1064	PidTagSensitivity	263
2.1065	PidTagSentMailEntryId	263
2.1066	PidTagSentMailSvrEID	263
2.1067	PidTagSentRepresentingAddressType	263
2.1068	PidTagSentRepresentingEmailAddress	264
2.1069	PidTagSentRepresentingEntryId	264
2.1070	PidTagSentRepresentingFlags	264
2.1071	PidTagSentRepresentingName	264
2.1072	PidTagSentRepresentingSearchKey	265
2.1073	PidTagSentRepresentingSimpleDisplayName	265
2.1074	PidTagSmtpAddress	265
2.1075	PidTagSortLocaleId	265
2.1076	PidTagSourceKey	265
2.1077	PidTagSpouseName	266
2.1078	PidTagStartDate	266
2.1079	PidTagStateOrProvince	266
2.1080	PidTagStoreEntryId	266

2.1081	PidTagStoreState.....	267
2.1082	PidTagStoreSupportMask	267
2.1083	PidTagStreetAddress	267
2.1084	PidTagSubfolder	267
2.1085	PidTagSubfolders.....	267
2.1086	PidTagSubject	268
2.1087	PidTagSubjectPrefix	268
2.1088	PidTagSubmitFlags.....	268
2.1089	PidTagSurname	268
2.1090	PidTagSwappedToDoData.....	268
2.1091	PidTagSwappedToDoStore	269
2.1092	PidTagTargetEntryId	269
2.1093	PidTagTcvConstLongOne.....	269
2.1094	PidTagTelecommunicationsDeviceForDeafPhoneNumber	269
2.1095	PidTagTelexNumber	269
2.1096	PidTagTemplateData	270
2.1097	PidTagTemplateid.....	270
2.1098	PidTagTemporaryDefaultDocument	270
2.1099	PidTagTextAttachmentCharset	270
2.1100	PidTagTitle	270
2.1101	PidTagTnefCorrelationKey	271
2.1102	PidTagToDoItemFlags	271
2.1103	PidTagTransmittableDisplayName.....	271
2.1104	PidTagTransportMessageHeaders	271
2.1105	PidTagTrustSender	271
2.1106	PidTagTtyTddPhoneNumber	272
2.1107	PidTagUrlCompName	272
2.1108	PidTagUrlCompNameSet	272
2.1109	PidTagUrlName	272
2.1110	PidTagUserCertificate	272
2.1111	PidTagUserEntryId	273
2.1112	PidTagUserX509Certificate	273
2.1113	PidTagViewDescriptorBinary	273
2.1114	PidTagViewDescriptorName	273
2.1115	PidTagViewDescriptorStrings	273
2.1116	PidTagViewDescriptorVersion	273
2.1117	PidTagVoiceMessageAttachmentOrder	274
2.1118	PidTagVoiceMessageDuration	274
2.1119	PidTagVoiceMessageSenderName	274
2.1120	PidTagWeddingAnniversary.....	274
3	<i>Structure Examples</i>	274
4	<i>Security Considerations</i>	274
5	<i>Appendix A: Office/Exchange Behavior</i>	275

<i>Index.....</i>	276
-------------------	------------

1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

message class
named property
property
property ID
property set

The following terms are specific to this document:

tagged property: A property defined by a 16-bit **property ID** and a 16-bit **property type**.
The **property ID** for a **tagged property** MUST fall in the range 0x001 – 0x7FFF.
Property IDs in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", June 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", June 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-Mail Object Conversion Protocol Specification", June 2008.

[MS-OXCMMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", June 2008.

[MS-OXCPERM] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", June 2008.

[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", June 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", June 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", June 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", June 2008.

[MS-OXGLOS] Microsoft Corporation, "Exchange Server Protocols Master Glossary", June 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", June 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", June 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", June 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", June 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", June 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", June 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", June 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", June 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", June 2008.

[MS-OXOJRNL] Microsoft Corporation, "Journal Object Protocol Specification", June 2008.

[MS-OXOMSG] Microsoft Corporation, "E-Mail Object Protocol Specification", June 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", June 2008.

[MS-OXOPFFB] Microsoft Corporation, "Public Folder-Based Free/Busy Protocol Specification", June 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", June 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", June 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-Mail Object Protocol Specification", June 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", June 2008.

[MS-OXORULE] Microsoft Corporation, "E-Mail Rules Protocol Specification", June 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", June 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", June 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", June 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", June 2008.

[MS-OXOUML] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", June 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", June 2008.

[MS-OXPROTO] Microsoft Corporation, "Exchange Server Protocols Overview", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", June 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", June 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", June 2008.

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", June 2008.

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", June 2008.

[MS-XWDCAL] Microsoft Corporation, "WebDAV Extensions for Calendar Support", December 2008.

[MS-XWDDOC] Microsoft Corporation, "WebDAV Extensions for Documents Support", December 2008.

[MS-XWDMAIL] Microsoft Corporation, "WebDAV Extensions for E-Mail Support", December 2008.

[MS-XWDSEARCH] Microsoft Corporation, "WebDAV Extensions for Search", December 2008.

[MS-XWDSTRUCTDOC] Microsoft Corporation, "WebDAV Extensions for Structured Documents", December 2008.

[MS-XWDVSEC] Microsoft Corporation, "Web Distributed Authoring and Versioning (WebDAV) Protocol: Security Descriptor Extensions Specification", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[RFC4234] Crocker, D., Ed. and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 4234, October 2005, <http://www.ietf.org/rfc/rfc4234.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each **property**, as appropriate:

Alternate names: Any additional names used to refer to this property.

Area: A group of properties with related functionality.

Canonical name: The name used to refer to this property in other protocol specifications.

data type: A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

property ID: An unsigned 16-bit quantity that identifies a **tagged property**.

Property long ID (LID): An unsigned 32-bit quantity that, along with the **property set**, identifies a **named property**.

property name: A string that, along with the property set, identifies a named property.

property set: A GUID that identifies a group of properties with a similar purpose.

References: One or more protocol documents that specify the semantics and allowed values for this property.

1.3.1 Common Message Classes

Applications MUST set certain required properties corresponding to the object's **message class**. Applications SHOULD handle the case where required properties are missing; treating a message object as **IPM.Note** is a common fallback strategy. The following table lists several common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk “*” denotes that any string MAY appear at that point.

Area	PidTagMessageClass values	Document
Common	IPM.*	[MS-OXCMSG]
Email	IPM.Note, REPORT.*	[MS-OXOMSG]
Calendar	IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification	[MS-OXOCAL]
Contact	IPM.Contact, IPM.DistList	[MS-OXOCNTC]
Task	IPM.Task, IPM.TaskRequest.*	[MS-OXOTASK]
Journal	IPM.Activity	[MS-OXOJRNLL]
Sticky note	IPM.StickyNote	[MS-OXONOTE]
Document	IPM.Document.*	[MS-OXODOC]
Post	IPM.Post	[MS-OXOPOST]
RSS feed	IPM.Post.RSS	[MS-OXORSS]
Rights-	IPM.Note with PidNameContentClass=	[MS-OXORMMS]

managed email	rpmsg.message	
S/MIME email	IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned	[MS-OXOSMIME]
Short message service / Multimedia Message Service Message	IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS	[MS-OXOSMMS]
Unified messaging	IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax	[MS-OXOUM]
Sharing	IPM.Sharing IPM.Sharing.*	[MS-OXSHARE]

1.3.2 Commonly Used Property Sets

In the **property** index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

Area	Property set name and GUID value
Common	PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Common	PSETID_Common {00062008-0000-0000-C000-000000000046}
Contact	PSETID_Address {00062004-0000-0000-C000-000000000046}
Email	PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Calendar	PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Calendar	PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Journal	PSETID_Log {0006200A-0000-0000-C000-000000000046}
Sticky note	PSETID_Note {0006200E-0000-0000-C000-000000000046}
RSS feed	PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Task	PSETID_Task {00062003-0000-0000-C000-000000000046}
Unified messaging	PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}
Common	PS_MAPI

	{00020328-0000-0000-C000-000000000046}
Sync	PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Sharing	PSETID_Sharing {00062040-0000-0000-C000-000000000046}

1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term "non-transmittable" refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers SHOULD NOT allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. Property IDs in ranges not specified as non-transmittable SHOULD be submitted for transport to another server.
- Clients MAY use properties in ranges specified as **message class**-defined for application-defined purposes. When doing so, applications MUST specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients MAY use any **named property** for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's **property set** MUST be distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients MAY use properties in ranges specified as transport-defined, but they MUST NOT define new properties in those ranges.
- Clients MAY use and define properties in ranges specified as user-defined, but SHOULD take care to avoid conflicts with alternate definitions of the same **property ID**.

Range minimum	Range maximum	Specification
0x0001	0x0BFF	Message envelope property; reserved
0x0C00	0x0DFF	Recipient property; reserved
0x0E00	0x0FFF	Non-transmittable message property; reserved
0x1000	0x2FFF	Message content property; reserved
0x3000	0x33FF	Multi-purpose property that can appear on all or most objects; reserved
0x3400	0x35FF	Message store property; reserved
0x3600	0x36FF	Folder and address book container property; reserved
0x3700	0x38FF	Attachment property; reserved
0x3900	0x39FF	Address book object property; reserved
0x3A00	0x3BFF	Mail user object property; reserved

0x3C00	0x3CFF	Distribution list property; reserved
0x3D00	0x3DFF	Profile section property; reserved
0x3E00	0x3EFF	Status object property; reserved
0x4000	0x57FF	Transport-defined envelope property
0x5800	0x5FFF	Transport-defined recipient property
0x6000	0x65FF	User-defined non-transmittable property
0x6600	0x67FF	Provider-defined internal non-transmittable property
0x6800	0x7BFF	Message class-defined content property
0x7C00	0x7FFF	Message class-defined non-transmittable property
0x8000	0x8FFF	Reserved for mapping to named properties

1.4 WebDAV Property Naming

The mail server is natively a MAPI store where the vast majority of properties in it are MAPI properties. The WebDAV implementation uses the **Augmented Backus-Naur Form (ABNF)** notation, as specified in [RFC4234], as a way to name MAPI properties, allowing WebDAV clients to work with these properties directly.

The `http://schemas.microsoft.com/mapi/` namespace is used to directly access MAPI properties on the server. The namespace consists of three sub namespaces: proptag, id, and string. The ABNF notation used to specify the format of these namespaces is described in this section.

1.4.1 http://schemas.microsoft.com/mapi/proptag Namespace

This namespace is used to access properties on the server that are identified by a **property ID**. You can access these properties through WebDAV by appending the hexadecimal **property ID** value and the hexadecimal property type value to the namespace prefix.

```
proptag-specifier = "http://schemas.microsoft.com/mapi/proptag/x"
property-id property-type

property-id = 4HEXDIG

property-type = 4HEXDIG
```

Example:

`http://schemas.microsoft.com/mapi/proptag/x0037001f (PidTagSubject)`

1.4.2 http://schemas.microsoft.com/mapi/id Namespace

This namespace is used to access **named properties** on the server that are identified by a **property long ID**. You can access these properties through WebDAV by appending the **property set** and the hexadecimal **property long ID** value to the namespace prefix.

```

id-specifier = "http://schemas.microsoft.com/mapi/id/" property-set
"/x" property-long-id

property-set = "{" 8HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-"
12HEXDIG "}"

property-long-id = 8HEXDIG

```

Example:

```
http://schemas.microsoft.com/mapi/id/{00062002-0000-0000-C000-
00000000046}/x00008213 (PidLidAppointmentDuration)
```

1.4.3 http://schemas.microsoft.com/mapi/string Namespace

This namespace is used to access **named properties** on the server that are identified by a **property name**. You can access these properties through WebDAV by appending the **property set** and the **property name** to the namespace prefix.

```

string-specifier = "http://schemas.microsoft.com/mapi/string/"
property-set "/" property-name

property-set = "{" 8*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG
"-" 12*HEXDIG "}"

property-name = 1*CHAR

```

Example:

```
http://schemas.microsoft.com/mapi/string/{00020329-0000-0000-C000-
00000000046}/Subject (PidNameSubject)
```

1.5 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [MS-OXCDATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCDATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

1.6 Applicability Statement

This document provides the numeric values needed to encode **property** names, tags, and types in ROP buffers. It also serves as a convenient index to the object type documents that define how each property is used.

1.7 Versioning and Localization

None.

1.8 Vendor-Extensible Fields

Section 1.3.3, "Property ID ranges," specifies how applications choose properties to create new message object types or to add functionality to existing types.

2 Structures

2.1 PidLidAddressBookProviderArrayType

Canonical name: PidLidAddressBookProviderArrayType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008029

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPArrayType

2.2 PidLidAddressBookProviderEmailList

Canonical name: PidLidAddressBookProviderEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008028

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPEmailList

2.3 PidLidAddressCountryCode

Canonical name: PidLidAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DD

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidAddressCountryCode

2.4 PidLidAgingDontAgeMe

Canonical name: PidLidAgingDontAgeMe

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000850E

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidAgingDontAgeMe

2.5 *PidLidAllAttendeesList*

Canonical name: PidLidAllAttendeesList
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001D
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_ALL_ATTENDEES_LIST

2.6 *PidLidAllAttendeesString*

Canonical name: PidLidAllAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008238
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidAllAttendeesString,
<http://schemas.microsoft.com/mapi/allattendeesstring>

2.7 *PidLidAllowExternalCheck*

Canonical name: PidLidAllowExternalCheck
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008246
Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAllowExternCheck

2.8 *PidLidAnniversaryEventEntryId*

Canonical name: PidLidAnniversaryEventEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804E
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAnniversaryEventEID

2.9 *PidLidAppointmentAuxiliaryFlags*

Canonical name: PidLidAppointmentAuxiliaryFlags
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008207

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptAuxFlags

2.10 PidLidAppointmentColor

Canonical name: PidLidAppointmentColor

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008214

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptColor

2.11 PidLidAppointmentCounterProposal

Canonical name: PidLidAppointmentCounterProposal

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008257

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptCounterProposal

2.12 PidLidAppointmentDuration

Canonical name: PidLidAppointmentDuration

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008213

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptDuration, <http://schemas.microsoft.com/mapi/apptduration>

2.13 PidLidAppointmentEndDate

Canonical name: PidLidAppointmentEndDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008211

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptEndDate, <http://schemas.microsoft.com/mapi/apptenddate>

2.14 PidLidAppointmentEndTime

Canonical name: PidLidAppointmentEndTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008210

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-XWDCAL]

Alternate names: dispidApptEndTime, http://schemas.microsoft.com/mapi/apptendtime

2.15 PidLidAppointmentEndWhole

Canonical name: PidLidAppointmentEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820E

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]

Alternate names: dispidApptEndWhole, http://schemas.microsoft.com/mapi/apptendwhole

2.16 PidLidAppointmentLastSequence

Canonical name: PidLidAppointmentLastSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008203

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptLastSequence

2.17 PidLidAppointmentMessageClass

Canonical name: PidLidAppointmentMessageClass

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000024

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptMessageClass

2.18 PidLidAppointmentNotAllowPropose

Canonical name: PidLidAppointmentNotAllowPropose

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptNotAllowPropose

2.19 PidLidAppointmentProposalNumber

Canonical name: PidLidAppointmentProposalNumber
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008259
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposalNum

2.20 PidLidAppointmentProposedDuration

Canonical name: PidLidAppointmentProposedDuration
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008256
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposedDuration

2.21 PidLidAppointmentProposedEndWhole

Canonical name: PidLidAppointmentProposedEndWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008251
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedEndWhole

2.22 PidLidAppointmentProposedStartWhole

Canonical name: PidLidAppointmentProposedStartWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008250
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedStartWhole

2.23 PidLidAppointmentRecur

Canonical name: PidLidAppointmentRecur
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008216

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXOTASK],
[MS-XWDCAL]

Alternate names: dispidApptRecur, <http://schemas.microsoft.com/mapi/apptrecur>

2.24 *PidLidAppointmentReplyName*

Canonical name: PidLidAppointmentReplyName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008230

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptReplyName, <http://schemas.microsoft.com/mapi/apptreplyname>

2.25 *PidLidAppointmentReplyTime*

Canonical name: PidLidAppointmentReplyTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008220

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptReplyTime, urn:schemas:calendar:replytime,
<http://schemas.microsoft.com/mapi/aptreplytime>

2.26 *PidLidAppointmentSequence*

Canonical name: PidLidAppointmentSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008201

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptSequence, <http://schemas.microsoft.com/mapi/apptsequence>

2.27 *PidLidAppointmentSequenceTime*

Canonical name: PidLidAppointmentSequenceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008202

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptSeqTime

2.28 PidLidAppointmentStartDate

Canonical name: PidLidAppointmentStartDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008212

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptStartDate, <http://schemas.microsoft.com/mapi/apptstartdate>

2.29 PidLidAppointmentStartTime

Canonical name: PidLidAppointmentStartTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820F

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-XWDCAL]

Alternate names: dispidApptStartTime, <http://schemas.microsoft.com/mapi/apptstarttime>

2.30 PidLidAppointmentStartWhole

Canonical name: PidLidAppointmentStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820D

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]

Alternate names: dispidApptStartWhole, <http://schemas.microsoft.com/mapi/apptstartwhole>

2.31 PidLidAppointmentStateFlags

Canonical name: PidLidAppointmentStateFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008217

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidApptStateFlags, <http://schemas.microsoft.com/mapi/apptstateflags>

2.32 PidLidAppointmentSubType

Canonical name: PidLidAppointmentSubType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008215

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptSubType, urn:schemas:calendar:alldayevent, http://schemas.microsoft.com/mapi/apptsubtype

2.33 PidLidAppointmentTimeZoneDefinitionEndDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionEndDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825F

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefEndDisplay

2.34 PidLidAppointmentTimeZoneDefinitionRecur

Canonical name: PidLidAppointmentTimeZoneDefinitionRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008260

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefRecur

2.35 PidLidAppointmentTimeZoneDefinitionStartDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionStartDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825E

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefStartDisplay

2.36 PidLidAppointmentUnsendableRecipients

Canonical name: PidLidAppointmentUnsendableRecipients

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823D

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptUnsendableRecips

2.37 PidLidAppointmentUpdateTime

Canonical name: PidLidAppointmentUpdateTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008226

Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-XWDCAL]
Alternate names: dispidApptUpdateTime,
<http://schemas.microsoft.com/mapi/apptupdatetime>

2.38 *PidLidAttendeeCriticalChange*

Canonical name: PidLidAttendeeCriticalChange
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_ATTENDEE_CRITICAL_CHANGE,
http://schemas.microsoft.com/mapi/attendee_critical_change

2.39 *PidLidAutoFillLocation*

Canonical name: PidLidAutoFillLocation
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAutoFillLocation

2.40 *PidLidAutoLog*

Canonical name: PidLidAutoLog
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008025
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAutoLog

2.41 *PidLidAutoProcessState*

Canonical name: PidLidAutoProcessState
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851A
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidSniffState

2.42 *PidLidAutoStartCheck*

Canonical name: PidLidAutoStartCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008244

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXORMDR]

Alternate names: dispidAutoStartCheck

2.43 *PidLidAutoStartWhen*

Canonical name: PidLidAutoStartWhen

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008245

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidAutoStartWhen

2.44 *PidLidBirthdayEventEntryId*

Canonical name: PidLidBirthdayEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804D

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBirthdayEventEID

2.45 *PidLidBusinessCardCardPicture*

Canonical name: PidLidBusinessCardCardPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008041

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBCCardPicture

2.46 *PidLidBusinessCardDisplayDefinition*

Canonical name: PidLidBusinessCardDisplayDefinition

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008040

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidBCDDisplayDefinition

2.47 PidLidBusyStatus

Canonical name: PidLidBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008205
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]
Alternate names: dispidBusyStatus, <http://schemas.microsoft.com/mapi/busystatus>

2.48 PidLidCalendarType

Canonical name: PidLidCalendarType
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001C
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_CALENDAR_TYPE,
http://schemas.microsoft.com/mapi/calendar_type

2.49 PidLidCategories

Canonical name: PidLidCategories
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property long ID (LID): 0x00002328
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-OXCMAIL]
Alternate names: dispidCategories

2.50 PidLidCcAttendeesString

Canonical name: PidLidCcAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823C
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidCCAttendeesString

2.51 PidLidChangeHighlight

Canonical name: PidLidChangeHighlight
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008204

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidChangeHighlight

2.52 *PidLidClassification*

Canonical name: PidLidClassification

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B6

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassification

2.53 *PidLidClassificationDescription*

Canonical name: PidLidClassificationDescription

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B7

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassDesc

2.54 *PidLidClassificationGuid*

Canonical name: PidLidClassificationGuid

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassGuid

2.55 *PidLidClassificationKeep*

Canonical name: PidLidClassificationKeep

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BA

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassKeep

2.56 *PidLidClassified*

Canonical name: PidLidClassified

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B5

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassified

2.57 *PidLidCleanGlobalObjectId*

Canonical name: PidLidCleanGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000023

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidCleanGlobalObjId

2.58 *PidLidClipEnd*

Canonical name: PidLidClipEnd

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008236

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidClipEnd

2.59 *PidLidClipStart*

Canonical name: PidLidClipStart

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008235

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidClipStart

2.60 *PidLidCollaborateDoc*

Canonical name: PidLidCollaborateDoc

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008247

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidCollaborateDoc

2.61 PidLidCommonEnd

Canonical name: PidLidCommonEnd

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008517

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRN], [MS-OXOTASK]

Alternate names: dispidCommonEnd

2.62 PidLidCommonStart

Canonical name: PidLidCommonStart

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008516

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRN], [MS-OXOTASK]

Alternate names: dispidCommonStart

2.63 PidLidCompanies

Canonical name: PidLidCompanies

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008539

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXOJRN]

Alternate names: dispidCompanies

2.64 PidLidConferencingCheck

Canonical name: PidLidConferencingCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008240

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidConfCheck

2.65 PidLidConferencingType

Canonical name: PidLidConferencingType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008241

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidConfType

2.66 PidLidContactCharacterSet

Canonical name: PidLidContactCharacterSet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008023

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactCharSet

2.67 PidLidContactItemData

Canonical name: PidLidContactItemData

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008007

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactItemData

2.68 PidLidContactLinkEntry

Canonical name: PidLidContactLinkEntry

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008585

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]

Alternate names: dispidContactLinkEntry

2.69 PidLidContactLinkName

Canonical name: PidLidContactLinkName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008586

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRN]
Alternate names: dispidContactLinkName

2.70 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008584
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRN]
Alternate names: dispidContactLinkSearchKey

2.71 PidLidContacts

Canonical name: PidLidContacts
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000853A
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRN]
Alternate names: dispidContacts

2.72 PidLidContactUserField1

Canonical name: PidLidContactUserField1
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804F
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField1

2.73 PidLidContactUserField2

Canonical name: PidLidContactUserField2
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008050
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField2

2.74 PidLidContactUserField3

Canonical name: PidLidContactUserField3
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008051

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField3

2.75 *PidLidContactUserField4*

Canonical name: PidLidContactUserField4
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008052
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField4

2.76 *PidLidCurrentVersion*

Canonical name: PidLidCurrentVersion
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008552
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidCurrentVersion

2.77 *PidLidCurrentVersionName*

Canonical name: PidLidCurrentVersionName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008554
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidCurrentVersionName

2.78 *PidLidDayInterval*

Canonical name: PidLidDayInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000011
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_DAY_INTERVAL, http://schemas.microsoft.com/mapi/day_interval

2.79 PidLidDayOfMonth

Canonical name: PidLidDayOfMonth

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00001000

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/dayofmonth>

2.80 PidLidDelegateMail

Canonical name: PidLidDelegateMail

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000009

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_DELEGATE_MAIL,
http://schemas.microsoft.com/mapi/delegate_mail

2.81 PidLidDepartment

Canonical name: PidLidDepartment

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008010

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDepartment

2.82 PidLidDirectory

Canonical name: PidLidDirectory

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008242

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidDirectory

2.83 PidLidDistributionListChecksum

Canonical name: PidLidDistributionListChecksum

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x0000804C

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidDLChecksum

2.84 PidLidDistributionListMembers

Canonical name: PidLidDistributionListMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008055
Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXCDATA], [MS-OXOCNTC]
Alternate names: dispidDLMembers

2.85 PidLidDistributionListName

Canonical name: PidLidDistributionListName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008053
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLName

2.86 PidLidDistributionListOneOffMembers

Canonical name: PidLidDistributionListOneOffMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008054
Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLOneOffMembers

2.87 PidLidDistributionListStream

Canonical name: PidLidDistributionListStream
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008064
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLStream

2.88 PidLidEmail1AddressType

Canonical name: PidLidEmail1AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008082

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1AddrType

2.89 PidLidEmail1DisplayName

Canonical name: PidLidEmail1DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008080
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1DisplayName

2.90 PidLidEmail1EmailAddress

Canonical name: PidLidEmail1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008083
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailAddress

2.91 PidLidEmail1EmailType

Canonical name: PidLidEmail1EmailType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008087
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailType

2.92 PidLidEmail1OriginalDisplayName

Canonical name: PidLidEmail1OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008084
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1OriginalDisplayName

2.93 PidLidEmail1OriginalEntryId

Canonical name: PidLidEmail1OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008085

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1OriginalEntryID

2.94 PidLidEmail2AddressType

Canonical name: PidLidEmail2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008092

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2AddrType

2.95 PidLidEmail2DisplayName

Canonical name: PidLidEmail2DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008090

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2DisplayName

2.96 PidLidEmail2EmailAddress

Canonical name: PidLidEmail2EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008093

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2EmailAddress

2.97 PidLidEmail2EntryId

Canonical name: PidLidEmail2EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008091

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidEmail2EntryID

2.98 PidLidEmail2OriginalDisplayName

Canonical name: PidLidEmail2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008094
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalDisplayName

2.99 PidLidEmail2OriginalEntryId

Canonical name: PidLidEmail2OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008095
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalEntryID

2.100 PidLidEmail3AddressType

Canonical name: PidLidEmail3AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3AddrType

2.101 PidLidEmail3 DisplayName

Canonical name: PidLidEmail3 DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A0
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3 DisplayName

2.102 PidLidEmail3 EmailAddress

Canonical name: PidLidEmail3 EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A3

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EmailAddress

2.103 PidLidEmail3EntryId

Canonical name: PidLidEmail3EntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A1
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EntryID

2.104 PidLidEmail3OriginalDisplayName

Canonical name: PidLidEmail3OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalDisplayName

2.105 PidLidEmail3OriginalEntryId

Canonical name: PidLidEmail3OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalEntryID

2.106 PidLidEmailList

Canonical name: PidLidEmailList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008027
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmailList

2.107 PidLidEndRecurrenceDate

Canonical name: PidLidEndRecurrenceDate

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000F

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_END_RECUR_DATE,
http://schemas.microsoft.com/mapi/end_recur_date

2.108 PidLidEndRecurrenceTime

Canonical name: PidLidEndRecurrenceTime

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000010

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_END_RECUR_TIME,
http://schemas.microsoft.com/mapi/end_recur_time

2.109 PidLidExceptionReplaceTime

Canonical name: PidLidExceptionReplaceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008228

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidExceptionReplaceTime

2.110 PidLidFax1AddressType

Canonical name: PidLidFax1AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1AddrType

2.111 PidLidFax1EmailAddress

Canonical name: PidLidFax1EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B3

Data type: PtypString, 0x001F

Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1EmailAddress

2.112 PidLidFax1OriginalDisplayName

Canonical name: PidLidFax1OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalDisplayName

2.113 PidLidFax1OriginalEntryId

Canonical name: PidLidFax1OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalEntryID

2.114 PidLidFax2AddressType

Canonical name: PidLidFax2AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2AddrType

2.115 PidLidFax2EmailAddress

Canonical name: PidLidFax2EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2EmailAddress

2.116 PidLidFax2OriginalDisplayName

Canonical name: PidLidFax2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2OriginalDisplayName

2.117 PidLidFax2OriginalEntryId

Canonical name: PidLidFax2OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2OriginalEntryID

2.118 PidLidFax3AddressType

Canonical name: PidLidFax3AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3AddrType

2.119 PidLidFax3EmailAddress

Canonical name: PidLidFax3EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3EmailAddress

2.120 PidLidFax3Original DisplayName

Canonical name: PidLidFax3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalDisplayName

2.121 *PidLidFax3OriginalEntryId*

Canonical name: PidLidFax3OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3OriginalEntryID

2.122 *PidLidFExceptionalAttendees*

Canonical name: PidLidFExceptionalAttendees
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000822B
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]
Alternate names: dispidFExceptionalAttendees

2.123 *PidLidFExceptionalBody*

Canonical name: PidLidFExceptionalBody
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008206
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidFExceptionalBody

2.124 *PidLidFileUnder*

Canonical name: PidLidFileUnder
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008005
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnder

2.125 *PidLidFileUnderId*

Canonical name: PidLidFileUnderId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008006
Data type: PtypInteger32, 0x0003
Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFileUnderId

2.126 PidLidFileUnderList

Canonical name: PidLidFileUnderList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008026

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFileUnderList

2.127 PidLidFInvited

Canonical name: PidLidFInvited

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008229

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidFInvited, <http://schemas.microsoft.com/mapi/finvited>

2.128 PidLidFlagRequest

Canonical name: PidLidFlagRequest

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008530

Data type: PtypString, 0x001F

Area: Flagging

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: dispidRequest, urn:schemas:httpmail:messageflag,

<http://schemas.microsoft.com/mapi/request>

2.129 PidLidFlagString

Canonical name: PidLidFlagString

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085C0

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidFlagStringEnum

2.130 PidLidForwardInstance

Canonical name: PidLidForwardInstance

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidFwrdInstance

2.131 PidLidFOthersAppointment

Canonical name: PidLidFOthersAppointment

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822F

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-XWDCAL]

Alternate names: dispidFOthersAppt, <http://schemas.microsoft.com/mapi/fothersappt>

2.132 PidLidFreeBusyLocation

Canonical name: PidLidFreeBusyLocation

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D8

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCAL]

Alternate names: dispidFreeBusyLocation, urn:schemas:calendar:furl

2.133 PidLidGlobalObjectId

Canonical name: PidLidGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000003

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]

Alternate names: LID_GLOBAL_OBJID

2.134 PidLidHasPicture

Canonical name: PidLidHasPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008015

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidHasPicture

2.135 PidLidHomeAddress

Canonical name: PidLidHomeAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000801A
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHomeAddress

2.136 PidLidHomeAddressCountryCode

Canonical name: PidLidHomeAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DA
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHomeAddressCountryCode

2.137 PidLidHtml

Canonical name: PidLidHtml
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802B
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHTML

2.138 PidLidICalendarDayOfWeekMask

Canonical name: PidLidICalendarDayOfWeekMask
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00001001
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-XWDCAL]
Alternate names: <http://schemas.microsoft.com/mapi/dayofweekmask>

2.139 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008062

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidInstMsg

2.140 *PidLidIntendedBusyStatus*

Canonical name: PidLidIntendedBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008224
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidIntendedBusyStatus,
<http://schemas.microsoft.com/mapi/intendedbusystatus>

2.141 *PidLidInternetAccountName*

Canonical name: PidLidInternetAccountName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008580
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXOMSG]
Alternate names: dispidInetAcctName

2.142 *PidLidInternetAccountStamp*

Canonical name: PidLidInternetAccountStamp
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008581
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXOMSG]
Alternate names: dispidInetAcctStamp

2.143 *PidLidIsException*

Canonical name: PidLidIsException
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS], [MS-XWDCAL]
Alternate names: LID_IS_EXCEPTION, http://schemas.microsoft.com/mapi/is_exception

2.144 *PidLidIsRecurring*

Canonical name: PidLidIsRecurring

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000005

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_IS_RECURRING, http://schemas.microsoft.com/mapi/is_recurring

2.145 *PidLidIsSilent*

Canonical name: PidLidIsSilent

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000004

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_IS_SILENT, http://schemas.microsoft.com/mapi/is_silent

2.146 *PidLidLinkedTaskItems*

Canonical name: PidLidLinkedTaskItems

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820C

Data type: PtypMultipleBinary, 0x1102

Area: Tasks

References: [MS-OXOCAL]

Alternate names: dispidLinkedTaskItems

2.147 *PidLidLocation*

Canonical name: PidLidLocation

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008208

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidLocation, urn:schemas:calendar:location

2.148 *PidLidLogDocumentPosted*

Canonical name: PidLidLogDocumentPosted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008711

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNLL]
Alternate names: dispidLogDocPosted

2.149 PidLidLogDocumentPrinted

Canonical name: PidLidLogDocumentPrinted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870E
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRNLL]
Alternate names: dispidLogDocPrinted

2.150 PidLidLogDocumentRouted

Canonical name: PidLidLogDocumentRouted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008710
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRNLL]
Alternate names: dispidLogDocRouted

2.151 PidLidLogDocumentSaved

Canonical name: PidLidLogDocumentSaved
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870F
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRNLL]
Alternate names: dispidLogDocSaved

2.152 PidLidLogDuration

Canonical name: PidLidLogDuration
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008707
Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRNLL]
Alternate names: dispidLogDuration

2.153 PidLidLogEnd

Canonical name: PidLidLogEnd
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008708

Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogEnd

2.154 PidLidLogFlags

Canonical name: PidLidLogFlags
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870C
Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogFlags

2.155 PidLidLogStart

Canonical name: PidLidLogStart
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008706
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogStart

2.156 PidLidLogType

Canonical name: PidLidLogType
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008700
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogType

2.157 PidLidLogTypeDesc

Canonical name: PidLidLogTypeDesc
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008712
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogTypeDesc

2.158 PidLidMeetingType

Canonical name: PidLidMeetingType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000026

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidMeetingType

2.159 PidLidMeetingWorkspaceUrl

Canonical name: PidLidMeetingWorkspaceUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008209

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidMWSURL,

<http://schemas.microsoft.com/mapi/meetingworkspaceurl>

2.160 PidLidMonthInterval

Canonical name: PidLidMonthInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000013

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_MONTH_INTERVAL,

http://schemas.microsoft.com/mapi/month_interval

2.161 PidLidMonthOfYear

Canonical name: PidLidMonthOfYear

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001006

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/monthofyear>

2.162 PidLidMonthOfYearMask

Canonical name: PidLidMonthOfYearMask

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000017

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_MOY_MASK, http://schemas.microsoft.com/mapi/moy_mask

2.163 PidLidNetShowUrl

Canonical name: PidLidNetShowUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008248

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidNetShowURL

2.164 PidLidNoEndDateFlag

Canonical name: PidLidNoEndDateFlag

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000100B

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/fnoenddate>

2.165 PidLidNonSendableBcc

Canonical name: PidLidNonSendableBcc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008538

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableBCC,

<http://schemas.microsoft.com/mapi/nonsendablebcc>

2.166 PidLidNonSendableCc

Canonical name: PidLidNonSendableCc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008537

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableCC, <http://schemas.microsoft.com/mapi/nonsendablecc>

2.167 PidLidNonSendableTo

Canonical name: PidLidNonSendableTo

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008536

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableTo, <http://schemas.microsoft.com/mapi/nonsendableto>

2.168 PidLidNonSendBccTrackStatus

Canonical name: PidLidNonSendBccTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008545

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendBccTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendbcctrackstatus>

2.169 PidLidNonSendCcTrackStatus

Canonical name: PidLidNonSendCcTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008544

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendCcTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendcctrackstatus>

2.170 PidLidNonSendToTrackStatus

Canonical name: PidLidNonSendToTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008543

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendToTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendtotrackstatus>

2.171 PidLidNoteColor

Canonical name: PidLidNoteColor

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B00

Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteColor

2.172 PidLidNoteHeight

Canonical name: PidLidNoteHeight
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B03
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteHeight

2.173 PidLidNoteWidth

Canonical name: PidLidNoteWidth
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B02
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteWidth

2.174 PidLidNoteX

Canonical name: PidLidNoteX
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B04
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteX

2.175 PidLidNoteY

Canonical name: PidLidNoteY
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B05
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteY

2.176 *PidLidOccurrences*

Canonical name: PidLidOccurrences

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001005

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/occurrences>

2.177 *PidLidOldLocation*

Canonical name: PidLidOldLocation

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000028

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOldLocation

2.178 *PidLidOldRecurrenceType*

Canonical name: PidLidOldRecurrenceType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000018

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_RECUR_TYPE, http://schemas.microsoft.com/mapi/recur_type

2.179 *PidLidOldWhenEndWhole*

Canonical name: PidLidOldWhenEndWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000002A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOldWhenEndWhole

2.180 *PidLidOldWhenStartWhole*

Canonical name: PidLidOldWhenStartWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000029

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOldWhenStartWhole

2.181 PidLidOnlinePassword

Canonical name: PidLidOnlinePassword
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008249
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOnlinePassword

2.182 PidLidOptionalAttendees

Canonical name: PidLidOptionalAttendees
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000007
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_OPTIONAL_ATTENDEES,
http://schemas.microsoft.com/mapi/optional_attendees

2.183 PidLidOrganizerAlias

Canonical name: PidLidOrganizerAlias
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008243
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL]
Alternate names: dispidOrgAlias

2.184 PidLidOriginalStoreEntryId

Canonical name: PidLidOriginalStoreEntryId
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008237
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXOCAL], [MS-XWDMAIL]
Alternate names: dispidOrigStoreEid, <http://schemas.microsoft.com/mapi/origstoreeid>

2.185 PidLidOtherAddress

Canonical name: PidLidOtherAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801C
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidOtherAddress

2.186 PidLidOtherAddressCountryCode

Canonical name: PidLidOtherAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DC
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidOtherAddressCountryCode

2.187 PidLidOwnerCriticalChange

Canonical name: PidLidOwnerCriticalChange
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000001A
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_OWNER_CRITICAL_CHANGE, urn:schemas:calendar:dtstamp,
http://schemas.microsoft.com/mapi/owner_critical_change

2.188 PidLidOwnerName

Canonical name: PidLidOwnerName
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000822E
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-XWDCAL]
Alternate names: dispidOwnerName, <http://schemas.microsoft.com/mapi/ownername>

2.189 PidLidPercentComplete

Canonical name: PidLidPercentComplete
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008102
Data type: PtypFloating64, 0x0005
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG],
[MS-OXOTASK]
Alternate names: dispidPercentComplete

2.190 PidLidPKMDocSummaryInformation17

Canonical name: PidLidPKMDocSummaryInformation17

Property set: GUID_PKMDocSummaryInformation {d5cdd502-2e9c-101b-9397-08002b2cf9ae}

Property long ID (LID): 17

Data type: PtypInteger32, 0x0003

Area: SharePoint

References: [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Version

2.191 PidLidPostalAddressId

Canonical name: PidLidPostalAddressId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008022

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidPostalAddressId

2.192 PidLidPostRssChannel

Canonical name: PidLidPostRssChannel

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008904

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannel

2.193 PidLidPostRssChannelLink

Canonical name: PidLidPostRssChannelLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008900

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannelLink

2.194 PidLidPostRssItemGuid

Canonical name: PidLidPostRssItemGuid

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008903

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemGuid

2.195 PidLidPostRssItemHash

Canonical name: PidLidPostRssItemHash

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008902

Data type: PtypInteger32, 0x0003

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemHash

2.196 PidLidPostRssItemLink

Canonical name: PidLidPostRssItemLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008901

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemLink

2.197 PidLidPostRssItemXml

Canonical name: PidLidPostRssItemXml

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008905

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemXml

2.198 PidLidPostRssSubscription

Canonical name: PidLidPostRssSubscription

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008906

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssSubscription

2.199 PidLidPrivate

Canonical name: PidLidPrivate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008506

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXTNEF]

Alternate names: dispidPrivate

2.200 PidLidRecurrenceDuration

Canonical name: PidLidRecurrenceDuration

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000100D

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/recurduration>

2.201 PidLidRecurrencePattern

Canonical name: PidLidRecurrencePattern

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008232

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidRecurPattern, <http://schemas.microsoft.com/mapi/recurpattern>

2.202 PidLidRecurrenceType

Canonical name: PidLidRecurrenceType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008231

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidRecurType, <http://schemas.microsoft.com/mapi/recurtype>

2.203 PidLidRecurring

Canonical name: PidLidRecurring

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008223

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCDATA], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOSFLD], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidRecurring, <http://schemas.microsoft.com/mapi/recurring>

2.204 PidLidReferenceEntryId

Canonical name: PidLidReferenceEntryId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BD

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidReferenceEID

2.205 PidLidReminderDelta

Canonical name: PidLidReminderDelta

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008501

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: dispidReminderDelta, <http://schemas.microsoft.com/mapi/reminderdelta>

2.206 PidLidReminderFileParameter

Canonical name: PidLidReminderFileParameter

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851F

Data type: PtypString, 0x001F

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderFileParam,
<http://schemas.microsoft.com/mapi/reminderfileparam>

2.207 PidLidReminderOverride

Canonical name: PidLidReminderOverride

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851C

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderOverride,
<http://schemas.microsoft.com/mapi/reminderoverride>

2.208 PidLidReminderPlaySound

Canonical name: PidLidReminderPlaySound

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851E

Data type: PtypBoolean, 0x000B
Area: Reminders
References: [MS-OXORMDR], [MS-XWDCAL]
Alternate names: dispidReminderPlaySound,
<http://schemas.microsoft.com/mapi/reminderplaysound>

2.209 *PidLidReminderSet*

Canonical name: PidLidReminderSet
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008503
Data type: PtypBoolean, 0x000B
Area: Reminders
References: [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD], [MS-OXOTASK], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDCAL]
Alternate names: dispidReminderSet, <http://schemas.microsoft.com/mapi/reminderset>

2.210 *PidLidReminderSignalTime*

Canonical name: PidLidReminderSignalTime
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008560
Data type: PtypTime, 0x0040
Area: Reminders
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDCAL]
Alternate names: dispidReminderNextTime,
<http://schemas.microsoft.com/mapi/remindernexttime>

2.211 *PidLidReminderTime*

Canonical name: PidLidReminderTime
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008502
Data type: PtypTime, 0x0040
Area: Reminders
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDCAL]
Alternate names: dispidReminderTime, <http://schemas.microsoft.com/mapi/remindertime>

2.212 *PidLidReminderTimeDate*

Canonical name: PidLidReminderTimeDate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008505
Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-XWDCAL]

Alternate names: dispidReminderTimeDate,
<http://schemas.microsoft.com/mapi/remindertimedate>

2.213 PidLidReminderTimeTime

Canonical name: PidLidReminderTimeTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008504

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-XWDCAL]

Alternate names: dispidReminderTimeTime,
<http://schemas.microsoft.com/mapi/remindertimetetime>

2.214 PidLidReminderType

Canonical name: PidLidReminderType

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851D

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderType, <http://schemas.microsoft.com/mapi/remindertype>

2.215 PidLidRemoteStatus

Canonical name: PidLidRemoteStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008511

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [MS-XWDCAL]

Alternate names: dispidRemoteStatus, <http://schemas.microsoft.com/mapi/remotestatus>

2.216 PidLidRequiredAttendees

Canonical name: PidLidRequiredAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000006

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_REQUIRED_ATTENDEES,
http://schemas.microsoft.com/mapi/required_attendees

2.217 PidLidResourceAttendees

Canonical name: PidLidResourceAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000008

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_RESOURCE_ATTENDEES,
http://schemas.microsoft.com/mapi/resource_attendees

2.218 PidLidResponseStatus

Canonical name: PidLidResponseStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008218

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidResponseStatus, urn:schemas:calendar:attendeestatus,
<http://schemas.microsoft.com/mapi/responsestatus>

2.219 PidLidSendMeetingAsIcal

Canonical name: PidLidSendMeetingAsIcal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008200

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidSendMtgAsICAL

2.220 PidLidServerProcessed

Canonical name: PidLidServerProcessed

Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}

Property long ID (LID): 0x000085CC

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidExchangeProcessed

2.221 PidLidServerProcessingActions

Canonical name: PidLidServerProcessingActions

Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}

Property long ID (LID): 0x000085CD

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidExchangeProcessingAction

2.222 PidLidSharingAnonymity

Canonical name: PidLidSharingAnonymity

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A19

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingAnonymity

2.223 PidLidSharingBindingEntryId

Canonical name: PidLidSharingBindingEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2D

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBindingEid

2.224 PidLidSharingBrowseUrl

Canonical name: PidLidSharingBrowseUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A51

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBrowseUrl

2.225 PidLidSharingCapabilities

Canonical name: PidLidSharingCapabilities

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A17

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingCaps

2.226 *PidLidSharingConfigurationUrl*

Canonical name: PidLidSharingConfigurationUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A24

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingConfigUrl

2.227 *PidLidSharingDataRangeEnd*

Canonical name: PidLidSharingDataRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A45

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeEnd

2.228 *PidLidSharingDataRangeStart*

Canonical name: PidLidSharingDataRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A44

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeStart

2.229 *PidLidSharingDetail*

Canonical name: PidLidSharingDetail

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A2B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDetail

2.230 *PidLidSharingExtensionXml*

Canonical name: PidLidSharingExtensionXml

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A21

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingExtXml

2.231 PidLidSharingFilter

Canonical name: PidLidSharingFilter
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A13
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFilter

2.232 PidLidSharingFlags

Canonical name: PidLidSharingFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlags

2.233 PidLidSharingFlavor

Canonical name: PidLidSharingFlavor
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A18
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlavor

2.234 PidLidSharingFolderEntryId

Canonical name: PidLidSharingFolderEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A15
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFolderEid

2.235 PidLidSharingIndexEntryId

Canonical name: PidLidSharingIndexEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2E

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingIndexEid

2.236 PidLidSharingInitiatorEntryId

Canonical name: PidLidSharingInitiatorEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A09

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingInitiatorEid

2.237 PidLidSharingInitiatorName

Canonical name: PidLidSharingInitiatorName

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A07

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingInitiatorName

2.238 PidLidSharingInitiatorSntp

Canonical name: PidLidSharingInitiatorSntp

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A08

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingInitiatorSntp

2.239 PidLidSharingInstanceGuid

Canonical name: PidLidSharingInstanceGuid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1C

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingInstanceGuid

2.240 *PidLidSharingLastAutoSyncTime*

Canonical name: PidLidSharingLastAutoSyncTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A55

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLastAutoSync

2.241 *PidLidSharingLastSyncTime*

Canonical name: PidLidSharingLastSyncTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A1F

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLastSync

2.242 *PidLidSharingLocalComment*

Canonical name: PidLidSharingLocalComment

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A4D

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalComment

2.243 *PidLidSharingLocalLastModificationTime*

Canonical name: PidLidSharingLocalLastModificationTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A23

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalLastMod

2.244 *PidLidSharingLocalName*

Canonical name: PidLidSharingLocalName

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A0F

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalName

2.245 PidLidSharingLocalPath

Canonical name: PidLidSharingLocalPath

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0E

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalPath

2.246 PidLidSharingLocalStoreUid

Canonical name: PidLidSharingLocalStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A49

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalStoreUid

2.247 PidLidSharingLocalType

Canonical name: PidLidSharingLocalType

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A14

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalType

2.248 PidLidSharingLocalUid

Canonical name: PidLidSharingLocalUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A10

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalUid

2.249 PidLidSharingOriginalMessageEntryId

Canonical name: PidLidSharingOriginalMessageEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A29

Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingOriginalMessageEid

2.250 PidLidSharingParentBindingEntryId

Canonical name: PidLidSharingParentBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParentBindingEid

2.251 PidLidSharingParticipants

Canonical name: PidLidSharingParticipants
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1E
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParticipants

2.252 PidLidSharingPermissions

Canonical name: PidLidSharingPermissions
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingPermissions

2.253 PidLidSharingProviderExtension

Canonical name: PidLidSharingProviderExtension
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderExtension

2.254 *PidLidSharingProviderGuid*

Canonical name: PidLidSharingProviderGuid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A01

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingProviderGuid

2.255 *PidLidSharingProviderName*

Canonical name: PidLidSharingProviderName

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A02

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingProviderName

2.256 *PidLidSharingProviderUrl*

Canonical name: PidLidSharingProviderUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A03

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingProviderUrl

2.257 *PidLidSharingRangeEnd*

Canonical name: PidLidSharingRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A47

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRangeEnd

2.258 *PidLidSharingRangeStart*

Canonical name: PidLidSharingRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A46

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRangeStart

2.259 PidLidSharingReciprocation

Canonical name: PidLidSharingReciprocation

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingReciprocation

2.260 PidLidSharingRemoteByteSize

Canonical name: PidLidSharingRemoteByteSize

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteByteSize

2.261 PidLidSharingRemoteComment

Canonical name: PidLidSharingRemoteComment

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2F

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteComment

2.262 PidLidSharingRemoteCrc

Canonical name: PidLidSharingRemoteCrc

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4C

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteCrc

2.263 PidLidSharingRemoteLastModificationTime

Canonical name: PidLidSharingRemoteLastModificationTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A22

Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteLastMod

2.264 *PidLidSharingRemoteMessageCount*

Canonical name: PidLidSharingRemoteMessageCount
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4F
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteMsgCount

2.265 *PidLidSharingRemoteName*

Canonical name: PidLidSharingRemoteName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A05
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteName

2.266 *PidLidSharingRemotePass*

Canonical name: PidLidSharingRemotePass
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePass

2.267 *PidLidSharingRemotePath*

Canonical name: PidLidSharingRemotePath
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A04
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePath

2.268 *PidLidSharingRemoteStoreUid*

Canonical name: PidLidSharingRemoteStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A48

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteStoreUid

2.269 *PidLidSharingRemoteType*

Canonical name: PidLidSharingRemoteType

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A1D

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteType

2.270 *PidLidSharingRemoteUid*

Canonical name: PidLidSharingRemoteUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A06

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteUid

2.271 *PidLidSharingRemoteUser*

Canonical name: PidLidSharingRemoteUser

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A0C

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteUser

2.272 *PidLidSharingRemoteVersion*

Canonical name: PidLidSharingRemoteVersion

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A5B

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteVersion

2.273 PidLidSharingResponseTime

Canonical name: PidLidSharingResponseTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A28

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingResponseTime

2.274 PidLidSharingResponseType

Canonical name: PidLidSharingResponseType

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A27

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingResponseType

2.275 PidLidSharingRoamLog

Canonical name: PidLidSharingRoamLog

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4E

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRoamLog

2.276 PidLidSharingStart

Canonical name: PidLidSharingStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A25

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingStart

2.277 PidLidSharingStatus

Canonical name: PidLidSharingStatus

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A00

Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStatus

2.278 *PidLidSharingStop*

Canonical name: PidLidSharingStop
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A26
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStop

2.279 *PidLidSharingSyncFlags*

Canonical name: PidLidSharingSyncFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A60
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncFlags

2.280 *PidLidSharingSyncInterval*

Canonical name: PidLidSharingSyncInterval
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncInterval

2.281 *PidLidSharingTimeToLive*

Canonical name: PidLidSharingTimeToLive
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingTimeToLive

2.282 *PidLidSharingTimeToLiveAuto*

Canonical name: PidLidSharingTimeToLiveAuto

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A56

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingTimeToLiveAuto

2.283 *PidLidSharingWorkingHoursDays*

Canonical name: PidLidSharingWorkingHoursDays

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A42

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursDays

2.284 *PidLidSharingWorkingHoursEnd*

Canonical name: PidLidSharingWorkingHoursEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A41

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursEnd

2.285 *PidLidSharingWorkingHoursStart*

Canonical name: PidLidSharingWorkingHoursStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A40

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursStart

2.286 *PidLidSharingWorkingHoursTimeZone*

Canonical name: PidLidSharingWorkingHoursTimeZone

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A43

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursTZ

2.287 PidLidSideEffects

Canonical name: PidLidSideEffects

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008510

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORSS], [MS-OXTNEF]

Alternate names: dispidSideEffects

2.288 PidLidSingleInvite

Canonical name: PidLidSingleInvite

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000B

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL]

Alternate names: LID_SINGLE_INVITE

2.289 PidLidSmartNoAttach

Canonical name: PidLidSmartNoAttach

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008514

Data type: PtypBoolean, 0x000B

Area: Run-time configuration

References: [MS-OXCICAL], [MS-OXCMSG]

Alternate names: dispidSmartNoAttach

2.290 PidLidSpamOriginalFolder

Canonical name: PidLidSpamOriginalFolder

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000859C

Data type: PtypBinary, 0x0102

Area: Spam

References: [MS-OXCSPAM]

Alternate names: dispidSpamOriginalFolder

2.291 PidLidStartRecurrenceDate

Canonical name: PidLidStartRecurrenceDate

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

101 of 276

[MS-OXPROPS] - v1.04

Exchange Server Protocols Master Property List Specification

Copyright © 2008 Microsoft Corporation.

Release: Wednesday, December 3, 2008

Property long ID (LID): 0x0000000D

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_START_RECUR_DATE,
http://schemas.microsoft.com/mapi/start_recur_date

2.292 PidLidStartRecurrenceTime

Canonical name: PidLidStartRecurrenceTime

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000E

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_START_RECUR_TIME,
http://schemas.microsoft.com/mapi/start_recur_time

2.293 PidLidTaskAcceptanceState

Canonical name: PidLidTaskAcceptanceState

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000812A

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXOTASK]

Alternate names: dispidTaskDelegValue

2.294 PidLidTaskAccepted

Canonical name: PidLidTaskAccepted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008108

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskAccepted

2.295 PidLidTaskActualEffort

Canonical name: PidLidTaskActualEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008110

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskActualEffort

2.296 *PidLidTaskAssigner*

Canonical name: PidLidTaskAssigner
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008121
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOTASK]
Alternate names: dispidTaskDelegator

2.297 *PidLidTaskAssigners*

Canonical name: PidLidTaskAssigners
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008117
Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskMyDelegators

2.298 *PidLidTaskComplete*

Canonical name: PidLidTaskComplete
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811C
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]
Alternate names: dispidTaskComplete

2.299 *PidLidTaskDateCompleted*

Canonical name: PidLidTaskDateCompleted
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000810F
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]
Alternate names: dispidTaskDateCompleted

2.300 *PidLidTaskDeadOccurrence*

Canonical name: PidLidTaskDeadOccurrence
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008109
Data type: PtypBoolean, 0x000B
Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDeadOccur

2.301 PidLidTaskDueDate

Canonical name: PidLidTaskDueDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008105

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskDueDate

2.302 PidLidTaskEstimatedEffort

Canonical name: PidLidTaskEstimatedEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008111

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskEstimatedEffort

2.303 PidLidTaskFCreator

Canonical name: PidLidTaskFCreator

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811E

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskFCreator

2.304 PidLidTaskFFixOffline

Canonical name: PidLidTaskFFixOffline

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000812C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskFFixOffline

2.305 PidLidTaskFRecurring

Canonical name: PidLidTaskFRecurring

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008126

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskFRecur

2.306 *PidLidTaskGlobalId*

Canonical name: PidLidTaskGlobalId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008519

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskGlobalObjId

2.307 *PidLidTaskHistory*

Canonical name: PidLidTaskHistory

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811A

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskHistory

2.308 *PidLidTaskLastDelegate*

Canonical name: PidLidTaskLastDelegate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008125

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastDelegate

2.309 *PidLidTaskLastUpdate*

Canonical name: PidLidTaskLastUpdate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008115

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUpdate

2.310 PidLidTaskLastUser

Canonical name: PidLidTaskLastUser

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008122

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUser

2.311 PidLidTaskMode

Canonical name: PidLidTaskMode

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008518

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: dispidTaskMode

2.312 PidLidTaskMultipleRecipients

Canonical name: PidLidTaskMultipleRecipients

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008120

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMultRecips

2.313 PidLidTaskNoCompute

Canonical name: PidLidTaskNoCompute

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008124

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: dispidTaskNoCompute

2.314 PidLidTaskOrdinal

Canonical name: PidLidTaskOrdinal

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008123

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskOrdinal

2.315 PidLidTaskOwner

Canonical name: PidLidTaskOwner
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811F
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskOwner

2.316 PidLidTaskOwnership

Canonical name: PidLidTaskOwnership
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008129
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskOwnership

2.317 PidLidTaskRecurrence

Canonical name: PidLidTaskRecurrence
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008116
Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskRecur

2.318 PidLidTaskResetReminder

Canonical name: PidLidTaskResetReminder
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008107
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskResetReminder

2.319 PidLidTaskRole

Canonical name: PidLidTaskRole
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008127

Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskRole

2.320 *PidLidTaskStartDate*

Canonical name: PidLidTaskStartDate
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008104
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskStartDate

2.321 *PidLidTaskState*

Canonical name: PidLidTaskState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008113
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOSFLD], [MS-OXOTASK]
Alternate names: dispidTaskState

2.322 *PidLidTaskStatus*

Canonical name: PidLidTaskStatus
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008101
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD], [MS-OXOTASK]
Alternate names: dispidTaskStatus

2.323 *PidLidTaskStatusOnComplete*

Canonical name: PidLidTaskStatusOnComplete
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008119
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskSOC

2.324 *PidLidTaskUpdates*

Canonical name: PidLidTaskUpdates

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811B

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskUpdates

2.325 *PidLidTaskVersion*

Canonical name: PidLidTaskVersion

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008112

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskVersion

2.326 *PidLidTeamTask*

Canonical name: PidLidTeamTask

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008103

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: dispidTeamTask

2.327 *PidLidTimeZone*

Canonical name: PidLidTimeZone

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000C

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_TIME_ZONE, http://schemas.microsoft.com/mapi/time_zone

2.328 *PidLidTimeZoneDescription*

Canonical name: PidLidTimeZoneDescription

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008234

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidTimeZoneDesc, <http://schemas.microsoft.com/mapi/timezonedesc>

2.329 PidLidTimeZoneStruct

Canonical name: PidLidTimeZoneStruct

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008233

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidTimeZoneStruct, <http://schemas.microsoft.com/mapi/timezonestruct>

2.330 PidLidToAttendeesString

Canonical name: PidLidToAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823B

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidToAttendeesString

2.331 PidLidToDoOrdinalDate

Canonical name: PidLidToDoOrdinalDate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A0

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCFXICS], [MS-OXOFLAG]

Alternate names: dispidToDoOrdinalDate

2.332 PidLidToDoSubOrdinal

Canonical name: PidLidToDoSubOrdinal

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A1

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXOFLAG]

Alternate names: dispidToDoSubOrdinal

2.333 PidLidToDoTitle

Canonical name: PidLidToDoTitle

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A4

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]

Alternate names: dispidToDoTitle

2.334 PidLidUseTnef

Canonical name: PidLidUseTnef

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008582

Data type: PtypBoolean, 0x000B

Area: Run-time configuration

References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: dispidUseTNEF

2.335 PidLidValidFlagStringProof

Canonical name: PidLidValidFlagStringProof

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BF

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidValidFlagStringProof

2.336 PidLidVerbResponse

Canonical name: PidLidVerbResponse

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008524

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: dispidVerbResponse

2.337 PidLidVerbStream

Canonical name: PidLidVerbStream

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008520

Data type: PtypBinary, 0x0102

Area: Run-time configuration

References: [MS-OXOMSG]

Alternate names: dispidVerbStream

2.338 PidLidWeekInterval

Canonical name: PidLidWeekInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000012

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_WEEK_INTERVAL,
http://schemas.microsoft.com/mapi/week_interval

2.339 PidLidWhere

Canonical name: PidLidWhere

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000002

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_WHERE, <http://schemas.microsoft.com/mapi/where>

2.340 PidLidWorkAddress

Canonical name: PidLidWorkAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddress

2.341 PidLidWorkAddressCity

Canonical name: PidLidWorkAddressCity

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008046

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCity

2.342 PidLidWorkAddressCountry

Canonical name: PidLidWorkAddressCountry

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008049

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCountry

2.343 PidLidWorkAddressCountryCode

Canonical name: PidLidWorkAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DB

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCountryCode

2.344 PidLidWorkAddressPostalCode

Canonical name: PidLidWorkAddressPostalCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008048

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressPostalCode

2.345 PidLidWorkAddressPostOfficeBox

Canonical name: PidLidWorkAddressPostOfficeBox

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressPostOfficeBox

2.346 PidLidWorkAddressState

Canonical name: PidLidWorkAddressState

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008047

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressState

2.347 PidLidWorkAddressStreet

Canonical name: PidLidWorkAddressStreet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008045

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressStreet

2.348 *PidLidYearInterval*

Canonical name: PidLidYearInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000014
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_YEAR_INTERVAL,
http://schemas.microsoft.com/mapi/year_interval

2.349 *PidLidYomiCompanyName*

Canonical name: PidLidYomiCompanyName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802E
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiCompanyName

2.350 *PidLidYomiFirstName*

Canonical name: PidLidYomiFirstName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802C
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiFirstName

2.351 *PidLidYomiLastName*

Canonical name: PidLidYomiLastName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802D
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiLastName

2.352 *PidLidInfoPathFormName*

Canonical name: PidLidInfoPathFormName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x85B1

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.353 *PidNameAcceptLanguage*

Canonical name: PidNameAcceptLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Accept-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: AcceptLanguage

2.354 *PidNameApplicationName*

Canonical name: PidNameApplicationName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: AppName

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#NameOfApplication

2.355 *PidNameApproved*

Canonical name: PidNameApproved

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Approved

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:approved

2.356 *PidNameAttachmentMacContentType*

Canonical name: PidNameAttachmentMacContentType

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacContentType

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.357 PidNameAttachmentMacInfo

Canonical name: PidNameAttachmentMacInfo

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacInfo

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.358 PidNameAudioNotes

Canonical name: PidNameAudioNotes

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: UMAudioNotes

Data type: PtypString, 0x001F

Area: UM

References: [MS-OXOUM]

Alternate names: UMAudioNotes

2.359 PidNameAuthor

Canonical name: PidNameAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Author

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Authorurn:schemas-microsoft-com:office:office#Author

2.360 PidNameBcc

Canonical name: PidNameBcc

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Bcc

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:bcc

2.361 PidNameByteCount

Canonical name: PidNameByteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ByteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Bytesurn:schemas-microsoft-com:office:office#Bytes

2.362 PidNameCalendarAttendeeRole

Canonical name: PidNameCalendarAttendeeRole

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:attendeerole

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:attendeerole

2.363 PidNameCalendarBusystatus

Canonical name: PidNameCalendarBusystatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:busystatus

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:busystatus

2.364 PidNameCalendarContact

Canonical name: PidNameCalendarContact

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:contact

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:contact

2.365 PidNameCalendarContactUrl

Canonical name: PidNameCalendarContactUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:contacturl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:contacturl

2.366 *PidNameCalendarCreated*

Canonical name: PidNameCalendarCreated

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:created

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:created

2.367 *PidNameCalendarDescriptionUrl*

Canonical name: PidNameCalendarDescriptionUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:descriptionurl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:descriptionurl

2.368 *PidNameCalendarDuration*

Canonical name: PidNameCalendarDuration

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:duration

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:duration

2.369 *PidNameCalendarExceptionDate*

Canonical name: PidNameCalendarExceptionDate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:exdate

Data type: PtypMultipleTime, 0x1040

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:exdate

2.370 *PidNameCalendarExceptionRule*

Canonical name: PidNameCalendarExceptionRule

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:exrule

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:exrule

2.371 *PidNameCalendarGeoLatitude*

Canonical name: PidNameCalendarGeoLatitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:geolatitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:geolatitude

2.372 *PidNameCalendarGeoLongitude*

Canonical name: PidNameCalendarGeoLongitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:geolongitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:geolongitude

2.373 *PidNameCalendarInstanceType*

Canonical name: PidNameCalendarInstanceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:instancetype

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:instancetype

2.374 *PidNameCalendarIsOrganizer*

Canonical name: PidNameCalendarIsOrganizer

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:isorganizer

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:isorganizer

2.375 *PidNameCalendarLastModified*

Canonical name: PidNameCalendarLastModified

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:lastmodified

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:lastmodified

2.376 *PidNameCalendarLocationUrl*

Canonical name: PidNameCalendarLocationUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:locationurl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:locationurl

2.377 *PidNameCalendarMeetingStatus*

Canonical name: PidNameCalendarMeetingStatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:meetingstatus

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:meetingstatus

2.378 *PidNameCalendarMethod*

Canonical name: PidNameCalendarMethod

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:method

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:method

2.379 *PidNameCalendarProductId*

Canonical name: PidNameCalendarProductId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:prodid

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:prodid

2.380 PidNameCalendarRecurrenceIdRange

Canonical name: PidNameCalendarRecurrenceIdRange

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:recurrenceidrange

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:recurrenceidrange

2.381 PidNameCalendarReminderOffset

Canonical name: PidNameCalendarReminderOffset

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:reminderoffset

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:reminderoffset

2.382 PidNameCalendarResources

Canonical name: PidNameCalendarResources

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:resources

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:resources

2.383 PidNameCalendarRsvp

Canonical name: PidNameCalendarRsvp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:rsvp

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:rsvp

2.384 PidNameCalendarSequence

Canonical name: PidNameCalendarSequence

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:sequence

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:sequence

2.385 PidNameCalendarTimeZone

Canonical name: PidNameCalendarTimeZone

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:timezone

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:timezone

2.386 PidNameCalendarTimeZoneId

Canonical name: PidNameCalendarTimeZoneId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:timezon eid

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:timezon eid

2.387 PidNameCalendarTransparent

Canonical name: PidNameCalendarTransparent

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:transparent

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:transparent

2.388 PidNameCalendarUid

Canonical name: PidNameCalendarUid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:uid

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:uid

2.389 PidNameCalendarVersion

Canonical name: PidNameCalendarVersion

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:version

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:version

2.390 *PidNameCategory*

Canonical name: PidNameCategory
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Category
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Category, urn:schemas-microsoft-com:office:office#Category

2.391 *PidNameCc*

Canonical name: PidNameCc
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Cc
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:cc

2.392 *PidNameCharacterCount*

Canonical name: PidNameCharacterCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: CharCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Characters, urn:schemas-microsoft-com:office:office#Characters

2.393 *PidNameComments*

Canonical name: PidNameComments
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Comments
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Comments, urn:schemas-microsoft-com:office:office#Comments

2.394 PidNameCompany

Canonical name: PidNameCompany

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Company

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Company, urn:schemas-microsoft-com:office:office#Company

2.395 PidNameContentBase

Canonical name: PidNameContentBase

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Base

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: BodyContentBase

2.396 PidNameContentClass

Canonical name: PidNameContentClass

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Class

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXBODY], [MS-OXCMAIL], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXSHARE], [MS-XWDSHEMA], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: DAV:contentclassDAV:contentclass

2.397 PidNameContentDisposition

Canonical name: PidNameContentDisposition

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Disposition

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-disposition

2.398 PidNameContentID

Canonical name: PidNameContentID

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-ID

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-id

2.399 PidNameContentLanguage

Canonical name: PidNameContentLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-language

2.400 PidNameContentLocation

Canonical name: PidNameContentLocation

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Location

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-location

2.401 PidNameContentTransferEncoding

Canonical name: PidNameContentTransferEncoding

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Transfer-Encoding

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL], [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-transfer-encoding

2.402 PidNameContentType

Canonical name: PidNameContentType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Type

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL], [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-type

2.403 PidNameControl

Canonical name: PidNameControl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Control
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:control

2.404 PidNameCreateDateTimeReadOnly

Canonical name: PidNameCreateDateTimeReadOnly
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: CreateDtmRo
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Created, urn:schemas-microsoft-com:office:office#Created

2.405 PidNameCrossReference

Canonical name: PidNameCrossReference
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Xref
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCMAIL], [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:xref

2.406 PidNameDavId

Canonical name: PidNameDavId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:id
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:id

2.407 PidNameDavIsCollection

Canonical name: PidNameDavIsCollection
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:iscollection
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:iscollection

2.408 PidNameDavIsStructuredDocument

Canonical name: PidNameDavIsStructuredDocument

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:isstructureddocument

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: DAV:isstructureddocument

2.409 PidNameDavParentName

Canonical name: PidNameDavParentName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:parentname

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: DAV:parentname

2.410 PidNameDavResourceType

Canonical name: PidNameDavResourceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:resourcetype

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDSEARCH]

Alternate names: DAV:resourcetype

2.411 PidNameDavSearchRequest

Canonical name: PidNameDavSearchRequest

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:searchrequest

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDSEARCH]

Alternate names: DAV:searchrequest

2.412 PidNameDavSearchType

Canonical name: PidNameDavSearchType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:searchtype

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDSEARCH]
Alternate names: DAV:searchtype

2.413 PidNameDavUid

Canonical name: PidNameDavUid
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:uid
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:uid

2.414 PidNameDisposition

Canonical name: PidNameDisposition
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Disposition
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:disposition

2.415 PidNameDispositionNotificationOptions

Canonical name: PidNameDispositionNotificationOptions
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Disposition-Notification-Options
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:disposition-notification-options

2.416 PidNameDispositionNotificationTo

Canonical name: PidNameDispositionNotificationTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Disposition-Notification-To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:disposition-notification-to

2.417 PidNameDistribution

Canonical name: PidNameDistribution
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Distribution

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:distribution

2.418 PidNameDocumentParts

Canonical name: PidNameDocumentParts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DocParts

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#PartTitles, urn:schemas-microsoft-com:office:office#PartTitles

2.419 PidNameEditTime

Canonical name: PidNameEditTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: EditTime

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#TotalTime, urn:schemas-microsoft-com:office:office#TotalTime

2.420 PidNameExchangeArchive

Canonical name: PidNameExchangeArchive

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/archive

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/archive

2.421 PidNameExchangeComposeFontColor

Canonical name: PidNameExchangeComposeFontColor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/composefontcolor

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/composefontcolor

2.422 *PidNameExchangeComposeFontFlags*

Canonical name: PidNameExchangeComposeFontFlags

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/composefontflags

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/composefontflags

2.423 *PidNameExchangeComposeFontName*

Canonical name: PidNameExchangeComposeFontName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/composefontname

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/composefontname

2.424 *PidNameExchangeComposeFontSize*

Canonical name: PidNameExchangeComposeFontSize

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/composefontsize

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/composefontsize

2.425 *PidNameExchangeIntendedBusyStatus*

Canonical name: PidNameExchangeIntendedBusyStatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/intendedbusystatus

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: http://schemas.microsoft.com/exchange/intendedbusystatus

2.426 *PidNameExchangeJunkEmailMoveStamp*

Canonical name: PidNameExchangeJunkEmailMoveStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/junkemailmovestamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCSPAM], [MS-OXORSS], [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/junkemailmovestamp>

2.427 PidNameExchangeMailboxOwnerId

Canonical name: PidNameExchangeMailboxOwnerId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/mailbox-owner-entryid>

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/mailbox-owner-entryid>

2.428 PidNameExchangeMailboxOwnerName

Canonical name: PidNameExchangeMailboxOwnerName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/mailbox-owner-name>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/mailbox-owner-name>

2.429 PidNameExchangeModifyExceptionStructure

Canonical name: PidNameExchangeModifyExceptionStructure

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/modifyexceptionstruct>

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/modifyexceptionstruct>

2.430 PidNameExchangeMsexchembdefaultmailfolder

Canonical name: PidNameExchangeMsexchembdefaultmailfolder

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder>

2.431 PidNameExchangeMsexchembdefaultmailfoldertype

Canonical name: PidNameExchangeMsexchembdefaultmailfoldertype

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype>

2.432 *PidNameExchangeNewMailNotify*

Canonical name: PidNameExchangeNewMailNotify

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/newmailnotify>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/newmailnotify>

2.433 *PidNameExchangeNoModifyExceptions*

Canonical name: PidNameExchangeNoModifyExceptions

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/nomodifyexceptions>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/nomodifyexceptions>

2.434 *PidNameExchangeOutOfOfficeState*

Canonical name: PidNameExchangeOutOfOfficeState

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/oof-state>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/oof-state>

2.435 *PidNameExchangePatternEnd*

Canonical name: PidNameExchangePatternEnd

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/patternend>

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/patternend>

2.436 PidNameExchangePatternStart

Canonical name: PidNameExchangePatternStart

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/patternstart

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: http://schemas.microsoft.com/exchange/patternstart

2.437 PidNameExchangePreviewMarkAsRead

Canonical name: PidNameExchangePreviewMarkAsRead

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/previewmarkasread

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/previewmarkasread

2.438 PidNameExchangePreviewReadDelayTime

Canonical name: PidNameExchangePreviewReadDelayTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/prevreaddelaytime

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/prevreaddelaytime

2.439 PidNameExchangePublicFolderEmailAddress

Canonical name: PidNameExchangePublicFolderEmailAddress

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/publicfolderemailaddress

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: http://schemas.microsoft.com/exchange/publicfolderemailaddress

2.440 PidNameExchangeReadReceipt

Canonical name: PidNameExchangeReadReceipt

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/readreceipt

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/readreceipt>

2.441 PidNameExchangeReminderInterval

Canonical name: PidNameExchangeReminderInterval

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/reminderinterval>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/reminderinterval>

2.442 PidNameExchangeSmallIcon

Canonical name: PidNameExchangeSmallIcon

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/smallicon>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/smallicon>

2.443 PidNameExchangeSmimeEncrypt

Canonical name: PidNameExchangeSmimeEncrypt

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/smimeencrypt>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/smimeencrypt>

2.444 PidNameExchangeSmimeSign

Canonical name: PidNameExchangeSmimeSign

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/smimesign>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/smimesign>

2.445 PidNameExchangeUserEntryId

Canonical name: PidNameExchangeUserEntryId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/user-entryid>

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/user-entryid>

2.446 PidNameExchDatabaseSchema

Canonical name: PidNameExchDatabaseSchema

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:baseschema

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:baseschema

2.447 PidNameExchDataExpectedContentClass

Canonical name: PidNameExchDataExpectedContentClass

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:expected-content-class

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:expected-content-class

2.448 PidNameExchDataSchemaCollectionReference

Canonical name: PidNameExchDataSchemaCollectionReference

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:schema-collection-ref

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:schema-collection-ref

2.449 PidNameExpires

Canonical name: PidNameExpires

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Expires

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:expires

2.450 PidNameExpiryDate

Canonical name: PidNameExpiryDate

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Expiry-Date

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:expiry-date

2.451 PidNameFollowupTo

Canonical name: PidNameFollowupTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Followup-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:followup-to

2.452 PidNameFrom

Canonical name: PidNameFrom

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: From

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:organizer

2.453 PidNameHeadingPairs

Canonical name: PidNameHeadingPairs

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: HeadingPairs

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#HeadingPairs

2.454 PidNameHiddenCount

Canonical name: PidNameHiddenCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: HiddenCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#HiddenSlides, urn:schemas-microsoft-com:office:office#HiddenSlides

2.455 *PidNameHttpmailBcc*

Canonical name: PidNameHttpmailBcc

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:bcc

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:bcc

2.456 *PidNameHttpmailCalendar*

Canonical name: PidNameHttpmailCalendar

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:calendar

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:httpmail:calendar

2.457 *PidNameHttpmailCc*

Canonical name: PidNameHttpmailCc

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:cc

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:cc

2.458 *PidNameHttpmailContacts*

Canonical name: PidNameHttpmailContacts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:contacts

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:contacts

2.459 *PidNameHttpmailContentDispositionType*

Canonical name: PidNameHttpmailContentDispositionType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:content-disposition-type

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:content-disposition-type

2.460 *PidNameHttpmailContentMediaType*

Canonical name: PidNameHttpmailContentMediaType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:content-media-type
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:content-media-type

2.461 *PidNameHttpmailDeleteditems*

Canonical name: PidNameHttpmailDeleteditems
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:deleteditems
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:deleteditems

2.462 *PidNameHttpmailDrafts*

Canonical name: PidNameHttpmailDrafts
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:drafts
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:drafts

2.463 *PidNameHttpmailFrom*

Canonical name: PidNameHttpmailFrom
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:from
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:from

2.464 PidNameHttpmailFromEmail

Canonical name: PidNameHttpmailFromEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:fromemail
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:fromemail

2.465 PidNameHttpmailHtmlDescription

Canonical name: PidNameHttpmailHtmlDescription
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:htmldescription
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: urn:schemas:httpmail:htmldescription

2.466 PidNameHttpmailInbox

Canonical name: PidNameHttpmailInbox
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:inbox
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:inbox

2.467 PidNameHttpmailJunkEmail

Canonical name: PidNameHttpmailJunkEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:junkemail
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:junkemail

2.468 PidNameHttpmailMessageFolderRoot

Canonical name: PidNameHttpmailMessageFolderRoot
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:msgfolderroot
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:msgfolderroot

2.469 PidNameHttpmailNotes

Canonical name: PidNameHttpmailNotes

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:notes

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:notes

2.470 PidNameHttpmailOutbox

Canonical name: PidNameHttpmailOutbox

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:outbox

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:outbox

2.471 PidNameHttpmailReplyTo

Canonical name: PidNameHttpmailReplyTo

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:reply-to

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:reply-to

2.472 PidNameHttpmailSaveDestination

Canonical name: PidNameHttpmailSaveDestination

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:savedestination

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:savedestination

2.473 PidNameHttpmailSaveInSent

Canonical name: PidNameHttpmailSaveInSent

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:saveinsent

Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:saveinsent

2.474 PidNameHttpmailSender

Canonical name: PidNameHttpmailSender
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:sender
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:sender

2.475 PidNameHttpmailSenderEmail

Canonical name: PidNameHttpmailSenderEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:senderemail
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:senderemail

2.476 PidNameHttpmailSendMessage

Canonical name: PidNameHttpmailSendMessage
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:sendmsg
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: urn:schemas:httpmail:sendmsg

2.477 PidNameHttpmailSentItems

Canonical name: PidNameHttpmailSentItems
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:sentitems
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:sentitems

2.478 *PidNameHttpmailSpecial*

Canonical name: PidNameHttpmailSpecial

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:special

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:special

2.479 *PidNameHttpmailSubmitted*

Canonical name: PidNameHttpmailSubmitted

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:submitted

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:submitted

2.480 *PidNameHttpmailTo*

Canonical name: PidNameHttpmailTo

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:to

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:to

2.481 *PidNameICalendarRecurrenceDate*

Canonical name: PidNameICalendarRecurrenceDate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:rdate

Data type: PtypMultipleTime, 0x1040

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:rdate

2.482 *PidNameICalendarRecurrenceRule*

Canonical name: PidNameICalendarRecurrenceRule

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:rrule

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:rrule

2.483 PidNameImportance

Canonical name: PidNameImportance

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Importance

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:importance

2.484 PidNameInReplyTo

Canonical name: PidNameInReplyTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: In-Reply-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:in-reply-to

2.485 PidNameInternetComment

Canonical name: PidNameInternetComment

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Comment

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:comment

2.486 PidNameInternetKeywords

Canonical name: PidNameInternetKeywords

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Keywords

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:keywords

2.487 PidNameInternetSubject

Canonical name: PidNameInternetSubject

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDCAL]
Alternate names: urn:schemas:mailheader:subject

2.488 *PidNameKeywords*

Canonical name: PidNameKeywords
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Keywords
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODOC], [MS-XWDDOC], [MS-XWDCAL], [MS-XWDMAIL]
Alternate names: urn:schemas-microsoft-com:office:office#Keywords,
<http://schemas.microsoft.com/exchange/keywords-utf8>

2.489 *PidNameLastAuthor*

Canonical name: PidNameLastAuthor
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastAuthor
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LastAuthor, urn:schemas-microsoft-com:office:office#LastAuthor

2.490 *PidNameLastPrinted*

Canonical name: PidNameLastPrinted
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastPrinted
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LastPrinted, urn:schemas-microsoft-com:office:office#LastPrinted

2.491 *PidNameLastPrinted*

Canonical name: PidNameLastPrinted
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastPrinted
Data type: PtypTime, 0x0040
Area: Common
References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LastPrinted, urn:schemas-microsoft-com:office:office#LastPrinted

2.492 *PidNameLastSaveDateTime*

Canonical name: PidNameLastSaveDateTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastSaveDtm

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LastSaved, urn:schemas-microsoft-com:office:office#LastSaved

2.493 *PidNameLineCount*

Canonical name: PidNameLineCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LineCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Lines, urn:schemas-microsoft-com:office:office#Lines

2.494 *PidNameLines*

Canonical name: PidNameLines

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Lines

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:lines

2.495 *PidNameLinksDirty*

Canonical name: PidNameLinksDirty

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LinksDirty

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LinksUpToDate, urn:schemas-microsoft-com:office:office#LinksUpToDate

2.496 PidNameManager

Canonical name: PidNameManager

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Manager

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Manager, urn:schemas-microsoft-com:office:office#Manager

2.497 PidNameMessageId

Canonical name: PidNameMessageId

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Message-ID

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:message-id

2.498 PidNameMimeType

Canonical name: PidNameMimeType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Mime-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:mime-version

2.499 PidNameMultimediaClipCount

Canonical name: PidNameMultimediaClipCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: MMClipCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#MultimediaClips, urn:schemas-microsoft-com:office:office#MultimediaClips

2.500 PidNameNewsgroups

Canonical name: PidNameNewsgroups

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Newsgroups

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:newsgroups

2.501 PidNameNntpPostingHost

Canonical name: PidNameNntpPostingHost

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: NNTP-Posting-Host

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:nntp-posting-host

2.502 PidNameNntpPostingUser

Canonical name: PidNameNntpPostingUser

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: NNTP-Posting-User

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:nntp-posting-user

2.503 PidNameNoteCount

Canonical name: PidNameNoteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: NoteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Notes, urn:schemas-microsoft-com:office:office#Notes

2.504 PidNameOMSAccountGuid

Canonical name: PidNameOMSAccountGuid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSAccountGuid

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.505 *PidNameOMSMobileModel*

Canonical name: PidNameOMSMobileModel

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSMobileModel

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.506 *PidNameOMSScheduleTime*

Canonical name: PidNameOMSScheduleTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSScheduleTime

Data type: PtypTime, 0x0040

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.507 *PidNameOMSServiceType*

Canonical name: PidNameOMSServiceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSServiceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.508 *PidNameOMSSourceType*

Canonical name: PidNameOMSSourceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSSourceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.509 *PidNameOrganization*

Canonical name: PidNameOrganization

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Organization

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:organization

2.510 PidNameOriginalRecipient

Canonical name: PidNameOriginalRecipient

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Original-Recipient

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:original-recipient

2.511 PidNamePhishingStamp

Canonical name: PidNamePhishingStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/outlook/phishingstamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXPHISH]

Alternate names:

2.512 PidNamePageCount

Canonical name: PidNamePageCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PageCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Pages, urn:schemas-microsoft-com:office:office#Pages

2.513 PidNameParagraphCount

Canonical name: PidNameParagraphCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ParCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Paragraphs, urn:schemas-microsoft-com:office:office#Paragraphs

2.514 PidNamePath

Canonical name: PidNamePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Path

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:path

2.515 PidNamePostingVersion

Canonical name: PidNamePostingVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Posting-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:posting-version

2.516 PidNamePresentationFormat

Canonical name: PidNamePresentationFormat

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PresFormat

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#PresentationFormat,
urn:schemas-microsoft-com:office:office#PresentationFormat

2.517 PidNamePriority

Canonical name: PidNamePriority

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Priority

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:priority

2.518 PidNameReceived

Canonical name: PidNameReceived

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Received

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:received

2.519 PidNameReferences

Canonical name: PidNameReferences

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: References

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:references

2.520 PidNameRelayVersion

Canonical name: PidNameRelayVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Relay-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:relay-version

2.521 PidNameReplyBy

Canonical name: PidNameReplyBy

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Reply-By

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:reply-by

2.522 PidNameReplyTo

Canonical name: PidNameReplyTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Reply-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:reply-to

2.523 PidNameReturnPath

Canonical name: PidNameReturnPath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Path

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:return-path

2.524 *PidNameReturnReceiptTo*

Canonical name: PidNameReturnReceiptTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Receipt-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:return-receipt-to

2.525 *PidNameRevisionNumber*

Canonical name: PidNameRevisionNumber

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: RevNumber

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Revision, urn:schemas-microsoft-com:office:office#Revision

2.526 *PidNameRightsManagementLicense*

Canonical name: PidNameRightsManagementLicense

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DRMLicense

Data type: PtypMultipleBinary, 0x1102

Area: Secure Messaging Properties

References: [MS-OXORMMS]

Alternate names:

2.527 *PidNameScale*

Canonical name: PidNameScale

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Scale

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#ScaleCrop, urn:schemas-microsoft-com:office:office#ScaleCrop

2.528 PidNameSecurity

Canonical name: PidNameSecurity

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Security

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Security, urn:schemas-microsoft-com:office:office#Security

2.529 PidNameSender

Canonical name: PidNameSender

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Sender

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:sender

2.530 PidNameSensitivity

Canonical name: PidNameSensitivity

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Sensitivity

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:sensitivity

2.531 PidNameSlideCount

Canonical name: PidNameSlideCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: SlideCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Slides, urn:schemas-microsoft-com:office:office#Slides

2.532 PidNameSubject

Canonical name: PidNameSubject

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Subject, urn:schemas-microsoft-com:office:office#Subject

2.533 PidNameSummary

Canonical name: PidNameSummary

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Summary

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:summary

2.534 PidNameTemplate

Canonical name: PidNameTemplate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Template

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Template, urn:schemas-microsoft-com:office:office#Template

2.535 PidNameThreadIndex

Canonical name: PidNameThreadIndex

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Index

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:thread-index

2.536 PidNameThreadTopic

Canonical name: PidNameThreadTopic

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Topic

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:thread-topic

2.537 PidNameThumbnail

Canonical name: PidNameThumbnail

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Thumbnail

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#ThumbNail, urn:schemas-microsoft-com:office:office#ThumbNail

2.538 PidNameTitle

Canonical name: PidNameTitle

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Title

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Title, urn:schemas-microsoft-com:office:office#Title

2.539 PidNameTo

Canonical name: PidNameTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:to

2.540 PidNameWordCount

Canonical name: PidNameWordCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: WordCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Words, urn:schemas-microsoft-com:office:office#Words

2.541 PidNameXMailer

Canonical name: PidNameXMailer

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Mailer

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-mailer

2.542 PidNameXMessageCompleted

Canonical name: PidNameXMessageCompleted

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Completed

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-message-completed

2.543 PidNameXMessageFlag

Canonical name: PidNameXMessageFlag

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Flag

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-message-flag

2.544 PidNameXSharingBrowseUrl

Canonical name: PidNameXSharingBrowseUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Browse-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.545 PidNameXSharingCapabilities

Canonical name: PidNameXSharingCapabilities

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Capabilities

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.546 *PidNameXSharingConfigUrl*

Canonical name: PidNameXSharingConfigUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Config-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.547 *PidNameXSharingExendedCaps*

Canonical name: PidNameXSharingExendedCaps

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Exended-Caps

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.548 *PidNameXSharingFlavor*

Canonical name: PidNameXSharingFlavor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Flavor

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.549 *PidNameXSharingInstanceGuid*

Canonical name: PidNameXSharingInstanceGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Instance-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.550 *PidNameXSharingLocalType*

Canonical name: PidNameXSharingLocalType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Local-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.551 PidNameXSharingProviderGuid

Canonical name: PidNameXSharingProviderGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.552 PidNameXSharingProviderName

Canonical name: PidNameXSharingProviderName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.553 PidNameXSharingProviderUrl

Canonical name: PidNameXSharingProviderUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.554 PidNameXSharingRemoteName

Canonical name: PidNameXSharingRemoteName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.555 PidNameXSharingRemotePath

Canonical name: PidNameXSharingRemotePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Path

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.556 PidNameXSharingRemoteStoreUid

Canonical name: PidNameXSharingRemoteStoreUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Store-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.557 PidNameXSharingRemoteType

Canonical name: PidNameXSharingRemoteType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.558 PidNameXSharingRemoteUid

Canonical name: PidNameXSharingRemoteUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.559 PidNameXUnsent

Canonical name: PidNameXUnsent

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Unsent

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-unsent

2.560 PidNameQuarantineOriginalSender

Canonical name: PidNameQuarantineOriginalSender

Property set: PSETID_PublicStrings

Property name: "ÿ""quarantine-original-sender""""

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.561 PidNameXCallId

Canonical name: PidNameXCallId

Property set: PSETID_InternetHeaders

Property name: "ÿ""X-CallID""""

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.562 PidNameXFaxNumberOfPages

Canonical name: PidNameXFaxNumberOfPages

Property set: PSETID_InternetHeaders

Property name: "ÿ""X-FaxNumberOfPages""""

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.563 PidNameXSenderTelephoneNumber

Canonical name: PidNameXSenderTelephoneNumber

Property set: PSETID_InternetHeaders

Property name: "ÿ""X-CallingTelephoneNumber""""

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.564 PidNameXVoiceMessageAttachmentOrder

Canonical name: PidNameXVoiceMessageAttachmentOrder

Property set: PSETID_InternetHeaders

Property name: "ÿ""X-AttachmentOrder""""

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.565 PidNameXVoiceMessageDuration

Canonical name: PidNameXVoiceMessageDuration

Property set: PSETID_InternetHeaders

Property name: "ÿ""X-VoiceMessageDuration"""

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.566 PidNameXVoiceMessageSenderName

Canonical name: PidNameXVoiceMessageSenderName

Property set: PSETID_InternetHeaders

Property name: "ÿ""X-VoiceMessageSenderName"""

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.567 PidTag7BitDisplayName

Canonical name: PidTag7BitDisplayName

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_7BIT_DISPLAY_NAME, PR_7BIT_DISPLAY_NAME_A, PR_7BIT_DISPLAY_NAME_W

2.568 PidTagAccess

Canonical name: PidTagAccess

Property ID: 0x0FF4

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOJRNL]

Alternate names: PR_ACCESS, ptagAccess

2.569 PidTagAccessLevel

Canonical name: PidTagAccessLevel

Property ID: 0x0FF7

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT]

Alternate names: PR_ACCESS_LEVEL, ptagAccessLevel

2.570 *PidTagAccount*

Canonical name: PidTagAccount

Property ID: 0x3A00

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXCFXICS], [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG]

Alternate names: PR_ACCOUNT, PR_ACCOUNT_A, PR_ACCOUNT_W

2.571 *PidTagAdditionalRenEntryIds*

Canonical name: PidTagAdditionalRenEntryIds

Property ID: 0x36D8

Data type: PtypMultipleBinary, 0x1102

Area: Outlook Application

References: [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPHISH]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS, ptagAdditionalRenEntryIds

2.572 *PidTagAdditionalRenEntryIdsEx*

Canonical name: PidTagAdditionalRenEntryIdsEx

Property ID: 0x36D9

Data type: PtypBinary, 0x0102

Area: Outlook Application

References: [MS-OXOSFLD]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS_EX,

ptagAdditionalRenEntryIdsEx

2.573 *PidTagAddressBookContainerId*

Canonical name: PidTagAddressBookContainerId

Property ID: 0xFFFFD

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_CONTAINERID

2.574 *PidTagAddressBookDisplayNamePrintable*

Canonical name: PidTagAddressBookDisplayNamePrintable

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXCMSG]

Alternate names: PR_EMS_AB_DISPLAY_NAME_PRINTABLE,
PR_EMS_AB_DISPLAY_NAME_PRINTABLE_A,
PR_EMS_AB_DISPLAY_NAME_PRINTABLE_W

2.575 *PidTagAddressBookEntryId*

Canonical name: PidTagAddressBookEntryId

Property ID: 0x663B

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXCFOLD]

Alternate names: PR_ADDRESS_BOOK_ENTRYID, ptagAddressBookEntryId

2.576 *PidTagAddressBookExtensionAttribute1*

Canonical name: PidTagAddressBookExtensionAttribute1

Property ID: 0x802D

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_1,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_W

2.577 *PidTagAddressBookExtensionAttribute15*

Canonical name: PidTagAddressBookExtensionAttribute15

Property ID: 0x8C61

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_15,

PR_EMS_AB_EXTENSION_ATTRIBUTE_15_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_15_W

2.578 *PidTagAddressBookFolderPathname*

Canonical name: PidTagAddressBookFolderPathname

Property ID: 0x8004

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_FOLDER_PATHNAME,

PR_EMS_AB_FOLDER_PATHNAME_A, PR_EMS_AB_FOLDER_PATHNAME_W

2.579 *PidTagAddressBookHierarchicalChildDepartments*

Canonical name: PidTagAddressBookHierarchicalChildDepartments

Property ID: 0x8C9A

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_CHILD_DEPARTMENTS

2.580 *PidTagAddressBookHierarchicalDepartmentMembers*

Canonical name: PidTagAddressBookHierarchicalDepartmentMembers

Property ID: 0x8C97

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_DEPARTMENT_MEMBERS

2.581 *PidTagAddressBookHierarchicalParentDepartment*

Canonical name: PidTagAddressBookHierarchicalParentDepartment

Property ID: 0x8C99

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_PARENT_DEPARTMENT

2.582 *PidTagAddressBookHierarchicalRootDepartment*

Canonical name: PidTagAddressBookHierarchicalRootDepartment

Property ID: 0x8C98

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_ROOT_DEPARTMENT

2.583 *PidTagAddressBookHierarchicalShowInDepartments*

Canonical name: PidTagAddressBookHierarchicalShowInDepartments

Property ID: 0x8C94

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_SHOW_IN_DEPARTMENTS

2.584 *PidTagAddressBookHomeMessageDatabase*

Canonical name: PidTagAddressBookHomeMessageDatabase

Property ID: 0x8006

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXABREF], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_HOME_MDB, PR_EMS_AB_HOME_MDB_A,
PR_EMS_AB_HOME_MDB_W

2.585 PidTagAddressBookIsMaster

Canonical name: PidTagAddressBookIsMaster

Property ID: 0xFFFFB

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MASTER

2.586 PidTagAddressBookIsMemberOfDistributionList

Canonical name: PidTagAddressBookIsMemberOfDistributionList

Property ID: 0x8008

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MEMBER_OF_DL,
PR_EMS_AB_IS_MEMBER_OF_DL_A, PR_EMS_AB_IS_MEMBER_OF_DL_W

2.587 PidTagAddressBookManageDistributionList

Canonical name: PidTagAddressBookManageDistributionList

Property ID: 0x6704

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_EMS_AB_MANAGE_DL

2.588 PidTagAddressBookManager

Canonical name: PidTagAddressBookManager

Property ID: 0x8005

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER, PR_EMS_AB_MANAGER_A,
PR_EMS_AB_MANAGER_W

2.589 *PidTagAddressBookManagerDistinguishedName*

Canonical name: PidTagAddressBookManagerDistinguishedName

Property ID: 0x8005

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER_T

2.590 *PidTagAddressBookMember*

Canonical name: PidTagAddressBookMember

Property ID: 0x8009

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MEMBER, PR_EMS_AB_MEMBER_A,
PR_EMS_AB_MEMBER_W

2.591 *PidTagAddressBookMessageId*

Canonical name: PidTagAddressBookMessageId

Property ID: 0x674F

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR]

Alternate names: ptagAddrbookMID

2.592 *PidTagAddressBookNetworkAddress*

Canonical name: PidTagAddressBookNetworkAddress

Property ID: 0x8170

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_NETWORK_ADDRESS,
PR_EMS_AB_NETWORK_ADDRESS_A, PR_EMS_AB_NETWORK_ADDRESS_W

2.593 *PidTagAddressBookObjectDistinguishedName*

Canonical name: PidTagAddressBookObjectDistinguishedName

Property ID: 0x803C

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJ_DIST_NAME,
PR_EMS_AB_OBJ_DIST_NAME_A, PR_EMS_AB_OBJ_DIST_NAME_W

2.594 *PidTagAddressBookObjectGuid*

Canonical name: PidTagAddressBookObjectGuid

Property ID: 0x8C6D

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJECT_GUID

2.595 *PidTagAddressBookOwner*

Canonical name: PidTagAddressBookOwner

Property ID: 0x800C

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_O

2.596 *PidTagAddressBookOwnerBackLink*

Canonical name: PidTagAddressBookOwnerBackLink

Property ID: 0x8024

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_BL_O

2.597 *PidTagAddressBookParentEntryId*

Canonical name: PidTagAddressBookParentEntryId

Property ID: 0xFFFFC

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PARENT_ENTRYID

2.598 *PidTagAddressBookPhoneticCompanyName*

Canonical name: PidTagAddressBookPhoneticCompanyName

Property ID: 0x8C91

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_COMPANY_NAME,

PR_EMS_AB_PHONETIC_COMPANY_NAME_A,

PR_EMS_AB_PHONETIC_COMPANY_NAME_W

2.599 PidTagAddressBookPhoneticDepartmentName

Canonical name: PidTagAddressBookPhoneticDepartmentName

Property ID: 0x8C90

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DEPARTMENT_NAME,
PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_A,
PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_W

2.600 PidTagAddressBookPhoneticDisplayName

Canonical name: PidTagAddressBookPhoneticDisplayName

Property ID: 0x8C92

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DISPLAY_NAME,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_A,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_W

2.601 PidTagAddressBookPhoneticGivenName

Canonical name: PidTagAddressBookPhoneticGivenName

Property ID: 0x8C8E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_GIVEN_NAME,
PR_EMS_AB_PHONETIC_GIVEN_NAME_A,
PR_EMS_AB_PHONETIC_GIVEN_NAME_W

2.602 PidTagAddressBookPhoneticSurname

Canonical name: PidTagAddressBookPhoneticSurname

Property ID: 0x8C8F

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_SURNAME,
PR_EMS_AB_PHONETIC_SURNAME_A, PR_EMS_AB_PHONETIC_SURNAME_W

2.603 PidTagAddressBookProxyAddresses

Canonical name: PidTagAddressBookProxyAddresses

Property ID: 0x800F

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_PROXY_ADDRESSES,
PR_EMS_AB_PROXY_ADDRESSES_A, PR_EMS_AB_PROXY_ADDRESSES_W

2.604 PidTagAddressBookPublicDelegates

Canonical name: PidTagAddressBookPublicDelegates

Property ID: 0x8015

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_PUBLIC_DELEGATES,
PR_EMS_AB_PUBLIC_DELEGATES_A, PR_EMS_AB_PUBLIC_DELEGATES_W

2.605 PidTagAddressBookReports

Canonical name: PidTagAddressBookReports

Property ID: 0x800E

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_REPORTS, PR_EMS_AB_REPORTS_A,
PR_EMS_AB_REPORTS_W

2.606 PidTagAddressBookRoomCapacity

Canonical name: PidTagAddressBookRoomCapacity

Property ID: 0x0807

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CAPACITY

2.607 PidTagAddressBookRoomContainers

Canonical name: PidTagAddressBookRoomContainers

Property ID: 0x8C96

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CONTAINERS,
PR_EMS_AB_ROOM_CONTAINERS_A, PR_EMS_AB_ROOM_CONTAINERS_W

2.608 PidTagAddressBookRoomDescription

Canonical name: PidTagAddressBookRoomDescription

Property ID: 0x0809

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_DESCRIPTION,
PR_EMS_AB_ROOM_DESCRIPTION_A, PR_EMS_AB_ROOM_DESCRIPTION_W

2.609 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex

Property ID: 0x8CA0

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_SENIORITY_INDEX

2.610 PidTagAddressBookTargetAddress

Canonical name: PidTagAddressBookTargetAddress

Property ID: 0x8011

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_TARGET_ADDRESS,
PR_EMS_AB_TARGET_ADDRESS_A, PR_EMS_AB_TARGET_ADDRESS_W

2.611 PidTagAddressBookX509Certificate

Canonical name: PidTagAddressBookX509Certificate

Property ID: 0x8C6A

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_X509_CERT

2.612 PidTagAddressType

Canonical name: PidTagAddressType

Property ID: 0x3002

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSTOR], [MS-OXOABK], [MS-OXOABKT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPSVAL]

Alternate names: PR_ADDRTYPE, PR_ADDRTYPE_A, ptagAddrType,
PR_ADDRTYPE_W

2.613 PidTagAlternateRecipientAllowed

Canonical name: PidTagAlternateRecipientAllowed

Property ID: 0x0002

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: PR_ALTERNATE_RECIPIENT_ALLOWED,
ptagAlternateRecipientAllowed

2.614 PidTagAnr

Canonical name: PidTagAnr

Property ID: 0x360C

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOABK]

Alternate names: PR_ANR, PR_ANR_A, PR_ANR_W

2.615 PidTagAssistant

Canonical name: PidTagAssistant

Property ID: 0x3A30

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_ASSISTANT, PR_ASSISTANT_A, PR_ASSISTANT_W

2.616 PidTagAssistantTelephoneNumber

Canonical name: PidTagAssistantTelephoneNumber

Property ID: 0x3A2E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_ASSISTANT_TELEPHONE_NUMBER,

PR_ASSISTANT_TELEPHONE_NUMBER_A,

PR_ASSISTANT_TELEPHONE_NUMBER_W

2.617 PidTagAssociated

Canonical name: PidTagAssociated

Property ID: 0x67AA

Data type: PtypBoolean, 0x000B

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagAssociated

2.618 PidTagAttachAdditionalInformation

Canonical name: PidTagAttachAdditionalInformation

Property ID: 0x370F

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG]

Alternate names: PR_ATTACH_ADDITIONAL_INFO

2.619 PidTagAttachContentBase

Canonical name: PidTagAttachContentBase

Property ID: 0x3711

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG]

Alternate names: PR_ATTACH_CONTENT_BASE,

PR_ATTACH_CONTENT_BASE_A, PR_ATTACH_CONTENT_BASE_W

2.620 PidTagAttachContentId

Canonical name: PidTagAttachContentId

Property ID: 0x3712

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS],
[MS-OXOSMMS]

Alternate names: PR_ATTACH_CONTENT_ID, PR_ATTACH_CONTENT_ID_A,

PR_ATTACH_CONTENT_ID_W

2.621 PidTagAttachContentLocation

Canonical name: PidTagAttachContentLocation

Property ID: 0x3713

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_CONTENT_LOCATION,

PR_ATTACH_CONTENT_LOCATION_A, PR_ATTACH_CONTENT_LOCATION_W

2.622 PidTagAttachDataBinary

Canonical name: PidTagAttachDataBinary

Property ID: 0x3701

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-

[MS-OXJRNL], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_DATA_BIN, ptagAttachDataBin

2.623 PidTagAttachDataObject

Canonical name: PidTagAttachDataObject

Property ID: 0x3701

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_DATA_OBJ, ptagAttachDataObj

2.624 PidTagAttachEncoding

Canonical name: PidTagAttachEncoding

Property ID: 0x3702

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR], [MS-OXTNEF]

Alternate names: PR_ATTACH_ENCODING

2.625 PidTagAttachExtension

Canonical name: PidTagAttachExtension

Property ID: 0x3703

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXODOC], [MS-OXORMMS]

Alternate names: PR_ATTACH_EXTENSION, PR_ATTACH_EXTENSION_A, PR_ATTACH_EXTENSION_W

2.626 PidTagAttachFilename

Canonical name: PidTagAttachFilename

Property ID: 0x3704

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_ATTACH_FILENAME, PR_ATTACH_FILENAME_A, ptagAttachFilename, PR_ATTACH_FILENAME_W

2.627 *PidTagAttachFlags*

Canonical name: PidTagAttachFlags

Property ID: 0x3714

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_FLAGS

2.628 *PidTagAttachLongFilename*

Canonical name: PidTagAttachLongFilename

Property ID: 0x3707

Data type: PtypString, 0x001F

Area: Message Attachment Properties Property set

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXODOC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM], [MS-OXRTFEX], [MS-XWDMAIL]

Alternate names: PR_ATTACH_LONG_FILENAME,

PR_ATTACH_LONG_FILENAME_A, PR_ATTACH_LONG_FILENAME_W,

urn:schemas:httpmail:attachmentfilename

2.629 *PidTagAttachLongPathname*

Canonical name: PidTagAttachLongPathname

Property ID: 0x370D

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_LONG_PATHNAME,

PR_ATTACH_LONG_PATHNAME_A, ptagAttachLongPathname,

PR_ATTACH_LONG_PATHNAME_W

2.630 *PidTagAttachmentContactPhoto*

Canonical name: PidTagAttachmentContactPhoto

Property ID: 0x7FFF

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCNTC], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_CONTACTPHOTO

2.631 *PidTagAttachmentFlags*

Canonical name: PidTagAttachmentFlags

Property ID: 0x7FFD

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_FLAGS, ptagAttachmentFlags

2.632 PidTagAttachmentHidden

Canonical name: PidTagAttachmentHidden

Property ID: 0x7FFE

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-

OXOJRNL], [MS-OXORMDR], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: PR_ATTACHMENT_HIDDEN

2.633 PidTagAttachmentLinkId

Canonical name: PidTagAttachmentLinkId

Property ID: 0x7FFA

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOJRNL], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_LINKID, ptagAttachmentLinkId

2.634 PidTagAttachMethod

Canonical name: PidTagAttachMethod

Property ID: 0x3705

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_ATTACH_METHOD, ptagAttachMethod

2.635 PidTagAttachMimeType

Canonical name: PidTagAttachMimeType

Property ID: 0x370E

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM]

Alternate names: PR_ATTACH_MIME_TAG, PR_ATTACH_MIME_TAG_A,

PR_ATTACH_MIME_TAG_W

2.636 *PidTagAttachNumber*

Canonical name: PidTagAttachNumber

Property ID: 0x0E21

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCROPS], [MS-OXOCAL], [MS-OXRTFEX]

Alternate names: PR_ATTACH_NUM, ptagAttachNum

2.637 *PidTagAttachPathname*

Canonical name: PidTagAttachPathname

Property ID: 0x3708

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_PATHNAME, PR_ATTACH_PATHNAME_A, ptagAttachPathname, PR_ATTACH_PATHNAME_W

2.638 *PidTagAttachPayloadClass*

Canonical name: PidTagAttachPayloadClass

Property ID: 0x371A

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_CLASS, PR_ATTACH_PAYLOAD_CLASS_A, PR_ATTACH_PAYLOAD_CLASS_W, ptagAttachPayloadClass

2.639 *PidTagAttachPayloadProviderGuidString*

Canonical name: PidTagAttachPayloadProviderGuidString

Property ID: 0x3719

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_PROV_GUID_STR, PR_ATTACH_PAYLOAD_PROV_GUID_STR_A, PR_ATTACH_PAYLOAD_PROV_GUID_STR_W

2.640 *PidTagAttachRendering*

Canonical name: PidTagAttachRendering

Property ID: 0x3709

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]
Alternate names: PR_ATTACH_RENDERING, ptagAttachRendering

2.641 PidTagAttachSize

Canonical name: PidTagAttachSize

Property ID: 0x0E20

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_SIZE, ptagAttachSize

2.642 PidTagAttachTag

Canonical name: PidTagAttachTag

Property ID: 0x370A

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_TAG

2.643 PidTagAttachTransportName

Canonical name: PidTagAttachTransportName

Property ID: 0x370C

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_ATTACH_TRANSPORT_NAME,

PR_ATTACH_TRANSPORT_NAME_A, PR_ATTACH_TRANSPORT_NAME_W

2.644 PidTagAttributeHidden

Canonical name: PidTagAttributeHidden

Property ID: 0x10F4

Data type: PtypBoolean, 0x000B

Area: Access Control Properties Property set

References: [MS-OXCFOLD], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_ATTR_HIDDEN, ptagAttrHidden, DAV:ishidden

2.645 PidTagAttributeReadOnly

Canonical name: PidTagAttributeReadOnly

Property ID: 0x10F6

Data type: PtypBoolean, 0x000B

Area: Access Control Properties Property set

References: [MS-OXTNEF], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_ATTR_READONLY, ptagAttrReadOnly, DAV:isreadonly

2.646 PidTagAttributeSystem

Canonical name: PidTagAttributeSystem

Property ID: 0x10F5

Data type: PtypBoolean, 0x000B

Area: Access Control Properties

References: [MS-OXTNEF]

Alternate names: PR_ATTR_SYSTEM, ptagAttrSystem

2.647 PidTagAutoForwarded

Canonical name: PidTagAutoForwarded

Property ID: 0x0005

Data type: PtypBoolean, 0x000B

Area: General Report Properties

References: [MS-OXCMAIL]

Alternate names: PR_AUTO_FORWARDED, ptagAutoForwarded

2.648 PidTagAutoResponseSuppress

Canonical name: PidTagAutoResponseSuppress

Property ID: 0x3FDF

Data type: PtypInteger32, 0x0003

Area: Email

References: [MS-OXCMAIL], [MS-OXORULE]

Alternate names: PR_AUTO_RESPONSE_SUPPRESS, ptagAutoResponseSuppress

2.649 PidTagBirthday

Canonical name: PidTagBirthday

Property ID: 0x3A42

Data type: PtypTime, 0x0040

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BIRTHDAY

2.650 PidTagBlockStatus

Canonical name: PidTagBlockStatus

Property ID: 0x1096

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXOMSG]

Alternate names: PR_BLOCK_STATUS, ptagBlockStatus

2.651 *PidTagBody*

Canonical name: PidTagBody

Property ID: 0x1000

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXBBODY], [MS-OXCDATA], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXORMMMS], [MS-OXOSMMS], [MS-OXRTFEX], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_BODY, PR_BODY_A, ptagBody, PR_BODY_W,

urn:schemas:httpmail:textdescription

2.652 *PidTagBodyContentId*

Canonical name: PidTagBodyContentId

Property ID: 0x1015

Data type: PtypString, 0x001F

Area: Exchange

References: [MS-OXCMAIL]

Alternate names: PR_BODY_CONTENT_ID, PR_BODY_CONTENT_ID_A,

PR_BODY_CONTENT_ID_W

2.653 *PidTagBodyContentLocation*

Canonical name: PidTagBodyContentLocation

Property ID: 0x1014

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_BODY_CONTENT_LOCATION,

PR_BODY_CONTENT_LOCATION_A, PR_BODY_CONTENT_LOCATION_W

2.654 *PidTagBodyHtml*

Canonical name: PidTagBodyHtml

Property ID: 0x1013

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMMS], [MS-OXRTFEX]

Alternate names: PR_BODY_HTML, PR_BODY_HTML_A, ptagBodyHtml,

PR_BODY_HTML_W

2.655 *PidTagBusiness2PhoneNumber*

Canonical name: PidTagBusiness2PhoneNumber

Property ID: 0x3A1B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER,
PR_BUSINESS2_TELEPHONE_NUMBER_A,
PR_BUSINESS2_TELEPHONE_NUMBER_W, PR_OFFICE2_TELEPHONE_NUMBER

2.656 PidTagBusiness2TelephoneNumber

Canonical name: PidTagBusiness2TelephoneNumber

Property ID: 0x3A1B

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOABK]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER_A_MV

2.657 PidTagBusinessFaxNumber

Canonical name: PidTagBusinessFaxNumber

Property ID: 0x3A24

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BUSINESS_FAX_NUMBER, PR_BUSINESS_FAX_NUMBER_A,
PR_BUSINESS_FAX_NUMBER_W

2.658 PidTagBusinessHomePage

Canonical name: PidTagBusinessHomePage

Property ID: 0x3A51

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BUSINESS_HOME_PAGE, PR_BUSINESS_HOME_PAGE_A,
PR_BUSINESS_HOME_PAGE_W

2.659 PidTagBusinessPhoneNumber

Canonical name: PidTagBusinessPhoneNumber

Property ID: 0x3A08

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_BUSINESS_TELEPHONE_NUMBER,
PR_BUSINESS_TELEPHONE_NUMBER_A,
PR_BUSINESS_TELEPHONE_NUMBER_W, PR_OFFICE_TELEPHONE_NUMBER

2.660 PidTagCallbackTelephoneNumber

Canonical name: PidTagCallbackTelephoneNumber

Property ID: 0x3A02

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_CALLBACK_TELEPHONE_NUMBER,

PR_CALLBACK_TELEPHONE_NUMBER_A,

PR_CALLBACK_TELEPHONE_NUMBER_W

2.661 PidTagCallId

Canonical name: PidTagCallId

Property ID: 0x6806

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaCallID

2.662 PidTagCarTelephoneNumber

Canonical name: PidTagCarTelephoneNumber

Property ID: 0x3A1E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_CAR_TELEPHONE_NUMBER,

PR_CAR_TELEPHONE_NUMBER_A, PR_CAR_TELEPHONE_NUMBER_W

2.663 PidTagCdoRecurrenceid

Canonical name: PidTagCdoRecurrenceid

Property ID: 0x10C5

Data type: PtypTime, 0x0040

Area: Exchange Property set

References: [MS-XWDCAL]

Alternate names: PR_CDO_RECURRENCEID, urn:schemas:calendar:recurrenceid

2.664 PidTagChangeKey

Canonical name: PidTagChangeKey

Property ID: 0x65E2

Data type: PtypBinary, 0x0102

Area: History Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT],

[MS-OXCSYNC]

Alternate names: PR_CHANGE_KEY

2.665 PidTagChangeNotificationGuid

Canonical name: PidTagChangeNotificationGuid

Property ID: 0x6637

Data type: PtypGuid, 0x0048

Area: Exchange

References: [MS-OXCNOTIF]

Alternate names: PR_CHANGE_NOTIFICATION_GUID

2.666 PidTagChangeNumber

Canonical name: PidTagChangeNumber

Property ID: 0x67A4

Data type: PtypInteger64, 0x0014

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSTOR]

Alternate names: ptagCn

2.667 PidTagChildrensNames

Canonical name: PidTagChildrensNames

Property ID: 0x3A58

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_CHILDRENS_NAMES, PR_CHILDRENS_NAMES_A,

PR_CHILDRENS_NAMES_W

2.668 PidTagClientActions

Canonical name: PidTagClientActions

Property ID: 0x6645

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_CLIENT_ACTIONS, ptagClientActions

2.669 PidTagClientSubmitTime

Canonical name: PidTagClientSubmitTime

Property ID: 0x0039

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_CLIENT_SUBMIT_TIME, urn:schemas:httpmail:date,

http://schemas.microsoft.com/exchange/date-iso

2.670 PidTagCnsetRead

Canonical name: PidTagCnsetRead
Property ID: 0x67D2
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetRead

2.671 PidTagCnsetSeen

Canonical name: PidTagCnsetSeen
Property ID: 0x6796
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeen

2.672 PidTagCnsetSeenFAI

Canonical name: PidTagCnsetSeenFAI
Property ID: 0x67DA
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeenFAI

2.673 PidTagCodePageId

Canonical name: PidTagCodePageId
Property ID: 0x66C3
Data type: PtypInteger32, 0x0003
Area: Exchange Profile Configuration
References: [MS-OXCSTOR]
Alternate names: PR_CODE_PAGE_ID, ptagCodePageId

2.674 PidTagComment

Canonical name: PidTagComment
Property ID: 0x3004
Data type: PtypString, 0x001F
Area: Common Property set
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOAB], [MS-OXOABK], [MS-XWDCAL], [MS-XWDMAIL]
Alternate names: PR_COMMENT, PR_COMMENT_A, ptagComment, PR_COMMENT_W, DAV:comment, <http://schemas.microsoft.com/exchange/summary-utf8>

2.675 PidTagCompanyMainPhoneNumber

Canonical name: PidTagCompanyMainPhoneNumber

Property ID: 0x3A57

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_COMPANY_MAIN_PHONE_NUMBER,
PR_COMPANY_MAIN_PHONE_NUMBER_A,
PR_COMPANY_MAIN_PHONE_NUMBER_W

2.676 PidTagCompanyName

Canonical name: PidTagCompanyName

Property ID: 0x3A16

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_COMPANY_NAME, PR_COMPANY_NAME_A,
PR_COMPANY_NAME_W

2.677 PidTagComputerNetworkName

Canonical name: PidTagComputerNetworkName

Property ID: 0x3A49

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_COMPUTER_NETWORK_NAME,
PR_COMPUTER_NETWORK_NAME_A, PR_COMPUTER_NETWORK_NAME_W

2.678 PidTagConflictEntryId

Canonical name: PidTagConflictEntryId

Property ID: 0x3FF0

Data type: PtypBinary, 0x0102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ENTRYID, ptagConflictEntryId

2.679 PidTagConflictItems

Canonical name: PidTagConflictItems

Property ID: 0x1098

Data type: PtypMultipleBinary, 0x1102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ITEMS

2.680 PidTagContainerClass

Canonical name: PidTagContainerClass

Property ID: 0x3613

Data type: PtypString, 0x001F

Area: Container Properties Property set

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOSFLD], [MS-OXOSRCH], [MS-OXSHARE], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_CONTAINER_CLASS, PR_CONTAINER_CLASS_A, ptagContainerClass, PR_CONTAINER_CLASS_W, <http://schemas.microsoft.com/exchange/outlookfolderclass>

2.681 PidTagContainerContents

Canonical name: PidTagContainerContents

Property ID: 0x360F

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOABK]

Alternate names: PR_CONTAINER_CONTENTS, ptagContainerContents

2.682 PidTagContainerFlags

Canonical name: PidTagContainerFlags

Property ID: 0x3600

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_CONTAINER_FLAGS

2.683 PidTagContainerHierarchy

Canonical name: PidTagContainerHierarchy

Property ID: 0x360E

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_CONTAINER_HIERARCHY, ptagContainerHierarchy

2.684 PidTagContentCount

Canonical name: PidTagContentCount

Property ID: 0x3602

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_COUNT, ptagContentCount

2.685 PidTagContentFilterSpamConfidenceLevel

Canonical name: PidTagContentFilterSpamConfidenceLevel

Property ID: 0x4076

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORULE],

[MS-OXTNEF]

Alternate names: PR_CONTENT_FILTER_SCL, ptagContentFilterSCL

2.686 PidTagContentUnreadCount

Canonical name: PidTagContentUnreadCount

Property ID: 0x3603

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_UNREAD, ptagContentUnread

2.687 PidTagConversationIndex

Canonical name: PidTagConversationIndex

Property ID: 0x0071

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],

[MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXTNEF]

Alternate names: PR_CONVERSATION_INDEX, ptagConversationIndex

2.688 PidTagConversationKey

Canonical name: PidTagConversationKey

Property ID: 0x000B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXTNEF]

Alternate names: PR_CONVERSATION_KEY, ptagConversationKey

2.689 PidTagConversationTopic

Canonical name: PidTagConversationTopic

Property ID: 0x0070

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],

[MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_CONVERSATION_TOPIC, PR_CONVERSATION_TOPIC_A,

ptagConversationTopic, PR_CONVERSATION_TOPIC_W, urn:schemas:httpmail:thread-topic

2.690 PidTagConvertHtmlSecurity

Canonical name: PidTagConvertHtmlSecurity
Property ID: 0x002A
Data type: PtypInteger32, 0x0003
Area: Run-time Configuration Property set
References: [MS-XWDMAIL]
Alternate names: PR_CONVERT_HTML_SECURITY,
<http://schemas.microsoft.com/exchange/receipttime>

2.691 PidTagCountry

Canonical name: PidTagCountry
Property ID: 0x3A26
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXCMAIL]
Alternate names: PR_COUNTRY, PR_COUNTRY_A, PR_COUNTRY_W,
PR_BUSINESS_ADDRESS_COUNTRY, PR_BUSINESS_ADDRESS_COUNTRY_A,
PR_BUSINESS_ADDRESS_COUNTRY_W

2.692 PidTagCreationTime

Canonical name: PidTagCreationTime
Property ID: 0x3007
Data type: PtypTime, 0x0040
Area: Message Time Properties
References: [MS-OXCMAIL]
Alternate names: PR_CREATION_TIME, ptagCreationTime

2.693 PidTagCreatorEntryId

Canonical name: PidTagCreatorEntryId
Property ID: 0x3FF9
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-OXCMSG], [MS-OXTNEF]
Alternate names: PR_CREATOR_ENTRYID, ptagCreatorEntryId

2.694 PidTagCreatorName

Canonical name: PidTagCreatorName
Property ID: 0x3FF8
Data type: PtypString, 0x001F
Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_CREATOR_NAME, PR_CREATOR_NAME_A, ptagCreatorName, PR_CREATOR_NAME_W

2.695 PidTagCreatorSimpleDisplayName

Canonical name: PidTagCreatorSimpleDisplayName

Property ID: 0x4038

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagCreatorSimpleDispName

2.696 PidTagCustomerId

Canonical name: PidTagCustomerId

Property ID: 0x3A4A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_CUSTOMER_ID, PR_CUSTOMER_ID_A, PR_CUSTOMER_ID_W

2.697 PidTagDamBackPatched

Canonical name: PidTagDamBackPatched

Property ID: 0x6647

Data type: PtypBoolean, 0x000B

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_BACK_PATCHED, ptagDamBackPatched

2.698 PidTagDamOriginalEntryId

Canonical name: PidTagDamOriginalEntryId

Property ID: 0x6646

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_ORIGINAL_ENTRYID

2.699 PidTagDefaultPostMessageClass

Canonical name: PidTagDefaultPostMessageClass

Property ID: 0x36E5

Data type: PtypString, 0x001F

Area: MapiContainer

References: [MS-OXOCAL]
Alternate names: PR_DEF_POST_MSGCLASS

2.700 PidTagDeferredDeliveryTime

Canonical name: PidTagDeferredDeliveryTime
Property ID: 0x000F
Data type: PtypTime, 0x0040
Area: MapiEnvelope Property set
References: [MS-OXOMSG], [MS-XWDMAIL]
Alternate names: PR_DEFERRED_DELIVERY_TIME, ptagDeferredDeliveryTime, <http://schemas.microsoft.com/exchange/deferred-delivery-iso>

2.701 PidTagDeferredSendNumber

Canonical name: PidTagDeferredSendNumber
Property ID: 0x3FEB
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_NUMBER

2.702 PidTagDeferredSendTime

Canonical name: PidTagDeferredSendTime
Property ID: 0x3FEF
Data type: PtypTime, 0x0040
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_TIME, ptagDeferredSendTime

2.703 PidTagDeferredSendUnits

Canonical name: PidTagDeferredSendUnits
Property ID: 0x3FEC
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_UNITS

2.704 PidTagDelegatedByRule

Canonical name: PidTagDelegatedByRule
Property ID: 0x3FE3
Data type: PtypBoolean, 0x000B
Area: MapiStatus
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_DELEGATED_BY_RULE

2.705 *PidTagDelegateFlags*

Canonical name: PidTagDelegateFlags

Property ID: 0x686B

Data type: PtypMultipleInteger32, 0x1003

Area: MessageClassDefinedTransmittable

References: [MS-OXODLGT]

Alternate names: PR_DELEGATE_FLAGS, ptagDelegateFlags

2.706 *PidTagDelegation*

Canonical name: PidTagDelegation

Property ID: 0x007E

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXTNEF]

Alternate names: PR_DELEGATION

2.707 *PidTagDeleteAfterSubmit*

Canonical name: PidTagDeleteAfterSubmit

Property ID: 0x0E01

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOMSG]

Alternate names: PR_DELETE_AFTER_SUBMIT, ptagDeleteAfterSubmit

2.708 *PidTagDeletedOn*

Canonical name: PidTagDeletedOn

Property ID: 0x668F

Data type: PtypTime, 0x0040

Area: ExchangeFolder Property set

References: [MS-OXCFOLD], [MS-XWDMAIL]

Alternate names: PR_DELETED_ON, ptagDeletedOn, urn:schemas:httpmail:deletedon

2.709 *PidTagDepartmentName*

Canonical name: PidTagDepartmentName

Property ID: 0x3A18

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_DEPARTMENT_NAME, PR_DEPARTMENT_NAME_A,
PR_DEPARTMENT_NAME_W

2.710 PidTagDepth

Canonical name: PidTagDepth

Property ID: 0x3005

Data type: PtypInteger32, 0x0003

Area: MapiCommon

References: [MS-NSPI], [MS-OXCTABL], [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_DEPTH, ptagDepth

2.711 PidTagDisplayBcc

Canonical name: PidTagDisplayBcc

Property ID: 0x0E02

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [MS-OXCMSG], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DISPLAY_BCC, PR_DISPLAY_BCC_A, ptagDisplayBcc, PR_DISPLAY_BCC_W, urn:schemas:httpmail:displaybcc

2.712 PidTagDisplayCc

Canonical name: PidTagDisplayCc

Property ID: 0x0E03

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [MS-OXCMSG], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DISPLAY_CC, PR_DISPLAY_CC_A, ptagDisplayCc, PR_DISPLAY_CC_W, urn:schemas:httpmail:displaycc

2.713 PidTagDisplayName

Canonical name: PidTagDisplayName

Property ID: 0x3001

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOPFFB], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORULE], [MS-OXOSMIME], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXSHARE]

Alternate names: PR_DISPLAY_NAME, PR_DISPLAY_NAME_A, ptagDisplayName, PR_DISPLAY_NAME_W

2.714 PidTagDisplayNamePrefix

Canonical name: PidTagDisplayNamePrefix

Property ID: 0x3A45

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_DISPLAY_NAME_PREFIX, PR_DISPLAY_NAME_PREFIX_A, PR_DISPLAY_NAME_PREFIX_W

2.715 *PidTagDisplayTo*

Canonical name: PidTagDisplayTo

Property ID: 0x0E04

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_DISPLAY_TO, PR_DISPLAY_TO_A, ptagDisplayTo, PR_DISPLAY_TO_W

2.716 *PidTagDisplayType*

Canonical name: PidTagDisplayType

Property ID: 0x3900

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE, ptagDisplayType

2.717 *PidTagDisplayTypeEx*

Canonical name: PidTagDisplayTypeEx

Property ID: 0x3905

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE_EX

2.718 *PidTagEcWarning*

Canonical name: PidTagEcWarning

Property ID: 0x400F

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagEcWarning

2.719 PidTagEmailAddress

Canonical name: PidTagEmailAddress

Property ID: 0x3003

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSPAM], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPFFB], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXPSVAL]

Alternate names: PR_EMAIL_ADDRESS, PR_EMAIL_ADDRESS_A,
PR_EMAIL_ADDRESS_W

2.720 PidTagEmailAddress1

Canonical name: PidTagEmailAddress1

Property ID: 0x8093

Data type: PtypString, 0x001F

Area: ExchangeDirectorySchemaDefined

References: [MS-OXPROTO]

Alternate names: PR_EMAIL_ADDRESS_1

2.721 PidTagEndDate

Canonical name: PidTagEndDate

Property ID: 0x0061

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_END_DATE, http://schemas.microsoft.com/mapi/end_date

2.722 PidTagEntryId

Canonical name: PidTagEntryId

Property ID: 0x0FFF

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPERM], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXSHARE], [MS-OXWAVLS]

Alternate names: PR_ENTRYID, ptagEntryId

2.723 *PidTagExceptionEndTime*

Canonical name: PidTagExceptionEndTime

Property ID: 0x7FFC

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_ENDTIME, ptagExceptionEndTime

2.724 *PidTagExceptionReplaceTime*

Canonical name: PidTagExceptionReplaceTime

Property ID: 0x7FF9

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXOCAL]

Alternate names: PR_EXCEPTION_REPLACE TIME

2.725 *PidTagExceptionStartTime*

Canonical name: PidTagExceptionStartTime

Property ID: 0x7FFB

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_STARTTIME, ptagExceptionStartTime

2.726 *PidTagExchangeNTSecurityDescriptor*

Canonical name: PidTagExchangeNTSecurityDescriptor

Property ID: 0x0E84

Data type: PtypBinary, 0x0102

Area: Calendar Document Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: <http://schemas.microsoft.com/exchange/ntsecuritydescriptor>,
<http://schemas.microsoft.com/exchange/ntsecuritydescriptor>

2.727 *PidTagExpiryNumber*

Canonical name: PidTagExpiryNumber

Property ID: 0x3FED

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_EXPIRY_NUMBER

2.728 *PidTagExpiryTime*

Canonical name: PidTagExpiryTime

Property ID: 0x0015

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_EXPIRY_TIME, ptagExpiryTime, urn:schemas:httpmail:expiry-date, http://schemas.microsoft.com/exchange/expiry-date-iso

2.729 *PidTagExpiryUnits*

Canonical name: PidTagExpiryUnits

Property ID: 0x3FEE

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_EXPIRY_UNITS

2.730 *PidTagExtendedFolderFlags*

Canonical name: PidTagExtendedFolderFlags

Property ID: 0x36DA

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXCICAL], [MS-OXOCFG], [MS-OXOSRCH]

Alternate names: PR_EXTENDED_FOLDER_FLAGS, ptagExtendedFolderFlags

2.731 *PidTagExtendedRuleMessageActions*

Canonical name: PidTagExtendedRuleMessageActions

Property ID: 0x0E99

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_MSG_ACTIONS

2.732 *PidTagExtendedRuleMessageCondition*

Canonical name: PidTagExtendedRuleMessageCondition

Property ID: 0x0E9A

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXCPRPT], [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_MSG_CONDITION

2.733 *PidTagExtendedRuleSizeLimit*

Canonical name: PidTagExtendedRuleSizeLimit

Property ID: 0x0E9B

Data type: PtypInteger32, 0x0003

Area: Rules

References: [MS-OXCSTOR], [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_SIZE_LIMIT

2.734 *PidTagFaxNumberOfPages*

Canonical name: PidTagFaxNumberOfPages

Property ID: 0x6804

Data type: PtypInteger32, 0x0003

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaFaxNumberOfPages

2.735 *PidTagFlagCompleteTime*

Canonical name: PidTagFlagCompleteTime

Property ID: 0x1091

Data type: PtypTime, 0x0040

Area: Miscellaneous Properties Property set

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDMAIL]

Alternate names: PR_FLAG_COMPLETE_TIME, ptagFlagCompleteTime,

urn:schemas:httpmail:flagcompleted

2.736 *PidTagFlagStatus*

Canonical name: PidTagFlagStatus

Property ID: 0x1090

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOCFG], [MS-OXOFLAG],

[MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_FLAG_STATUS, ptagFlagStatus

2.737 *PidTagFlatUrlName*

Canonical name: PidTagFlatUrlName

Property ID: 0x670E

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_FLAT_URL_NAME, PR_FLAT_URL_NAME_A,

PR_FLAT_URL_NAME_W, ptagFlatURLName,

http://schemas.microsoft.com/exchange/permanenturl

2.738 PidTagFolderAssociatedContents

Canonical name: PidTagFolderAssociatedContents

Property ID: 0x3610

Data type: PtypComObject, 0x000D

Area: MapiContainer

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_FOLDER_ASSOCIATED_CONTENTS

2.739 PidTagFolderId

Canonical name: PidTagFolderId

Property ID: 0x6748

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCROPS], [MS-OXCTABL],

[MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: ptagFID

2.740 PidTagFolderType

Canonical name: PidTagFolderType

Property ID: 0x3601

Data type: PtypInteger32, 0x0003

Area: MapiContainer

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXOSRCH]

Alternate names: PR_FOLDER_TYPE, ptagFolderType

2.741 PidTagFollowupIcon

Canonical name: PidTagFollowupIcon

Property ID: 0x1095

Data type: PtypInteger32, 0x0003

Area: RenMessageFolder

References: [MS-OXCFXICS], [MS-OXOFLAG], [MS-OXOSFLD]

Alternate names: PR_FOLLOWUP_ICON, ptagFollowupIcon

2.742 PidTagFreeBusyCountMonths

Canonical name: PidTagFreeBusyCountMonths

Property ID: 0x6869

Data type: PtypInteger32, 0x0003

Area: MessageClassDefinedTransmittable

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_COUNT_MONTHS

2.743 PidTagFreeBusyEntryIds

Canonical name: PidTagFreeBusyEntryIds

Property ID: 0x36E4

Data type: PtypMultipleBinary, 0x1102

Area: MapiContainer

References: [MS-OXODLGT], [MS-OXOPFFB], [MS-OXOSFLD]

Alternate names: PR_FREEBUSY_ENTRYIDS, ptagFreeBusyEntryIds

2.744 PidTagFreeBusyMessageEmailAddress

Canonical name: PidTagFreeBusyMessageEmailAddress

Property ID: 0x6849

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_EMA

2.745 PidTagFreeBusyPublishEnd

Canonical name: PidTagFreeBusyPublishEnd

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_END

2.746 PidTagFreeBusyPublishStart

Canonical name: PidTagFreeBusyPublishStart

Property ID: 0x6847

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_START

2.747 PidTagFreeBusyRangeTimestamp

Canonical name: PidTagFreeBusyRangeTimestamp

Property ID: 0x6868

Data type: PtypTime, 0x0040

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_RANGE_TIMESTAMP

2.748 PidTagFtpSite

Canonical name: PidTagFtpSite

Property ID: 0x3A4C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_FTP_SITE, PR_FTP_SITE_A, PR_FTP_SITE_W

2.749 *PidTagFXDelProp*

Canonical name: PidTagFXDelProp

Property ID: 0x4016

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagFXDelProp

2.750 *PidTagGatewayNeedsToRefresh*

Canonical name: PidTagGatewayNeedsToRefresh

Property ID: 0x6846

Data type: PtypBoolean, 0x000B

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_GATEWAY_NEEDS_TO_REFRESH

2.751 *PidTagGender*

Canonical name: PidTagGender

Property ID: 0x3A4D

Data type: PtypInteger16, 0x0002

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_GENDER

2.752 *PidTagGeneration*

Canonical name: PidTagGeneration

Property ID: 0x3A05

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_GENERATION, PR_GENERATION_A, PR_GENERATION_W

2.753 *PidTagGivenName*

Canonical name: PidTagGivenName

Property ID: 0x3A06

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_GIVEN_NAME, PR_GIVEN_NAME_A, PR_GIVEN_NAME_W

2.754 PidTagGovernmentIdNumber

Canonical name: PidTagGovernmentIdNumber

Property ID: 0x3A07

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_GOVERNMENT_ID_NUMBER,

PR_GOVERNMENT_ID_NUMBER_A, PR_GOVERNMENT_ID_NUMBER_W

2.755 PidTagHasAttachments

Canonical name: PidTagHasAttachments

Property ID: 0x0E1B

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties Property set

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCFG], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_HASATTACH, ptagHasAttach, urn:schemas:httpmail:hasattachment

2.756 PidTagHasDeferredActionMessages

Canonical name: PidTagHasDeferredActionMessages

Property ID: 0x3FEA

Data type: PtypBoolean, 0x000B

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_HAS_DAMS, ptagHasDAMs

2.757 PidTagHasNamedProperties

Canonical name: PidTagHasNamedProperties

Property ID: 0x664A

Data type: PtypBoolean, 0x000B

Area: ExchangeMessageReadOnly

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_HAS_NAMED_PROPERTIES, ptagHasNamedProperties

2.758 PidTagHasRules

Canonical name: PidTagHasRules

Property ID: 0x663A

Data type: PtypBoolean, 0x000B

Area: ExchangeFolder

References: [MS-OXORULE]

Alternate names: PR_HAS_RULES, ptagHasRules

2.759 PidTagHierarchyChangeNumber

Canonical name: PidTagHierarchyChangeNumber

Property ID: 0x663E

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_HIERARCHY_CHANGE_NUM

2.760 PidTagHobbies

Canonical name: PidTagHobbies

Property ID: 0x3A43

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOBBIEST, PR_HOBBIEST_A, PR_HOBBIEST_W

2.761 PidTagHome2TelephoneNumber

Canonical name: PidTagHome2TelephoneNumber

Property ID: 0x3A2F

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME2_TELEPHONE_NUMBER,

PR_HOME2_TELEPHONE_NUMBER_A, PR_HOME2_TELEPHONE_NUMBER_W

2.762 PidTagHome2Telephones

Canonical name: PidTagHome2Telephones

Property ID: 0x3A2F

Data type: PtypMultipleString, 0x101F

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_HOME2_TELEPHONE_NUMBER_A_MV

2.763 PidTagHomeAddressCity

Canonical name: PidTagHomeAddressCity

Property ID: 0x3A59

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_CITY, PR_HOME_ADDRESS_CITY_A, PR_HOME_ADDRESS_CITY_W

2.764 PidTagHomeAddressCountry

Canonical name: PidTagHomeAddressCountry

Property ID: 0x3A5A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_COUNTRY, PR_HOME_ADDRESS_COUNTRY_A, PR_HOME_ADDRESS_COUNTRY_W

2.765 PidTagHomeAddressPostalCode

Canonical name: PidTagHomeAddressPostalCode

Property ID: 0x3A5B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_POSTAL_CODE, PR_HOME_ADDRESS_POSTAL_CODE_A, PR_HOME_ADDRESS_POSTAL_CODE_W

2.766 PidTagHomeAddressPostOfficeBox

Canonical name: PidTagHomeAddressPostOfficeBox

Property ID: 0x3A5E

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_POST_OFFICE_BOX, PR_HOME_ADDRESS_POST_OFFICE_BOX_A, PR_HOME_ADDRESS_POST_OFFICE_BOX_W

2.767 PidTagHomeAddressStateOrProvince

Canonical name: PidTagHomeAddressStateOrProvince

Property ID: 0x3A5C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_STATE_OR_PROVINCE, PR_HOME_ADDRESS_STATE_OR_PROVINCE_A, PR_HOME_ADDRESS_STATE_OR_PROVINCE_W

2.768 PidTagHomeAddressStreet

Canonical name: PidTagHomeAddressStreet

Property ID: 0x3A5D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_STREET, PR_HOME_ADDRESS_STREET_A, PR_HOME_ADDRESS_STREET_W

2.769 PidTagHomeFaxNumber

Canonical name: PidTagHomeFaxNumber

Property ID: 0x3A25

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_FAX_NUMBER, PR_HOME_FAX_NUMBER_A, PR_HOME_FAX_NUMBER_W

2.770 PidTagHomeTelephoneNumber

Canonical name: PidTagHomeTelephoneNumber

Property ID: 0x3A09

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_HOME_TELEPHONE_NUMBER,

PR_HOME_TELEPHONE_NUMBER_A, PR_HOME_TELEPHONE_NUMBER_W

2.771 PidTagHtml

Canonical name: PidTagHtml

Property ID: 0x1013

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXBBODY], [MS-OXCMAIL], [MS-OXOPOST], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS]

Alternate names: PR_HTML, ptagHtml

2.772 PidTagICalendarEndTime

Canonical name: PidTagICalendarEndTime

Property ID: 0x10C4

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:dtend

2.773 PidTagICalendarReminderNextTime

Canonical name: PidTagICalendarReminderNextTime

Property ID: 0x10CA

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:remindernexttime

2.774 PidTagICalendarStartTime

Canonical name: PidTagICalendarStartTime

Property ID: 0x10C3

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:dtstart

2.775 PidTagIconIndex

Canonical name: PidTagIconIndex

Property ID: 0x1080

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPOST], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_ICON_INDEX, ptagIconIndex

2.776 PidTagIdsetDeleted

Canonical name: PidTagIdsetDeleted

Property ID: 0x67E5

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagIdsetDeleted

2.777 PidTagIdsetExpired

Canonical name: PidTagIdsetExpired

Property ID: 0x6793

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagMidsetExpired

2.778 *PidTagIdsetGiven*

Canonical name: PidTagIdsetGiven
Property ID: 0x4017
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetGiven

2.779 *PidTagIdsetRead*

Canonical name: PidTagIdsetRead
Property ID: 0x402D
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetRead

2.780 *PidTagIdsetSoftDeleted*

Canonical name: PidTagIdsetSoftDeleted
Property ID: 0x4021
Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagSoftDeletes

2.781 *PidTagIdsetUnread*

Canonical name: PidTagIdsetUnread
Property ID: 0x402E
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetUnread

2.782 *PidTagImapCachedMsgsize*

Canonical name: PidTagImapCachedMsgsize
Property ID: 0x10F0
Data type: PtypBinary, 0x0102
Area: RenMessageFolder
References: [MS-OXTNEF]
Alternate names: ptagImapCachedMsgsize

2.783 *PidTagImportance*

Canonical name: PidTagImportance
Property ID: 0x0017

Data type: PtypInteger32, 0x0003

Area: General Message Properties Property set

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXOCFG], [MS-OXOMSG], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_IMPORTANCE, ptagImportance, urn:schemas:httpmail:importance, http://schemas.microsoft.com/exchange/importance-long, http://schemas.microsoft.com/exchange/x-priority-long

2.784 *PidTagInConflict*

Canonical name: PidTagInConflict

Property ID: 0x666C

Data type: PtypBoolean, 0x000B

Area: Conflict Note

References: [MS-OXCSYNC]

Alternate names: PR_IN_CONFLICT, ptagInConflict

2.785 *PidTagIncrementalSyncMessagePartial*

Canonical name: PidTagIncrementalSyncMessagePartial

Property ID: 0x407A

Data type: PtypInteger32, 0x0003

Area: ICS

References: [MS-OXCFXICS]

Alternate names: ptagIncrSyncMsgPartial

2.786 *PidTagIncrSyncGroupId*

Canonical name: PidTagIncrSyncGroupId

Property ID: 0x407C

Data type: PtypInteger32, 0x0003

Area: ICS

References: [MS-OXCFXICS]

Alternate names: ptagIncrSyncGroupId

2.787 *PidTagInitialDetailsPane*

Canonical name: PidTagInitialDetailsPane

Property ID: 0x3F08

Data type: PtypInteger32, 0x0003

Area: MAPI Display Tables

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_INITIAL_DETAILS_PANE

2.788 *PidTagInitials*

Canonical name: PidTagInitials

Property ID: 0x3A0A

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_INITIALS, PR_INITIALS_A, PR_INITIALS_W

2.789 *PidTagInReplyToId*

Canonical name: PidTagInReplyToId

Property ID: 0x1042

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_IN_REPLY_TO_ID, PR_IN_REPLY_TO_ID_A, PR_IN_REPLY_TO_ID_W

2.790 *PidTagInstanceKey*

Canonical name: PidTagInstanceKey

Property ID: 0x0FF6

Data type: PtypBinary, 0x0102

Area: Table Properties

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_INSTANCE_KEY, ptagInstanceKey

2.791 *PidTagInstanceNum*

Canonical name: PidTagInstanceNum

Property ID: 0x674E

Data type: PtypInteger32, 0x0003

Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]

Alternate names: ptagInstanceNum

2.792 *PidTagInstID*

Canonical name: PidTagInstID

Property ID: 0x674D

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]

Alternate names: ptagInstID

2.793 *PidTagInternetArticleNumber*

Canonical name: PidTagInternetArticleNumber

Property ID: 0x0E23

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXCFXICS]

Alternate names: PR_INTERNET_ARTICLE_NUMBER

2.794 PidTagInternetCodepage

Canonical name: PidTagInternetCodepage

Property ID: 0x3FDE

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_INTERNET_CPID, ptagInternetCpid

2.795 PidTagInternetLines

Canonical name: PidTagInternetLines

Property ID: 0x1034

Data type: PtypInteger32, 0x0003

Area: MIME Properties Property set

References: [MS-XWDMAIL]

Alternate names: PR_INTERNET_LINES, http://schemas.microsoft.com/exchange/lines-long

2.796 PidTagInternetMailOverrideFormat

Canonical name: PidTagInternetMailOverrideFormat

Property ID: 0x5902

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_INETMAIL_OVERRIDE_FORMAT, ptagInetMailOverrideFormat

2.797 PidTagInternetMessageId

Canonical name: PidTagInternetMessageId

Property ID: 0x1035

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_INTERNET_MESSAGE_ID, PR_INTERNET_MESSAGE_ID_A, PR_INTERNET_MESSAGE_ID_W

2.798 PidTagInternetReferences

Canonical name: PidTagInternetReferences

Property ID: 0x1039

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_INTERNET_REFERENCES, PR_INTERNET_REFERENCES_A, PR_INTERNET_REFERENCES_W

2.799 *PidTagInternetReturnPath*

Canonical name: PidTagInternetReturnPath

Property ID: 0x1046

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCICAL]

Alternate names: PR_INTERNET_RETURN_PATH, PR_INTERNET_RETURN_PATH_A, PR_INTERNET_RETURN_PATH_W

2.800 *PidTagIpmAppointmentEntryId*

Canonical name: PidTagIpmAppointmentEntryId

Property ID: 0x36D0

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_APPOINTMENT_ENTRYID

2.801 *PidTagIpmContactEntryId*

Canonical name: PidTagIpmContactEntryId

Property ID: 0x36D1

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_CONTACT_ENTRYID

2.802 *PidTagIpmDraftsEntryId*

Canonical name: PidTagIpmDraftsEntryId

Property ID: 0x36D7

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXOSFLD]

Alternate names: PR_IPM_DRAFTS_ENTRYID

2.803 *PidTagIpmJournalEntryId*

Canonical name: PidTagIpmJournalEntryId

Property ID: 0x36D2

Data type: PtypBinary, 0x0102

Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_JOURNAL_ENTRYID

2.804 PidTagIpmNoteEntryId

Canonical name: PidTagIpmNoteEntryId
Property ID: 0x36D3
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_NOTE_ENTRYID

2.805 PidTagIpmTaskEntryId

Canonical name: PidTagIpmTaskEntryId
Property ID: 0x36D4
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_TASK_ENTRYID

2.806 PidTagIsdnNumber

Canonical name: PidTagIsdnNumber
Property ID: 0x3A2D
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_ISDN_NUMBER, PR_ISDN_NUMBER_A,
PR_ISDN_NUMBER_W

2.807 PidTagItemTemporaryflags

Canonical name: PidTagItemTemporaryflags
Property ID: 0x1097
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFOLD]
Alternate names: PR_ITEM_TMPFLAGS

2.808 PidTagJunkAddRecipientsToSafeSendersList

Canonical name: PidTagJunkAddRecipientsToSafeSendersList
Property ID: 0x6103
Data type: PtypInteger32, 0x0003
Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_ADD_RECIPS_TO_SSL

2.809 PidTagJunkIncludeContacts

Canonical name: PidTagJunkIncludeContacts

Property ID: 0x6100

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_INCLUDE_CONTACTS

2.810 PidTagJunkPermanentlyDelete

Canonical name: PidTagJunkPermanentlyDelete

Property ID: 0x6102

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_PERMANENTLY_DELETE

2.811 PidTagJunkPhishingEnableLinks

Canonical name: PidTagJunkPhishingEnableLinks

Property ID: 0x6107

Data type: PtypBoolean, 0x000B

Area: Spam

References: [MS-OXCSPAM], [MS-OXPHISH]

Alternate names: PR_JUNK_PHISHING_ENABLE_LINKS

2.812 PidTagJunkThreshold

Canonical name: PidTagJunkThreshold

Property ID: 0x6101

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_THRESHOLD

2.813 PidTagKeyword

Canonical name: PidTagKeyword

Property ID: 0x3A0B

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_KEYWORD, PR_KEYWORD_A, PR_KEYWORD_W

2.814 PidTagLanguage

Canonical name: PidTagLanguage

Property ID: 0x3A0C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_LANGUAGE, PR_LANGUAGE_A, PR_LANGUAGE_W

2.815 PidTagLastModificationTime

Canonical name: PidTagLastModificationTime

Property ID: 0x3008

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXCPRPT], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOABK], [MS-OXOCFG], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_LAST_MODIFICATION_TIME, ptagLastModificationTime, urn:schemas:calendar:lastmodifiedtime

2.816 PidTagLastModifierEntryId

Canonical name: PidTagLastModifierEntryId

Property ID: 0x3FFB

Data type: PtypBinary, 0x0102

Area: History Properties

References: [MS-OXCMMSG], [MS-OXTNEF]

Alternate names: PR_LAST_MODIFIER_ENTRYID, ptagLastModifierEntryId

2.817 PidTagLastModifierName

Canonical name: PidTagLastModifierName

Property ID: 0x3FFA

Data type: PtypString, 0x001F

Area: History Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMMSG], [MS-OXCPRPT], [MS-OXTNEF]

Alternate names: PR_LAST_MODIFIER_NAME, PR_LAST_MODIFIER_NAME_A, ptagLastModifierName, PR_LAST_MODIFIER_NAME_W

2.818 PidTagLastModifierSimpleDisplayName

Canonical name: PidTagLastModifierSimpleDisplayName

Property ID: 0x4039

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagLastModifierSimpleDispName

2.819 PidTagLastVerbExecuted

Canonical name: PidTagLastVerbExecuted

Property ID: 0x1081

Data type: PtypInteger32, 0x0003

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTED, ptagLastVerbExecuted

2.820 PidTagLastVerbExecutionTime

Canonical name: PidTagLastVerbExecutionTime

Property ID: 0x1082

Data type: PtypTime, 0x0040

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTION_TIME, ptagLastVerbExecutionTime

2.821 PidTagListHelp

Canonical name: PidTagListHelp

Property ID: 0x1043

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_HELP, PR_LIST_HELP_A, PR_LIST_HELP_W

2.822 PidTagListSubscribe

Canonical name: PidTagListSubscribe

Property ID: 0x1044

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_SUBSCRIBE, PR_LIST_SUBSCRIBE_A,

PR_LIST_SUBSCRIBE_W

2.823 PidTagListUnsubscribe

Canonical name: PidTagListUnsubscribe

Property ID: 0x1045

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_UNSUBSCRIBE, PR_LIST_UNSUBSCRIBE_A, PR_LIST_UNSUBSCRIBE_W

2.824 PidTagLocalCommitTime

Canonical name: PidTagLocalCommitTime

Property ID: 0x6709

Data type: PtypTime, 0x0040

Area: Server

References: [MS-OXCMSG]

Alternate names: PR_LOCAL_COMMIT_TIME, ptagLocalCommitTime

2.825 PidTagLocaleId

Canonical name: PidTagLocaleId

Property ID: 0x66A1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG], [MS-OXCSTOR]

Alternate names: PR_LOCALE_ID, ptagLocaleId

2.826 PidTagLocality

Canonical name: PidTagLocality

Property ID: 0x3A27

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_LOCALITY, PR_LOCALITY_A, PR_LOCALITY_W, PR_BUSINESS_ADDRESS_LOCALITY, PR_BUSINESS_ADDRESS_LOCALITY_A, PR_BUSINESS_ADDRESS_LOCALITY_W

2.827 PidTagLocation

Canonical name: PidTagLocation

Property ID: 0x3A0D

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXWAVLS]

Alternate names: PR_LOCATION, PR_LOCATION_A, PR_LOCATION_W

2.828 PidTagMailboxOwnerEntryId

Canonical name: PidTagMailboxOwnerEntryId

Property ID: 0x661B

Data type: PtypBinary, 0x0102

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_MAILBOX_OWNER_ENTRYID, ptagMailboxOwnerEntryId

2.829 PidTagMailboxOwnerName

Canonical name: PidTagMailboxOwnerName

Property ID: 0x661C

Data type: PtypString, 0x001F

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL]

Alternate names: PR_MAILBOX_OWNER_NAME,

PR_MAILBOX_OWNER_NAME_A, ptagMailboxOwnerName,

PR_MAILBOX_OWNER_NAME_W

2.830 PidTagManagerName

Canonical name: PidTagManagerName

Property ID: 0x3A4E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_MANAGER_NAME, PR_MANAGER_NAME_A,

PR_MANAGER_NAME_W

2.831 PidTagMappingSignature

Canonical name: PidTagMappingSignature

Property ID: 0x0FF8

Data type: PtypBinary, 0x0102

Area: Miscellaneous Properties

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_MAPPING_SIGNATURE, ptagMappingSignature

2.832 PidTagMaximumSubmitMessageSize

Canonical name: PidTagMaximumSubmitMessageSize

Property ID: 0x666D

Data type: PtypInteger32, 0x0003

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAX_SUBMIT_MESSAGE_SIZE

2.833 PidTagMemberId

Canonical name: PidTagMemberId

Property ID: 0x6671

Data type: PtypInteger64, 0x0014

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_ID, ptagMemberId

2.834 PidTagMemberName

Canonical name: PidTagMemberName

Property ID: 0x6672

Data type: PtypString, 0x001F

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_NAME, PR_MEMBER_NAME_A, ptagMemberName, PR_MEMBER_NAME_W

2.835 PidTagMemberRights

Canonical name: PidTagMemberRights

Property ID: 0x6673

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCPERM], [MS-OXODLGT]

Alternate names: PR_MEMBER_RIGHTS, ptagMemberRights

2.836 PidTagMessageAttachments

Canonical name: PidTagMessageAttachments

Property ID: 0x0E13

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCDATA], [MS-OXCFXICS]

Alternate names: PR_MESSAGE_ATTACHMENTS, ptagMessageAttachments

2.837 PidTagMessageCcMe

Canonical name: PidTagMessageCcMe

Property ID: 0x0058

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CC_ME, ptagMessageCcMe

2.838 PidTagMessageClass

Canonical name: PidTagMessageClass

Property ID: 0x001A

Data type: PtypString, 0x001F

Area: Common Property set

References: [MS-OXBBODY], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXCROPS], [MS-OXCSYNC],

[MS-OXOCAL], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXOUML], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_MESSAGE_CLASS, PR_MESSAGE_CLASS_A, ptagMessageClass, PR_MESSAGE_CLASS_W, <http://schemas.microsoft.com/exchange/outlookmessageclass>

2.839 PidTagMessageCodepage

Canonical name: PidTagMessageCodepage

Property ID: 0x3FFD

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CODEPAGE

2.840 PidTagMessageDeliveryTime

Canonical name: PidTagMessageDeliveryTime

Property ID: 0x0E06

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_MESSAGE_DELIVERY_TIME, urn:schemas:httpmail:datereceived

2.841 PidTagMessageEditorFormat

Canonical name: PidTagMessageEditorFormat

Property ID: 0x5909

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MSG_EDITOR_FORMAT, ptagMsgEditorFormat

2.842 PidTagMessageFlags

Canonical name: PidTagMessageFlags

Property ID: 0x0E07

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE],

[MS-OXOSFLD], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_MESSAGE_FLAGS, ptagMessageFlags

2.843 PidTagMessageHandlingSystemCommonName

Canonical name: PidTagMessageHandlingSystemCommonName

Property ID: 0x3A0F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_MHS_COMMON_NAME, PR_MHS_COMMON_NAME_A, PR_MHS_COMMON_NAME_W

2.844 PidTagMessageLocaleId

Canonical name: PidTagMessageLocaleId

Property ID: 0x3FF1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_LOCALE_ID

2.845 PidTagMessageRecipientMe

Canonical name: PidTagMessageRecipientMe

Property ID: 0x0059

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIP_ME, ptagMessageRecipMe

2.846 PidTagMessageRecipients

Canonical name: PidTagMessageRecipients

Property ID: 0x0E12

Data type: PtypComObject, 0x000D

Area: Address Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCSPAM], [MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIPIENTS, ptagMessageRecipients

2.847 PidTagMessageSize

Canonical name: PidTagMessageSize

Property ID: 0x0E08

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG],

[MS-OXCSTOR], [MS-OXOCFG], [MS-OXPFOAB]

Alternate names: PR_MESSAGE_SIZE, ptagMessageSize

2.848 PidTagMessageSizeExtended

Canonical name: PidTagMessageSizeExtended

Property ID: 0x0E08

Data type: PtypInteger64, 0x0014

Area: General Message Properties

References: [MS-OXCFOLD], [MS-OXCSTOR]

Alternate names: PR_MESSAGE_SIZE_EXTENDED, ptagMessageSizeExtended

2.849 PidTagMessageStatus

Canonical name: PidTagMessageStatus

Property ID: 0x0E17

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCSYNC]

Alternate names: PR_MSG_STATUS, ptagMsgStatus

2.850 PidTagMessageSubmissionId

Canonical name: PidTagMessageSubmissionId

Property ID: 0x0047

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_SUBMISSION_ID, ptagMessageSubmissionId

2.851 PidTagMessageToMe

Canonical name: PidTagMessageToMe

Property ID: 0x0057

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_TO_ME, ptagMessageToMe

2.852 PidTagMid

Canonical name: PidTagMid

Property ID: 0x674A

Data type: PtypInteger64, 0x0014

Area: ID Properties Property set

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCTABL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX], [MS-XWDMAIL],

[MS-XWDCAL], [MS-XWDDOC]

Alternate names: ptagMID, <http://schemas.microsoft.com/exchange/mid>

2.853 PidTagMiddleName

Canonical name: PidTagMiddleName

Property ID: 0x3A44

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC]

Alternate names: PR_MIDDLE_NAME, PR_MIDDLE_NAME_A,
PR_MIDDLE_NAME_W

2.854 PidTagMobileTelephoneNumber

Canonical name: PidTagMobileTelephoneNumber

Property ID: 0x3A1C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_MOBILE_TELEPHONE_NUMBER,
PR_MOBILE_TELEPHONE_NUMBER_A, PR_MOBILE_TELEPHONE_NUMBER_W

2.855 PidTagMsgFolderTemplateRes13

Canonical name: PidTagMsgFolderTemplateRes13

Property ID: 0x6770

Data type: PtypBoolean, 0x000B

Area: ProviderDefinedNonTransmittable Property set

References: [MS-XWDMAIL]

Alternate names: ptagMsgFolderTemplateRes13, DAV:issoftdeleted

2.856 PidTagNewFXFolder

Canonical name: PidTagNewFXFolder

Property ID: 0x4011

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagNewFXFolder

2.857 PidTagNextSendAcct

Canonical name: PidTagNextSendAcct

Property ID: 0x0E29

Data type: PtypString, 0x001F

Area:

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_NEXT_SEND_ACCT

2.858 PidTagNickname

Canonical name: PidTagNickname

Property ID: 0x3A4F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG]

Alternate names: PR_NICKNAME, PR_NICKNAME_A, PR_NICKNAME_W

2.859 PidTagNormalizedSubject

Canonical name: PidTagNormalizedSubject

Property ID: 0x0E1D

Data type: PtypString, 0x001F

Area: Email Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXOSMMS], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_NORMALIZED SUBJECT, PR_NORMALIZED SUBJECT_A, ptagNormalizedSubject, PR_NORMALIZED SUBJECT_W, urn:schemas:httpmail:normalizedsubject

2.860 PidTagNormalMessageSize

Canonical name: PidTagNormalMessageSize

Property ID: 0x66B3

Data type: PtypInteger32, 0x0003

Area: Server

References: [MS-OXCFOLD], [MS-XWDFOLD]

Alternate names: PR_NORMAL_MESSAGE_SIZE, http://schemas.microsoft.com/exchange/foldersize

2.861 PidTagObjectType

Canonical name: PidTagObjectType

Property ID: 0x0FFE

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXCPRPT], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_OBJECT_TYPE, ptagObjectType

2.862 PidTagOfficeLocation

Canonical name: PidTagOfficeLocation

Property ID: 0x3A19

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OFFICE_LOCATION, PR_OFFICE_LOCATION_A, PR_OFFICE_LOCATION_W

2.863 PidTagOfflineAddressBookContainerGuid

Canonical name: PidTagOfflineAddressBookContainerGuid

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_CONTAINER_GUID, PR_OAB_CONTAINER_GUID_W

2.864 PidTagOfflineAddressBookDistinguishedName

Canonical name: PidTagOfflineAddressBookDistinguishedName

Property ID: 0x6804

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_DN, PR_OAB_DN_W

2.865 PidTagOfflineAddressBookMessageClass

Canonical name: PidTagOfflineAddressBookMessageClass

Property ID: 0x6803

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_MESSAGE_CLASS

2.866 PidTagOfflineAddressBookName

Canonical name: PidTagOfflineAddressBookName

Property ID: 0x6800

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_NAME, PR_OAB_NAME_W

2.867 PidTagOfflineAddressBookSequence

Canonical name: PidTagOfflineAddressBookSequence

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_SEQUENCE

2.868 PidTagOfflineAddressBookTruncatedProperties

Canonical name: PidTagOfflineAddressBookTruncatedProperties

Property ID: 0x6805

Data type: PtypMultipleInteger32, 0x1003

Area: Offline Address Book Properties

References: [MS-OXOAB]

Alternate names: PR_OAB_TRUNCATED_PROPS

2.869 PidTagOrdinalMost

Canonical name: PidTagOrdinalMost

Property ID: 0x36E2

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: PR_ORDINAL_MOST

2.870 PidTagOrganizationalIdNumber

Canonical name: PidTagOrganizationalIdNumber

Property ID: 0x3A10

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_ORGANIZATIONAL_ID_NUMBER,

PR_ORGANIZATIONAL_ID_NUMBER_A, PR_ORGANIZATIONAL_ID_NUMBER_W

2.871 PidTagOriginalAuthorName

Canonical name: PidTagOriginalAuthorName

Property ID: 0x004D

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL]

Alternate names: PR_ORIGINAL_AUTHOR_NAME,

PR_ORIGINAL_AUTHOR_NAME_A, ptagOriginalAuthorName,

PR_ORIGINAL_AUTHOR_NAME_W

2.872 PidTagOriginalDeliveryTime

Canonical name: PidTagOriginalDeliveryTime

Property ID: 0x0055

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DELIVERY_TIME, ptagOriginalDeliveryTime

2.873 PidTagOriginalDisplayBcc

Canonical name: PidTagOriginalDisplayBcc

Property ID: 0x0072

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_BCC, PR_ORIGINAL_DISPLAY_BCC_A, ptagOriginalDisplayBcc, PR_ORIGINAL_DISPLAY_BCC_W, http://schemas.microsoft.com/exchange/originaldisplaybcc

2.874 PidTagOriginalDisplayCc

Canonical name: PidTagOriginalDisplayCc

Property ID: 0x0073

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_CC, PR_ORIGINAL_DISPLAY_CC_A, ptagOriginalDisplayCc, PR_ORIGINAL_DISPLAY_CC_W, http://schemas.microsoft.com/exchange/originaldisplaycc, http://schemas.microsoft.com/mapi/original_display_cc

2.875 PidTagOriginalDisplayName

Canonical name: PidTagOriginalDisplayName

Property ID: 0x3A13

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_DISPLAY_NAME, PR_ORIGINAL_DISPLAY_NAME_A, ptagOriginalDisplayName, PR_ORIGINAL_DISPLAY_NAME_W

2.876 PidTagOriginalDisplayTo

Canonical name: PidTagOriginalDisplayTo

Property ID: 0x0074

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_TO, PR_ORIGINAL_DISPLAY_TO_A, ptagOriginalDisplayTo, PR_ORIGINAL_DISPLAY_TO_W, http://schemas.microsoft.com/exchange/originaldisplayto, http://schemas.microsoft.com/mapi/original_display_to

2.877 PidTagOriginalEntryId

Canonical name: PidTagOriginalEntryId

Property ID: 0x3A12

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCSYNC], [MS-OXOABK]

Alternate names: PR_ORIGINAL_ENTRYID, ptagOriginalEntryId

2.878 PidTagOriginalMessageClass

Canonical name: PidTagOriginalMessageClass

Property ID: 0x004B

Data type: PtypString, 0x001F

Area: Secure Messaging Properties

References: [MS-OXTNEF]

Alternate names: PR_ORIG_MESSAGE_CLASS, PR_ORIG_MESSAGE_CLASS_A, PR_ORIG_MESSAGE_CLASS_W

2.879 PidTagOriginalSearchKey

Canonical name: PidTagOriginalSearchKey

Property ID: 0x3A14

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_SEARCH_KEY, ptagOriginalSearchKey

2.880 PidTagOriginalSenderAddressType

Canonical name: PidTagOriginalSenderAddressType

Property ID: 0x0066

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ADDRTYPE, PR_ORIGINAL_SENDER_ADDRTYPE_A, ptagOriginalSenderAddrType, PR_ORIGINAL_SENDER_ADDRTYPE_W

2.881 PidTagOriginalSenderEmailAddress

Canonical name: PidTagOriginalSenderEmailAddress

Property ID: 0x0067

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_EMAIL_ADDRESS,

PR_ORIGINAL_SENDER_EMAIL_ADDRESS_A,

PR_ORIGINAL_SENDER_EMAIL_ADDRESS_W

2.882 PidTagOriginalSenderEntryId

Canonical name: PidTagOriginalSenderEntryId

Property ID: 0x005B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ENTRYID, ptagOriginalSenderEntryId

2.883 PidTagOriginalSenderName

Canonical name: PidTagOriginalSenderName

Property ID: 0x005A

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SENDER_NAME,

PR_ORIGINAL_SENDER_NAME_A, ptagOriginalSenderName,

PR_ORIGINAL_SENDER_NAME_W,

<http://schemas.microsoft.com/exchange/originalsendername>

2.884 PidTagOriginalSenderSearchKey

Canonical name: PidTagOriginalSenderSearchKey

Property ID: 0x005C

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_SEARCH_KEY,

ptagOriginalSenderSearchKey

2.885 PidTagOriginalSensitivity

Canonical name: PidTagOriginalSensitivity

Property ID: 0x002E

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENSITIVITY, ptagOriginalSensitivity

2.886 PidTagOriginalSentRepresentingAddressType

Canonical name: PidTagOriginalSentRepresentingAddressType

Property ID: 0x0068

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE,

PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_A,

ptagOriginalSentRepresentingAddrType,

PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_W

2.887 PidTagOriginalSentRepresentingEmailAddress

Canonical name: PidTagOriginalSentRepresentingEmailAddress

Property ID: 0x0069

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS,

PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_A,

PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.888 PidTagOriginalSentRepresentingEntryId

Canonical name: PidTagOriginalSentRepresentingEntryId

Property ID: 0x005E

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ENTRYID,

ptagOriginalSentRepresentingEntryId

2.889 PidTagOriginalSentRepresentingName

Canonical name: PidTagOriginalSentRepresentingName

Property ID: 0x005D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_NAME,

PR_ORIGINAL_SENT_REPRESENTING_NAME_A, ptagOriginalSentRepresentingName,

PR_ORIGINAL_SENT_REPRESENTING_NAME_W

2.890 PidTagOriginalSentRepresentingSearchKey

Canonical name: PidTagOriginalSentRepresentingSearchKey

Property ID: 0x005F

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_SEARCH_KEY,
ptagOriginalSentRepresentingSearchKey

2.891 PidTagOriginalSubject

Canonical name: PidTagOriginalSubject

Property ID: 0x0049

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCSYNC], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL SUBJECT, PR_ORIGINAL SUBJECT_A,
ptagOriginalSubject, PR_ORIGINAL SUBJECT_W,
<http://schemas.microsoft.com/exchange/originalsubject>,
http://schemas.microsoft.com/mapi/original_subject

2.892 PidTagOriginalSubmitTime

Canonical name: PidTagOriginalSubmitTime

Property ID: 0x004E

Data type: PtypTime, 0x0040

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SUBMIT_TIME, ptagOriginalSubmitTime,
<http://schemas.microsoft.com/exchange/originaldate>,
http://schemas.microsoft.com/mapi/original_submit_time

2.893 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: MIME Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG],
[MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED,
<http://schemas.microsoft.com/exchange/deliveryreportrequested>

2.894 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: Email Property set

References: [MS-XWDMAIL]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED,
<http://schemas.microsoft.com/exchange/deliveryreportrequested>

2.895 PidTagOriginatorNonDeliveryReportRequested

Canonical name: PidTagOriginatorNonDeliveryReportRequested

Property ID: 0x0C08

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_NON_DELIVERY_REPORT_REQUESTED

2.896 PidTagOtherAddressCity

Canonical name: PidTagOtherAddressCity

Property ID: 0x3A5F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_CITY, PR_OTHER_ADDRESS_CITY_A,
PR_OTHER_ADDRESS_CITY_W

2.897 PidTagOtherAddressCountry

Canonical name: PidTagOtherAddressCountry

Property ID: 0x3A60

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_COUNTRY,
PR_OTHER_ADDRESS_COUNTRY_A, PR_OTHER_ADDRESS_COUNTRY_W

2.898 PidTagOtherAddressPostalCode

Canonical name: PidTagOtherAddressPostalCode

Property ID: 0x3A61

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_POSTAL_CODE,
PR_OTHER_ADDRESS_POSTAL_CODE_A,
PR_OTHER_ADDRESS_POSTAL_CODE_W

2.899 PidTagOtherAddressPostOfficeBox

Canonical name: PidTagOtherAddressPostOfficeBox

Property ID: 0x3A64

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_POST_OFFICE_BOX,

PR_OTHER_ADDRESS_POST_OFFICE_BOX_A,

PR_OTHER_ADDRESS_POST_OFFICE_BOX_W

2.900 PidTagOtherAddressStateOrProvince

Canonical name: PidTagOtherAddressStateOrProvince

Property ID: 0x3A62

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_STATE_OR_PROVINCE,

PR_OTHER_ADDRESS_STATE_OR_PROVINCE_A,

PR_OTHER_ADDRESS_STATE_OR_PROVINCE_W

2.901 PidTagOtherAddressStreet

Canonical name: PidTagOtherAddressStreet

Property ID: 0x3A63

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_ADDRESS_STREET,

PR_OTHER_ADDRESS_STREET_A, PR_OTHER_ADDRESS_STREET_W

2.902 PidTagOtherTelephoneNumber

Canonical name: PidTagOtherTelephoneNumber

Property ID: 0x3A1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_OTHER_TELEPHONE_NUMBER,

PR_OTHER_TELEPHONE_NUMBER_A, PR_OTHER_TELEPHONE_NUMBER_W

2.903 PidTagOutOfOfficeState

Canonical name: PidTagOutOfOfficeState

Property ID: 0x661D

Data type: PtypBoolean, 0x000B

Area: Message Store Properties

References: [MS-OXCSTOR]
Alternate names: PR_OOF_STATE, ptagOOFState

2.904 PidTagOwnerAppointmentId

Canonical name: PidTagOwnerAppointmentId
Property ID: 0x0062
Data type: PtypInteger32, 0x0003
Area: Appointment Property set
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXTNEF], [MS-XWDCAL]
Alternate names: PR_OWNER_APPT_ID,
http://schemas.microsoft.com/mapi/owner_appt_id

2.905 PidTagPagerTelephoneNumber

Canonical name: PidTagPagerTelephoneNumber
Property ID: 0x3A21
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_PAGER_TELEPHONE_NUMBER,
PR_PAGER_TELEPHONE_NUMBER_A, PR_PAGER_TELEPHONE_NUMBER_W

2.906 PidTagParentEntryId

Canonical name: PidTagParentEntryId
Property ID: 0x0E09
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCSPAM], [MS-OXOSFLD],
[MS-OXPFOAB]
Alternate names: PR_PARENT_ENTRYID, ptagParentEntryId

2.907 PidTagParentFolderId

Canonical name: PidTagParentFolderId
Property ID: 0x6749
Data type: PtypInteger64, 0x0014
Area: ID Properties
References: [MS-OXCFXICS]
Alternate names: ptagParentFID

2.908 PidTagParentKey

Canonical name: PidTagParentKey
Property ID: 0x0025
Data type: PtypBinary, 0x0102
Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_PARENT_KEY, ptagParentKey

2.909 PidTagParentSourceKey

Canonical name: PidTagParentSourceKey
Property ID: 0x65E1
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXCFXICS], [MS-OXCSYNC]
Alternate names: PR_PARENT_SOURCE_KEY

2.910 PidTagPersonalHomePage

Canonical name: PidTagPersonalHomePage
Property ID: 0x3A50
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_PERSONAL_HOME_PAGE, PR_PERSONAL_HOME_PAGE_A,
PR_PERSONAL_HOME_PAGE_W

2.911 PidTagPostalAddress

Canonical name: PidTagPostalAddress
Property ID: 0x3A15
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_POSTAL_ADDRESS, PR_POSTAL_ADDRESS_A,
PR_POSTAL_ADDRESS_W

2.912 PidTagPostalCode

Canonical name: PidTagPostalCode
Property ID: 0x3A2A
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_POSTAL_CODE, PR_POSTAL_CODE_A,
PR_POSTAL_CODE_W, PR_BUSINESS_ADDRESS_POSTAL_CODE,
PR_BUSINESS_ADDRESS_POSTAL_CODE_A,
PR_BUSINESS_ADDRESS_POSTAL_CODE_W

2.913 PidTagPostOfficeBox

Canonical name: PidTagPostOfficeBox
Property ID: 0x3A2B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_POST_OFFICE_BOX, PR_POST_OFFICE_BOX_A,
PR_POST_OFFICE_BOX_W, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX,
PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_A,
PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_W

2.914 PidTagPredecessorChangeList

Canonical name: PidTagPredecessorChangeList

Property ID: 0x65E3

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PREDECESSOR_CHANGE_LIST

2.915 PidTagPrimaryFaxNumber

Canonical name: PidTagPrimaryFaxNumber

Property ID: 0x3A23

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_PRIMARY_FAX_NUMBER, PR_PRIMARY_FAX_NUMBER_A,
PR_PRIMARY_FAX_NUMBER_W

2.916 PidTagPrimarySendAccount

Canonical name: PidTagPrimarySendAccount

Property ID: 0x0E28

Data type: PtypString, 0x001F

Area: MapiNonTransmittable

References: [MS-OXOMSG]

Alternate names: PR_PRIMARY_SEND_ACCT

2.917 PidTagPrimarySmtpAddress

Canonical name: PidTagPrimarySmtpAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: MapiAddressBook

References: [MS-OXCFXICS], [MS-OXOSRCH]

Alternate names: ptagPrimarySMTPAddress

2.918 PidTagPrimaryTelephoneNumber

Canonical name: PidTagPrimaryTelephoneNumber

Property ID: 0x3A1A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_PRIMARY_TELEPHONE_NUMBER,

PR_PRIMARY_TELEPHONE_NUMBER_A,

PR_PRIMARY_TELEPHONE_NUMBER_W

2.919 PidTagPriority

Canonical name: PidTagPriority

Property ID: 0x0026

Data type: PtypInteger32, 0x0003

Area: Email Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-

OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_PRIORITY, ptagPriority, urn:schemas:httpmail:priority,

urn:schemas:httpmail:priority

2.920 PidTagProcessed

Canonical name: PidTagProcessed

Property ID: 0x7D01

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOTASK]

Alternate names: PR_PROCESSED

2.921 PidTagProfession

Canonical name: PidTagProfession

Property ID: 0x3A46

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_PROFESSION, PR_PROFESSION_A, PR_PROFESSION_W

2.922 PidTagProhibitReceiveQuota

Canonical name: PidTagProhibitReceiveQuota

Property ID: 0x666A

Data type: PtypInteger32, 0x0003

Area: Exchange Administrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_RECEIVE_QUOTA, ptagProhibitReceiveQuota

2.923 *PidTagProhibitSendQuota*

Canonical name: PidTagProhibitSendQuota

Property ID: 0x666E

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_SEND_QUOTA, ptagProhibitSendQuota

2.924 *PidTagProviderSubmitTime*

Canonical name: PidTagProviderSubmitTime

Property ID: 0x0048

Data type: PtypTime, 0x0040

Area: Email

References: [MS-OXOMSG]

Alternate names: PR_PROVIDER_SUBMIT_TIME

2.925 *PidTagPublicFolderAdministrativeDescription*

Canonical name: PidTagPublicFolderAdministrativeDescription

Property ID: 0x671C

Data type: unknown type=PT_STRING9

Area: Folder Properties

References: [MS-XWDFOLD]

Alternate names: http://schemas.microsoft.com/exchange/adminfolderdescription

2.926 *PidTagPublicFolderProxy*

Canonical name: PidTagPublicFolderProxy

Property ID: 0x671D

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-XWDFOLD]

Alternate names: http://schemas.microsoft.com/exchange/folderproxy

2.927 *PidTagPurportedSenderDomain*

Canonical name: PidTagPurportedSenderDomain

Property ID: 0x4083

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXCMAIL]

Alternate names: PR_PURPORTED_SENDER_DOMAIN

2.928 *PidTagRadioPhoneNumber*

Canonical name: PidTagRadioPhoneNumber

Property ID: 0x3A1D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_RADIO_TELEPHONE_NUMBER,
PR_RADIO_TELEPHONE_NUMBER_A, PR_RADIO_TELEPHONE_NUMBER_W

2.929 *PidTagRead*

Canonical name: PidTagRead

Property ID: 0x0E69

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable Property set

References: [MS-OXCTABL], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_READ, ptagRead, urn:schemas:httpmail:read

2.930 *PidTagReadReceiptEntryId*

Canonical name: PidTagReadReceiptEntryId

Property ID: 0x0046

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_ENTRYID, ptagReadReceiptEntryId

2.931 *PidTagReadReceiptRequested*

Canonical name: PidTagReadReceiptRequested

Property ID: 0x0029

Data type: PtypBoolean, 0x000B

Area: Email Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG],
[MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_READ_RECEIPT_REQUESTED, ptagReadReceiptRequested,
<http://schemas.microsoft.com/exchange/readreceiptrequested>

2.932 *PidTagReadReceiptSearchKey*

Canonical name: PidTagReadReceiptSearchKey

Property ID: 0x0053

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_SEARCH_KEY, ptagReadReceiptSearchKey

2.933 *PidTagReceivedByAddressType*

Canonical name: PidTagReceivedByAddressType

Property ID: 0x0075

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR RECEIVED_BY_ADDRTYPE,
PR RECEIVED_BY_ADDRTYPE_A, ptagReceivedByAddrType,
PR RECEIVED_BY_ADDRTYPE_W

2.934 *PidTagReceivedByEmailAddress*

Canonical name: PidTagReceivedByEmailAddress

Property ID: 0x0076

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR RECEIVED_BY_EMAIL_ADDRESS,
PR RECEIVED_BY_EMAIL_ADDRESS_A,
PR RECEIVED_BY_EMAIL_ADDRESS_W

2.935 *PidTagReceivedByEntryId*

Canonical name: PidTagReceivedByEntryId

Property ID: 0x003F

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR RECEIVED_BY_ENTRYID

2.936 *PidTagReceivedByFlags*

Canonical name: PidTagReceivedByFlags

Property ID: 0x401B

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdByFlags

2.937 *PidTagReceivedByName*

Canonical name: PidTagReceivedByName

Property ID: 0x0040

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_NAME, PR_RECEIVED_BY_NAME_A, PR_RECEIVED_BY_NAME_W

2.938 *PidTagReceivedBySearchKey*

Canonical name: PidTagReceivedBySearchKey

Property ID: 0x0051

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_SEARCH_KEY

2.939 *PidTagReceivedRepresentingAddressType*

Canonical name: PidTagReceivedRepresentingAddressType

Property ID: 0x0077

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD REPRESENTING_ADDRTYPE,
PR_RCVD REPRESENTING_ADDRTYPE_A, ptagRcvdRepresentingAddrType,
PR_RCVD REPRESENTING_ADDRTYPE_W

2.940 *PidTagReceivedRepresentingEmailAddress*

Canonical name: PidTagReceivedRepresentingEmailAddress

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD REPRESENTING_EMAIL_ADDRESS,
PR_RCVD REPRESENTING_EMAIL_ADDRESS_A,
PR_RCVD REPRESENTING_EMAIL_ADDRESS_W

2.941 *PidTagReceivedRepresentingEntryId*

Canonical name: PidTagReceivedRepresentingEntryId

Property ID: 0x0043

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD REPRESENTING_ENTRYID,
ptagRcvdRepresentingEntryId

2.942 PidTagReceivedRepresentingFlags

Canonical name: PidTagReceivedRepresentingFlags

Property ID: 0x401C

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingFlags

2.943 PidTagReceivedRepresentingName

Canonical name: PidTagReceivedRepresentingName

Property ID: 0x0044

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD REPRESENTING_NAME,

PR_RCVD REPRESENTING_NAME_A, ptagRcvdRepresentingName,

PR_RCVD REPRESENTING_NAME_W

2.944 PidTagReceivedRepresentingSearchKey

Canonical name: PidTagReceivedRepresentingSearchKey

Property ID: 0x0052

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD REPRESENTING_SEARCH_KEY,

ptagRcvdRepresentingSearchKey

2.945 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXCMAIL], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingSimpleDispName

2.946 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXTNEF]

Alternate names:

2.947 PidTagRecipientDisplayName

Canonical name: PidTagRecipientDisplayName

Property ID: 0x5FF6

Data type: PtypString, 0x001F

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_DISPLAY_NAME,

PR_RECIPIENT_DISPLAY_NAME_W

2.948 PidTagRecipientEntryId

Canonical name: PidTagRecipientEntryId

Property ID: 0x5FF7

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_ENTRYID, ptagRecipientEntryId

2.949 PidTagRecipientFlags

Canonical name: PidTagRecipientFlags

Property ID: 0x5FFD

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_FLAGS

2.950 PidTagRecipientOrder

Canonical name: PidTagRecipientOrder

Property ID: 0x5FDF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_ORDER, ptagRecipientOrder

2.951 PidTagRecipientProposed

Canonical name: PidTagRecipientProposed

Property ID: 0x5FE1

Data type: PtypBoolean, 0x000B

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSED, ptagRecipientProposed

2.952 PidTagRecipientProposedEndTime

Canonical name: PidTagRecipientProposedEndTime

Property ID: 0x5FE4

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDENDTIME,
ptagRecipientProposedEndTime

2.953 PidTagRecipientProposedStartTime

Canonical name: PidTagRecipientProposedStartTime

Property ID: 0x5FE3

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDSTARTTIME,
ptagRecipientProposedStartTime

2.954 PidTagRecipientReassignmentProhibited

Canonical name: PidTagRecipientReassignmentProhibited

Property ID: 0x002B

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_REASSIGNMENT_PROHIBITED,
ptagRecipientReassignmentProhibited

2.955 PidTagRecipientResourceState

Canonical name: PidTagRecipientResourceState

Property ID: 0x5FDE

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_RESOURCESTATE

2.956 PidTagRecipientTrackStatus

Canonical name: PidTagRecipientTrackStatus

Property ID: 0x5FFF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_TRACKSTATUS, ptagRecipientTrackStatus

2.957 PidTagRecipientTrackStatusTime

Canonical name: PidTagRecipientTrackStatusTime

Property ID: 0x5FFB

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_TRACKSTATUS_TIME,

ptagRecipientTrackStatusTime

2.958 PidTagRecipientType

Canonical name: PidTagRecipientType

Property ID: 0x0C15

Data type: PtypInteger32, 0x0003

Area: MapiRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH]

Alternate names: PR_RECIPIENT_TYPE, ptagRecipientType

2.959 PidTagRecordKey

Canonical name: PidTagRecordKey

Property ID: 0x0FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK]

Alternate names: PR_RECORD_KEY, ptagRecordKey

2.960 PidTagReferredByName

Canonical name: PidTagReferredByName

Property ID: 0x3A47

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_REFERRED_BY_NAME, PR_REFERRED_BY_NAME_A,

PR_REFERRED_BY_NAME_W

2.961 PidTagRemindersOnlineEntryId

Canonical name: PidTagRemindersOnlineEntryId

Property ID: 0x36D5

Data type: PtypBinary, 0x0102

Area: MapiContainer
References: [MS-OXOSFLD]
Alternate names: PR_Rem_Online_EntryId, ptagRemOnlineEntryId

2.962 PidTagRemoteHeaderLoc

Canonical name: PidTagRemoteHeaderLoc
Property ID: 0x0078
Data type: PtypString, 0x001F
Area: MapiEnvelope
References: [MS-OXODLGT]
Alternate names: PR_Remote_Header_Loc

2.963 PidTagRenderingPosition

Canonical name: PidTagRenderingPosition
Property ID: 0x370B
Data type: PtypInteger32, 0x0003
Area: MapiAttachment
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXOTASK], [MS-OXRTFEX], [MS-OXTNEF]
Alternate names: PR_Rendering_Position, ptagRenderingPosition

2.964 PidTagReplyRecipientEntries

Canonical name: PidTagReplyRecipientEntries
Property ID: 0x004F
Data type: PtypBinary, 0x0102
Area: MapiEnvelope Property set
References: [MS-OXCMAIL], [MS-OXOMSG], [MS-XWDMAIL]
Alternate names: PR_REPLY_RECIPIENT_ENTRIES, ptagReplyRecipientEntries, <http://schemas.microsoft.com/exchange/reply-to-base64>

2.965 PidTagReplyRecipientNames

Canonical name: PidTagReplyRecipientNames
Property ID: 0x0050
Data type: PtypString, 0x001F
Area: MapiEnvelope
References: [MS-OXCMAIL], [MS-OXOMSG]
Alternate names: PR_REPLY_RECIPIENT_NAMES, PR_REPLY_RECIPIENT_NAMES_A, ptagReplyRecipientNames, PR_REPLY_RECIPIENT_NAMES_W

2.966 PidTagReplyRequested

Canonical name: PidTagReplyRequested

Property ID: 0x0C17

Data type: PtypBoolean, 0x000B

Area: MapiRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR]

Alternate names: PR_REPLY_REQUESTED, ptagReplyRequested

2.967 PidTagReplyTemplateId

Canonical name: PidTagReplyTemplateId

Property ID: 0x65C2

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_REPLY_TEMPLATE_ID, ptagReplyTemplateId

2.968 PidTagReplyTime

Canonical name: PidTagReplyTime

Property ID: 0x0030

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDMAIL]

Alternate names: PR_REPLY_TIME, urn:schemas:httpmail:reply-by,

http://schemas.microsoft.com/exchange/reply-by-iso

2.969 PidTagReportEntryId

Canonical name: PidTagReportEntryId

Property ID: 0x0045

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_ENTRYID, ptagReportEntryId

2.970 PidTagReportSearchKey

Canonical name: PidTagReportSearchKey

Property ID: 0x0054

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_SEARCH_KEY, ptagReportSearchKey

2.971 *PidTagReportTag*

Canonical name: PidTagReportTag

Property ID: 0x0031

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TAG, ptagReportTag

2.972 *PidTagReportText*

Canonical name: PidTagReportText

Property ID: 0x1001

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TEXT, PR_REPORT_TEXT_A, ptagReportText, PR_REPORT_TEXT_W

2.973 *PidTagReportTime*

Canonical name: PidTagReportTime

Property ID: 0x0032

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCSPAM], [MS-XWDMAIL]

Alternate names: PR_REPORT_TIME, ptagReportTime, <http://schemas.microsoft.com/exchange/reporttime>

2.974 *PidTagResolveMethod*

Canonical name: PidTagResolveMethod

Property ID: 0x3FE7

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_RESOLVE_METHOD, ptagResolveMethod

2.975 *PidTagResponseRequested*

Canonical name: PidTagResponseRequested

Property ID: 0x0063

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_RESPONSE_REQUESTED,

urn:schemas:calendar:responserequested,
http://schemas.microsoft.com/mapi/response_requested

2.976 *PidTagResponsibility*

Canonical name: PidTagResponsibility

Property ID: 0x0E0F

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCFXICS]

Alternate names: PR_RESPONSIBILITY, ptagResponsibility

2.977 *PidTagRights*

Canonical name: PidTagRights

Property ID: 0x6639

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_RIGHTS, ptagRights

2.978 *PidTagRoamingDatatypes*

Canonical name: PidTagRoamingDatatypes

Property ID: 0x7C06

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DATATYPES

2.979 *PidTagRoamingDictionary*

Canonical name: PidTagRoamingDictionary

Property ID: 0x7C07

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DICTIONARY

2.980 *PidTagRoamingXmlStream*

Canonical name: PidTagRoamingXmlStream

Property ID: 0x7C08

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_XMLSTREAM

2.981 *PidTagRowid*

Canonical name: PidTagRowid

Property ID: 0x3000

Data type: PtypInteger32, 0x0003

Area: MapiCommon

References: [MS-OXCFXICS]

Alternate names: PR_ROWID, ptagRowId

2.982 *PidTagRowType*

Canonical name: PidTagRowType

Property ID: 0x0FF5

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCTABL]

Alternate names: PR_ROW_TYPE, ptagRowType

2.983 *PidTagRtfCompressed*

Canonical name: PidTagRtfCompressed

Property ID: 0x1009

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXB BODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFCP], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_RTF_COMPRESSED, ptagRTFCompressed

2.984 *PidTagRtfInSync*

Canonical name: PidTagRtfInSync

Property ID: 0x0E1F

Data type: PtypBoolean, 0x000B

Area: Email

References: [MS-OXB BODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

Alternate names: PR_RTF_IN_SYNC, ptagRTFInSync

2.985 *PidTagRtfSyncBodyCount*

Canonical name: PidTagRtfSyncBodyCount

Property ID: 0x1007

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_COUNT, ptagRTFSyncBodyCount

2.986 *PidTagRtfSyncBodyCrc*

Canonical name: PidTagRtfSyncBodyCrc

Property ID: 0x1006

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_CRC, ptagRTFSyncBodyCRC

2.987 *PidTagRtfSyncBodyTag*

Canonical name: PidTagRtfSyncBodyTag

Property ID: 0x1008

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_TAG, PR_RTF_SYNC_BODY_TAG_A, ptagRTFSyncBodyTag, PR_RTF_SYNC_BODY_TAG_W

2.988 *PidTagRtfSyncPrefixCount*

Canonical name: PidTagRtfSyncPrefixCount

Property ID: 0x1010

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_PREFIX_COUNT

2.989 *PidTagRtfSyncTrailingCount*

Canonical name: PidTagRtfSyncTrailingCount

Property ID: 0x1011

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_TRAILING_COUNT

2.990 *PidTagRuleActionNumber*

Canonical name: PidTagRuleActionNumber

Property ID: 0x6650

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_NUMBER, ptagRuleActionNumber

2.991 *PidTagRuleActions*

Canonical name: PidTagRuleActions

Property ID: 0x6680

Data type: PtypServerEntryId, 0x00FE

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_ACTIONS, ptagRuleActions

2.992 *PidTagRuleActionType*

Canonical name: PidTagRuleActionType

Property ID: 0x6649

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_TYPE, ptagRuleActionType

2.993 *PidTagRuleCondition*

Canonical name: PidTagRuleCondition

Property ID: 0x6679

Data type: PtypServerEntryId, 0x00FD

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_CONDITION, ptagRuleCondition

2.994 *PidTagRuleError*

Canonical name: PidTagRuleError

Property ID: 0x6648

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ERROR, ptagRuleError

2.995 *PidTagRuleFolderEntryId*

Canonical name: PidTagRuleFolderEntryId

Property ID: 0x6651

Data type: PtypBinary, 0x0102

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_FOLDER_ENTRYID, ptagRuleFolderEntryId

2.996 *PidTagRuleId*

Canonical name: PidTagRuleId

Property ID: 0x6674

Data type: PtypInteger64, 0x0014
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_ID, ptagRuleId

2.997 PidTagRuleLevel

Canonical name: PidTagRuleLevel
Property ID: 0x6683
Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_RULE_LEVEL, ptagRuleLevel

2.998 PidTagRuleMessageLevel

Canonical name: PidTagRuleMessageLevel
Property ID: 0x65ED
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.999 PidTagRuleMessageProviderData

Canonical name: PidTagRuleMessageProviderData
Property ID: 0x65EE
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.1000 PidTagRuleMessageSequence

Canonical name: PidTagRuleMessageSequence
Property ID: 0x65F3
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.1001 PidTagRuleMessageState

Canonical name: PidTagRuleMessageState
Property ID: 0x65E9
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1002 PidTagRuleMsgActions

Canonical name: PidTagRuleMsgActions
Property ID: 0x65EF
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM]
Alternate names: PR_RULE_MSG_ACTIONS, ptagRuleMsgActions

2.1003 PidTagRuleMsgCondition

Canonical name: PidTagRuleMsgCondition
Property ID: 0x65F0
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM]
Alternate names: PR_RULE_MSG_CONDITION, ptagRuleMsgCondition

2.1004 PidTagRuleMsgLevel

Canonical name: PidTagRuleMsgLevel
Property ID: 0x65ED
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.1005 PidTagRuleMsgName

Canonical name: PidTagRuleMsgName
Property ID: 0x65EC
Data type: PtypString, 0x001F
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: ptagRuleMsgName

2.1006 PidTagRuleMsgProvider

Canonical name: PidTagRuleMsgProvider
Property ID: 0x65EB
Data type: PtypString, 0x001F
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: ptagRuleMsgProvider

2.1007 PidTagRuleMsgProviderData

Canonical name: PidTagRuleMsgProviderData

Property ID: 0x65EE

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.1008 PidTagRuleMsgSequence

Canonical name: PidTagRuleMsgSequence

Property ID: 0x65F3

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.1009 PidTagRuleMsgState

Canonical name: PidTagRuleMsgState

Property ID: 0x65E9

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1010 PidTagRuleMsgUserFlags

Canonical name: PidTagRuleMsgUserFlags

Property ID: 0x65EA

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.1011 PidTagRuleName

Canonical name: PidTagRuleName

Property ID: 0x6682

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_NAME, PR_RULE_NAME_A, ptagRuleName, PR_RULE_NAME_W

2.1012 PidTagRuleProvider

Canonical name: PidTagRuleProvider

Property ID: 0x6681

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER, ptagRuleProvider, PR_RULE_PROVIDER_W

2.1013 PidTagRuleProviderData

Canonical name: PidTagRuleProviderData

Property ID: 0x6684

Data type: PtypBinary, 0x0102

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER_DATA, ptagRuleProviderData

2.1014 PidTagRuleSequence

Canonical name: PidTagRuleSequence

Property ID: 0x6676

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_SEQUENCE, ptagRuleSequence

2.1015 PidTagRuleState

Canonical name: PidTagRuleState

Property ID: 0x6677

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_STATE, ptagRuleState

2.1016 PidTagRuleUserFlags

Canonical name: PidTagRuleUserFlags

Property ID: 0x6678

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_USER_FLAGS, ptagRuleUserFlags

2.1017 PidTagScheduleInfoAppointmentTombstone

Canonical name: PidTagScheduleInfoAppointmentTombstone

Property ID: 0x686A

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOCAL]

Alternate names: PR_SCHDINFO_APPT_TOMBSTONE

2.1018 PidTagScheduleInfoAutoAcceptAppointments

Canonical name: PidTagScheduleInfoAutoAcceptAppointments

Property ID: 0x686D

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_AUTO_ACCEPT_APPTS

2.1019 PidTagScheduleInfoDelegateEntryIds

Canonical name: PidTagScheduleInfoDelegateEntryIds

Property ID: 0x6845

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_ENTRYIDS

2.1020 PidTagScheduleInfoDelegateNames

Canonical name: PidTagScheduleInfoDelegateNames

Property ID: 0x6844

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES

2.1021 PidTagScheduleInfoDelegateNamesW

Canonical name: PidTagScheduleInfoDelegateNamesW

Property ID: 0x684A

Data type: PtypString, 0x001F

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES_W

2.1022 PidTagScheduleInfoDelegatorWantsCopy

Canonical name: PidTagScheduleInfoDelegatorWantsCopy

Property ID: 0x6842

Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXODLGT], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_BOSS_WANTS_COPY

2.1023 *PidTagScheduleInfoDelegatorWantsInfo*

Canonical name: PidTagScheduleInfoDelegatorWantsInfo
Property ID: 0x684B
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXODLGT], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_BOSS_WANTS_INFO

2.1024 *PidTagScheduleInfoDisallowOverlappingAppts*

Canonical name: PidTagScheduleInfoDisallowOverlappingAppts
Property ID: 0x686F
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DISALLOW_OVERLAPPING_APPTS

2.1025 *PidTagScheduleInfoDisallowRecurringAppts*

Canonical name: PidTagScheduleInfoDisallowRecurringAppts
Property ID: 0x686E
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DISALLOW_RECURRING_APPTS

2.1026 *PidTagScheduleInfoDontMailDelegates*

Canonical name: PidTagScheduleInfoDontMailDelegates
Property ID: 0x6843
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DONT_MAIL_DELEGATES

2.1027 *PidTagScheduleInfoFreeBusy*

Canonical name: PidTagScheduleInfoFreeBusy
Property ID: 0x686C
Data type: PtypBinary, 0x0102
Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY

2.1028 PidTagScheduleInfoFreeBusyAway

Canonical name: PidTagScheduleInfoFreeBusyAway

Property ID: 0x6856

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_OOF

2.1029 PidTagScheduleInfoFreeBusyBusy

Canonical name: PidTagScheduleInfoFreeBusyBusy

Property ID: 0x6854

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_BUSY

2.1030 PidTagScheduleInfoFreeBusyMerged

Canonical name: PidTagScheduleInfoFreeBusyMerged

Property ID: 0x6850

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_MERGED

2.1031 PidTagScheduleInfoFreeBusyTentative

Canonical name: PidTagScheduleInfoFreeBusyTentative

Property ID: 0x6852

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_TENTATIVE

2.1032 PidTagScheduleInfoMonthsAway

Canonical name: PidTagScheduleInfoMonthsAway

Property ID: 0x6855

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_OOF

2.1033 PidTagScheduleInfoMonthsBusy

Canonical name: PidTagScheduleInfoMonthsBusy

Property ID: 0x6853

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_BUSY

2.1034 PidTagScheduleInfoMonthsMerged

Canonical name: PidTagScheduleInfoMonthsMerged

Property ID: 0x684F

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_MERGED

2.1035 PidTagScheduleInfoMonthsTentative

Canonical name: PidTagScheduleInfoMonthsTentative

Property ID: 0x6851

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_TENTATIVE

2.1036 PidTagScheduleInfoResourceType

Canonical name: PidTagScheduleInfoResourceType

Property ID: 0x6841

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_RESOURCE_TYPE

2.1037 PidTagSchedulePlusFreeBusyEntryId

Canonical name: PidTagSchedulePlusFreeBusyEntryId

Property ID: 0x6622

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [MS-OXOPFFB]

Alternate names: PR_SPLUS_FREE_BUSY_ENTRYID

2.1038 PidTagScriptData

Canonical name: PidTagScriptData

Property ID: 0x0004

Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABKT]
Alternate names: PR_EMS_SCRIPT_BLOB

2.1039 *PidTagSearchFolderDefinition*

Canonical name: PidTagSearchFolderDefinition
Property ID: 0x6845
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_DEFINITION

2.1040 *PidTagSearchFolderEfpFlags*

Canonical name: PidTagSearchFolderEfpFlags
Property ID: 0x6848
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_EFP_FLAGS

2.1041 *PidTagSearchFolderExpiration*

Canonical name: PidTagSearchFolderExpiration
Property ID: 0x683A
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_EXPIRATION

2.1042 *PidTagSearchFolderId*

Canonical name: PidTagSearchFolderId
Property ID: 0x6842
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOCFG], [MS-OXOSRCH]
Alternate names: PR_WB_SF_ID

2.1043 *PidTagSearchFolderLastUsed*

Canonical name: PidTagSearchFolderLastUsed
Property ID: 0x6834
Data type: PtypInteger32, 0x0003
Area: Search

References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_LAST_USED

2.1044 PidTagSearchFolderReCreateInfo

Canonical name: PidTagSearchFolderReCreateInfo
Property ID: 0x6844
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_RECREATE_INFO

2.1045 PidTagSearchFolderStorageType

Canonical name: PidTagSearchFolderStorageType
Property ID: 0x6846
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_STORAGE_TYPE

2.1046 PidTagSearchFolderTag

Canonical name: PidTagSearchFolderTag
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TAG

2.1047 PidTagSearchFolderTemplateId

Canonical name: PidTagSearchFolderTemplateId
Property ID: 0x6841
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TEMPLATE_ID

2.1048 PidTagSearchKey

Canonical name: PidTagSearchKey
Property ID: 0x300B
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK], [MS-OXOCAL], [MS-OXOJRNL], [MS-

OXOMSG], [MS-OXOPOST], [MS-OXORULE], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SEARCH_KEY, ptagSearchKey

2.1049 PidTagSecureSubmitFlags

Canonical name: PidTagSecureSubmitFlags

Property ID: 0x65C6

Data type: PtypInteger32, 0x0003

Area: Exchange

References: [MS-OXCFXICS]

Alternate names: PR_SECURE_SUBMIT_FLAGS, ptagSecureSubmitFlags

2.1050 PidTagSecurityDescriptor

Canonical name: PidTagSecurityDescriptor

Property ID: 0x0E27

Data type: PtypBinary, 0x0102

Area: Access Control Properties

References: [MS-OXCMSG]

Alternate names: PR_NT_SECURITY_DESCRIPTOR

2.1051 PidTagSecurityDescriptorAsXml

Canonical name: PidTagSecurityDescriptorAsXml

Property ID: 0x0E6A

Data type: PtypString, 0x001F

Area: Access Control Properties Property set

References: [MS-OXCPERM], [MS-XWDVSEC]

Alternate names: PR_NT_SECURITY_DESCRIPTOR_AS_XML,

PR_NT_SECURITY_DESCRIPTOR_AS_XML_A,

PR_NT_SECURITY_DESCRIPTOR_AS_XML_W,

<http://schemas.microsoft.com/exchange/security/descriptor>

2.1052 PidTagSelectable

Canonical name: PidTagSelectable

Property ID: 0x3609

Data type: PtypBoolean, 0x000B

Area: AB Container

References: [MS-OXOABKT]

Alternate names: PR_SELECTABLE

2.1053 PidTagSenderAddressType

Canonical name: PidTagSenderAddressType

Property ID: 0x0C1E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENDER_ADDRTYPE, PR_SENDER_ADDRTYPE_A, ptagSenderAddrType, PR_SENDER_ADDRTYPE_W

2.1054 PidTagSenderEmailAddress

Canonical name: PidTagSenderEmailAddress

Property ID: 0x0C1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXPSVAL], [MS-OXTNEF]

Alternate names: PR_SENDER_EMAIL_ADDRESS, PR_SENDER_EMAIL_ADDRESS_A, PR_SENDER_EMAIL_ADDRESS_W

2.1055 PidTagSenderEntryId

Canonical name: PidTagSenderEntryId

Property ID: 0x0C19

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENDER_ENTRYID, ptagSenderEntryId

2.1056 PidTagSenderFlags

Canonical name: PidTagSenderFlags

Property ID: 0x4019

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagSenderFlags

2.1057 PidTagSenderIdStatus

Canonical name: PidTagSenderIdStatus

Property ID: 0x4079

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCMAIL], [MS-OXCSPAM]

Alternate names: PR_SENDER_ID_STATUS

2.1058 PidTagSenderName

Canonical name: PidTagSenderName

Property ID: 0x0C1A

Data type: PtypString, 0x001F

Area: Address Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_SENDER_NAME, PR_SENDER_NAME_A, ptagSenderName, PR_SENDER_NAME_W, urn:schemas:httpmail:sendername, http://schemas.microsoft.com/exchange/sender-name-utf8

2.1059 *PidTagSenderSearchKey*

Canonical name: PidTagSenderSearchKey

Property ID: 0x0C1D

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

Alternate names: PR_SENDER_SEARCH_KEY, ptagSenderSearchKey

2.1060 *PidTagSenderSimpleDisplayName*

Canonical name: PidTagSenderSimpleDisplayName

Property ID: 0x4030

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSenderSimpleDispName

2.1061 *PidTagSenderTelephoneNumber*

Canonical name: PidTagSenderTelephoneNumber

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaSenderTelephoneNumber

2.1062 *PidTagSendInternetEncoding*

Canonical name: PidTagSendInternetEncoding

Property ID: 0x3A71

Data type: PtypInteger32, 0x0003

Area: Address Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_INTERNET_ENCODING, ptagSendInternetEncoding

2.1063 PidTagSendRichInfo

Canonical name: PidTagSendRichInfo

Property ID: 0x3A40

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_RICH_INFO, ptagSendRichInfo

2.1064 PidTagSensitivity

Canonical name: PidTagSensitivity

Property ID: 0x0036

Data type: PtypInteger32, 0x0003

Area: General Message Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_SENSITIVITY, ptagSensitivity,
<http://schemas.microsoft.com/exchange/sensitivity-long>,
<http://schemas.microsoft.com/exchange/sensitivity>

2.1065 PidTagSentMailEntryId

Canonical name: PidTagSentMailEntryId

Property ID: 0x0E0A

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SENTMAIL_ENTRYID, ptagSentMailEntryId

2.1066 PidTagSentMailSvrEID

Canonical name: PidTagSentMailSvrEID

Property ID: 0x6740

Data type: PtypServerEntryId, 0x00FB

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR], [MS-OXOMSG]

Alternate names: ptagSentMailSvrEID

2.1067 PidTagSentRepresentingAddressType

Canonical name: PidTagSentRepresentingAddressType

Property ID: 0x0064

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXODLGT],

[MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_ADDRTYPE,

PR_SENT_REPRESENTING_ADDRTYPE_A, ptagSentRepresentingAddrType,

PR_SENT_REPRESENTING_ADDRTYPE_W

2.1068 PidTagSentRepresentingEmailAddress

Canonical name: PidTagSentRepresentingEmailAddress

Property ID: 0x0065

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_EMAIL_ADDRESS,

PR_SENT_REPRESENTING_EMAIL_ADDRESS_A,

PR_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.1069 PidTagSentRepresentingEntryId

Canonical name: PidTagSentRepresentingEntryId

Property ID: 0x0041

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_ENTRYID, ptagSentRepresentingEntryId

2.1070 PidTagSentRepresentingFlags

Canonical name: PidTagSentRepresentingFlags

Property ID: 0x401A

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagSentRepresentingFlags

2.1071 PidTagSentRepresentingName

Canonical name: PidTagSentRepresentingName

Property ID: 0x0042

Data type: PtypString, 0x001F

Area: Address Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_SENT_REPRESENTING_NAME,

PR_SENT_REPRESENTING_NAME_A, ptagSentRepresentingName,
PR_SENT_REPRESENTING_NAME_W, urn:schemas:httpmail:fromname,
<http://schemas.microsoft.com/exchange/from-name-utf8>

2.1072 PidTagSentRepresentingSearchKey

Canonical name: PidTagSentRepresentingSearchKey

Property ID: 0x003B

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

Alternate names: PR_SENT_REPRESENTING_SEARCH_KEY,
ptagSentRepresentingSearchKey

2.1073 PidTagSentRepresentingSimpleDisplayName

Canonical name: PidTagSentRepresentingSimpleDisplayName

Property ID: 0x4031

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSentRepresentingSimpleDispName

2.1074 PidTagSmtpAddress

Canonical name: PidTagSmtpAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXSHARE]

Alternate names: PR_SMTP_ADDRESS, PR_SMTP_ADDRESS_A,
PR_SMTP_ADDRESS_W

2.1075 PidTagSortLocaleId

Canonical name: PidTagSortLocaleId

Property ID: 0x6705

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR], [MS-OXPFOAB]

Alternate names: PR_SORT_LOCALE_ID, ptagSortLocaleId

2.1076 PidTagSourceKey

Canonical name: PidTagSourceKey

Property ID: 0x65E0

Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS], [MS-OXCSYNC]
Alternate names: PR_SOURCE_KEY

2.1077 *PidTagSpouseName*

Canonical name: PidTagSpouseName
Property ID: 0x3A48
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_SPOUSE_NAME, PR_SPOUSE_NAME_A,
PR_SPOUSE_NAME_W

2.1078 *PidTagStartDate*

Canonical name: PidTagStartDate
Property ID: 0x0060
Data type: PtypTime, 0x0040
Area: MapiEnvelope Property set
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]
Alternate names: PR_START_DATE, http://schemas.microsoft.com/mapi/start_date

2.1079 *PidTagStateOrProvince*

Canonical name: PidTagStateOrProvince
Property ID: 0x3A28
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_STATE_OR_PROVINCE, PR_STATE_OR_PROVINCE_A,
PR_STATE_OR_PROVINCE_W, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_A,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_W

2.1080 *PidTagStoreEntryId*

Canonical name: PidTagStoreEntryId
Property ID: 0x0FFB
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-OXOFLAG], [MS-OXSHARE]
Alternate names: PR_STORE_ENTRYID, ptagStoreEntryId

2.1081 PidTagStoreState

Canonical name: PidTagStoreState

Property ID: 0x340E

Data type: PtypInteger32, 0x0003

Area: MapiMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_STORE_STATE

2.1082 PidTagStoreSupportMask

Canonical name: PidTagStoreSupportMask

Property ID: 0x340D

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXMSG]

Alternate names: PR_STORE_SUPPORT_MASK, ptagStoreSupportMask

2.1083 PidTagStreetAddress

Canonical name: PidTagStreetAddress

Property ID: 0x3A29

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_STREET_ADDRESS, PR_STREET_ADDRESS_A,

PR_STREET_ADDRESS_W, PR_BUSINESS_ADDRESS_STREET,

PR_BUSINESS_ADDRESS_STREET_A, PR_BUSINESS_ADDRESS_STREET_W

2.1084 PidTagSubfolder

Canonical name: PidTagSubfolder

Property ID: 0x6708

Data type: PtypBoolean, 0x000B

Area: ExchangeAdministrative Property set

References: [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_SUBFOLDER, ptagSubfolder, DAV:isfolder

2.1085 PidTagSubfolders

Canonical name: PidTagSubfolders

Property ID: 0x360A

Data type: PtypBoolean, 0x000B

Area: MapiContainer

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-XWDFOLD]

Alternate names: PR_SUBFOLDERS, ptagSubFolders, DAV:hassubs

2.1086 PidTagSubject

Canonical name: PidTagSubject

Property ID: 0x0037

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXCTABL], [MS-OXMSG], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOPFFB], [MS-OXORULE], [MS-OXPROTO], [MS-OXPSVAL], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR SUBJECT, PR SUBJECT_A, ptagSubject, PR SUBJECT_W, urn:schemas:httpmail:subject, http://schemas.microsoft.com/exchange/subject-utf8

2.1087 PidTagSubjectPrefix

Canonical name: PidTagSubjectPrefix

Property ID: 0x003D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORSS], [MS-OXOSMMS], [MS-OXSHARE], [MS-OXTNEF]

Alternate names: PR SUBJECT_PREFIX, PR SUBJECT_PREFIX_A, ptagSubjectPrefix, PR SUBJECT_PREFIX_W

2.1088 PidTagSubmitFlags

Canonical name: PidTagSubmitFlags

Property ID: 0x0E14

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SUBMIT_FLAGS, ptagSubmitFlags

2.1089 PidTagSurname

Canonical name: PidTagSurname

Property ID: 0x3A11

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_SURNAME, PR_SURNAME_A, PR_SURNAME_W

2.1090 PidTagSwappedToDoData

Canonical name: PidTagSwappedToDoData

Property ID: 0x0E2D

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_SWAPPED_TODO_DATA, ptagSwappedTodoData

2.1091 *PidTagSwappedToDoStore*

Canonical name: PidTagSwappedToDoStore

Property ID: 0x0E2C

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_SWAPPED_TODO_STORE, ptagSwappedTodoStore

2.1092 *PidTagTargetEntryId*

Canonical name: PidTagTargetEntryId

Property ID: 0x3010

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCRPC], [MS-OXCSYNC], [MS-OXOMSG]

Alternate names: PR_TARGET_ENTRYID, ptagTargetEntryId

2.1093 *PidTagTcvConstLongOne*

Canonical name: PidTagTcvConstLongOne

Property ID: 0x8008

Data type: PtypInteger32, 0x0003

Area: PST Internal

References: [MS-OXCTABL]

Alternate names: PR_TCV_CONST_LONG_ONE

2.1094 *PidTagTelecommunicationsDeviceForDeafPhoneNumber*

Canonical name: PidTagTelecommunicationsDeviceForDeafPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_TTYTDD_PHONE_NUMBER,

PR_TTYTDD_PHONE_NUMBER_A, PR_TTYTDD_PHONE_NUMBER_W

2.1095 *PidTagTelexNumber*

Canonical name: PidTagTelexNumber

Property ID: 0x3A2C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_TELEX_NUMBER, PR_TELEX_NUMBER_A,
PR_TELEX_NUMBER_W

2.1096 PidTagTemplateData

Canonical name: PidTagTemplateData
Property ID: 0x0001
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABKT]
Alternate names: PR_EMS_TEMPLATE_BLOB

2.1097 PidTagTemplateid

Canonical name: PidTagTemplateid
Property ID: 0x3902
Data type: PtypBinary, 0x0102
Area: MapiAddressBook
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_TEMPLATEID

2.1098 PidTagTemporaryDefaultDocument

Canonical name: PidTagTemporaryDefaultDocument
Property ID: 0x3F20
Data type: PtypString, 0x001F
Area: Structured Documents Property set
References: [MS-XWDSTRUCTDOC], [MS-XWDCAL]
Alternate names: DAV:defaultdocument

2.1099 PidTagTextAttachmentCharset

Canonical name: PidTagTextAttachmentCharset
Property ID: 0x371B
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMAIL]
Alternate names: ptagTextAttachmentCharset

2.1100 PidTagTitle

Canonical name: PidTagTitle
Property ID: 0x3A17
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_TITLE, PR_TITLE_A, PR_TITLE_W

2.1101 PidTagTnefCorrelationKey

Canonical name: PidTagTnefCorrelationKey

Property ID: 0x007F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXTNEF]

Alternate names: PR_TNEF_CORRELATION_KEY

2.1102 PidTagToDoItemFlags

Canonical name: PidTagToDoItemFlags

Property ID: 0x0E2B

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD]

Alternate names: PR_TODO_ITEM_FLAGS, ptagToDoItemFlags

2.1103 PidTagTransmittableDisplayName

Canonical name: PidTagTransmittableDisplayName

Property ID: 0x3A20

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_TRANSMITTABLE_DISPLAY_NAME,

PR_TRANSMITABLE_DISPLAY_NAME_A, ptagTransmittableDisplayName,

PR_TRANSMITABLE_DISPLAY_NAME_W

2.1104 PidTagTransportMessageHeaders

Canonical name: PidTagTransportMessageHeaders

Property ID: 0x007D

Data type: PtypString, 0x001F

Area: EMail

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_TRANSPORT_MESSAGE_HEADERS,

PR_TRANSPORT_MESSAGE_HEADERS_A,

PR_TRANSPORT_MESSAGE_HEADERS_W

2.1105 PidTagTrustSender

Canonical name: PidTagTrustSender

Property ID: 0x0E79

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_TRUST_SENDER, ptagTrustSender

2.1106 PidTagTtyTddPhoneNumber

Canonical name: PidTagTtyTddPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_TTYTDD_PHONE_NUMBER

2.1107 PidTagUrlCompName

Canonical name: PidTagUrlCompName

Property ID: 0x10F3

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_URL_COMP_NAME, PR_URL_COMP_NAME_A, PR_URL_COMP_NAME_W, ptagURLCompName

2.1108 PidTagUrlCompNameSet

Canonical name: PidTagUrlCompNameSet

Property ID: 0x0E62

Data type: PtypBoolean, 0x000B

Area: ID Properties

References: [MS-OXCMSG]

Alternate names: ptagURLCompNameSet

2.1109 PidTagUrlName

Canonical name: PidTagUrlName

Property ID: 0x6707

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_URL_NAME, PR_URL_NAME_A, PR_URL_NAME_W, ptagURLName, DAV:href

2.1110 PidTagUserCertificate

Canonical name: PidTagUserCertificate

Property ID: 0x3A22

Data type: PtypBinary, 0x0102

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_USER_CERTIFICATE, ptagUserCertificate

2.1111 PidTagUserEntryId

Canonical name: PidTagUserEntryId

Property ID: 0x6619

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_USER_ENTRYID, ptagUserEntryId

2.1112 PidTagUserX509Certificate

Canonical name: PidTagUserX509Certificate

Property ID: 0x3A70

Data type: PtypMultipleBinary, 0x1102

Area: MapiMailUser

References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_USER_X509_CERTIFICATE

2.1113 PidTagViewDescriptorBinary

Canonical name: PidTagViewDescriptorBinary

Property ID: 0x7001

Data type: PtypBinary, 0x0102

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_BINARY

2.1114 PidTagViewDescriptorName

Canonical name: PidTagViewDescriptorName

Property ID: 0x7006

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_NAME, PR_VD_NAME_W

2.1115 PidTagViewDescriptorStrings

Canonical name: PidTagViewDescriptorStrings

Property ID: 0x7002

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_STRINGS, PR_VD_STRINGS_W

2.1116 PidTagViewDescriptorVersion

Canonical name: PidTagViewDescriptorVersion

Property ID: 0x7007

Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXOCFG]
Alternate names: PR_VD_VERSION

2.1117 PidTagVoiceMessageAttachmentOrder

Canonical name: PidTagVoiceMessageAttachmentOrder
Property ID: 0x6805
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL], [MS-OXOUM]
Alternate names: InternalSchemaVoiceMessageAttachmentOrder

2.1118 PidTagVoiceMessageDuration

Canonical name: PidTagVoiceMessageDuration
Property ID: 0x6801
Data type: PtypInteger32, 0x0003
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaVoiceMessageDuration

2.1119 PidTagVoiceMessageSenderName

Canonical name: PidTagVoiceMessageSenderName
Property ID: 0x6803
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaVoiceMessageSenderName

2.1120 PidTagWeddingAnniversary

Canonical name: PidTagWeddingAnniversary
Property ID: 0x3A41
Data type: PtypTime, 0x0040
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_WEDDING_ANNIVERSARY

3 Structure Examples

None.

4 Security Considerations

There are no security considerations unique to this specification.

5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies Office/Exchange does not follow the prescription.

Index

Appendix A

 Office/Exchange behavior, 275

Introduction, 30

 Applicability statement, 38

 Glossary, 30

 References, 30

 Relationship to protocols and other structures, 38

 Structure Overview, 33

 Vendor-extensible fields, 39

 Versioning and localization, 39

References

 Informative references, 33

 Normative references, 30

Security considerations, 274

Structure examples, 274

Structures, 39