

[MS-OXPROPS]: Exchange Server Protocols Master Property List Specification

Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting protocol@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. This protocol documentation is intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	April 25, 2008	0.2	Revised and updated property names and other technical content.
Microsoft Corporation	June 27, 2008	1.0	Initial Release.
Microsoft Corporation	August 6, 2008	1.01	Updated references to reflect date of initial release.
Microsoft Corporation	September 3, 2008	1.02	Changed title of document.

1 of 281

[MS-OXPROPS] - v1.06

Exchange Server Protocols Master Property List Specification

Copyright © 2009 Microsoft Corporation.

Release: Wednesday, March 4, 2009

Microsoft Corporation	October 1, 2008	1.03	Revised and edited technical content.
Microsoft Corporation	December 3, 2008	1.04	Revised and edited technical content.
Microsoft Corporation	February 4, 2009	1.05	Revised and edited technical content.
Microsoft Corporation	March 4, 2009	1.06	Revised and edited technical content.

Table of Contents

1	<i>Introduction</i>	30
1.1	Glossary.....	30
1.2	References	30
1.2.1	Normative References.....	30
1.2.2	Informative References.....	33
1.3	Structure Overview	33
1.3.1	Common Message Classes	34
1.3.2	Commonly Used Property Sets	35
1.3.3	Property ID Ranges.....	36
1.4	WebDAV Property Naming.....	37
1.4.1	http://schemas.microsoft.com/mapi/proptag Namespace.....	37
1.4.2	http://schemas.microsoft.com/mapi/id Namespace	37
1.4.3	http://schemas.microsoft.com/mapi/string Namespace.....	38
1.5	Relationship to Protocols and Other Structures	38
1.6	Applicability Statement	38
1.7	Versioning and Localization	39
1.8	Vendor-Extensible Fields.....	39
2	<i>Structures</i>	39
2.1	PidLidAddressBookProviderArrayType	39
2.2	PidLidAddressBookProviderEmailList.....	39
2.3	PidLidAddressCountryCode	39
2.4	PidLidAgingDontAgeMe.....	39
2.5	PidLidAllAttendeesList.....	40
2.6	PidLidAllAttendeesString	40
2.7	PidLidAllowExternalCheck	40
2.8	PidLidAnniversaryEventEntryId	40
2.9	PidLidAppointmentAuxiliaryFlags	40
2.10	PidLidAppointmentColor	41
2.11	PidLidAppointmentCounterProposal	41
2.12	PidLidAppointmentDuration	41
2.13	PidLidAppointmentEndDate	41
2.14	PidLidAppointmentEndTime	42
2.15	PidLidAppointmentEndWhole	42
2.16	PidLidAppointmentLastSequence	42
2.17	PidLidAppointmentMessageClass	42
2.18	PidLidAppointmentNotAllowPropose	42
2.19	PidLidAppointmentProposalNumber	43
2.20	PidLidAppointmentProposedDuration	43
2.21	PidLidAppointmentProposedEndWhole	43
2.22	PidLidAppointmentProposedStartWhole	43
2.23	PidLidAppointmentRecur	43
2.24	PidLidAppointmentReplyName	44

2.25	PidLidAppointmentReplyTime	44
2.26	PidLidAppointmentSequence	44
2.27	PidLidAppointmentSequenceTime	44
2.28	PidLidAppointmentStartDate	45
2.29	PidLidAppointmentStartTime	45
2.30	PidLidAppointmentStartWhole	45
2.31	PidLidAppointmentStateFlags	45
2.32	PidLidAppointmentSubType	45
2.33	PidLidAppointmentTimeZoneDefinitionEndDisplay	46
2.34	PidLidAppointmentTimeZoneDefinitionRecur	46
2.35	PidLidAppointmentTimeZoneDefinitionStartDisplay	46
2.36	PidLidAppointmentUnsendableRecipients	46
2.37	PidLidAppointmentUpdateTime	46
2.38	PidLidAttendeeCriticalChange	47
2.39	PidLidAutoFillLocation	47
2.40	PidLidAutoLog	47
2.41	PidLidAutoProcessState	47
2.42	PidLidAutoStartCheck	48
2.43	PidLidAutoStartWhen	48
2.44	PidLidBilling	48
2.45	PidLidBirthdayEventEntryId	48
2.46	PidLidBusinessCardCardPicture	48
2.47	PidLidBusinessCardDisplayDefinition	49
2.48	PidLidBusyStatus	49
2.49	PidLidCalendarType	49
2.50	PidLidCategories	49
2.51	PidLidCcAttendeesString	49
2.52	PidLidChangeHighlight	50
2.53	PidLidClassification	50
2.54	PidLidClassificationDescription	50
2.55	PidLidClassificationGuid	50
2.56	PidLidClassificationKeep	51
2.57	PidLidClassified	51
2.58	PidLidCleanGlobalObjectId	51
2.59	PidLidClipEnd	51
2.60	PidLidClipStart	51
2.61	PidLidCollaborateDoc	52
2.62	PidLidCommonEnd	52
2.63	PidLidCommonStart	52
2.64	PidLidCompanies	52
2.65	PidLidConferencingCheck	53
2.66	PidLidConferencingType	53
2.67	PidLidContactCharacterSet	53
2.68	PidLidContactItemData	53

2.69	PidLidContactLinkEntry.....	53
2.70	PidLidContactLinkName.....	54
2.71	PidLidContactLinkSearchKey.....	54
2.72	PidLidContacts	54
2.73	PidLidContactUserField1	54
2.74	PidLidContactUserField2	54
2.75	PidLidContactUserField3	55
2.76	PidLidContactUserField4	55
2.77	PidLidCurrentVersion	55
2.78	PidLidCurrentVersionName	55
2.79	PidLidDayInterval.....	56
2.80	PidLidDayOfMonth	56
2.81	PidLidDelegateMail	56
2.82	PidLidDepartment.....	56
2.83	PidLidDirectory	56
2.84	PidLidDistributionListChecksum.....	57
2.85	PidLidDistributionListMembers.....	57
2.86	PidLidDistributionListName	57
2.87	PidLidDistributionListOneOffMembers.....	57
2.88	PidLidDistributionListStream.....	57
2.89	PidLidEmail1AddressType	58
2.90	PidLidEmail1DisplayName	58
2.91	PidLidEmail1EmailAddress	58
2.92	PidLidEmail1EmailType	58
2.93	PidLidEmail1OriginalDisplayName	59
2.94	PidLidEmail1OriginalEntryId	59
2.95	PidLidEmail2AddressType	59
2.96	PidLidEmail2DisplayName	59
2.97	PidLidEmail2EmailAddress	59
2.98	PidLidEmail2EntryId	60
2.99	PidLidEmail2OriginalDisplayName	60
2.100	PidLidEmail2OriginalEntryId	60
2.101	PidLidEmail3AddressType	60
2.102	PidLidEmail3DisplayName	60
2.103	PidLidEmail3EmailAddress	61
2.104	PidLidEmail3EntryId	61
2.105	PidLidEmail3OriginalDisplayName	61
2.106	PidLidEmail3OriginalEntryId	61
2.107	PidLidEmailList	62
2.108	PidLidEndRecurrenceDate	62
2.109	PidLidEndRecurrenceTime	62
2.110	PidLidExceptionReplaceTime.....	62
2.111	PidLidFax1AddressType	62
2.112	PidLidFax1EmailAddress	63

2.113	PidLidFax1OriginalDisplayName.....	63
2.114	PidLidFax1OriginalEntryId.....	63
2.115	PidLidFax2AddressType	63
2.116	PidLidFax2EmailAddress.....	63
2.117	PidLidFax2OriginalDisplayName.....	64
2.118	PidLidFax2OriginalEntryId.....	64
2.119	PidLidFax3AddressType	64
2.120	PidLidFax3EmailAddress.....	64
2.121	PidLidFax3OriginalDisplayName.....	65
2.122	PidLidFax3OriginalEntryId.....	65
2.123	PidLidExceptionalAttendees	65
2.124	PidLidExceptionalBody.....	65
2.125	PidLidFileUnder	65
2.126	PidLidFileUnderId	66
2.127	PidLidFileUnderList	66
2.128	PidLidFInvited.....	66
2.129	PidLidFlagRequest.....	66
2.130	PidLidFlagString	67
2.131	PidLidForwardInstance.....	67
2.132	PidLidFOthersAppointment	67
2.133	PidLidFreeBusyLocation.....	67
2.134	PidLidGlobalObjectId	67
2.135	PidLidHasPicture	68
2.136	PidLidHomeAddress.....	68
2.137	PidLidHomeAddressCountryCode	68
2.138	PidLidHtml	68
2.139	PidLidICalendarDayOfWeekMask.....	68
2.140	PidLidInstantMessagingAddress.....	69
2.141	PidLidIntendedBusyStatus.....	69
2.142	PidLidInternetAccountName.....	69
2.143	PidLidInternetAccountStamp	69
2.144	PidLidIsException.....	70
2.145	PidLidIsRecurring	70
2.146	PidLidIsSilent	70
2.147	PidLidLinkedTaskItems.....	70
2.148	PidLidLocation	70
2.149	PidLidLogDocumentPosted	71
2.150	PidLidLogDocumentPrinted.....	71
2.151	PidLidLogDocumentRouted.....	71
2.152	PidLidLogDocumentSaved	71
2.153	PidLidLogDuration	71
2.154	PidLidLogEnd	72
2.155	PidLidLogFlags	72
2.156	PidLidLogStart	72

2.157	PidLidLogType	72
2.158	PidLidLogTypeDesc	73
2.159	PidLidMeetingType	73
2.160	PidLidMeetingWorkspaceUrl.....	73
2.161	PidLidMonthInterval	73
2.162	PidLidMonthOfYear	73
2.163	PidLidMonthOfYearMask.....	74
2.164	PidLidNetShowUrl.....	74
2.165	PidLidNoEndDateFlag.....	74
2.166	PidLidNonSendableBcc.....	74
2.167	PidLidNonSendableCc.....	75
2.168	PidLidNonSendableTo.....	75
2.169	PidLidNonSendBccTrackStatus.....	75
2.170	PidLidNonSendCcTrackStatus.....	75
2.171	PidLidNonSendToTrackStatus.....	75
2.172	PidLidNoteColor	76
2.173	PidLidNoteHeight	76
2.174	PidLidNoteWidth	76
2.175	PidLidNoteX.....	76
2.176	PidLidNoteY	77
2.177	PidLidOccurrences	77
2.178	PidLidOldLocation.....	77
2.179	PidLidOldRecurrenceType	77
2.180	PidLidOldWhenEndWhole.....	77
2.181	PidLidOldWhenStartWhole	78
2.182	PidLidOnlinePassword	78
2.183	PidLidOptionalAttendees.....	78
2.184	PidLidOrganizerAlias	78
2.185	PidLidOriginalStoreEntryId.....	78
2.186	PidLidOtherAddress.....	79
2.187	PidLidOtherAddressCountryCode	79
2.188	PidLidOwnerCriticalChange	79
2.189	PidLidOwnerName	79
2.190	PidLidPercentComplete	80
2.191	PidLidPKMDocSummaryInformation17	80
2.192	PidLidPostalAddressId.....	80
2.193	PidLidPostRssChannel.....	80
2.194	PidLidPostRssChannelLink.....	80
2.195	PidLidPostRssItemGuid.....	81
2.196	PidLidPostRssItemHash	81
2.197	PidLidPostRssItemLink	81
2.198	PidLidPostRssItemXml	81
2.199	PidLidPostRssSubscription.....	81
2.200	PidLidPrivate	82

2.201	PidLidRecurrenceDuration	82
2.202	PidLidRecurrencePattern	82
2.203	PidLidRecurrenceType	82
2.204	PidLidRecurring	83
2.205	PidLidReferenceEntryId	83
2.206	PidLidReferredBy	83
2.207	PidLidReminderDelta	83
2.208	PidLidReminderFileParameter	83
2.209	PidLidReminderOverride	84
2.210	PidLidReminderPlaySound	84
2.211	PidLidReminderSet	84
2.212	PidLidReminderSignalTime	84
2.213	PidLidReminderTime	85
2.214	PidLidReminderTimeDate	85
2.215	PidLidReminderTimeTime	85
2.216	PidLidReminderType	85
2.217	PidLidRemoteStatus	86
2.218	PidLidRequiredAttendees	86
2.219	PidLidResourceAttendees	86
2.220	PidLidResponseStatus	86
2.221	PidLidSendMeetingAsIcal	86
2.222	PidLidServerProcessed	87
2.223	PidLidServerProcessingActions	87
2.224	PidLidSharingAnonymity	87
2.225	PidLidSharingBindingEntryId	87
2.226	PidLidSharingBrowseUrl	88
2.227	PidLidSharingCapabilities	88
2.228	PidLidSharingConfigurationUrl	88
2.229	PidLidSharingDataRangeEnd	88
2.230	PidLidSharingDataRangeStart	88
2.231	PidLidSharingDetail	89
2.232	PidLidSharingExtensionXml	89
2.233	PidLidSharingFilter	89
2.234	PidLidSharingFlags	89
2.235	PidLidSharingFlavor	89
2.236	PidLidSharingFolderEntryId	90
2.237	PidLidSharingIndexEntryId	90
2.238	PidLidSharingInitiatorEntryId	90
2.239	PidLidSharingInitiatorName	90
2.240	PidLidSharingInitiatorSmtplib	91
2.241	PidLidSharingInstanceId	91
2.242	PidLidSharingLastAutoSyncTime	91
2.243	PidLidSharingLastSyncTime	91
2.244	PidLidSharingLocalComment	91

2.245	PidLidSharingLocalLastModificationTime.....	92
2.246	PidLidSharingLocalName	92
2.247	PidLidSharingLocalPath	92
2.248	PidLidSharingLocalStoreUid	92
2.249	PidLidSharingLocalType.....	92
2.250	PidLidSharingLocalUid	93
2.251	PidLidSharingOriginalMessageEntryId.....	93
2.252	PidLidSharingParentBindingEntryId	93
2.253	PidLidSharingParticipants	93
2.254	PidLidSharingPermissions.....	94
2.255	PidLidSharingProviderExtension.....	94
2.256	PidLidSharingProviderGuid	94
2.257	PidLidSharingProviderName.....	94
2.258	PidLidSharingProviderUrl.....	94
2.259	PidLidSharingRangeEnd	95
2.260	PidLidSharingRangeStart	95
2.261	PidLidSharingReciprocation.....	95
2.262	PidLidSharingRemoteByteSize.....	95
2.263	PidLidSharingRemoteComment	95
2.264	PidLidSharingRemoteCrc	96
2.265	PidLidSharingRemoteLastModificationTime	96
2.266	PidLidSharingRemoteMessageCount	96
2.267	PidLidSharingRemoteName	96
2.268	PidLidSharingRemotePass	97
2.269	PidLidSharingRemotePath	97
2.270	PidLidSharingRemoteStoreUid.....	97
2.271	PidLidSharingRemoteType	97
2.272	PidLidSharingRemoteUid.....	97
2.273	PidLidSharingRemoteUser	98
2.274	PidLidSharingRemoteVersion.....	98
2.275	PidLidSharingResponseTime	98
2.276	PidLidSharingResponseType	98
2.277	PidLidSharingRoamLog	98
2.278	PidLidSharingStart	99
2.279	PidLidSharingStatus	99
2.280	PidLidSharingStop	99
2.281	PidLidSharingSyncFlags	99
2.282	PidLidSharingSyncInterval.....	100
2.283	PidLidSharingTimeToLive.....	100
2.284	PidLidSharingTimeToLiveAuto	100
2.285	PidLidSharingWorkingHoursDays	100
2.286	PidLidSharingWorkingHoursEnd	100
2.287	PidLidSharingWorkingHoursStart	101
2.288	PidLidSharingWorkingHoursTimeZone	101

2.289	PidLidSideEffects.....	101
2.290	PidLidSingleInvite	101
2.291	PidLidSmartNoAttach.....	101
2.292	PidLidSpamOriginalFolder.....	102
2.293	PidLidStartRecurrenceDate	102
2.294	PidLidStartRecurrenceTime	102
2.295	PidLidTaskAcceptanceState	102
2.296	PidLidTaskAccepted	103
2.297	PidLidTaskActualEffort.....	103
2.298	PidLidTaskAssigner	103
2.299	PidLidTaskAssigners	103
2.300	PidLidTaskComplete	103
2.301	PidLidTaskDateCompleted	104
2.302	PidLidTaskDeadOccurrence.....	104
2.303	PidLidTaskDueDate.....	104
2.304	PidLidTaskEstimatedEffort	104
2.305	PidLidTaskFCreator	104
2.306	PidLidTaskFFixOffline.....	105
2.307	PidLidTaskFRecurring.....	105
2.308	PidLidTaskGlobalId	105
2.309	PidLidTaskHistory	105
2.310	PidLidTaskLastDelegate	106
2.311	PidLidTaskLastUpdate	106
2.312	PidLidTaskLastUser	106
2.313	PidLidTaskMode	106
2.314	PidLidTaskMultipleRecipients	106
2.315	PidLidTaskNoCompute	107
2.316	PidLidTaskOrdinal	107
2.317	PidLidTaskOwner	107
2.318	PidLidTaskOwnership	107
2.319	PidLidTaskRecurrence.....	107
2.320	PidLidTaskResetReminder	108
2.321	PidLidTaskRole	108
2.322	PidLidTaskStartDate	108
2.323	PidLidTaskState	108
2.324	PidLidTaskStatus	109
2.325	PidLidTaskStatusOnComplete	109
2.326	PidLidTaskUpdates	109
2.327	PidLidTaskVersion	109
2.328	PidLidTeamTask	109
2.329	PidLidTimeZone	110
2.330	PidLidTimeZoneDescription	110
2.331	PidLidTimeZoneStruct	110
2.332	PidLidToAttendeesString	110

2.333	PidLidToDoOrdinalDate	110
2.334	PidLidToDoSubOrdinal	111
2.335	PidLidToDoTitle	111
2.336	PidLidUseTnef	111
2.337	PidLidValidFlagStringProof	111
2.338	PidLidVerbResponse	112
2.339	PidLidVerbStream	112
2.340	PidLidWeekInterval	112
2.341	PidLidWhere	112
2.342	PidLidWorkAddress	112
2.343	PidLidWorkAddressCity	113
2.344	PidLidWorkAddressCountry	113
2.345	PidLidWorkAddressCountryCode	113
2.346	PidLidWorkAddressPostalCode	113
2.347	PidLidWorkAddressPostOfficeBox	113
2.348	PidLidWorkAddressState	114
2.349	PidLidWorkAddressStreet	114
2.350	PidLidYearInterval	114
2.351	PidLidYomiCompanyName	114
2.352	PidLidYomiFirstName	115
2.353	PidLidYomiLastName	115
2.354	PidLidInfoPathFormName	115
2.355	PidNameAcceptLanguage	115
2.356	PidNameApplicationName	115
2.357	PidNameApproved	116
2.358	PidNameAttachmentMacContentType	116
2.359	PidNameAttachmentMacInfo	116
2.360	PidNameAudioNotes	116
2.361	PidNameAuthor	116
2.362	PidNameBcc	117
2.363	PidNameByteCount	117
2.364	PidNameCalendarAttendeeRole	117
2.365	PidNameCalendarBusystatus	117
2.366	PidNameCalendarContact	118
2.367	PidNameCalendarContactUrl	118
2.368	PidNameCalendarCreated	118
2.369	PidNameCalendarDescriptionUrl	118
2.370	PidNameCalendarDuration	118
2.371	PidNameCalendarExceptionDate	119
2.372	PidNameCalendarExceptionRule	119
2.373	PidNameCalendarGeoLatitude	119
2.374	PidNameCalendarGeoLongitude	119
2.375	PidNameCalendarInstanceType	119
2.376	PidNameCalendarIsOrganizer	120

2.377	PidNameCalendarLastModified.....	120
2.378	PidNameCalendarLocationUrl	120
2.379	PidNameCalendarMeetingStatus	120
2.380	PidNameCalendarMethod	121
2.381	PidNameCalendarProductId	121
2.382	PidNameCalendarRecurrenceIdRange	121
2.383	PidNameCalendarReminderOffset.....	121
2.384	PidNameCalendarResources	121
2.385	PidNameCalendarRsvp.....	122
2.386	PidNameCalendarSequence	122
2.387	PidNameCalendarTimeZone	122
2.388	PidNameCalendarTimeZoneId.....	122
2.389	PidNameCalendarTransparent.....	122
2.390	PidNameCalendarUid	123
2.391	PidNameCalendarVersion	123
2.392	PidNameCategory	123
2.393	PidNameCc	123
2.394	PidNameCharacterCount	124
2.395	PidNameComments	124
2.396	PidNameCompany	124
2.397	PidNameContactsAlternateRecipient.....	124
2.398	PidNameContactsCountry	124
2.399	PidNameContactsEmail1	125
2.400	PidNameContactsEmail2.....	125
2.401	PidNameContactsEmail3	125
2.402	PidNameContactsFileAs	125
2.403	PidNameContactsFileasId.....	125
2.404	PidNameContactsHomeLatitude	126
2.405	PidNameContactsHomeLongitude.....	126
2.406	PidNameContactsHomeTimeZone	126
2.407	PidNameContactsMapUrl.....	126
2.408	PidNameContactsOtherCountryCode	127
2.409	PidNameContactsOtherPager	127
2.410	PidNameContactsOtherTimeZone	127
2.411	PidNameContactsProxyAddresses	127
2.412	PidNameContactsSecretaryUrl	127
2.413	PidNameContactsSourceUrl	128
2.414	PidNameContentBase	128
2.415	PidNameContentClass	128
2.416	PidNameContentDisposition	128
2.417	PidNameContentID	129
2.418	PidNameContentLanguage	129
2.419	PidNameContentLocation	129
2.420	PidNameContentTransferEncoding	129

2.421	PidNameContentType.....	129
2.422	PidNameControl.....	130
2.423	PidNameCreateDateTimeReadOnly	130
2.424	PidNameCrossReference	130
2.425	PidNameDavId	130
2.426	PidNameDavIsCollection	130
2.427	PidNameDavIsStructuredDocument.....	131
2.428	PidNameDavParentName	131
2.429	PidNameDavResourceType	131
2.430	PidNameDavSearchRequest	131
2.431	PidNameDavSearchType	132
2.432	PidNameDavUid	132
2.433	PidNameDisposition	132
2.434	PidNameDispositionNotificationOptions	132
2.435	PidNameDispositionNotificationTo	132
2.436	PidNameDistribution	133
2.437	PidNameDocumentParts	133
2.438	PidNameEditTime	133
2.439	PidNameExchangeArchive	133
2.440	PidNameExchangeComposeFontColor	133
2.441	PidNameExchangeComposeFontFlags	134
2.442	PidNameExchangeComposeFontName	134
2.443	PidNameExchangeComposeFontSize	134
2.444	PidNameExchangeIntendedBusyStatus	134
2.445	PidNameExchangeJunkEmailMoveStamp	135
2.446	PidNameExchangeMailboxOwnerEntryId	135
2.447	PidNameExchangeMailboxOwnerName	135
2.448	PidNameExchangeModifyExceptionStructure	135
2.449	PidNameExchangeMsexchembdefaultmailfolder	135
2.450	PidNameExchangeMsexchembdefaultmailfoldertype	136
2.451	PidNameExchangeNewMailNotify	136
2.452	PidNameExchangeNoModifyExceptions	136
2.453	PidNameExchangeOutOfOfficeState	136
2.454	PidNameExchangePatternEnd	136
2.455	PidNameExchangePatternStart	137
2.456	PidNameExchangePreviewMarkAsRead	137
2.457	PidNameExchangePreviewReadDelayTime	137
2.458	PidNameExchangePublicFolderEmailAddress	137
2.459	PidNameExchangeReadReceipt	138
2.460	PidNameExchangeReminderInterval	138
2.461	PidNameExchangeSmallIcon	138
2.462	PidNameExchangeSmimeEncrypt	138
2.463	PidNameExchangeSmimeSign	138
2.464	PidNameExchangeUserEntryId	139

2.465	PidNameExchDatabaseSchema	139
2.466	PidNameExchDataExpectedContentClass	139
2.467	PidNameExchDataSchemaCollectionReference.....	139
2.468	PidNameExpires.....	139
2.469	PidNameExpiryDate	140
2.470	PidNameFollowupTo.....	140
2.471	PidNameFrom	140
2.472	PidNameHeadingPairs	140
2.473	PidNameHiddenCount.....	141
2.474	PidNameHttpmailBcc	141
2.475	PidNameHttpmailCalendar.....	141
2.476	PidNameHttpmailCc	141
2.477	PidNameHttpmailContacts	141
2.478	PidNameHttpmailContentDispositionType.....	142
2.479	PidNameHttpmailContentMediaType	142
2.480	PidNameHttpmailDeleteditems.....	142
2.481	PidNameHttpmailDrafts	142
2.482	PidNameHttpmailFrom.....	142
2.483	PidNameHttpmailFromEmail.....	143
2.484	PidNameHttpmailHtmlDescription.....	143
2.485	PidNameHttpmailInbox	143
2.486	PidNameHttpmailJunkEmail	143
2.487	PidNameHttpmailMessageFolderRoot	144
2.488	PidNameHttpmailNotes	144
2.489	PidNameHttpmailOutbox	144
2.490	PidNameHttpmailReplyTo	144
2.491	PidNameHttpmailSaveDestination.....	144
2.492	PidNameHttpmailSaveInSent.....	145
2.493	PidNameHttpmailSender	145
2.494	PidNameHttpmailSenderEmail	145
2.495	PidNameHttpmailSendMessage	145
2.496	PidNameHttpmailSentItems	145
2.497	PidNameHttpmailSpecial	146
2.498	PidNameHttpmailSubmitted	146
2.499	PidNameHttpmailTo	146
2.500	PidNameICalendarRecurrenceDate	146
2.501	PidNameICalendarRecurrenceRule	147
2.502	PidNameImportance.....	147
2.503	PidNameInReplyTo	147
2.504	PidNameInternetComment	147
2.505	PidNameInternetKeywords	147
2.506	PidNameInternetSubject	148
2.507	PidNameKeywords	148
2.508	PidNameLastAuthor.....	148

2.509	PidNameLastPrinted	148
2.510	PidNameLastSaveDateTime.....	149
2.511	PidNameLineCount.....	149
2.512	PidNameLines	149
2.513	PidNameLinksDirty	149
2.514	PidNameManager.....	149
2.515	PidNameMessageId	150
2.516	PidNameMimeType	150
2.517	PidNameMultimediaClipCount.....	150
2.518	PidNameNewsgroups.....	150
2.519	PidNameNntpPostingHost.....	150
2.520	PidNameNntpPostingUser.....	151
2.521	PidNameNoteCount	151
2.522	PidNameOMSAccountGuid.....	151
2.523	PidNameOMSMobileModel	151
2.524	PidNameOMSScheduleTime	152
2.525	PidNameOMSServiceType	152
2.526	PidNameOMSSourceType	152
2.527	PidNameOrganization.....	152
2.528	PidNameOriginalRecipient.....	152
2.529	PidNamePhishingStamp	153
2.530	PidNamePageCount	153
2.531	PidNameParagraphCount	153
2.532	PidNamePath	153
2.533	PidNamePostingVersion	153
2.534	PidNamePresentationFormat	154
2.535	PidNamePriority	154
2.536	PidNameReceived	154
2.537	PidNameReferences	154
2.538	PidNameRelayVersion.....	155
2.539	PidNameReplyBy.....	155
2.540	PidNameReplyTo	155
2.541	PidNameReturnPath.....	155
2.542	PidNameReturnReceiptTo	155
2.543	PidNameRevisionNumber	156
2.544	PidNameRightsManagementLicense	156
2.545	PidNameScale	156
2.546	PidNameSecurity.....	156
2.547	PidNameSender	156
2.548	PidNameSensitivity	157
2.549	PidNameSlideCount.....	157
2.550	PidNameSubject	157
2.551	PidNameSummary	157
2.552	PidNameTemplate.....	158

2.553	PidNameThreadIndex	158
2.554	PidNameThreadTopic	158
2.555	PidNameThumbnail	158
2.556	PidNameTitle.....	158
2.557	PidNameTo.....	159
2.558	PidNameWordCount.....	159
2.559	PidNameXMailer	159
2.560	PidNameXMessageCompleted.....	159
2.561	PidNameXMessageFlag	159
2.562	PidNameXSharingBrowseUrl	160
2.563	PidNameXSharingCapabilities.....	160
2.564	PidNameXSharingConfigUrl	160
2.565	PidNameXSharingExendedCaps.....	160
2.566	PidNameXSharingFlavor.....	161
2.567	PidNameXSharingInstanceId.....	161
2.568	PidNameXSharingLocalType	161
2.569	PidNameXSharingProviderGuid.....	161
2.570	PidNameXSharingProviderName	161
2.571	PidNameXSharingProviderUrl.....	162
2.572	PidNameXSharingRemoteName	162
2.573	PidNameXSharingRemotePath	162
2.574	PidNameXSharingRemoteStoreUid.....	162
2.575	PidNameXSharingRemoteType	162
2.576	PidNameXSharingRemoteUid	163
2.577	PidNameXUnsent.....	163
2.578	PidNameQuarantineOriginalSender.....	163
2.579	PidNameXCallId	163
2.580	PidNameXFaxNumberOfPages	164
2.581	PidNameXSenderTelephoneNumber.....	164
2.582	PidNameXVoiceMessageAttachmentOrder	164
2.583	PidNameXVoiceMessageDuration	164
2.584	PidNameXVoiceMessageSenderId	164
2.585	PidTag7BitDisplayName	165
2.586	PidTagAccess	165
2.587	PidTagAccessLevel.....	165
2.588	PidTagAccount	165
2.589	PidTagAdditionalRenEntryIds	166
2.590	PidTagAdditionalRenEntryIdsEx	166
2.591	PidTagAddressBookContainerId	166
2.592	PidTagAddressBookDisplayNamePrintable	166
2.593	PidTagAddressBookDisplayTypeExtended	166
2.594	PidTagAddressBookEntryId.....	167
2.595	PidTagAddressBookExtensionAttribute1	167
2.596	PidTagAddressBookExtensionAttribute15.....	167

2.597	PidTagAddressBookFolderPathname	167
2.598	PidTagAddressBookHierarchicalChildDepartments	167
2.599	PidTagAddressBookHierarchicalDepartmentMembers	168
2.600	PidTagAddressBookHierarchicalIsHierarchicalGroup	168
2.601	PidTagAddressBookHierarchicalParentDepartment	168
2.602	PidTagAddressBookHierarchicalRootDepartment	168
2.603	PidTagAddressBookHierarchicalShowInDepartments	168
2.604	PidTagAddressBookHomeMessageDatabase	169
2.605	PidTagAddressBookIsMaster	169
2.606	PidTagAddressBookIsMemberOfDistributionList	169
2.607	PidTagAddressBookManageDistributionList	169
2.608	PidTagAddressBookManager	169
2.609	PidTagAddressBookManagerDistinguishedName	170
2.610	PidTagAddressBookMember	170
2.611	PidTagAddressBookMessageId	170
2.612	PidTagAddressBookNetworkAddress	170
2.613	PidTagAddressBookObjectDistinguishedName	170
2.614	PidTagAddressBookObjectGuid	171
2.615	PidTagAddressBookOrganizationalUnitRootDistinguishedName	171
2.616	PidTagAddressBookOwner	171
2.617	PidTagAddressBookOwnerBackLink	171
2.618	PidTagAddressBookParentEntryId	171
2.619	PidTagAddressBookPhoneticCompanyName	171
2.620	PidTagAddressBookPhoneticDepartmentName	172
2.621	PidTagAddressBookPhoneticDisplayName	172
2.622	PidTagAddressBookPhoneticGivenName	172
2.623	PidTagAddressBookPhoneticSurname	172
2.624	PidTagAddressBookProxyAddresses	173
2.625	PidTagAddressBookPublicDelegates	173
2.626	PidTagAddressBookReports	173
2.627	PidTagAddressBookRoomCapacity	173
2.628	PidTagAddressBookRoomContainers	173
2.629	PidTagAddressBookRoomDescription	174
2.630	PidTagAddressBookSeniorityIndex	174
2.631	PidTagAddressBookTargetAddress	174
2.632	PidTagAddressBookX509Certificate	174
2.633	PidTagAddressType	174
2.634	PidTagAlternateRecipientAllowed	175
2.635	PidTagAnr	175
2.636	PidTagAssistant	175
2.637	PidTagAssistantTelephoneNumber	175
2.638	PidTagAssociated	176
2.639	PidTagAttachAdditionalInformation	176
2.640	PidTagAttachContentBase	176

2.641	PidTagAttachContentId	176
2.642	PidTagAttachContentLocation	176
2.643	PidTagAttachDataBinary	177
2.644	PidTagAttachDataObject	177
2.645	PidTagAttachEncoding	177
2.646	PidTagAttachExtension	177
2.647	PidTagAttachFilename	177
2.648	PidTagAttachFlags	178
2.649	PidTagAttachLongFilename	178
2.650	PidTagAttachLongPathname	178
2.651	PidTagAttachmentContactPhoto	178
2.652	PidTagAttachmentFlags	179
2.653	PidTagAttachmentHidden	179
2.654	PidTagAttachmentLinkId	179
2.655	PidTagAttachMethod	179
2.656	PidTagAttachMimeType	179
2.657	PidTagAttachNumber	180
2.658	PidTagAttachPathname	180
2.659	PidTagAttachPayloadClass	180
2.660	PidTagAttachPayloadProviderGuidString	180
2.661	PidTagAttachRendering	181
2.662	PidTagAttachSize	181
2.663	PidTagAttachTag	181
2.664	PidTagAttachTransportName	181
2.665	PidTagAttributeHidden	181
2.666	PidTagAttributeReadOnly	182
2.667	PidTagAttributeSystem	182
2.668	PidTagAutoForwarded	182
2.669	PidTagAutoResponseSuppress	182
2.670	PidTagBirthday	182
2.671	PidTagBlockStatus	182
2.672	PidTagBody	183
2.673	PidTagBodyContentId	183
2.674	PidTagBodyContentLocation	183
2.675	PidTagBodyHtml	183
2.676	PidTagBusiness2TelephoneNumber	184
2.677	PidTagBusiness2TelephoneNumberNumbers	184
2.678	PidTagBusinessFaxNumber	184
2.679	PidTagBusinessHomePage	184
2.680	PidTagBusinessTelephoneNumber	184
2.681	PidTagCallbackTelephoneNumber	185
2.682	PidTagCallId	185
2.683	PidTagCarTelephoneNumber	185
2.684	PidTagCdoRecurrenceid	185

2.685	PidTagChangeKey	186
2.686	PidTagChangeNotificationGuid	186
2.687	PidTagChangeNumber	186
2.688	PidTagChildrensNames	186
2.689	PidTagClientActions	186
2.690	PidTagClientSubmitTime	187
2.691	PidTagCnsetRead	187
2.692	PidTagCnsetSeen	187
2.693	PidTagCnsetSeenFAI	187
2.694	PidTagCodePageId	187
2.695	PidTagComment	188
2.696	PidTagCompanyMainTelephoneNumber	188
2.697	PidTagCompanyName	188
2.698	PidTagComputerNetworkName	188
2.699	PidTagConflictEntryId	188
2.700	PidTagConflictItems	189
2.701	PidTagContainerClass	189
2.702	PidTagContainerContents	189
2.703	PidTagContainerFlags	189
2.704	PidTagContainerHierarchy	190
2.705	PidTagContentCount	190
2.706	PidTagContentFilterSpamConfidenceLevel	190
2.707	PidTagContentUnreadCount	190
2.708	PidTagConversationIndex	190
2.709	PidTagConversationTopic	191
2.710	PidTagConvertHtmlSecurity	191
2.711	PidTagCountry	191
2.712	PidTagCreationTime	191
2.713	PidTagCreatorEntryId	191
2.714	PidTagCreatorName	192
2.715	PidTagCreatorSimpleDisplayName	192
2.716	PidTagCustomerId	192
2.717	PidTagDamBackPatched	192
2.718	PidTagDamOriginalEntryId	192
2.719	PidTagDefaultPostMessageClass	193
2.720	PidTagDeferredDeliveryTime	193
2.721	PidTagDeferredSendNumber	193
2.722	PidTagDeferredSendTime	193
2.723	PidTagDeferredSendUnits	193
2.724	PidTagDelegatedByRule	194
2.725	PidTagDelegateFlags	194
2.726	PidTagDelegation	194
2.727	PidTagDeleteAfterSubmit	194
2.728	PidTagDeletedOn	194

2.729	PidTagDepartmentName	194
2.730	PidTagDepth.....	195
2.731	PidTagDisplayBcc.....	195
2.732	PidTagDisplayCc	195
2.733	PidTagDisplayName	195
2.734	PidTagDisplayNamePrefix	196
2.735	PidTagDisplayTo	196
2.736	PidTagDisplayType	196
2.737	PidTagDisplayTypeEx	196
2.738	PidTagEcWarning	197
2.739	PidTagEmailAddress	197
2.740	PidTagEmailAddress1	197
2.741	PidTagEndDate	197
2.742	PidTagEntryId	197
2.743	PidTagExceptionEndTime.....	198
2.744	PidTagExceptionReplaceTime	198
2.745	PidTagExceptionStartTime.....	198
2.746	PidTagExchangeNTSecurityDescriptor.....	198
2.747	PidTagExpiryNumber	198
2.748	PidTagExpiryTime	199
2.749	PidTagExpiryUnits.....	199
2.750	PidTagExtendedFolderFlags	199
2.751	PidTagExtendedRuleMessageActions	199
2.752	PidTagExtendedRuleMessageCondition	199
2.753	PidTagExtendedRuleSizeLimit	200
2.754	PidTagFaxNumberOfPages	200
2.755	PidTagFlagCompleteTime.....	200
2.756	PidTagFlagStatus	200
2.757	PidTagFlatUrlName	200
2.758	PidTagFolderAssociatedContents	201
2.759	PidTagFolderId.....	201
2.760	PidTagFolderType.....	201
2.761	PidTagFollowupIcon.....	201
2.762	PidTagFreeBusyCountMonths	201
2.763	PidTagFreeBusyEntryIds	202
2.764	PidTagFreeBusyMessageEmailAddress	202
2.765	PidTagFreeBusyPublishEnd	202
2.766	PidTagFreeBusyPublishStart	202
2.767	PidTagFreeBusyRangeTimestamp.....	202
2.768	PidTagFtpSite	203
2.769	PidTagFXDelProp.....	203
2.770	PidTagGatewayNeedsToRefresh	203
2.771	PidTagGender.....	203
2.772	PidTagGeneration.....	203

2.773	PidTagGivenName	204
2.774	PidTagGovernmentIdNumber	204
2.775	PidTagHasAttachments	204
2.776	PidTagHasDeferredActionMessages	204
2.777	PidTagHasNamedProperties	204
2.778	PidTagHasRules	205
2.779	PidTagHierarchyChangeNumber	205
2.780	PidTagHobbies	205
2.781	PidTagHome2TelephoneNumber	205
2.782	PidTagHome2TelephoneNumbers	205
2.783	PidTagHomeAddressCity	206
2.784	PidTagHomeAddressCountry	206
2.785	PidTagHomeAddressPostalCode	206
2.786	PidTagHomeAddressPostOfficeBox	206
2.787	PidTagHomeAddressStateOrProvince	206
2.788	PidTagHomeAddressStreet	207
2.789	PidTagHomeFaxNumber	207
2.790	PidTagHomeTelephoneNumber	207
2.791	PidTagHtml	207
2.792	PidTagICalendarEndTime	208
2.793	PidTagICalendarReminderNextTime	208
2.794	PidTagICalendarStartTime	208
2.795	PidTagIconIndex	208
2.796	PidTagIdsetDeleted	208
2.797	PidTagIdsetExpired	209
2.798	PidTagIdsetGiven	209
2.799	PidTagIdsetRead	209
2.800	PidTagIdsetSoftDeleted	209
2.801	PidTagIdsetUnread	209
2.802	PidTagImapCachedMsgsize	209
2.803	PidTagImportance	210
2.804	PidTagInConflict	210
2.805	PidTagIncrementalSyncMessagePartial	210
2.806	PidTagIncrSyncGroupId	210
2.807	PidTagInitialDetailsPane	210
2.808	PidTagInitials	211
2.809	PidTagInReplyToId	211
2.810	PidTagInstanceKey	211
2.811	PidTagInstanceNum	211
2.812	PidTagInstID	211
2.813	PidTagInternetArticleNumber	212
2.814	PidTagInternetCodepage	212
2.815	PidTagInternetLines	212
2.816	PidTagInternetMailOverrideFormat	212

2.817	PidTagInternetMessageId	212
2.818	PidTagInternetReferences	213
2.819	PidTagInternetReturnPath	213
2.820	PidTagIpmAppointmentEntryId	213
2.821	PidTagIpmContactEntryId	213
2.822	PidTagIpmDraftsEntryId	213
2.823	PidTagIpmJournalEntryId	214
2.824	PidTagIpmNoteEntryId	214
2.825	PidTagIpmTaskEntryId	214
2.826	PidTagIsdnNumber	214
2.827	PidTagItemTemporaryflags	214
2.828	PidTagJunkAddRecipientsToSafeSendersList	215
2.829	PidTagJunkIncludeContacts	215
2.830	PidTagJunkPermanentlyDelete	215
2.831	PidTagJunkPhishingEnableLinks	215
2.832	PidTagJunkThreshold	215
2.833	PidTagKeyword	216
2.834	PidTagLanguage	216
2.835	PidTagLastModificationTime	216
2.836	PidTagLastModifierEntryId	216
2.837	PidTagLastModifierName	216
2.838	PidTagLastModifierSimpleDisplayName	217
2.839	PidTagLastVerbExecuted	217
2.840	PidTagLastVerbExecutionTime	217
2.841	PidTagListHelp	217
2.842	PidTagListSubscribe	217
2.843	PidTagListUnsubscribe	218
2.844	PidTagLocalCommitTime	218
2.845	PidTagLocaleId	218
2.846	PidTagLocality	218
2.847	PidTagLocation	218
2.848	PidTagMailboxOwnerEntryId	219
2.849	PidTagMailboxOwnerName	219
2.850	PidTagManagerName	219
2.851	PidTagMappingSignature	219
2.852	PidTagMaximumSubmitMessageSize	219
2.853	PidTagMemberId	220
2.854	PidTagMemberName	220
2.855	PidTagMemberRights	220
2.856	PidTagMessageAttachments	220
2.857	PidTagMessageCcMe	220
2.858	PidTagMessageClass	221
2.859	PidTagMessageCodepage	221
2.860	PidTagMessageDeliveryTime	221

2.861	PidTagMessageEditorFormat	221
2.862	PidTagMessageFlags	222
2.863	PidTagMessageHandlingSystemCommonName	222
2.864	PidTagMessageLocaleId	222
2.865	PidTagMessageRecipientMe	222
2.866	PidTagMessageRecipients	222
2.867	PidTagMessageSize	223
2.868	PidTagMessageSizeExtended	223
2.869	PidTagMessageStatus	223
2.870	PidTagMessageSubmissionId	223
2.871	PidTagMessageToMe	223
2.872	PidTagMid	224
2.873	PidTagMiddleName	224
2.874	PidTagMobileTelephoneNumber	224
2.875	PidTagMsgFolderTemplateRes13	224
2.876	PidTagNewFXFolder	224
2.877	PidTagNextSendAcct	225
2.878	PidTagNickname	225
2.879	PidTagNormalizedSubject	225
2.880	PidTagNormalMessageSize	225
2.881	PidTagObjectType	226
2.882	PidTagOfficeLocation	226
2.883	PidTagOfflineAddressBookCompressedSize	226
2.884	PidTagOfflineAddressBookContainerGuid	226
2.885	PidTagOfflineAddressBookDistinguishedName	226
2.886	PidTagOfflineAddressBookFileSize	227
2.887	PidTagOfflineAddressBookFileType	227
2.888	PidTagOfflineAddressBookLanguageId	227
2.889	PidTagOfflineAddressBookMessageClass	227
2.890	PidTagOfflineAddressBookName	227
2.891	PidTagOfflineAddressBookSequence	228
2.892	PidTagOfflineAddressBookShaHash	228
2.893	PidTagOfflineAddressBookTruncatedProperties	228
2.894	PidTagOrdinalMost	228
2.895	PidTagOrganizationalIdNumber	228
2.896	PidTagOriginalAuthorName	229
2.897	PidTagOriginalDeliveryTime	229
2.898	PidTagOriginalDisplayBcc	229
2.899	PidTagOriginalDisplayCc	229
2.900	PidTagOriginalDisplayName	229
2.901	PidTagOriginalDisplayTo	230
2.902	PidTagOriginalEntryId	230
2.903	PidTagOriginalMessageClass	230
2.904	PidTagOriginalSearchKey	230

2.905	PidTagOriginalSenderAddressType	231
2.906	PidTagOriginalSenderEmailAddress	231
2.907	PidTagOriginalSenderEntryId	231
2.908	PidTagOriginalSenderName.....	231
2.909	PidTagOriginalSenderSearchKey	231
2.910	PidTagOriginalSensitivity.....	232
2.911	PidTagOriginalSentRepresentingAddressType.....	232
2.912	PidTagOriginalSentRepresentingEmailAddress	232
2.913	PidTagOriginalSentRepresentingEntryId	232
2.914	PidTagOriginalSentRepresentingName	233
2.915	PidTagOriginalSentRepresentingSearchKey.....	233
2.916	PidTagOriginalSubject.....	233
2.917	PidTagOriginalSubmitTime	233
2.918	PidTagOriginatorDeliveryReportRequested.....	233
2.919	PidTagOriginatorDeliveryReportRequested.....	234
2.920	PidTagOriginatorNonDeliveryReportRequested	234
2.921	PidTagOtherAddressCity.....	234
2.922	PidTagOtherAddressCountry	234
2.923	PidTagOtherAddressPostalCode.....	235
2.924	PidTagOtherAddressPostOfficeBox	235
2.925	PidTagOtherAddressStateOrProvince.....	235
2.926	PidTagOtherAddressStreet	235
2.927	PidTagOtherTelephoneNumber	236
2.928	PidTagOutOfOfficeState	236
2.929	PidTagOwnerAppointmentId	236
2.930	PidTagPagerTelephoneNumber	236
2.931	PidTagParentEntryId.....	236
2.932	PidTagParentFolderId	237
2.933	PidTagParentKey	237
2.934	PidTagParentSourceKey.....	237
2.935	PidTagPersonalHomePage	237
2.936	PidTagPostalAddress	237
2.937	PidTagPostalCode	238
2.938	PidTagPostOfficeBox	238
2.939	PidTagPredecessorChangeList	238
2.940	PidTagPrimaryFaxNumber.....	238
2.941	PidTagPrimarySendAccount	239
2.942	PidTagPrimarySmtpAddress	239
2.943	PidTagPrimaryTelephoneNumber	239
2.944	PidTagPriority	239
2.945	PidTagProcessed	239
2.946	PidTagProfession	240
2.947	PidTagProhibitReceiveQuota	240
2.948	PidTagProhibitSendQuota	240

2.949	PidTagProviderSubmitTime	240
2.950	PidTagPublicFolderAdministrativeDescription	240
2.951	PidTagPublicFolderProxy	241
2.952	PidTagPurportedSenderDomain	241
2.953	PidTagRadioTelephoneNumber	241
2.954	PidTagRead	241
2.955	PidTagReadReceiptEntryId	241
2.956	PidTagReadReceiptRequested	242
2.957	PidTagReadReceiptSearchKey	242
2.958	PidTagReceivedByAddressType	242
2.959	PidTagReceivedByEmailAddress	242
2.960	PidTagReceivedByEntryId	242
2.961	PidTagReceivedByFlags	243
2.962	PidTagReceivedByName	243
2.963	PidTagReceivedBySearchKey	243
2.964	PidTagReceivedRepresentingAddressType	243
2.965	PidTagReceivedRepresentingEmailAddress	244
2.966	PidTagReceivedRepresentingEntryId	244
2.967	PidTagReceivedRepresentingFlags	244
2.968	PidTagReceivedRepresentingName	244
2.969	PidTagReceivedRepresentingSearchKey	244
2.970	PidTagReceivedRepresentingSimpleDisplayName	245
2.971	PidTagReceivedRepresentingSimpleName	245
2.972	PidTagRecipientDisplayName	245
2.973	PidTagRecipientEntryId	245
2.974	PidTagRecipientFlags	245
2.975	PidTagRecipientOrder	246
2.976	PidTagRecipientProposed	246
2.977	PidTagRecipientProposedEndTime	246
2.978	PidTagRecipientProposedStartTime	246
2.979	PidTagRecipientReassignmentProhibited	246
2.980	PidTagRecipientResourceState	247
2.981	PidTagRecipientTrackStatus	247
2.982	PidTagRecipientTrackStatusTime	247
2.983	PidTagRecipientType	247
2.984	PidTagRecordKey	247
2.985	PidTagReferredByName	248
2.986	PidTagRemindersOnlineEntryId	248
2.987	PidTagRemoteHeaderLoc	248
2.988	PidTagRenderingPosition	248
2.989	PidTagReplyRecipientEntries	249
2.990	PidTagReplyRecipientNames	249
2.991	PidTagReplyRequested	249
2.992	PidTagReplyTemplateId	249

2.993	PidTagReplyTime	249
2.994	PidTagReportEntryId	250
2.995	PidTagReportSearchKey	250
2.996	PidTagReportTag	250
2.997	PidTagReportText	250
2.998	PidTagReportTime	250
2.999	PidTagResolveMethod	251
2.1000	PidTagResponseRequested	251
2.1001	PidTagResponsibility	251
2.1002	PidTagRights	251
2.1003	PidTagRoamingDatatypes	251
2.1004	PidTagRoamingDictionary	252
2.1005	PidTagRoamingXmlStream	252
2.1006	PidTagRowid	252
2.1007	PidTagRowType	252
2.1008	PidTagRtfCompressed	252
2.1009	PidTagRtfInSync	253
2.1010	PidTagRtfSyncBodyCount	253
2.1011	PidTagRtfSyncBodyCrc	253
2.1012	PidTagRtfSyncBodyTag	253
2.1013	PidTagRtfSyncPrefixCount	253
2.1014	PidTagRtfSyncTrailingCount	254
2.1015	PidTagRuleActionNumber	254
2.1016	PidTagRuleActions	254
2.1017	PidTagRuleActionType	254
2.1018	PidTagRuleCondition	254
2.1019	PidTagRuleError	255
2.1020	PidTagRuleFolderEntryId	255
2.1021	PidTagRuleId	255
2.1022	PidTagRuleLevel	255
2.1023	PidTagRuleMessageState	255
2.1024	PidTagRuleMsgLevel	255
2.1025	PidTagRuleMsgName	256
2.1026	PidTagRuleMsgProvider	256
2.1027	PidTagRuleMsgProviderData	256
2.1028	PidTagRuleMsgSequence	256
2.1029	PidTagRuleMsgState	256
2.1030	PidTagRuleMsgUserFlags	257
2.1031	PidTagRuleName	257
2.1032	PidTagRuleProvider	257
2.1033	PidTagRuleProviderData	257
2.1034	PidTagRuleSequence	257
2.1035	PidTagRuleState	258
2.1036	PidTagRuleUserFlags	258

2.1037	PidTagScheduleInfoAppointmentTombstone	258
2.1038	PidTagScheduleInfoAutoAcceptAppointments	258
2.1039	PidTagScheduleInfoDelegateEntryIds	258
2.1040	PidTagScheduleInfoDelegateNames	259
2.1041	PidTagScheduleInfoDelegateNamesW	259
2.1042	PidTagScheduleInfoDelegatorWantsCopy	259
2.1043	PidTagScheduleInfoDelegatorWantsInfo	259
2.1044	PidTagScheduleInfoDisallowOverlappingAppts	259
2.1045	PidTagScheduleInfoDisallowRecurringAppts	259
2.1046	PidTagScheduleInfoDontMailDelegates	260
2.1047	PidTagScheduleInfoFreeBusy	260
2.1048	PidTagScheduleInfoFreeBusyAway	260
2.1049	PidTagScheduleInfoFreeBusyBusy	260
2.1050	PidTagScheduleInfoFreeBusyMerged	260
2.1051	PidTagScheduleInfoFreeBusyTentative	261
2.1052	PidTagScheduleInfoMonthsAway	261
2.1053	PidTagScheduleInfoMonthsBusy	261
2.1054	PidTagScheduleInfoMonthsMerged	261
2.1055	PidTagScheduleInfoMonthsTentative	261
2.1056	PidTagScheduleInfoResourceType	262
2.1057	PidTagSchedulePlusFreeBusyEntryId	262
2.1058	PidTagScriptData	262
2.1059	PidTagSearchFolderDefinition	262
2.1060	PidTagSearchFolderEfpFlags	262
2.1061	PidTagSearchFolderExpiration	262
2.1062	PidTagSearchFolderId	263
2.1063	PidTagSearchFolderLastUsed	263
2.1064	PidTagSearchFolderReCreateInfo	263
2.1065	PidTagSearchFolderStorageType	263
2.1066	PidTagSearchFolderTag	263
2.1067	PidTagSearchFolderTemplateId	264
2.1068	PidTagSearchKey	264
2.1069	PidTagSecureSubmitFlags	264
2.1070	PidTagSecurityDescriptor	264
2.1071	PidTagSecurityDescriptorAsXml	264
2.1072	PidTagSelectable	265
2.1073	PidTagSenderAddressType	265
2.1074	PidTagSenderEmailAddress	265
2.1075	PidTagSenderEntryId	265
2.1076	PidTagSenderFlags	266
2.1077	PidTagSenderIdStatus	266
2.1078	PidTagSenderName	266
2.1079	PidTagSenderSearchKey	266
2.1080	PidTagSenderSimpleDisplayName	266

2.1081	PidTagSenderTelephoneNumber.....	267
2.1082	PidTagSendInternetEncoding	267
2.1083	PidTagSendRichInfo	267
2.1084	PidTagSensitivity	267
2.1085	PidTagSentMailEntryId.....	267
2.1086	PidTagSentMailSvrEID.....	268
2.1087	PidTagSentRepresentingAddressType	268
2.1088	PidTagSentRepresentingEmailAddress.....	268
2.1089	PidTagSentRepresentingEntryId.....	268
2.1090	PidTagSentRepresentingFlags	269
2.1091	PidTagSentRepresentingName	269
2.1092	PidTagSentRepresentingSearchKey	269
2.1093	PidTagSentRepresentingSimpleDisplayName.....	269
2.1094	PidTagSmtpAddress	270
2.1095	PidTagSortLocaleId	270
2.1096	PidTagSourceKey	270
2.1097	PidTagSpouseName.....	270
2.1098	PidTagStartDate.....	270
2.1099	PidTagStateOrProvince	271
2.1100	PidTagStoreEntryId	271
2.1101	PidTagStoreState.....	271
2.1102	PidTagStoreSupportMask	271
2.1103	PidTagStreetAddress	271
2.1104	PidTagSubfolder	272
2.1105	PidTagSubfolders.....	272
2.1106	PidTagSubject	272
2.1107	PidTagSubjectPrefix	272
2.1108	PidTagSubmitFlags.....	273
2.1109	PidTagSurname	273
2.1110	PidTagSwappedToDoData.....	273
2.1111	PidTagSwappedToDoStore.....	273
2.1112	PidTagTargetEntryId	273
2.1113	PidTagTcvConstLongOne.....	274
2.1114	PidTagTelecommunicationsDeviceForDeafTelephoneNumber	274
2.1115	PidTagTelexNumber	274
2.1116	PidTagTemplateData	274
2.1117	PidTagTemplateid.....	274
2.1118	PidTagTemporaryDefaultDocument	275
2.1119	PidTagTextAttachmentCharset.....	275
2.1120	PidTagTitle	275
2.1121	PidTagTnefCorrelationKey	275
2.1122	PidTagToDoItemFlags	275
2.1123	PidTagTransmittableDisplayName.....	276
2.1124	PidTagTransportMessageHeaders	276

2.1125	PidTagTrustSender	276
2.1126	PidTagTtyTddPhoneNumber	276
2.1127	PidTagUrlCompName	276
2.1128	PidTagUrlCompNameSet	277
2.1129	PidTagUrlName	277
2.1130	PidTagUserCertificate	277
2.1131	PidTagUserEntryId	277
2.1132	PidTagUserX509Certificate	277
2.1133	PidTagViewDescriptorBinary	278
2.1134	PidTagViewDescriptorName	278
2.1135	PidTagViewDescriptorStrings	278
2.1136	PidTagViewDescriptorVersion	278
2.1137	PidTagVoiceMessageAttachmentOrder	278
2.1138	PidTagVoiceMessageDuration	279
2.1139	PidTagVoiceMessageSenderName	279
2.1140	PidTagWeddingAnniversary	279
3	<i>Structure Examples</i>	279
4	<i>Security Considerations</i>	279
5	<i>Appendix A: Office/Exchange Behavior</i>	279
<i>Index</i>		281

1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

message class
named property
property
property ID
property set

The following terms are specific to this document:

tagged property: A property defined by a 16-bit **property ID** and a 16-bit **property type**.
The **property ID** for a **tagged property** MUST fall in the range 0x001 – 0x7FFF.
Property IDs in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", June 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", June 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-Mail Object Conversion Protocol Specification", June 2008.

[MS-OXCMMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", June 2008.

[MS-OXCPERM] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", June 2008.

30 of 281

[MS-OXPROPS] - v1.06

Exchange Server Protocols Master Property List Specification

Copyright © 2009 Microsoft Corporation.

Release: Wednesday, March 4, 2009

[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", June 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", June 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", June 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", June 2008.

[MS-OXGLOS] Microsoft Corporation, "Exchange Server Protocols Master Glossary", June 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", June 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", June 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", June 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", June 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", June 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", June 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", June 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", June 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", June 2008.

[MS-OXOJRNL] Microsoft Corporation, "Journal Object Protocol Specification", June 2008.

[MS-OXOMSG] Microsoft Corporation, "E-Mail Object Protocol Specification", June 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", June 2008.

[MS-OXOPFFB] Microsoft Corporation, "Public Folder-Based Free/Busy Protocol Specification", June 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", June 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", June 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-Mail Object Protocol Specification", June 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", June 2008.

[MS-OXORULE] Microsoft Corporation, "E-Mail Rules Protocol Specification", June 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", June 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", June 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", June 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", June 2008.

[MS-OXOUML] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", June 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", June 2008.

[MS-OXPROTO] Microsoft Corporation, "Exchange Server Protocols Overview", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", June 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", June 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", June 2008.

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", June 2008.

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", June 2008.

[MS-XWDCAL] Microsoft Corporation, "WebDAV Extensions for Calendar Support", December 2008.

[MS-XWDCNTC] Microsoft Corporation, "WebDAV Extensions for Contacts Support Protocol Specification", February 2009.

[MS-XWDDOC] Microsoft Corporation, "WebDAV Extensions for Documents Support", December 2008.

[MS-XWDMAIL] Microsoft Corporation, "WebDAV Extensions for E-Mail Support", December 2008.

[MS-XWDSEARCH] Microsoft Corporation, "WebDAV Extensions for Search", December 2008.

[MS-XWDSTRUCTDOC] Microsoft Corporation, "WebDAV Extensions for Structured Documents", December 2008.

[MS-XWDVSEC] Microsoft Corporation, "Web Distributed Authoring and Versioning (WebDAV) Protocol: Security Descriptor Extensions Specification", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[RFC4234] Crocker, D., Ed. and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 4234, October 2005, <http://www.ietf.org/rfc/rfc4234.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each **property**, as appropriate:

Alternate names: Any additional names used to refer to this property.

Area: A group of properties with related functionality.

Canonical name: The name used to refer to this property in other protocol specifications.

data type: A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

property ID: An unsigned 16-bit quantity that identifies a **tagged property**.

Property long ID (LID): An unsigned 32-bit quantity that, along with the **property set**, identifies a **named property**.

property name: A string that, along with the property set, identifies a named property.

property set: A GUID that identifies a group of properties with a similar purpose.

References: One or more protocol documents that specify the semantics and allowed values for this property.

1.3.1 Common Message Classes

Applications MUST set certain required properties corresponding to the object's **message class**. Applications SHOULD handle the case where required properties are missing; treating a message object as **IPM.Note** is a common fallback strategy. The following table lists several common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk “*” denotes that any string MAY appear at that point.

Area	PidTagMessageClass values	Document
Common	IPM.*	[MS-OXCMSG]
Email	IPM.Note, REPORT.*	[MS-OXOMSG]
Calendar	IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification	[MS-OXOCAL]
Contact	IPM.Contact, IPM.DistList	[MS-OXOCNTC]
Task	IPM.Task, IPM.TaskRequest.*	[MS-OXOTASK]
Journal	IPM.Activity	[MS-OXOJRN]
Sticky note	IPM.StickyNote	[MS-OXONOTE]
Document	IPM.Document.*	[MS-OXODOC]
Post	IPM.Post	[MS-OXOPOST]

RSS feed	IPM.Post.RSS	[MS-OXORSS]
Rights-managed email	IPM.Note with PidNameContentClass=rpmsg.message	[MS-OXORMMS]
S/MIME email	IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned	[MS-OXOSMIME]
Short message service / Multimedia Message Service Message	IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS	[MS-OXOSMMS]
Unified messaging	IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax	[MS-OXOUM]
Sharing	IPM.Sharing IPM.Sharing.*	[MS-OXSHARE]

1.3.2 Commonly Used Property Sets

In the **property** index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

Area	Property set name and GUID value
Common	PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Common	PSETID_Common {00062008-0000-0000-C000-000000000046}
Contact	PSETID_Address {00062004-0000-0000-C000-000000000046}
Email	PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Calendar	PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Calendar	PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Journal	PSETID_Log {0006200A-0000-0000-C000-000000000046}
Sticky note	PSETID_Note {0006200E-0000-0000-C000-000000000046}
RSS feed	PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Task	PSETID_Task {00062003-0000-0000-C000-000000000046}
Unified	PSETID_UnifiedMessaging

messaging	{4442858E-A9E3-4E80-B900-317A210CC15B}
Common	PS_MAPI {00020328-0000-0000-C000-00000000046}
Sync	PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Sharing	PSETID_Sharing {00062040-0000-0000-C000-00000000046}

1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term "non-transmittable" refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers SHOULD NOT allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. Property IDs in ranges not specified as non-transmittable SHOULD be submitted for transport to another server.
- Clients MAY use properties in ranges specified as **message class**-defined for application-defined purposes. When doing so, applications MUST specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients MAY use any **named property** for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's **property set** MUST be distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients MAY use properties in ranges specified as transport-defined, but they MUST NOT define new properties in those ranges.
- Clients MAY use and define properties in ranges specified as user-defined, but SHOULD take care to avoid conflicts with alternate definitions of the same **property ID**.

Range minimum	Range maximum	Specification
0x0001	0x0BFF	Message envelope property; reserved
0x0C00	0x0DFF	Recipient property; reserved
0x0E00	0x0FFF	Non-transmittable message property; reserved
0x1000	0x2FFF	Message content property; reserved
0x3000	0x33FF	Multi-purpose property that can appear on all or most objects; reserved
0x3400	0x35FF	Message store property; reserved
0x3600	0x36FF	Folder and address book container property; reserved
0x3700	0x38FF	Attachment property; reserved

0x3900	0x39FF	Address book object property; reserved
0x3A00	0x3BFF	Mail user object property; reserved
0x3C00	0x3CFF	Distribution list property; reserved
0x3D00	0x3DFF	Profile section property; reserved
0x3E00	0x3EFF	Status object property; reserved
0x4000	0x57FF	Transport-defined envelope property
0x5800	0x5FFF	Transport-defined recipient property
0x6000	0x65FF	User-defined non-transmittable property
0x6600	0x67FF	Provider-defined internal non-transmittable property
0x6800	0x7BFF	Message class-defined content property
0x7C00	0x7FFF	Message class-defined non-transmittable property
0x8000	0xFFFF	Reserved for mapping to named properties

1.4 WebDAV Property Naming

The mail server is natively a MAPI store where the vast majority of properties in it are MAPI properties. The WebDAV implementation uses the **Augmented Backus-Naur Form (ABNF)** notation, as specified in [RFC4234], as a way to name MAPI properties, allowing WebDAV clients to work with these properties directly.

The `http://schemas.microsoft.com/mapi/` namespace is used to directly access MAPI properties on the server. The namespace consists of three sub namespaces: proptag, id, and string. The ABNF notation used to specify the format of these namespaces is described in this section.

1.4.1 http://schemas.microsoft.com/mapi/proptag Namespace

This namespace is used to access properties on the server that are identified by a **property ID**. You can access these properties through WebDAV by appending the hexadecimal **property ID** value and the hexadecimal property type value to the namespace prefix.

```

proptag-specifier = "http://schemas.microsoft.com/mapi/proptag/x"
property-id property-type

property-id = 4HEXDIG

property-type = 4HEXDIG

```

Example:

`http://schemas.microsoft.com/mapi/proptag/x0037001f (PidTagSubject)`

1.4.2 http://schemas.microsoft.com/mapi/id Namespace

This namespace is used to access **named properties** on the server that are identified by a **property long ID**. You can access these properties through WebDAV by appending the **property set** and the hexadecimal **property long ID** value to the namespace prefix.

```

id-specifier = "http://schemas.microsoft.com/mapi/id/" property-set
"/x" property-long-id

property-set = "{" 8HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-"
12HEXDIG "}"

property-long-id = 8HEXDIG

```

Example:

```
http://schemas.microsoft.com/mapi/id/{00062002-0000-0000-C000-
000000000046}/x00008213 (PidLidAppointmentDuration)
```

1.4.3 http://schemas.microsoft.com/mapi/string Namespace

This namespace is used to access **named properties** on the server that are identified by a **property name**. You can access these properties through WebDAV by appending the **property set** and the **property name** to the namespace prefix.

```

string-specifier = "http://schemas.microsoft.com/mapi/string/"
property-set "/" property-name

property-set = "{" 8*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG
"-"
12*HEXDIG "}"

property-name = 1*CHAR

```

Example:

```
http://schemas.microsoft.com/mapi/string/{00020329-0000-0000-C000-
000000000046}/Subject (PidNameSubject)
```

1.5 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [MS-OXCDATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCDATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

1.6 Applicability Statement

This document provides the numeric values needed to encode **property** names, tags, and types in ROP buffers. It also serves as a convenient index to the object type documents that define how each property is used.

1.7 Versioning and Localization

None.

1.8 Vendor-Extensible Fields

Section 1.3.3, "Property ID ranges," specifies how applications choose properties to create new message object types or to add functionality to existing types.

2 Structures

2.1 PidLidAddressBookProviderArrayType

Canonical name: PidLidAddressBookProviderArrayType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008029

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPArrayType

2.2 PidLidAddressBookProviderEmailList

Canonical name: PidLidAddressBookProviderEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008028

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPEmailList

2.3 PidLidAddressCountryCode

Canonical name: PidLidAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DD

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidAddressCountryCode

2.4 PidLidAgingDontAgeMe

Canonical name: PidLidAgingDontAgeMe

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000850E

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidAgingDontAgeMe

2.5 *PidLidAllAttendeesList*

Canonical name: PidLidAllAttendeesList
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001D
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_ALL_ATTENDEES_LIST

2.6 *PidLidAllAttendeesString*

Canonical name: PidLidAllAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008238
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidAllAttendeesString,
<http://schemas.microsoft.com/mapi/allattendeesstring>

2.7 *PidLidAllowExternalCheck*

Canonical name: PidLidAllowExternalCheck
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008246
Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAllowExternCheck

2.8 *PidLidAnniversaryEventEntryId*

Canonical name: PidLidAnniversaryEventEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804E
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAnniversaryEventEID

2.9 *PidLidAppointmentAuxiliaryFlags*

Canonical name: PidLidAppointmentAuxiliaryFlags
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008207

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptAuxFlags

2.10 PidLidAppointmentColor

Canonical name: PidLidAppointmentColor

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008214

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptColor

2.11 PidLidAppointmentCounterProposal

Canonical name: PidLidAppointmentCounterProposal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008257

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptCounterProposal

2.12 PidLidAppointmentDuration

Canonical name: PidLidAppointmentDuration

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008213

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptDuration, <http://schemas.microsoft.com/mapi/apptduration>

2.13 PidLidAppointmentEndDate

Canonical name: PidLidAppointmentEndDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008211

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptEndDate, <http://schemas.microsoft.com/mapi/apptenddate>

2.14 PidLidAppointmentEndTime

Canonical name: PidLidAppointmentEndTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008210

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-XWDCAL]

Alternate names: dispidApptEndTime, <http://schemas.microsoft.com/mapi/apptendtime>

2.15 PidLidAppointmentEndWhole

Canonical name: PidLidAppointmentEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820E

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]

Alternate names: dispidApptEndWhole, <http://schemas.microsoft.com/mapi/apptendwhole>

2.16 PidLidAppointmentLastSequence

Canonical name: PidLidAppointmentLastSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008203

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptLastSequence

2.17 PidLidAppointmentMessageClass

Canonical name: PidLidAppointmentMessageClass

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000024

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptMessageClass

2.18 PidLidAppointmentNotAllowPropose

Canonical name: PidLidAppointmentNotAllowPropose

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptNotAllowPropose

2.19 PidLidAppointmentProposalNumber

Canonical name: PidLidAppointmentProposalNumber
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008259
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposalNum

2.20 PidLidAppointmentProposedDuration

Canonical name: PidLidAppointmentProposedDuration
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008256
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposedDuration

2.21 PidLidAppointmentProposedEndWhole

Canonical name: PidLidAppointmentProposedEndWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008251
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedEndWhole

2.22 PidLidAppointmentProposedStartWhole

Canonical name: PidLidAppointmentProposedStartWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008250
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedStartWhole

2.23 PidLidAppointmentRecur

Canonical name: PidLidAppointmentRecur
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008216

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXOTASK],
[MS-XWDCAL]

Alternate names: dispidApptRecur, <http://schemas.microsoft.com/mapi/apptrecur>

2.24 PidLidAppointmentReplyName

Canonical name: PidLidAppointmentReplyName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008230

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptReplyName, <http://schemas.microsoft.com/mapi/apptreplyname>

2.25 PidLidAppointmentReplyTime

Canonical name: PidLidAppointmentReplyTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008220

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptReplyTime, urn:schemas:calendar:replytime,
<http://schemas.microsoft.com/mapi/aptreplytime>

2.26 PidLidAppointmentSequence

Canonical name: PidLidAppointmentSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008201

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptSequence, <http://schemas.microsoft.com/mapi/apptsequence>

2.27 PidLidAppointmentSequenceTime

Canonical name: PidLidAppointmentSequenceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008202

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptSeqTime

2.28 PidLidAppointmentStartDate

Canonical name: PidLidAppointmentStartDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008212

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptStartDate, <http://schemas.microsoft.com/mapi/apptstartdate>

2.29 PidLidAppointmentStartTime

Canonical name: PidLidAppointmentStartTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820F

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-XWDCAL]

Alternate names: dispidApptStartTime, <http://schemas.microsoft.com/mapi/apptstarttime>

2.30 PidLidAppointmentStartWhole

Canonical name: PidLidAppointmentStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820D

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]

Alternate names: dispidApptStartWhole, <http://schemas.microsoft.com/mapi/apptstartwhole>

2.31 PidLidAppointmentStateFlags

Canonical name: PidLidAppointmentStateFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008217

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidApptStateFlags, <http://schemas.microsoft.com/mapi/apptstateflags>

2.32 PidLidAppointmentSubType

Canonical name: PidLidAppointmentSubType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008215

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptSubType, urn:schemas:calendar:alldayevent, http://schemas.microsoft.com/mapi/apptsubtype

2.33 PidLidAppointmentTimeZoneDefinitionEndDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionEndDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825F

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefEndDisplay

2.34 PidLidAppointmentTimeZoneDefinitionRecur

Canonical name: PidLidAppointmentTimeZoneDefinitionRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008260

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefRecur

2.35 PidLidAppointmentTimeZoneDefinitionStartDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionStartDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825E

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefStartDisplay

2.36 PidLidAppointmentUnsendableRecipients

Canonical name: PidLidAppointmentUnsendableRecipients

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823D

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptUnsendableRecips

2.37 PidLidAppointmentUpdateTime

Canonical name: PidLidAppointmentUpdateTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008226

Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-XWDCAL]
Alternate names: dispidApptUpdateTime,
<http://schemas.microsoft.com/mapi/apptupdatetime>

2.38 PidLidAttendeeCriticalChange

Canonical name: PidLidAttendeeCriticalChange
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_ATTENDEE_CRITICAL_CHANGE,
http://schemas.microsoft.com/mapi/attendee_critical_change

2.39 PidLidAutoFillLocation

Canonical name: PidLidAutoFillLocation
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAutoFillLocation

2.40 PidLidAutoLog

Canonical name: PidLidAutoLog
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008025
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAutoLog

2.41 PidLidAutoProcessState

Canonical name: PidLidAutoProcessState
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851A
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidSniffState

2.42 *PidLidAutoStartCheck*

Canonical name: PidLidAutoStartCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008244

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXORMDR]

Alternate names: dispidAutoStartCheck

2.43 *PidLidAutoStartWhen*

Canonical name: PidLidAutoStartWhen

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008245

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidAutoStartWhen

2.44 *PidLidBilling*

Canonical name: PidLidBilling

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008535

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-XWDCNTC]

Alternate names: dispidBilling, urn:schemas:contacts:billinginformation

2.45 *PidLidBirthdayEventEntryId*

Canonical name: PidLidBirthdayEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804D

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBirthdayEventEID

2.46 *PidLidBusinessCardCardPicture*

Canonical name: PidLidBusinessCardCardPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008041

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidBCCardPicture

2.47 PidLidBusinessCardDisplayDefinition

Canonical name: PidLidBusinessCardDisplayDefinition
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008040
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidBCDisplayDefinition

2.48 PidLidBusyStatus

Canonical name: PidLidBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008205
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]
Alternate names: dispidBusyStatus, <http://schemas.microsoft.com/mapi/busystatus>

2.49 PidLidCalendarType

Canonical name: PidLidCalendarType
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001C
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_CALENDAR_TYPE,
http://schemas.microsoft.com/mapi/calendar_type

2.50 PidLidCategories

Canonical name: PidLidCategories
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property long ID (LID): 0x00002328
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-OXCMAIL]
Alternate names: dispidCategories

2.51 PidLidCcAttendeesString

Canonical name: PidLidCcAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823C

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidCCAttendeesString

2.52 *PidLidChangeHighlight*

Canonical name: PidLidChangeHighlight

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008204

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidChangeHighlight

2.53 *PidLidClassification*

Canonical name: PidLidClassification

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B6

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassification

2.54 *PidLidClassificationDescription*

Canonical name: PidLidClassificationDescription

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B7

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassDesc

2.55 *PidLidClassificationGuid*

Canonical name: PidLidClassificationGuid

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassGuid

2.56 *PidLidClassificationKeep*

Canonical name: PidLidClassificationKeep

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BA

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassKeep

2.57 *PidLidClassified*

Canonical name: PidLidClassified

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B5

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassified

2.58 *PidLidCleanGlobalObjectId*

Canonical name: PidLidCleanGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000023

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidCleanGlobalObjId

2.59 *PidLidClipEnd*

Canonical name: PidLidClipEnd

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008236

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidClipEnd

2.60 *PidLidClipStart*

Canonical name: PidLidClipStart

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008235

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidClipStart

2.61 PidLidCollaborateDoc

Canonical name: PidLidCollaborateDoc

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008247

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidCollaborateDoc

2.62 PidLidCommonEnd

Canonical name: PidLidCommonEnd

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008517

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRNL], [MS-OXOTASK]

Alternate names: dispidCommonEnd

2.63 PidLidCommonStart

Canonical name: PidLidCommonStart

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008516

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRNL], [MS-OXOTASK]

Alternate names: dispidCommonStart

2.64 PidLidCompanies

Canonical name: PidLidCompanies

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008539

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXOJRNL]

Alternate names: dispidCompanies

2.65 PidLidConferencingCheck

Canonical name: PidLidConferencingCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008240

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidConfCheck

2.66 PidLidConferencingType

Canonical name: PidLidConferencingType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008241

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidConfType

2.67 PidLidContactCharacterSet

Canonical name: PidLidContactCharacterSet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008023

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactCharSet

2.68 PidLidContactItemData

Canonical name: PidLidContactItemData

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008007

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactItemData

2.69 PidLidContactLinkEntry

Canonical name: PidLidContactLinkEntry

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008585

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRLN]

Alternate names: dispidContactLinkEntry

2.70 PidLidContactLinkName

Canonical name: PidLidContactLinkName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008586

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRLN]

Alternate names: dispidContactLinkName

2.71 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008584

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRLN]

Alternate names: dispidContactLinkSearchKey

2.72 PidLidContacts

Canonical name: PidLidContacts

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000853A

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRLN]

Alternate names: dispidContacts

2.73 PidLidContactUserField1

Canonical name: PidLidContactUserField1

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804F

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactUserField1

2.74 PidLidContactUserField2

Canonical name: PidLidContactUserField2

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008050

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField2

2.75 PidLidContactUserField3

Canonical name: PidLidContactUserField3
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008051
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField3

2.76 PidLidContactUserField4

Canonical name: PidLidContactUserField4
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008052
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField4

2.77 PidLidCurrentVersion

Canonical name: PidLidCurrentVersion
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008552
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidCurrentVersion

2.78 PidLidCurrentVersionName

Canonical name: PidLidCurrentVersionName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008554
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidCurrentVersionName

2.79 PidLidDayInterval

Canonical name: PidLidDayInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000011

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_DAY_INTERVAL, http://schemas.microsoft.com/mapi/day_interval

2.80 PidLidDayOfMonth

Canonical name: PidLidDayOfMonth

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001000

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/dayofmonth>

2.81 PidLidDelegateMail

Canonical name: PidLidDelegateMail

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000009

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_DELEGATE_MAIL,
http://schemas.microsoft.com/mapi/delegate_mail

2.82 PidLidDepartment

Canonical name: PidLidDepartment

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008010

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDepartment

2.83 PidLidDirectory

Canonical name: PidLidDirectory

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008242

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidDirectory

2.84 PidLidDistributionListChecksum

Canonical name: PidLidDistributionListChecksum

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804C

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDLChecksum

2.85 PidLidDistributionListMembers

Canonical name: PidLidDistributionListMembers

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008055

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [MS-OXCDATA], [MS-OXOCNTC]

Alternate names: dispidDLMembers

2.86 PidLidDistributionListName

Canonical name: PidLidDistributionListName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008053

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDLName

2.87 PidLidDistributionListOneOffMembers

Canonical name: PidLidDistributionListOneOffMembers

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008054

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDLOneOffMembers

2.88 PidLidDistributionListStream

Canonical name: PidLidDistributionListStream

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008064

Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLStream

2.89 *PidLidEmail1AddressType*

Canonical name: PidLidEmail1AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008082
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1AddrType

2.90 *PidLidEmail1DisplayName*

Canonical name: PidLidEmail1DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008080
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1DisplayName

2.91 *PidLidEmail1EmailAddress*

Canonical name: PidLidEmail1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008083
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailAddress

2.92 *PidLidEmail1EmailType*

Canonical name: PidLidEmail1EmailType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008087
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailType

2.93 PidLidEmail1OriginalDisplayName

Canonical name: PidLidEmail1OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008084

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1OriginalDisplayName

2.94 PidLidEmail1OriginalEntryId

Canonical name: PidLidEmail1OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008085

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1OriginalEntryID

2.95 PidLidEmail2AddressType

Canonical name: PidLidEmail2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008092

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2AddrType

2.96 PidLidEmail2DisplayName

Canonical name: PidLidEmail2DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008090

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2DisplayName

2.97 PidLidEmail2EmailAddress

Canonical name: PidLidEmail2EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008093

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2EmailAddress

2.98 PidLidEmail2EntryId

Canonical name: PidLidEmail2EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008091

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2EntryID

2.99 PidLidEmail2OriginalDisplayName

Canonical name: PidLidEmail2OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008094

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2OriginalDisplayName

2.100 PidLidEmail2OriginalEntryId

Canonical name: PidLidEmail2OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008095

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2OriginalEntryID

2.101 PidLidEmail3AddressType

Canonical name: PidLidEmail3AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3AddrType

2.102 PidLidEmail3 DisplayName

Canonical name: PidLidEmail3 DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A0

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3DisplayName

2.103 PidLidEmail3EmailAddress

Canonical name: PidLidEmail3EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EmailAddress

2.104 PidLidEmail3EntryId

Canonical name: PidLidEmail3EntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A1
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EntryID

2.105 PidLidEmail3OriginalDisplayName

Canonical name: PidLidEmail3OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalDisplayName

2.106 PidLidEmail3OriginalEntryId

Canonical name: PidLidEmail3OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalEntryID

2.107 PidLidEmailList

Canonical name: PidLidEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008027

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmailList

2.108 PidLidEndRecurrenceDate

Canonical name: PidLidEndRecurrenceDate

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000F

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_END_RECUR_DATE,
http://schemas.microsoft.com/mapi/end_recur_date

2.109 PidLidEndRecurrenceTime

Canonical name: PidLidEndRecurrenceTime

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000010

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_END_RECUR_TIME,
http://schemas.microsoft.com/mapi/end_recur_time

2.110 PidLidExceptionReplaceTime

Canonical name: PidLidExceptionReplaceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008228

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidExceptionReplaceTime

2.111 PidLidFax1AddressType

Canonical name: PidLidFax1AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B2

Data type: PtypString, 0x001F

Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1AddrType

2.112 PidLidFax1EmailAddress

Canonical name: PidLidFax1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1EmailAddress

2.113 PidLidFax1OriginalDisplayName

Canonical name: PidLidFax1OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalDisplayName

2.114 PidLidFax1OriginalEntryId

Canonical name: PidLidFax1OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalEntryID

2.115 PidLidFax2AddressType

Canonical name: PidLidFax2AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2AddrType

2.116 PidLidFax2EmailAddress

Canonical name: PidLidFax2EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2EmailAddress

2.117 PidLidFax2OriginalDisplayName

Canonical name: PidLidFax2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2OriginalDisplayName

2.118 PidLidFax2OriginalEntryId

Canonical name: PidLidFax2OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2OriginalEntryID

2.119 PidLidFax3AddressType

Canonical name: PidLidFax3AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3AddrType

2.120 PidLidFax3EmailAddress

Canonical name: PidLidFax3EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3EmailAddress

2.121 *PidLidFax3OriginalDisplayName*

Canonical name: PidLidFax3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalDisplayName

2.122 *PidLidFax3OriginalEntryId*

Canonical name: PidLidFax3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalEntryID

2.123 *PidLidFExceptionalAttendees*

Canonical name: PidLidFExceptionalAttendees

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822B

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidFExceptionalAttendees

2.124 *PidLidFExceptionalBody*

Canonical name: PidLidFExceptionalBody

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008206

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidFExceptionalBody

2.125 *PidLidFileUnder*

Canonical name: PidLidFileUnder

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008005

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFileUnder

2.126 *PidLidFileUnderId*

Canonical name: PidLidFileUnderId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008006

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFileUnderId

2.127 *PidLidFileUnderList*

Canonical name: PidLidFileUnderList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008026

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFileUnderList

2.128 *PidLidFInvited*

Canonical name: PidLidFInvited

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008229

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidFInvited, <http://schemas.microsoft.com/mapi/finvited>

2.129 *PidLidFlagRequest*

Canonical name: PidLidFlagRequest

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008530

Data type: PtypString, 0x001F

Area: Flagging

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: dispidRequest, urn:schemas:httpmail:messageflag, <http://schemas.microsoft.com/mapi/request>

2.130 PidLidFlagString

Canonical name: PidLidFlagString
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085C0
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidFlagStringEnum

2.131 PidLidForwardInstance

Canonical name: PidLidForwardInstance
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000820A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFwrdInstance

2.132 PidLidFOthersAppointment

Canonical name: PidLidFOthersAppointment
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000822F
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-XWDCAL]
Alternate names: dispidFOthersAppt, http://schemas.microsoft.com/mapi/fothersappt

2.133 PidLidFreeBusyLocation

Canonical name: PidLidFreeBusyLocation
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D8
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCAL]
Alternate names: dispidFreeBusyLocation, urn:schemas:calendar:furl

2.134 PidLidGlobalObjectId

Canonical name: PidLidGlobalObjectId
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000003
Data type: PtypBinary, 0x0102
Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]
Alternate names: LID_GLOBAL_OBJID

2.135 PidLidHasPicture

Canonical name: PidLidHasPicture
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008015
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHasPicture

2.136 PidLidHomeAddress

Canonical name: PidLidHomeAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000801A
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidHomeAddress, urn:schemas:contacts:homepostaladdress

2.137 PidLidHomeAddressCountryCode

Canonical name: PidLidHomeAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DA
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHomeAddressCountryCode

2.138 PidLidHtml

Canonical name: PidLidHtml
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802B
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHTML

2.139 PidLidICalendarDayOfWeekMask

Canonical name: PidLidICalendarDayOfWeekMask
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00001001

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/dayofweekmask>

2.140 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008062

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidInstMsg

2.141 PidLidIntendedBusyStatus

Canonical name: PidLidIntendedBusyStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008224

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidIntendedBusyStatus,

<http://schemas.microsoft.com/mapi/intendedbusystatus>

2.142 PidLidInternetAccountName

Canonical name: PidLidInternetAccountName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008580

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXOMSG]

Alternate names: dispidInetAcctName

2.143 PidLidInternetAccountStamp

Canonical name: PidLidInternetAccountStamp

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008581

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXOMSG]

Alternate names: dispidInetAcctStamp

2.144 *PidLidIsException*

Canonical name: PidLidIsException

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: LID_IS_EXCEPTION, http://schemas.microsoft.com/mapi/is_exception

2.145 *PidLidIsRecurring*

Canonical name: PidLidIsRecurring

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000005

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_IS_RECURRING, http://schemas.microsoft.com/mapi/is_recurring

2.146 *PidLidIsSilent*

Canonical name: PidLidIsSilent

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000004

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_IS_SILENT, http://schemas.microsoft.com/mapi/is_silent

2.147 *PidLidLinkedTaskItems*

Canonical name: PidLidLinkedTaskItems

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820C

Data type: PtypMultipleBinary, 0x1102

Area: Tasks

References: [MS-OXOCAL]

Alternate names: dispidLinkedTaskItems

2.148 *PidLidLocation*

Canonical name: PidLidLocation

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008208

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidLocation, urn:schemas:calendar:location

2.149 PidLidLogDocumentPosted

Canonical name: PidLidLogDocumentPosted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008711

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDocPosted

2.150 PidLidLogDocumentPrinted

Canonical name: PidLidLogDocumentPrinted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000870E

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDocPrinted

2.151 PidLidLogDocumentRouted

Canonical name: PidLidLogDocumentRouted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008710

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDocRouted

2.152 PidLidLogDocumentSaved

Canonical name: PidLidLogDocumentSaved

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000870F

Data type: PtypBoolean, 0x000B

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogDocSaved

2.153 PidLidLogDuration

Canonical name: PidLidLogDuration

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008707

Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRN]
Alternate names: dispidLogDuration

2.154 PidLidLogEnd

Canonical name: PidLidLogEnd
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008708
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRN]
Alternate names: dispidLogEnd

2.155 PidLidLogFlags

Canonical name: PidLidLogFlags
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870C
Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRN]
Alternate names: dispidLogFlags

2.156 PidLidLogStart

Canonical name: PidLidLogStart
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008706
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRN]
Alternate names: dispidLogStart

2.157 PidLidLogType

Canonical name: PidLidLogType
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008700
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRN]
Alternate names: dispidLogType

2.158 PidLidLogTypeDesc

Canonical name: PidLidLogTypeDesc

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008712

Data type: PtypString, 0x001F

Area: Journal

References: [MS-OXOJRN]

Alternate names: dispidLogTypeDesc

2.159 PidLidMeetingType

Canonical name: PidLidMeetingType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000026

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidMeetingType

2.160 PidLidMeetingWorkspaceUrl

Canonical name: PidLidMeetingWorkspaceUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008209

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidMWSURL,

<http://schemas.microsoft.com/mapi/meetingworkspaceurl>

2.161 PidLidMonthInterval

Canonical name: PidLidMonthInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000013

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_MONTH_INTERVAL,

http://schemas.microsoft.com/mapi/month_interval

2.162 PidLidMonthOfYear

Canonical name: PidLidMonthOfYear

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001006

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/monthofyear>

2.163 PidLidMonthOfYearMask

Canonical name: PidLidMonthOfYearMask

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000017

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_MOY_MASK, http://schemas.microsoft.com/mapi/moy_mask

2.164 PidLidNetShowUrl

Canonical name: PidLidNetShowUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008248

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidNetShowURL

2.165 PidLidNoEndDateFlag

Canonical name: PidLidNoEndDateFlag

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000100B

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/fnoenddate>

2.166 PidLidNonSendableBcc

Canonical name: PidLidNonSendableBcc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008538

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableBCC,

<http://schemas.microsoft.com/mapi/nonsendablebcc>

2.167 PidLidNonSendableCc

Canonical name: PidLidNonSendableCc

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008537

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableCC, <http://schemas.microsoft.com/mapi/nonsendablecc>

2.168 PidLidNonSendableTo

Canonical name: PidLidNonSendableTo

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008536

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableTo, <http://schemas.microsoft.com/mapi/nonsendableto>

2.169 PidLidNonSendBccTrackStatus

Canonical name: PidLidNonSendBccTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008545

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendBccTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendbcctrackstatus>

2.170 PidLidNonSendCcTrackStatus

Canonical name: PidLidNonSendCcTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008544

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendCcTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendcctrackstatus>

2.171 PidLidNonSendToTrackStatus

Canonical name: PidLidNonSendToTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008543

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendToTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendtotracksstatus>

2.172 *PidLidNoteColor*

Canonical name: PidLidNoteColor

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B00

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteColor

2.173 *PidLidNoteHeight*

Canonical name: PidLidNoteHeight

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B03

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteHeight

2.174 *PidLidNoteWidth*

Canonical name: PidLidNoteWidth

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B02

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteWidth

2.175 *PidLidNoteX*

Canonical name: PidLidNoteX

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B04

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteX

2.176 *PidLidNoteY*

Canonical name: PidLidNoteY

Property set: PSETID_Note {0006200E-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008B05

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteY

2.177 *PidLidOccurrences*

Canonical name: PidLidOccurrences

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00001005

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/occurrences>

2.178 *PidLidOldLocation*

Canonical name: PidLidOldLocation

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000028

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOldLocation

2.179 *PidLidOldRecurrenceType*

Canonical name: PidLidOldRecurrenceType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000018

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_RECUR_TYPE, http://schemas.microsoft.com/mapi/recur_type

2.180 *PidLidOldWhenEndWhole*

Canonical name: PidLidOldWhenEndWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000002A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOldWhenEndWhole

2.181 PidLidOldWhenStartWhole

Canonical name: PidLidOldWhenStartWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000029

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOldWhenStartWhole

2.182 PidLidOnlinePassword

Canonical name: PidLidOnlinePassword

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008249

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOnlinePassword

2.183 PidLidOptionalAttendees

Canonical name: PidLidOptionalAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000007

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_OPTIONAL_ATTENDEES,

http://schemas.microsoft.com/mapi/optional_attendees

2.184 PidLidOrganizerAlias

Canonical name: PidLidOrganizerAlias

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008243

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidOrgAlias

2.185 PidLidOriginalStoreEntryId

Canonical name: PidLidOriginalStoreEntryId

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

78 of 281

[MS-OXPROPS] - v1.06

Exchange Server Protocols Master Property List Specification

Copyright © 2009 Microsoft Corporation.

Release: Wednesday, March 4, 2009

Property long ID (LID): 0x00008237

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL], [MS-XWDMAIL]

Alternate names: dispidOrigStoreId, <http://schemas.microsoft.com/mapi/origstoreeid>

2.186 *PidLidOtherAddress*

Canonical name: PidLidOtherAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidOtherAddress, urn:schemas:contacts:otherpostaladdress

2.187 *PidLidOtherAddressCountryCode*

Canonical name: PidLidOtherAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DC

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidOtherAddressCountryCode

2.188 *PidLidOwnerCriticalChange*

Canonical name: PidLidOwnerCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_OWNER_CRITICAL_CHANGE, urn:schemas:calendar:dtstamp, http://schemas.microsoft.com/mapi/owner_critical_change

2.189 *PidLidOwnerName*

Canonical name: PidLidOwnerName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822E

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-XWDCAL]

Alternate names: dispidOwnerName, <http://schemas.microsoft.com/mapi/ownername>

2.190 PidLidPercentComplete

Canonical name: PidLidPercentComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008102

Data type: PtypFloating64, 0x0005

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]

Alternate names: dispidPercentComplete

2.191 PidLidPKMDocSummaryInformation17

Canonical name: PidLidPKMDocSummaryInformation17

Property set: GUID_PKMDocSummaryInformation {d5cdd502-2e9c-101b-9397-08002b2cf9ae}

Property long ID (LID): 17

Data type: PtypInteger32, 0x0003

Area: SharePoint

References: [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Version

2.192 PidLidPostalAddressId

Canonical name: PidLidPostalAddressId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008022

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidPostalAddressId, urn:schemas:contacts:mailingaddressid

2.193 PidLidPostRssChannel

Canonical name: PidLidPostRssChannel

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008904

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannel

2.194 PidLidPostRssChannelLink

Canonical name: PidLidPostRssChannelLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008900

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannelLink

2.195 PidLidPostRssItemGuid

Canonical name: PidLidPostRssItemGuid

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008903

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemGuid

2.196 PidLidPostRssItemHash

Canonical name: PidLidPostRssItemHash

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008902

Data type: PtypInteger32, 0x0003

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemHash

2.197 PidLidPostRssItemLink

Canonical name: PidLidPostRssItemLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008901

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemLink

2.198 PidLidPostRssItemXml

Canonical name: PidLidPostRssItemXml

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008905

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssItemXml

2.199 PidLidPostRssSubscription

Canonical name: PidLidPostRssSubscription

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

81 of 281

[MS-OXPROPS] - v1.06

Exchange Server Protocols Master Property List Specification

Copyright © 2009 Microsoft Corporation.

Release: Wednesday, March 4, 2009

Property long ID (LID): 0x00008906
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssSubscription

2.200 PidLidPrivate

Canonical name: PidLidPrivate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008506
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXTNEF]
Alternate names: dispidPrivate

2.201 PidLidRecurrenceDuration

Canonical name: PidLidRecurrenceDuration
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000100D
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-XWDCAL]
Alternate names: http://schemas.microsoft.com/mapi/recurduration

2.202 PidLidRecurrencePattern

Canonical name: PidLidRecurrencePattern
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008232
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidRecurPattern, http://schemas.microsoft.com/mapi/recurpattern

2.203 PidLidRecurrenceType

Canonical name: PidLidRecurrenceType
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008231
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidRecurType, http://schemas.microsoft.com/mapi/recurtype

2.204 *PidLidRecurring*

Canonical name: PidLidRecurring

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008223

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCDATA], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOSFLD], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidRecurring, <http://schemas.microsoft.com/mapi/recurring>

2.205 *PidLidReferenceEntryId*

Canonical name: PidLidReferenceEntryId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BD

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidReferenceEID

2.206 *PidLidReferredBy*

Canonical name: PidLidReferredBy

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000800E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-XWDCNTC]

Alternate names: dispidReferredBy, urn:schemas:contacts:referredby

2.207 *PidLidReminderDelta*

Canonical name: PidLidReminderDelta

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008501

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: dispidReminderDelta, <http://schemas.microsoft.com/mapi/reminderdelta>

2.208 *PidLidReminderFileParameter*

Canonical name: PidLidReminderFileParameter

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851F

Data type: PtypString, 0x001F

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderFileParam,
<http://schemas.microsoft.com/mapi/reminderfileparam>

2.209 PidLidReminderOverride

Canonical name: PidLidReminderOverride

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851C

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderOverride,
<http://schemas.microsoft.com/mapi/reminderoverride>

2.210 PidLidReminderPlaySound

Canonical name: PidLidReminderPlaySound

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851E

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderPlaySound,
<http://schemas.microsoft.com/mapi/reminderplaysound>

2.211 PidLidReminderSet

Canonical name: PidLidReminderSet

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008503

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL],
[MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD], [MS-
OXOTASK], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidReminderSet, <http://schemas.microsoft.com/mapi/reminderset>

2.212 PidLidReminderSignalTime

Canonical name: PidLidReminderSignalTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008560

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR],

[MS-XWDCAL]

Alternate names: dispidReminderNextTime,
<http://schemas.microsoft.com/mapi/remindernexttime>

2.213 PidLidReminderTime

Canonical name: PidLidReminderTime

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008502

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR],

[MS-XWDCAL]

Alternate names: dispidReminderTime, <http://schemas.microsoft.com/mapi/remindertime>

2.214 PidLidReminderTimeDate

Canonical name: PidLidReminderTimeDate

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008505

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-XWDCAL]

Alternate names: dispidReminderTimeDate,

<http://schemas.microsoft.com/mapi/remindertimedate>

2.215 PidLidReminderTimeTime

Canonical name: PidLidReminderTimeTime

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008504

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-XWDCAL]

Alternate names: dispidReminderTimeTime,

<http://schemas.microsoft.com/mapi/remindertimetime>

2.216 PidLidReminderType

Canonical name: PidLidReminderType

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x0000851D

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderType, <http://schemas.microsoft.com/mapi/remindertype>

2.217 *PidLidRemoteStatus*

Canonical name: PidLidRemoteStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008511

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [MS-XWDCAL]

Alternate names: dispidRemoteStatus, <http://schemas.microsoft.com/mapi/remotestatus>

2.218 *PidLidRequiredAttendees*

Canonical name: PidLidRequiredAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000006

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_REQUIRED_ATTENDEES,

http://schemas.microsoft.com/mapi/required_attendees

2.219 *PidLidResourceAttendees*

Canonical name: PidLidResourceAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000008

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_RESOURCE_ATTENDEES,

http://schemas.microsoft.com/mapi/resource_attendees

2.220 *PidLidResponseStatus*

Canonical name: PidLidResponseStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008218

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidResponseStatus, urn:schemas:calendar:attendeestatus,

<http://schemas.microsoft.com/mapi/responsestatus>

2.221 *PidLidSendMeetingAsIcal*

Canonical name: PidLidSendMeetingAsIcal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008200

Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL]
Alternate names: dispidSendMtgAsICAL

2.222 *PidLidServerProcessed*

Canonical name: PidLidServerProcessed
Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}
Property long ID (LID): 0x000085CC
Data type: PtypBoolean, 0x000B
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidExchangeProcessed

2.223 *PidLidServerProcessingActions*

Canonical name: PidLidServerProcessingActions
Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}
Property long ID (LID): 0x000085CD
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidExchangeProcessingAction

2.224 *PidLidSharingAnonymity*

Canonical name: PidLidSharingAnonymity
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A19
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingAnonymity

2.225 *PidLidSharingBindingEntryId*

Canonical name: PidLidSharingBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2D
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingBindingEid

2.226 *PidLidSharingBrowseUrl*

Canonical name: PidLidSharingBrowseUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A51

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBrowseUrl

2.227 *PidLidSharingCapabilities*

Canonical name: PidLidSharingCapabilities

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A17

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingCaps

2.228 *PidLidSharingConfigurationUrl*

Canonical name: PidLidSharingConfigurationUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A24

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingConfigUrl

2.229 *PidLidSharingDataRangeEnd*

Canonical name: PidLidSharingDataRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A45

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeEnd

2.230 *PidLidSharingDataRangeStart*

Canonical name: PidLidSharingDataRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A44

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeStart

2.231 PidLidSharingDetail

Canonical name: PidLidSharingDetail

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDetail

2.232 PidLidSharingExtensionXml

Canonical name: PidLidSharingExtensionXml

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A21

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingExtXml

2.233 PidLidSharingFilter

Canonical name: PidLidSharingFilter

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A13

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingFilter

2.234 PidLidSharingFlags

Canonical name: PidLidSharingFlags

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingFlags

2.235 PidLidSharingFlavor

Canonical name: PidLidSharingFlavor

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A18

Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlavor

2.236 *PidLidSharingFolderEntryId*

Canonical name: PidLidSharingFolderEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A15
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFolderEid

2.237 *PidLidSharingIndexEntryId*

Canonical name: PidLidSharingIndexEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2E
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingIndexEid

2.238 *PidLidSharingInitiatorEntryId*

Canonical name: PidLidSharingInitiatorEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A09
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorEid

2.239 *PidLidSharingInitiatorName*

Canonical name: PidLidSharingInitiatorName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A07
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorName

2.240 PidLidSharingInitiatorSmt

Canonical name: PidLidSharingInitiatorSmt
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A08
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorSmt

2.241 PidLidSharingInstanceGuid

Canonical name: PidLidSharingInstanceGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A1C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInstanceGuid

2.242 PidLidSharingLastAutoSyncTime

Canonical name: PidLidSharingLastAutoSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A55
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastAutoSync

2.243 PidLidSharingLastSyncTime

Canonical name: PidLidSharingLastSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A1F
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastSync

2.244 PidLidSharingLocalComment

Canonical name: PidLidSharingLocalComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A4D
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalComment

2.245 PidLidSharingLocalLastModificationTime

Canonical name: PidLidSharingLocalLastModificationTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A23

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalLastMod

2.246 PidLidSharingLocalName

Canonical name: PidLidSharingLocalName

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0F

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalName

2.247 PidLidSharingLocalPath

Canonical name: PidLidSharingLocalPath

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0E

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalPath

2.248 PidLidSharingLocalStoreUid

Canonical name: PidLidSharingLocalStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A49

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalStoreUid

2.249 PidLidSharingLocalType

Canonical name: PidLidSharingLocalType

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A14

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalType

2.250 PidLidSharingLocalUid

Canonical name: PidLidSharingLocalUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A10
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalUid

2.251 PidLidSharingOriginalMessageEntryId

Canonical name: PidLidSharingOriginalMessageEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A29
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingOriginalMessageEid

2.252 PidLidSharingParentBindingEntryId

Canonical name: PidLidSharingParentBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParentBindingEid

2.253 PidLidSharingParticipants

Canonical name: PidLidSharingParticipants
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1E
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParticipants

2.254 *PidLidSharingPermissions*

Canonical name: PidLidSharingPermissions
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A1B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingPermissions

2.255 *PidLidSharingProviderExtension*

Canonical name: PidLidSharingProviderExtension
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A0B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderExtension

2.256 *PidLidSharingProviderGuid*

Canonical name: PidLidSharingProviderGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A01
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderGuid

2.257 *PidLidSharingProviderName*

Canonical name: PidLidSharingProviderName
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A02
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderName

2.258 *PidLidSharingProviderUrl*

Canonical name: PidLidSharingProviderUrl
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A03
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingProviderUrl

2.259 PidLidSharingRangeEnd

Canonical name: PidLidSharingRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A47

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRangeEnd

2.260 PidLidSharingRangeStart

Canonical name: PidLidSharingRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A46

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRangeStart

2.261 PidLidSharingReciprocation

Canonical name: PidLidSharingReciprocation

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingReciprocation

2.262 PidLidSharingRemoteByteSize

Canonical name: PidLidSharingRemoteByteSize

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteByteSize

2.263 PidLidSharingRemoteComment

Canonical name: PidLidSharingRemoteComment

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2F

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteComment

2.264 PidLidSharingRemoteCrc

Canonical name: PidLidSharingRemoteCrc
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteCrc

2.265 PidLidSharingRemoteLastModificationTime

Canonical name: PidLidSharingRemoteLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A22
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteLastMod

2.266 PidLidSharingRemoteMessageCount

Canonical name: PidLidSharingRemoteMessageCount
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4F
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteMsgCount

2.267 PidLidSharingRemoteName

Canonical name: PidLidSharingRemoteName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A05
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteName

2.268 *PidLidSharingRemotePass*

Canonical name: PidLidSharingRemotePass

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A0D

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemotePass

2.269 *PidLidSharingRemotePath*

Canonical name: PidLidSharingRemotePath

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A04

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemotePath

2.270 *PidLidSharingRemoteStoreUid*

Canonical name: PidLidSharingRemoteStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A48

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteStoreUid

2.271 *PidLidSharingRemoteType*

Canonical name: PidLidSharingRemoteType

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A1D

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteType

2.272 *PidLidSharingRemoteUid*

Canonical name: PidLidSharingRemoteUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x00008A06

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteUid

2.273 PidLidSharingRemoteUser

Canonical name: PidLidSharingRemoteUser

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0C

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteUser

2.274 PidLidSharingRemoteVersion

Canonical name: PidLidSharingRemoteVersion

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A5B

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteVersion

2.275 PidLidSharingResponseTime

Canonical name: PidLidSharingResponseTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A28

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingResponseTime

2.276 PidLidSharingResponseType

Canonical name: PidLidSharingResponseType

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A27

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingResponseType

2.277 PidLidSharingRoamLog

Canonical name: PidLidSharingRoamLog

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4E

Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRoamLog

2.278 *PidLidSharingStart*

Canonical name: PidLidSharingStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A25
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStart

2.279 *PidLidSharingStatus*

Canonical name: PidLidSharingStatus
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A00
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStatus

2.280 *PidLidSharingStop*

Canonical name: PidLidSharingStop
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A26
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStop

2.281 *PidLidSharingSyncFlags*

Canonical name: PidLidSharingSyncFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A60
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncFlags

2.282 *PidLidSharingSyncInterval*

Canonical name: PidLidSharingSyncInterval
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A2A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncInterval

2.283 *PidLidSharingTimeToLive*

Canonical name: PidLidSharingTimeToLive
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A2C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingTimeToLive

2.284 *PidLidSharingTimeToLiveAuto*

Canonical name: PidLidSharingTimeToLiveAuto
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A56
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingTimeToLiveAuto

2.285 *PidLidSharingWorkingHoursDays*

Canonical name: PidLidSharingWorkingHoursDays
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A42
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursDays

2.286 *PidLidSharingWorkingHoursEnd*

Canonical name: PidLidSharingWorkingHoursEnd
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x00008A41
Data type: PtypTime, 0x0040
Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursEnd

2.287 PidLidSharingWorkingHoursStart

Canonical name: PidLidSharingWorkingHoursStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A40

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursStart

2.288 PidLidSharingWorkingHoursTimeZone

Canonical name: PidLidSharingWorkingHoursTimeZone

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A43

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursTZ

2.289 PidLidSideEffects

Canonical name: PidLidSideEffects

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008510

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORSS], [MS-OXTNEF]

Alternate names: dispidSideEffects

2.290 PidLidSingleInvite

Canonical name: PidLidSingleInvite

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000B

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL]

Alternate names: LID_SINGLE_INVITE

2.291 PidLidSmartNoAttach

Canonical name: PidLidSmartNoAttach

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

101 of 281

[MS-OXPROPS] - v1.06

Exchange Server Protocols Master Property List Specification

Copyright © 2009 Microsoft Corporation.

Release: Wednesday, March 4, 2009

Property long ID (LID): 0x00008514
Data type: PtypBoolean, 0x000B
Area: Run-time configuration
References: [MS-OXCICAL], [MS-OXCMSG]
Alternate names: dispidSmartNoAttach

2.292 *PidLidSpamOriginalFolder*

Canonical name: PidLidSpamOriginalFolder
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000859C
Data type: PtypBinary, 0x0102
Area: Spam
References: [MS-OXCSPAM]
Alternate names: dispidSpamOriginalFolder

2.293 *PidLidStartRecurrenceDate*

Canonical name: PidLidStartRecurrenceDate
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000D
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-XWDCAL]
Alternate names: LID_START_RECUR_DATE,
http://schemas.microsoft.com/mapi/start_recur_date

2.294 *PidLidStartRecurrenceTime*

Canonical name: PidLidStartRecurrenceTime
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000E
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-XWDCAL]
Alternate names: LID_START_RECUR_TIME,
http://schemas.microsoft.com/mapi/start_recur_time

2.295 *PidLidTaskAcceptanceState*

Canonical name: PidLidTaskAcceptanceState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOTASK]
Alternate names: dispidTaskDelegValue

2.296 *PidLidTaskAccepted*

Canonical name: PidLidTaskAccepted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008108

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskAccepted

2.297 *PidLidTaskActualEffort*

Canonical name: PidLidTaskActualEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008110

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskActualEffort

2.298 *PidLidTaskAssigner*

Canonical name: PidLidTaskAssigner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008121

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXOTASK]

Alternate names: dispidTaskDelegator

2.299 *PidLidTaskAssigners*

Canonical name: PidLidTaskAssigners

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008117

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMyDelegators

2.300 *PidLidTaskComplete*

Canonical name: PidLidTaskComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG],

[MS-OXOTASK]

Alternate names: dispidTaskComplete

2.301 PidLidTaskDateCompleted

Canonical name: PidLidTaskDateCompleted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000810F

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]

Alternate names: dispidTaskDateCompleted

2.302 PidLidTaskDeadOccurrence

Canonical name: PidLidTaskDeadOccurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008109

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDeadOccur

2.303 PidLidTaskDueDate

Canonical name: PidLidTaskDueDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008105

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskDueDate

2.304 PidLidTaskEstimatedEffort

Canonical name: PidLidTaskEstimatedEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008111

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskEstimatedEffort

2.305 PidLidTaskFCreator

Canonical name: PidLidTaskFCreator

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811E
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskFCreator

2.306 *PidLidTaskFFixOffline*

Canonical name: PidLidTaskFFixOffline
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812C
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskFFixOffline

2.307 *PidLidTaskFRecurring*

Canonical name: PidLidTaskFRecurring
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008126
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskFRecur

2.308 *PidLidTaskGlobalId*

Canonical name: PidLidTaskGlobalId
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008519
Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskGlobalObjId

2.309 *PidLidTaskHistory*

Canonical name: PidLidTaskHistory
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskHistory

2.310 *PidLidTaskLastDelegate*

Canonical name: PidLidTaskLastDelegate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008125

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastDelegate

2.311 *PidLidTaskLastUpdate*

Canonical name: PidLidTaskLastUpdate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008115

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUpdate

2.312 *PidLidTaskLastUser*

Canonical name: PidLidTaskLastUser

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008122

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUser

2.313 *PidLidTaskMode*

Canonical name: PidLidTaskMode

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008518

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: dispidTaskMode

2.314 *PidLidTaskMultipleRecipients*

Canonical name: PidLidTaskMultipleRecipients

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008120

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMultRecips

2.315 PidLidTaskNoCompute

Canonical name: PidLidTaskNoCompute

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008124

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: dispidTaskNoCompute

2.316 PidLidTaskOrdinal

Canonical name: PidLidTaskOrdinal

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008123

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskOrdinal

2.317 PidLidTaskOwner

Canonical name: PidLidTaskOwner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811F

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskOwner

2.318 PidLidTaskOwnership

Canonical name: PidLidTaskOwnership

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008129

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskOwnership

2.319 PidLidTaskRecurrence

Canonical name: PidLidTaskRecurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008116

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskRecur

2.320 *PidLidTaskResetReminder*

Canonical name: PidLidTaskResetReminder

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008107

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskResetReminder

2.321 *PidLidTaskRole*

Canonical name: PidLidTaskRole

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008127

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskRole

2.322 *PidLidTaskStartDate*

Canonical name: PidLidTaskStartDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008104

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskStartDate

2.323 *PidLidTaskState*

Canonical name: PidLidTaskState

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008113

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskState

2.324 *PidLidTaskStatus*

Canonical name: PidLidTaskStatus

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008101

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskStatus

2.325 *PidLidTaskStatusOnComplete*

Canonical name: PidLidTaskStatusOnComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008119

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskSOC

2.326 *PidLidTaskUpdates*

Canonical name: PidLidTaskUpdates

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811B

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskUpdates

2.327 *PidLidTaskVersion*

Canonical name: PidLidTaskVersion

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008112

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskVersion

2.328 *PidLidTeamTask*

Canonical name: PidLidTeamTask

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008103

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: dispidTeamTask

2.329 PidLidTimeZone

Canonical name: PidLidTimeZone

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000C

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_TIME_ZONE, http://schemas.microsoft.com/mapi/time_zone

2.330 PidLidTimeZoneDescription

Canonical name: PidLidTimeZoneDescription

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008234

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidTimeZoneDesc, <http://schemas.microsoft.com/mapi/timezonedesc>

2.331 PidLidTimeZoneStruct

Canonical name: PidLidTimeZoneStruct

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008233

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidTimeZoneStruct, <http://schemas.microsoft.com/mapi/timezonestruct>

2.332 PidLidToAttendeesString

Canonical name: PidLidToAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823B

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidToAttendeesString

2.333 PidLidToDoOrdinalDate

Canonical name: PidLidToDoOrdinalDate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A0

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCFXICS], [MS-OXOFLAG]

Alternate names: dispidToDoOrdinalDate

2.334 PidLidToDoSubOrdinal

Canonical name: PidLidToDoSubOrdinal

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A1

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXOFLAG]

Alternate names: dispidToDoSubOrdinal

2.335 PidLidToDoTitle

Canonical name: PidLidToDoTitle

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A4

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]

Alternate names: dispidToDoTitle

2.336 PidLidUseTnef

Canonical name: PidLidUseTnef

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008582

Data type: PtypBoolean, 0x000B

Area: Run-time configuration

References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: dispidUseTNEF

2.337 PidLidValidFlagStringProof

Canonical name: PidLidValidFlagStringProof

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BF

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidValidFlagStringProof

2.338 *PidLidVerbResponse*

Canonical name: PidLidVerbResponse

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008524

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: dispidVerbResponse

2.339 *PidLidVerbStream*

Canonical name: PidLidVerbStream

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008520

Data type: PtypBinary, 0x0102

Area: Run-time configuration

References: [MS-OXOMSG]

Alternate names: dispidVerbStream

2.340 *PidLidWeekInterval*

Canonical name: PidLidWeekInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000012

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_WEEK_INTERVAL,

http://schemas.microsoft.com/mapi/week_interval

2.341 *PidLidWhere*

Canonical name: PidLidWhere

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000002

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_WHERE, <http://schemas.microsoft.com/mapi/where>

2.342 *PidLidWorkAddress*

Canonical name: PidLidWorkAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddress, urn:schemas:contacts:workaddress

2.343 PidLidWorkAddressCity

Canonical name: PidLidWorkAddressCity

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008046

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressCity, urn:schemas:contacts:l

2.344 PidLidWorkAddressCountry

Canonical name: PidLidWorkAddressCountry

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008049

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressCountry, urn:schemas:contacts:co

2.345 PidLidWorkAddressCountryCode

Canonical name: PidLidWorkAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DB

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCountryCode

2.346 PidLidWorkAddressPostalCode

Canonical name: PidLidWorkAddressPostalCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008048

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressPostalCode, urn:schemas:contacts:postalcode

2.347 PidLidWorkAddressPostOfficeBox

Canonical name: PidLidWorkAddressPostOfficeBox

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressPostOfficeBox, urn:schemas:contacts:postofficebox

2.348 *PidLidWorkAddressState*

Canonical name: PidLidWorkAddressState

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008047

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressState, urn:schemas:contacts:st

2.349 *PidLidWorkAddressStreet*

Canonical name: PidLidWorkAddressStreet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008045

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressStreet, urn:schemas:contacts:street

2.350 *PidLidYearInterval*

Canonical name: PidLidYearInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000014

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_YEAR_INTERVAL,

http://schemas.microsoft.com/mapi/year_interval

2.351 *PidLidYomiCompanyName*

Canonical name: PidLidYomiCompanyName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidYomiCompanyName

2.352 *PidLidYomiFirstName*

Canonical name: PidLidYomiFirstName

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x0000802C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidYomiFirstName

2.353 *PidLidYomiLastName*

Canonical name: PidLidYomiLastName

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x0000802D

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidYomiLastName

2.354 *PidLidInfoPathFormName*

Canonical name: PidLidInfoPathFormName

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x85B1

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.355 *PidNameAcceptLanguage*

Canonical name: PidNameAcceptLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-00000000046}

Property name: Accept-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: AcceptLanguage

2.356 *PidNameApplicationName*

Canonical name: PidNameApplicationName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-00000000046}

Property name: AppName

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#NameOfApplication

2.357 PidNameApproved

Canonical name: PidNameApproved

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Approved

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:approved

2.358 PidNameAttachmentMacContentType

Canonical name: PidNameAttachmentMacContentType

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacContentType

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.359 PidNameAttachmentMacInfo

Canonical name: PidNameAttachmentMacInfo

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacInfo

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.360 PidNameAudioNotes

Canonical name: PidNameAudioNotes

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: UMAudioNotes

Data type: PtypString, 0x001F

Area: UM

References: [MS-OXOUM]

Alternate names: UMAudioNotes

2.361 PidNameAuthor

Canonical name: PidNameAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Author

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Authorurn:schemas-microsoft-com:office:office#Author

2.362 *PidNameBcc*

Canonical name: PidNameBcc

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Bcc

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:bcc

2.363 *PidNameByteCount*

Canonical name: PidNameByteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ByteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Bytesurn:schemas-microsoft-com:office:office#Bytes

2.364 *PidNameCalendarAttendeeRole*

Canonical name: PidNameCalendarAttendeeRole

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:attendeerole

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:attendeerole

2.365 *PidNameCalendarBusystatus*

Canonical name: PidNameCalendarBusystatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:busystatus

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:busystatus

2.366 *PidNameCalendarContact*

Canonical name: PidNameCalendarContact

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:contact

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:contact

2.367 *PidNameCalendarContactUrl*

Canonical name: PidNameCalendarContactUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:contacturl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:contacturl

2.368 *PidNameCalendarCreated*

Canonical name: PidNameCalendarCreated

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:created

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:created

2.369 *PidNameCalendarDescriptionUrl*

Canonical name: PidNameCalendarDescriptionUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:descriptionurl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:descriptionurl

2.370 *PidNameCalendarDuration*

Canonical name: PidNameCalendarDuration

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:duration

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:duration

2.371 *PidNameCalendarExceptionDate*

Canonical name: PidNameCalendarExceptionDate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:exdate

Data type: PtypMultipleTime, 0x1040

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:exdate

2.372 *PidNameCalendarExceptionRule*

Canonical name: PidNameCalendarExceptionRule

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:exrule

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:exrule

2.373 *PidNameCalendarGeoLatitude*

Canonical name: PidNameCalendarGeoLatitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:geolatitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:geolatitude

2.374 *PidNameCalendarGeoLongitude*

Canonical name: PidNameCalendarGeoLongitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:geolongitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:geolongitude

2.375 *PidNameCalendarInstanceType*

Canonical name: PidNameCalendarInstanceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:instancetype

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:instancetype

2.376 *PidNameCalendarIsOrganizer*

Canonical name: PidNameCalendarIsOrganizer

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:isorganizer

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:isorganizer

2.377 *PidNameCalendarLastModified*

Canonical name: PidNameCalendarLastModified

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:lastmodified

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:lastmodified

2.378 *PidNameCalendarLocationUrl*

Canonical name: PidNameCalendarLocationUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:locationurl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:locationurl

2.379 *PidNameCalendarMeetingStatus*

Canonical name: PidNameCalendarMeetingStatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:meetingstatus

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:meetingstatus

2.380 *PidNameCalendarMethod*

Canonical name: PidNameCalendarMethod

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:method

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:method

2.381 *PidNameCalendarProductId*

Canonical name: PidNameCalendarProductId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:prodid

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:prodid

2.382 *PidNameCalendarRecurrenceIdRange*

Canonical name: PidNameCalendarRecurrenceIdRange

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:recurrenceidrange

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:recurrenceidrange

2.383 *PidNameCalendarReminderOffset*

Canonical name: PidNameCalendarReminderOffset

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:reminderoffset

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:reminderoffset

2.384 *PidNameCalendarResources*

Canonical name: PidNameCalendarResources

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:resources

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:resources

2.385 PidNameCalendarRsvp

Canonical name: PidNameCalendarRsvp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:rsvp

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:rsvp

2.386 PidNameCalendarSequence

Canonical name: PidNameCalendarSequence

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:sequence

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:sequence

2.387 PidNameCalendarTimeZone

Canonical name: PidNameCalendarTimeZone

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:timezone

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:timezone

2.388 PidNameCalendarTimeZoneId

Canonical name: PidNameCalendarTimeZoneId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:timezoneid

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:timezoneid

2.389 PidNameCalendarTransparent

Canonical name: PidNameCalendarTransparent

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:transparent

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:transparent

2.390 *PidNameCalendarUid*

Canonical name: PidNameCalendarUid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:uid

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:uid

2.391 *PidNameCalendarVersion*

Canonical name: PidNameCalendarVersion

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:version

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:version

2.392 *PidNameCategory*

Canonical name: PidNameCategory

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Category

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Category

2.393 *PidNameCc*

Canonical name: PidNameCc

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Cc

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:cc

2.394 PidNameCharacterCount

Canonical name: PidNameCharacterCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CharCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Characters

2.395 PidNameComments

Canonical name: PidNameComments

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Comments

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Comments

2.396 PidNameCompany

Canonical name: PidNameCompany

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Company

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Company

2.397 PidNameContactsAlternateRecipient

Canonical name: PidNameContactsAlternateRecipient

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:alternaterecipient

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:alternaterecipient

2.398 PidNameContactsCountry

Canonical name: PidNameContactsCountry

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:c

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:c

2.399 PidNameContactsEmail1

Canonical name: PidNameContactsEmail1

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:email1

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:email1

2.400 PidNameContactsEmail2

Canonical name: PidNameContactsEmail2

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:email2

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:email2

2.401 PidNameContactsEmail3

Canonical name: PidNameContactsEmail3

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:email3

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:email3

2.402 PidNameContactsFileAs

Canonical name: PidNameContactsFileAs

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:fileas

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:fileas

2.403 PidNameContactsFileasId

Canonical name: PidNameContactsFileasId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:fileasid

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:fileasid

2.404 *PidNameContactsHomeLatitude*

Canonical name: PidNameContactsHomeLatitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:homelatitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:homelatitude

2.405 *PidNameContactsHomeLongitude*

Canonical name: PidNameContactsHomeLongitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:homelongitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:homelongitude

2.406 *PidNameContactsHomeTimeZone*

Canonical name: PidNameContactsHomeTimeZone

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:hometimezone

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:hometimezone

2.407 *PidNameContactsMapUrl*

Canonical name: PidNameContactsMapUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:mapurl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:mapurl

2.408 PidNameContactsOtherCountryCode

Canonical name: PidNameContactsOtherCountryCode

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:othercountrycode

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:othercountrycode

2.409 PidNameContactsOtherPager

Canonical name: PidNameContactsOtherPager

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:otherpager

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:otherpager

2.410 PidNameContactsOtherTimeZone

Canonical name: PidNameContactsOtherTimeZone

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:othertimezone

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:othertimezone

2.411 PidNameContactsProxyAddresses

Canonical name: PidNameContactsProxyAddresses

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:proxyaddresses

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:proxyaddresses

2.412 PidNameContactsSecretaryUrl

Canonical name: PidNameContactsSecretaryUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:secretaryurl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:secretaryurl

2.413 PidNameContactsSourceUrl

Canonical name: PidNameContactsSourceUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:sourceurl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:sourceurl

2.414 PidNameContentBase

Canonical name: PidNameContentBase

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Base

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: BodyContentBase

2.415 PidNameContentClass

Canonical name: PidNameContentClass

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Class

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXBODY], [MS-OXCMAIL], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXSHARE], [MS-XWDSCHEMA], [MS-XWDCAL], [MS-XWDDOC], [MS-XWDCNTC]

Alternate names: DAV:contentclassDAV:contentclass, urn:schemas:mailheader:content-class

2.416 PidNameContentDisposition

Canonical name: PidNameContentDisposition

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Disposition

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-disposition

2.417 PidNameContentID

Canonical name: PidNameContentID

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-ID

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-id

2.418 PidNameContentLanguage

Canonical name: PidNameContentLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-language

2.419 PidNameContentLocation

Canonical name: PidNameContentLocation

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Location

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-location

2.420 PidNameContentTransferEncoding

Canonical name: PidNameContentTransferEncoding

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Transfer-Encoding

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL], [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-transfer-encoding

2.421 PidNameContentType

Canonical name: PidNameContentType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Type

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL], [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-type

2.422 PidNameControl

Canonical name: PidNameControl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Control

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:control

2.423 PidNameCreateDateTimeReadOnly

Canonical name: PidNameCreateDateTimeReadOnly

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CreateDtmRo

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Created

2.424 PidNameCrossReference

Canonical name: PidNameCrossReference

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Xref

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL], [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:xref

2.425 PidNameDavId

Canonical name: PidNameDavId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:id

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: DAV:id

2.426 PidNameDavIsCollection

Canonical name: PidNameDavIsCollection

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:iscollection

Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:iscollection

2.427 PidNameDavIsStructuredDocument

Canonical name: PidNameDavIsStructuredDocument
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:isstructureddocument
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:isstructureddocument

2.428 PidNameDavParentName

Canonical name: PidNameDavParentName
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:parentname
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:parentname

2.429 PidNameDavResourceType

Canonical name: PidNameDavResourceType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:resourcetype
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDSEARCH]
Alternate names: DAV:resourcetype

2.430 PidNameDavSearchRequest

Canonical name: PidNameDavSearchRequest
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:searchrequest
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDSEARCH]
Alternate names: DAV:searchrequest

2.431 *PidNameDavSearchType*

Canonical name: PidNameDavSearchType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:searchtype

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDSEARCH]

Alternate names: DAV:searchtype

2.432 *PidNameDavUid*

Canonical name: PidNameDavUid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:uid

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: DAV:uid

2.433 *PidNameDisposition*

Canonical name: PidNameDisposition

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Disposition

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:disposition

2.434 *PidNameDispositionNotificationOptions*

Canonical name: PidNameDispositionNotificationOptions

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Disposition-Notification-Options

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:disposition-notification-options

2.435 *PidNameDispositionNotificationTo*

Canonical name: PidNameDispositionNotificationTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Disposition-Notification-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:disposition-notification-to

2.436 PidNameDistribution

Canonical name: PidNameDistribution

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Distribution

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:distribution

2.437 PidNameDocumentParts

Canonical name: PidNameDocumentParts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DocParts

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#PartTitles

2.438 PidNameEditTime

Canonical name: PidNameEditTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: EditTime

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#TotalTime

2.439 PidNameExchangeArchive

Canonical name: PidNameExchangeArchive

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/archive

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/archive

2.440 PidNameExchangeComposeFontColor

Canonical name: PidNameExchangeComposeFontColor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/composefontcolor

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/composefontcolor>

2.441 PidNameExchangeComposeFontFlags

Canonical name: PidNameExchangeComposeFontFlags

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/composefontflags>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/composefontflags>

2.442 PidNameExchangeComposeFontName

Canonical name: PidNameExchangeComposeFontName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/composefontname>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/composefontname>

2.443 PidNameExchangeComposeFontSize

Canonical name: PidNameExchangeComposeFontSize

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/composefontsize>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/composefontsize>

2.444 PidNameExchangeIntendedBusyStatus

Canonical name: PidNameExchangeIntendedBusyStatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/intendedbusystatus>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/intendedbusystatus>

2.445 PidNameExchangeJunkEmailMoveStamp

Canonical name: PidNameExchangeJunkEmailMoveStamp
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/junkemailmovestamp
Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXCSPAM], [MS-OXORSS], [MS-XWDMAIL]
Alternate names: http://schemas.microsoft.com/exchange/junkemailmovestamp

2.446 PidNameExchangeMailboxOwnerId

Canonical name: PidNameExchangeMailboxOwnerId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/mailbox-owner-entryid
Data type: PtypBinary, 0x0102
Area: Common
References: [MS-XWDMAIL]
Alternate names: http://schemas.microsoft.com/exchange/mailbox-owner-entryid

2.447 PidNameExchangeMailboxOwnerName

Canonical name: PidNameExchangeMailboxOwnerName
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/mailbox-owner-name
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: http://schemas.microsoft.com/exchange/mailbox-owner-name

2.448 PidNameExchangeModifyExceptionStructure

Canonical name: PidNameExchangeModifyExceptionStructure
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/modifyexceptionstruct
Data type: PtypBinary, 0x0102
Area: Common
References: [MS-XWDCAL]
Alternate names: http://schemas.microsoft.com/exchange/modifyexceptionstruct

2.449 PidNameExchangeMsexchembdefaultmailfolder

Canonical name: PidNameExchangeMsexchembdefaultmailfolder
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder>

2.450 PidNameExchangeMsexchembdefaultmailfoldertype

Canonical name: PidNameExchangeMsexchembdefaultmailfoldertype

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype>

2.451 PidNameExchangeNewMailNotify

Canonical name: PidNameExchangeNewMailNotify

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/newmailnotify>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/newmailnotify>

2.452 PidNameExchangeNoModifyExceptions

Canonical name: PidNameExchangeNoModifyExceptions

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/nomodifyexceptions>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/nomodifyexceptions>

2.453 PidNameExchangeOutOfOfficeState

Canonical name: PidNameExchangeOutOfOfficeState

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/oof-state>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/oof-state>

2.454 PidNameExchangePatternEnd

Canonical name: PidNameExchangePatternEnd

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/patternend>

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/patternend>

2.455 PidNameExchangePatternStart

Canonical name: PidNameExchangePatternStart

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/patternstart>

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/patternstart>

2.456 PidNameExchangePreviewMarkAsRead

Canonical name: PidNameExchangePreviewMarkAsRead

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/previewmarkasread>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/previewmarkasread>

2.457 PidNameExchangePreviewReadDelayTime

Canonical name: PidNameExchangePreviewReadDelayTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/prevreaddelaytime>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/prevreaddelaytime>

2.458 PidNameExchangePublicFolderEmailAddress

Canonical name: PidNameExchangePublicFolderEmailAddress

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/publicfolderemailaddress>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/publicfolderemailaddress>

2.459 PidNameExchangeReadReceipt

Canonical name: PidNameExchangeReadReceipt

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/readreceipt

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/readreceipt

2.460 PidNameExchangeReminderInterval

Canonical name: PidNameExchangeReminderInterval

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/reminderinterval

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: http://schemas.microsoft.com/exchange/reminderinterval

2.461 PidNameExchangeSmallIcon

Canonical name: PidNameExchangeSmallIcon

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/smallicon

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/smallicon

2.462 PidNameExchangeSmimeEncrypt

Canonical name: PidNameExchangeSmimeEncrypt

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/smimeencrypt

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/smimeencrypt

2.463 PidNameExchangeSmimeSign

Canonical name: PidNameExchangeSmimeSign

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/smimesign

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/smimesign>

2.464 PidNameExchangeUserEntryId

Canonical name: PidNameExchangeUserEntryId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/user-entryid>

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/user-entryid>

2.465 PidNameExchDatabaseSchema

Canonical name: PidNameExchDatabaseSchema

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:baseschema

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:baseschema

2.466 PidNameExchDataExpectedContentClass

Canonical name: PidNameExchDataExpectedContentClass

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:expected-content-class

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:expected-content-class

2.467 PidNameExchDataSchemaCollectionReference

Canonical name: PidNameExchDataSchemaCollectionReference

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:schema-collection-ref

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:schema-collection-ref

2.468 PidNameExpires

Canonical name: PidNameExpires

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Expires

Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:expires

2.469 *PidNameExpiryDate*

Canonical name: PidNameExpiryDate
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Expiry-Date
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:expiry-date

2.470 *PidNameFollowupTo*

Canonical name: PidNameFollowupTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Followup-To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:followup-to

2.471 *PidNameFrom*

Canonical name: PidNameFrom
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: From
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:organizer

2.472 *PidNameHeadingPairs*

Canonical name: PidNameHeadingPairs
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: HeadingPairs
Data type: PtypBinary, 0x0102
Area: Common
References: [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#HeadingPairs

2.473 *PidNameHiddenCount*

Canonical name: PidNameHiddenCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: HiddenCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#HiddenSlides

2.474 *PidNameHttpmailBcc*

Canonical name: PidNameHttpmailBcc

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:bcc

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:bcc

2.475 *PidNameHttpmailCalendar*

Canonical name: PidNameHttpmailCalendar

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:calendar

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:httpmail:calendar

2.476 *PidNameHttpmailCc*

Canonical name: PidNameHttpmailCc

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:cc

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:cc

2.477 *PidNameHttpmailContacts*

Canonical name: PidNameHttpmailContacts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:contacts

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL], [MS-XWDCNTC]

Alternate names: urn:schemas:httpmail:contacts

2.478 *PidNameHttpmailContentDispositionType*

Canonical name: PidNameHttpmailContentDispositionType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:content-disposition-type

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:content-disposition-type

2.479 *PidNameHttpmailContentMediaType*

Canonical name: PidNameHttpmailContentMediaType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:content-media-type

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:content-media-type

2.480 *PidNameHttpmailDeleteditems*

Canonical name: PidNameHttpmailDeleteditems

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:deleteditems

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:deleteditems

2.481 *PidNameHttpmailDrafts*

Canonical name: PidNameHttpmailDrafts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:drafts

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:drafts

2.482 *PidNameHttpmailFrom*

Canonical name: PidNameHttpmailFrom

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:from

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:from

2.483 *PidNameHttpmailFromEmail*

Canonical name: PidNameHttpmailFromEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:fromemail
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:fromemail

2.484 *PidNameHttpmailHtmlDescription*

Canonical name: PidNameHttpmailHtmlDescription
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:htmldescription
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: urn:schemas:httpmail:htmldescription

2.485 *PidNameHttpmailInbox*

Canonical name: PidNameHttpmailInbox
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:inbox
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:inbox

2.486 *PidNameHttpmailJunkEmail*

Canonical name: PidNameHttpmailJunkEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:junkemail
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:junkemail

2.487 *PidNameHttpmailMessageFolderRoot*

Canonical name: PidNameHttpmailMessageFolderRoot

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:msgfolderroot

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:msgfolderroot

2.488 *PidNameHttpmailNotes*

Canonical name: PidNameHttpmailNotes

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:notes

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:notes

2.489 *PidNameHttpmailOutbox*

Canonical name: PidNameHttpmailOutbox

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:outbox

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:outbox

2.490 *PidNameHttpmailReplyTo*

Canonical name: PidNameHttpmailReplyTo

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:reply-to

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:reply-to

2.491 *PidNameHttpmailSaveDestination*

Canonical name: PidNameHttpmailSaveDestination

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:savedestination

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:savedestination

2.492 PidNameHttpmailSaveInSent

Canonical name: PidNameHttpmailSaveInSent

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:saveinsent

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:saveinsent

2.493 PidNameHttpmailSender

Canonical name: PidNameHttpmailSender

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:sender

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:sender

2.494 PidNameHttpmailSenderEmail

Canonical name: PidNameHttpmailSenderEmail

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:senderemail

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:senderemail

2.495 PidNameHttpmailSendMessage

Canonical name: PidNameHttpmailSendMessage

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:sendmsg

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: urn:schemas:httpmail:sendmsg

2.496 PidNameHttpmailSentItems

Canonical name: PidNameHttpmailSentItems

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:sentitems

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:sentitems

2.497 *PidNameHttpmailSpecial*

Canonical name: PidNameHttpmailSpecial
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:special
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:special

2.498 *PidNameHttpmailSubmitted*

Canonical name: PidNameHttpmailSubmitted
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:submitted
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:submitted

2.499 *PidNameHttpmailTo*

Canonical name: PidNameHttpmailTo
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:to
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:to

2.500 *PidNameICalendarRecurrenceDate*

Canonical name: PidNameICalendarRecurrenceDate
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:rdate
Data type: PtypMultipleTime, 0x1040
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:rdate

2.501 PidNameICalendarRecurrenceRule

Canonical name: PidNameICalendarRecurrenceRule

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:rrule

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:rrule

2.502 PidNameImportance

Canonical name: PidNameImportance

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Importance

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:importance

2.503 PidNameInReplyTo

Canonical name: PidNameInReplyTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: In-Reply-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:in-reply-to

2.504 PidNameInternetComment

Canonical name: PidNameInternetComment

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Comment

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:comment

2.505 PidNameInternetKeywords

Canonical name: PidNameInternetKeywords

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Keywords

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:keywords

2.506 PidNameInternetSubject

Canonical name: PidNameInternetSubject

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDCAL]

Alternate names: urn:schemas:mailheader:subject

2.507 PidNameKeywords

Canonical name: PidNameKeywords

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Keywords

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODOC], [MS-XWDDOC], [MS-XWDCAL], [MS-XWDMAIL]

Alternate names: urn:schemas-microsoft-com:office:office#Keywords,

<http://schemas.microsoft.com/exchange/keywords-utf8>

2.508 PidNameLastAuthor

Canonical name: PidNameLastAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastAuthor

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LastAuthor

2.509 PidNameLastPrinted

Canonical name: PidNameLastPrinted

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastPrinted

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LastPrinted

2.510 PidNameLastSaveDateTime

Canonical name: PidNameLastSaveDateTime
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastSaveDtm
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LastSaved

2.511 PidNameLineCount

Canonical name: PidNameLineCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LineCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Lines

2.512 PidNameLines

Canonical name: PidNameLines
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Lines
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:lines

2.513 PidNameLinksDirty

Canonical name: PidNameLinksDirty
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LinksDirty
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDDOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LinksUpToDate

2.514 PidNameManager

Canonical name: PidNameManager
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Manager
Data type: PtypString, 0x001F
Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Manager

2.515 PidNameMessageId

Canonical name: PidNameMessageId

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Message-ID

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:message-id

2.516 PidNameMimeType

Canonical name: PidNameMimeType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Mime-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:mime-version

2.517 PidNameMultimediaClipCount

Canonical name: PidNameMultimediaClipCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: MMClipCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#MultimediaClips

2.518 PidNameNewsgroups

Canonical name: PidNameNewsgroups

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Newsgroups

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:newsgroups

2.519 PidNameNntpPostingHost

Canonical name: PidNameNntpPostingHost

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: NNTP-Posting-Host

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:nntp-posting-host

2.520 PidNameNntpPostingUser

Canonical name: PidNameNntpPostingUser

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: NNTP-Posting-User

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:nntp-posting-user

2.521 PidNameNoteCount

Canonical name: PidNameNoteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: NoteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Notes

2.522 PidNameOMSAccountGuid

Canonical name: PidNameOMSAccountGuid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSAccountGuid

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.523 PidNameOMSMobileModel

Canonical name: PidNameOMSMobileModel

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSMobileModel

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.524 *PidNameOMSScheduleTime*

Canonical name: PidNameOMSScheduleTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSScheduleTime

Data type: PtypTime, 0x0040

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.525 *PidNameOMSServiceType*

Canonical name: PidNameOMSServiceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSServiceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.526 *PidNameOMSSourceType*

Canonical name: PidNameOMSSourceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSSourceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.527 *PidNameOrganization*

Canonical name: PidNameOrganization

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Organization

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:organization

2.528 *PidNameOriginalRecipient*

Canonical name: PidNameOriginalRecipient

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Original-Recipient

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:original-recipient

2.529 PidNamePhishingStamp

Canonical name: PidNamePhishingStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/outlook/phishingstamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXPHISH]

Alternate names:

2.530 PidNamePageCount

Canonical name: PidNamePageCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PageCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Pages

2.531 PidNameParagraphCount

Canonical name: PidNameParagraphCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ParCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Paragraphs

2.532 PidNamePath

Canonical name: PidNamePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Path

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:path

2.533 PidNamePostingVersion

Canonical name: PidNamePostingVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Posting-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:posting-version

2.534 *PidNamePresentationFormat*

Canonical name: PidNamePresentationFormat

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PresFormat

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#PresentationFormat

2.535 *PidNamePriority*

Canonical name: PidNamePriority

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Priority

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:priority

2.536 *PidNameReceived*

Canonical name: PidNameReceived

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Received

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:received

2.537 *PidNameReferences*

Canonical name: PidNameReferences

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: References

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:references

2.538 PidNameRelayVersion

Canonical name: PidNameRelayVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Relay-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:relay-version

2.539 PidNameReplyBy

Canonical name: PidNameReplyBy

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Reply-By

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:reply-by

2.540 PidNameReplyTo

Canonical name: PidNameReplyTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Reply-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:reply-to

2.541 PidNameReturnPath

Canonical name: PidNameReturnPath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Path

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:return-path

2.542 PidNameReturnReceiptTo

Canonical name: PidNameReturnReceiptTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Receipt-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:return-receipt-to

2.543 PidNameRevisionNumber

Canonical name: PidNameRevisionNumber

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: RevNumber

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Revision

2.544 PidNameRightsManagementLicense

Canonical name: PidNameRightsManagementLicense

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DRMLicense

Data type: PtypMultipleBinary, 0x1102

Area: Secure Messaging Properties

References: [MS-OXORMMS]

Alternate names:

2.545 PidNameScale

Canonical name: PidNameScale

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Scale

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#ScaleCrop

2.546 PidNameSecurity

Canonical name: PidNameSecurity

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Security

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Security

2.547 PidNameSender

Canonical name: PidNameSender

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Sender

Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:sender

2.548 *PidNameSensitivity*

Canonical name: PidNameSensitivity
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Sensitivity
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:sensitivity

2.549 *PidNameSlideCount*

Canonical name: PidNameSlideCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: SlideCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Slides

2.550 *PidNameSubject*

Canonical name: PidNameSubject
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Subject
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Subject

2.551 *PidNameSummary*

Canonical name: PidNameSummary
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Summary
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:summary

2.552 *PidNameTemplate*

Canonical name: PidNameTemplate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Template

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Template

2.553 *PidNameThreadIndex*

Canonical name: PidNameThreadIndex

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Index

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:thread-index

2.554 *PidNameThreadTopic*

Canonical name: PidNameThreadTopic

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Topic

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:thread-topic

2.555 *PidNameThumbnail*

Canonical name: PidNameThumbnail

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Thumbnail

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#ThumbNail

2.556 *PidNameTitle*

Canonical name: PidNameTitle

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Title

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Title

2.557 PidNameTo

Canonical name: PidNameTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:to

2.558 PidNameWordCount

Canonical name: PidNameWordCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: WordCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Words

2.559 PidNameXMailer

Canonical name: PidNameXMailer

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Mailer

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-mailer

2.560 PidNameXMessageCompleted

Canonical name: PidNameXMessageCompleted

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Completed

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-message-completed

2.561 PidNameXMessageFlag

Canonical name: PidNameXMessageFlag

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Flag

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-message-flag

2.562 PidNameXSharingBrowseUrl

Canonical name: PidNameXSharingBrowseUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Browse-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.563 PidNameXSharingCapabilities

Canonical name: PidNameXSharingCapabilities

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Capabilities

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.564 PidNameXSharingConfigUrl

Canonical name: PidNameXSharingConfigUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Config-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.565 PidNameXSharingExendedCaps

Canonical name: PidNameXSharingExendedCaps

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Exended-Caps

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.566 *PidNameXSharingFlavor*

Canonical name: PidNameXSharingFlavor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Flavor

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.567 *PidNameXSharingInstanceId*

Canonical name: PidNameXSharingInstanceId

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Instance-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.568 *PidNameXSharingLocalType*

Canonical name: PidNameXSharingLocalType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Local-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.569 *PidNameXSharingProviderGuid*

Canonical name: PidNameXSharingProviderGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.570 *PidNameXSharingProviderName*

Canonical name: PidNameXSharingProviderName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.571 PidNameXSharingProviderUrl

Canonical name: PidNameXSharingProviderUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.572 PidNameXSharingRemoteName

Canonical name: PidNameXSharingRemoteName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.573 PidNameXSharingRemotePath

Canonical name: PidNameXSharingRemotePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Path

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.574 PidNameXSharingRemoteStoreUid

Canonical name: PidNameXSharingRemoteStoreUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Store-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.575 PidNameXSharingRemoteType

Canonical name: PidNameXSharingRemoteType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.576 PidNameXSharingRemoteUid

Canonical name: PidNameXSharingRemoteUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.577 PidNameXUnsent

Canonical name: PidNameXUnsent

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Unsent

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-unsent

2.578 PidNameQuarantineOriginalSender

Canonical name: PidNameQuarantineOriginalSender

Property set: PSETID_PublicStrings

Property name: quarantine-original-sender

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.579 PidNameXCallId

Canonical name: PidNameXCallId

Property set: PSETID_InternetHeaders

Property name: X-CallID

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.580 PidNameXFaxNumberOfPages

Canonical name: PidNameXFaxNumberOfPages

Property set: PSETID_InternetHeaders

Property name: X-FaxNumberOfPages

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.581 PidNameXSenderTelephoneNumber

Canonical name: PidNameXSenderTelephoneNumber

Property set: PSETID_InternetHeaders

Property name: X-CallingTelephoneNumber

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.582 PidNameXVoiceMessageAttachmentOrder

Canonical name: PidNameXVoiceMessageAttachmentOrder

Property set: PSETID_InternetHeaders

Property name: X-AttachmentOrder

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.583 PidNameXVoiceMessageDuration

Canonical name: PidNameXVoiceMessageDuration

Property set: PSETID_InternetHeaders

Property name: X-VoiceMessageDuration

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.584 PidNameXVoiceMessageSenderName

Canonical name: PidNameXVoiceMessageSenderName

Property set: PSETID_InternetHeaders

Property name: X-VoiceMessageSenderName

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.585 *PidTag7BitDisplayName*

Canonical name: PidTag7BitDisplayName

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_7BIT_DISPLAY_NAME, PR_7BIT_DISPLAY_NAME_A, PR_7BIT_DISPLAY_NAME_W

2.586 *PidTagAccess*

Canonical name: PidTagAccess

Property ID: 0x0FF4

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOJRN]

Alternate names: PR_ACCESS, ptagAccess

2.587 *PidTagAccessLevel*

Canonical name: PidTagAccessLevel

Property ID: 0x0FF7

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT]

Alternate names: PR_ACCESS_LEVEL, ptagAccessLevel

2.588 *PidTagAccount*

Canonical name: PidTagAccount

Property ID: 0x3A00

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXCFXICS], [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG], [MS-XWDCNTC]

Alternate names: PR_ACCOUNT, PR_ACCOUNT_A, PR_ACCOUNT_W, urn:schemas:contacts:account

2.589 *PidTagAdditionalRenEntryIds*

Canonical name: PidTagAdditionalRenEntryIds

Property ID: 0x36D8

Data type: PtypMultipleBinary, 0x1102

Area: Outlook Application

References: [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPHISH]

Alternate names: PR_ADDITIONAL_RN_ENTRYIDS, ptagAdditionalRenEntryIds

2.590 *PidTagAdditionalRenEntryIdsEx*

Canonical name: PidTagAdditionalRenEntryIdsEx

Property ID: 0x36D9

Data type: PtypBinary, 0x0102

Area: Outlook Application

References: [MS-OXOSFLD]

Alternate names: PR_ADDITIONAL_RN_ENTRYIDS_EX,

ptagAdditionalRenEntryIdsEx

2.591 *PidTagAddressBookContainerId*

Canonical name: PidTagAddressBookContainerId

Property ID: 0xFFFFD

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_CONTAINERID

2.592 *PidTagAddressBookDisplayNamePrintable*

Canonical name: PidTagAddressBookDisplayNamePrintable

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXCMSG]

Alternate names: PR_EMS_AB_DISPLAY_NAME_PRINTABLE,

PR_EMS_AB_DISPLAY_NAME_PRINTABLE_A,

PR_EMS_AB_DISPLAY_NAME_PRINTABLE_W

2.593 *PidTagAddressBookDisplayTypeExtended*

Canonical name: PidTagAddressBookDisplayTypeExtended

Property ID: 0x8C93

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS_OXOABK]

Alternate names: PR_EMS_AB_DISPLAY_TYPE_EX

2.594 PidTagAddressBookEntryId

Canonical name: PidTagAddressBookEntryId

Property ID: 0x663B

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXCFOLD]

Alternate names: PR_ADDRESS_BOOK_ENTRYID, ptagAddressBookEntryId

2.595 PidTagAddressBookExtensionAttribute1

Canonical name: PidTagAddressBookExtensionAttribute1

Property ID: 0x802D

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_EXTENSION_ATTRIBUTE_1,

PR_EM_AB_EXTENSION_ATTRIBUTE_1_A,

PR_EM_AB_EXTENSION_ATTRIBUTE_1_W

2.596 PidTagAddressBookExtensionAttribute15

Canonical name: PidTagAddressBookExtensionAttribute15

Property ID: 0x8C61

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_EXTENSION_ATTRIBUTE_15,

PR_EM_AB_EXTENSION_ATTRIBUTE_15_A,

PR_EM_AB_EXTENSION_ATTRIBUTE_15_W

2.597 PidTagAddressBookFolderPathname

Canonical name: PidTagAddressBookFolderPathname

Property ID: 0x8004

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_FOLDER_PATHNAME,

PR_EM_AB_FOLDER_PATHNAME_A, PR_EM_AB_FOLDER_PATHNAME_W

2.598 PidTagAddressBookHierarchicalChildDepartments

Canonical name: PidTagAddressBookHierarchicalChildDepartments

Property ID: 0x8C9A

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_HAB_CHILD_DEPARTMENTS

2.599 PidTagAddressBookHierarchicalDepartmentMembers

Canonical name: PidTagAddressBookHierarchicalDepartmentMembers

Property ID: 0x8C97

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_HAB_DEPARTMENT_MEMBERS

2.600 PidTagAddressBookHierarchicalIsHierarchicalGroup

Canonical name: PidTagAddressBookHierarchicalIsHierarchicalGroup

Property ID: 0x8CDD

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_HAB_IS_HIERARCHICAL_GROUP,

PR_EM_AB_IS_ORGANIZATIONAL

2.601 PidTagAddressBookHierarchicalParentDepartment

Canonical name: PidTagAddressBookHierarchicalParentDepartment

Property ID: 0x8C99

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_HAB_PARENT_DEPARTMENT

2.602 PidTagAddressBookHierarchicalRootDepartment

Canonical name: PidTagAddressBookHierarchicalRootDepartment

Property ID: 0x8C98

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_HAB_ROOT_DEPARTMENT

2.603 PidTagAddressBookHierarchicalShowInDepartments

Canonical name: PidTagAddressBookHierarchicalShowInDepartments

Property ID: 0x8C94

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EM_AB_HAB_SHOW_IN_DEPARTMENTS

2.604 PidTagAddressBookHomeMessageDatabase

Canonical name: PidTagAddressBookHomeMessageDatabase

Property ID: 0x8006

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXABREF], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_HOME_MDB, PR_EMS_AB_HOME_MDB_A,
PR_EMS_AB_HOME_MDB_W

2.605 PidTagAddressBookIsMaster

Canonical name: PidTagAddressBookIsMaster

Property ID: 0xFFFFB

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MASTER

2.606 PidTagAddressBookIsMemberOfDistributionList

Canonical name: PidTagAddressBookIsMemberOfDistributionList

Property ID: 0x8008

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MEMBER_OF_DL,
PR_EMS_AB_IS_MEMBER_OF_DL_A, PR_EMS_AB_IS_MEMBER_OF_DL_W

2.607 PidTagAddressBookManageDistributionList

Canonical name: PidTagAddressBookManageDistributionList

Property ID: 0x6704

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_EMS_AB_MANAGE_DL

2.608 PidTagAddressBookManager

Canonical name: PidTagAddressBookManager

Property ID: 0x8005

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER, PR_EMS_AB_MANAGER_A,
PR_EMS_AB_MANAGER_W

2.609 PidTagAddressBookManagerDistinguishedName

Canonical name: PidTagAddressBookManagerDistinguishedName

Property ID: 0x8005

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER_T

2.610 PidTagAddressBookMember

Canonical name: PidTagAddressBookMember

Property ID: 0x8009

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MEMBER, PR_EMS_AB_MEMBER_A,
PR_EMS_AB_MEMBER_W

2.611 PidTagAddressBookMessageId

Canonical name: PidTagAddressBookMessageId

Property ID: 0x674F

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR]

Alternate names: ptagAddrbookMID

2.612 PidTagAddressBookNetworkAddress

Canonical name: PidTagAddressBookNetworkAddress

Property ID: 0x8170

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_NETWORK_ADDRESS,
PR_EMS_AB_NETWORK_ADDRESS_A, PR_EMS_AB_NETWORK_ADDRESS_W

2.613 PidTagAddressBookObjectDistinguishedName

Canonical name: PidTagAddressBookObjectDistinguishedName

Property ID: 0x803C

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJ_DIST_NAME,
PR_EMS_AB_OBJ_DIST_NAME_A, PR_EMS_AB_OBJ_DIST_NAME_W

2.614 PidTagAddressBookObjectGuid

Canonical name: PidTagAddressBookObjectGuid

Property ID: 0x8C6D

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJECT_GUID

2.615 PidTagAddressBookOrganizationalUnitRootDistinguishedName

Canonical name: PidTagAddressBookOrganizationalUnitRootDistinguishedName

Property ID: 0x8CA8

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ORG_UNIT_ROOT_DN, msExchOURoot

2.616 PidTagAddressBookOwner

Canonical name: PidTagAddressBookOwner

Property ID: 0x800C

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_O

2.617 PidTagAddressBookOwnerBackLink

Canonical name: PidTagAddressBookOwnerBackLink

Property ID: 0x8024

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_BL_O

2.618 PidTagAddressBookParentEntryId

Canonical name: PidTagAddressBookParentEntryId

Property ID: 0xFFFF

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PARENT_ENTRYID

2.619 PidTagAddressBookPhoneticCompanyName

Canonical name: PidTagAddressBookPhoneticCompanyName

Property ID: 0x8C91

Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_PHONETIC_COMPANY_NAME,
PR_EMS_AB_PHONETIC_COMPANY_NAME_A,
PR_EMS_AB_PHONETIC_COMPANY_NAME_W

2.620 PidTagAddressBookPhoneticDepartmentName

Canonical name: PidTagAddressBookPhoneticDepartmentName
Property ID: 0x8C90
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_PHONETIC_DEPARTMENT_NAME,
PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_A,
PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_W

2.621 PidTagAddressBookPhoneticDisplayName

Canonical name: PidTagAddressBookPhoneticDisplayName
Property ID: 0x8C92
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_EMS_AB_PHONETIC_DISPLAY_NAME,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_A,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_W

2.622 PidTagAddressBookPhoneticGivenName

Canonical name: PidTagAddressBookPhoneticGivenName
Property ID: 0x8C8E
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_PHONETIC_GIVEN_NAME,
PR_EMS_AB_PHONETIC_GIVEN_NAME_A,
PR_EMS_AB_PHONETIC_GIVEN_NAME_W

2.623 PidTagAddressBookPhoneticSurname

Canonical name: PidTagAddressBookPhoneticSurname
Property ID: 0x8C8F
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_SURNAME,
PR_EMS_AB_PHONETIC_SURNAME_A, PR_EMS_AB_PHONETIC_SURNAME_W

2.624 PidTagAddressBookProxyAddresses

Canonical name: PidTagAddressBookProxyAddresses

Property ID: 0x800F

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_PROXY_ADDRESSES,

PR_EMS_AB_PROXY_ADDRESSES_A, PR_EMS_AB_PROXY_ADDRESSES_W

2.625 PidTagAddressBookPublicDelegates

Canonical name: PidTagAddressBookPublicDelegates

Property ID: 0x8015

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_PUBLIC_DELEGATES,

PR_EMS_AB_PUBLIC_DELEGATES_A, PR_EMS_AB_PUBLIC_DELEGATES_W

2.626 PidTagAddressBookReports

Canonical name: PidTagAddressBookReports

Property ID: 0x800E

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_REPORTS, PR_EMS_AB_REPORTS_A,

PR_EMS_AB_REPORTS_W

2.627 PidTagAddressBookRoomCapacity

Canonical name: PidTagAddressBookRoomCapacity

Property ID: 0x0807

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CAPACITY

2.628 PidTagAddressBookRoomContainers

Canonical name: PidTagAddressBookRoomContainers

Property ID: 0x8C96

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CONTAINERS,
PR_EMS_AB_ROOM_CONTAINERS_A, PR_EMS_AB_ROOM_CONTAINERS_W

2.629 PidTagAddressBookRoomDescription

Canonical name: PidTagAddressBookRoomDescription

Property ID: 0x0809

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_DESCRIPTION,
PR_EMS_AB_ROOM_DESCRIPTION_A, PR_EMS_AB_ROOM_DESCRIPTION_W

2.630 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex

Property ID: 0x8CA0

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_SENIORITY_INDEX

2.631 PidTagAddressBookTargetAddress

Canonical name: PidTagAddressBookTargetAddress

Property ID: 0x8011

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_TARGET_ADDRESS,
PR_EMS_AB_TARGET_ADDRESS_A, PR_EMS_AB_TARGET_ADDRESS_W

2.632 PidTagAddressBookX509Certificate

Canonical name: PidTagAddressBookX509Certificate

Property ID: 0x8C6A

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_X509_CERT

2.633 PidTagAddressType

Canonical name: PidTagAddressType

Property ID: 0x3002

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSTOR], [MS-OXOABK], [MS-OXOABKT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPSVAL]

Alternate names: PR_ADDRTYPE, PR_ADDRTYPE_A, ptagAddrType, PR_ADDRTYPE_W

2.634 PidTagAlternateRecipientAllowed

Canonical name: PidTagAlternateRecipientAllowed

Property ID: 0x0002

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: PR_ALTERNATE_RECIPIENT_ALLOWED, ptagAlternateRecipientAllowed

2.635 PidTagAnr

Canonical name: PidTagAnr

Property ID: 0x360C

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOABK]

Alternate names: PR_ANR, PR_ANR_A, PR_ANR_W

2.636 PidTagAssistant

Canonical name: PidTagAssistant

Property ID: 0x3A30

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_ASSISTANT, PR_ASSISTANT_A, PR_ASSISTANT_W, urn:schemas:contacts:secretarycn

2.637 PidTagAssistantTelephoneNumber

Canonical name: PidTagAssistantTelephoneNumber

Property ID: 0x3A2E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_ASSISTANT_TELEPHONE_NUMBER, PR_ASSISTANT_TELEPHONE_NUMBER_A, PR_ASSISTANT_TELEPHONE_NUMBER_W, urn:schemas:contacts:secretaryphone

2.638 *PidTagAssociated*

Canonical name: PidTagAssociated

Property ID: 0x67AA

Data type: PtypBoolean, 0x000B

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagAssociated

2.639 *PidTagAttachAdditionalInformation*

Canonical name: PidTagAttachAdditionalInformation

Property ID: 0x370F

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG]

Alternate names: PR_ATTACH_ADDITIONAL_INFO

2.640 *PidTagAttachContentBase*

Canonical name: PidTagAttachContentBase

Property ID: 0x3711

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG]

Alternate names: PR_ATTACH_CONTENT_BASE,

PR_ATTACH_CONTENT_BASE_A, PR_ATTACH_CONTENT_BASE_W

2.641 *PidTagAttachContentId*

Canonical name: PidTagAttachContentId

Property ID: 0x3712

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS],

[MS-OXOSMMS]

Alternate names: PR_ATTACH_CONTENT_ID, PR_ATTACH_CONTENT_ID_A,

PR_ATTACH_CONTENT_ID_W

2.642 *PidTagAttachContentLocation*

Canonical name: PidTagAttachContentLocation

Property ID: 0x3713

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_CONTENT_LOCATION,

PR_ATTACH_CONTENT_LOCATION_A, PR_ATTACH_CONTENT_LOCATION_W

2.643 PidTagAttachDataBinary

Canonical name: PidTagAttachDataBinary

Property ID: 0x3701

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_DATA_BIN, ptagAttachDataBin

2.644 PidTagAttachDataObject

Canonical name: PidTagAttachDataObject

Property ID: 0x3701

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_DATA_OBJ, ptagAttachDataObj

2.645 PidTagAttachEncoding

Canonical name: PidTagAttachEncoding

Property ID: 0x3702

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR], [MS-OXTNEF]

Alternate names: PR_ATTACH_ENCODING

2.646 PidTagAttachExtension

Canonical name: PidTagAttachExtension

Property ID: 0x3703

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXODOC], [MS-OXORMMS]

Alternate names: PR_ATTACH_EXTENSION, PR_ATTACH_EXTENSION_A, PR_ATTACH_EXTENSION_W

2.647 PidTagAttachFilename

Canonical name: PidTagAttachFilename

Property ID: 0x3704

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-

[MS-OXOCNTC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXPFOAB], [MS-OXTNEF]
Alternate names: PR_ATTACH_FILENAME, PR_ATTACH_FILENAME_A,
ptagAttachFilename, PR_ATTACH_FILENAME_W

2.648 PidTagAttachFlags

Canonical name: PidTagAttachFlags

Property ID: 0x3714

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_FLAGS

2.649 PidTagAttachLongFilename

Canonical name: PidTagAttachLongFilename

Property ID: 0x3707

Data type: PtypString, 0x001F

Area: Message Attachment Properties Property set

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXODOC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM], [MS-OXRTFEX], [MS-XWDMAIL]

Alternate names: PR_ATTACH_LONG_FILENAME,
PR_ATTACH_LONG_FILENAME_A, PR_ATTACH_LONG_FILENAME_W,
urn:schemas:httpmail:attachmentfilename

2.650 PidTagAttachLongPathname

Canonical name: PidTagAttachLongPathname

Property ID: 0x370D

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_LONG_PATHNAME,
PR_ATTACH_LONG_PATHNAME_A, ptagAttachLongPathname,
PR_ATTACH_LONG_PATHNAME_W

2.651 PidTagAttachmentContactPhoto

Canonical name: PidTagAttachmentContactPhoto

Property ID: 0x7FFF

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCNTC], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_CONTACTPHOTO

2.652 PidTagAttachmentFlags

Canonical name: PidTagAttachmentFlags

Property ID: 0x7FFD

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRN], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_FLAGS, ptagAttachmentFlags

2.653 PidTagAttachmentHidden

Canonical name: PidTagAttachmentHidden

Property ID: 0x7FFE

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRN], [MS-OXORMDR], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: PR_ATTACHMENT_HIDDEN

2.654 PidTagAttachmentLinkId

Canonical name: PidTagAttachmentLinkId

Property ID: 0x7FFA

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOJRN], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_LINKID, ptagAttachmentLinkId

2.655 PidTagAttachMethod

Canonical name: PidTagAttachMethod

Property ID: 0x3705

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXMSG], [MS-OXOCAL], [MS-OXOJRN], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_ATTACH_METHOD, ptagAttachMethod

2.656 PidTagAttachMimeType

Canonical name: PidTagAttachMimeType

Property ID: 0x370E

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS],

[MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM]

Alternate names: PR_ATTACH_MIME_TAG, PR_ATTACH_MIME_TAG_A, PR_ATTACH_MIME_TAG_W

2.657 PidTagAttachNumber

Canonical name: PidTagAttachNumber

Property ID: 0x0E21

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCROPS], [MS-OXOCAL], [MS-OXRTFEX]

Alternate names: PR_ATTACH_NUM, ptagAttachNum

2.658 PidTagAttachPathname

Canonical name: PidTagAttachPathname

Property ID: 0x3708

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_PATHNAME, PR_ATTACH_PATHNAME_A, ptagAttachPathname, PR_ATTACH_PATHNAME_W

2.659 PidTagAttachPayloadClass

Canonical name: PidTagAttachPayloadClass

Property ID: 0x371A

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_CLASS, PR_ATTACH_PAYLOAD_CLASS_A, PR_ATTACH_PAYLOAD_CLASS_W, ptagAttachPayloadClass

2.660 PidTagAttachPayloadProviderGuidString

Canonical name: PidTagAttachPayloadProviderGuidString

Property ID: 0x3719

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_PROV_GUID_STR, PR_ATTACH_PAYLOAD_PROV_GUID_STR_A, PR_ATTACH_PAYLOAD_PROV_GUID_STR_W

2.661 *PidTagAttachRendering*

Canonical name: PidTagAttachRendering

Property ID: 0x3709

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_ATTACH_RENDERING, ptagAttachRendering

2.662 *PidTagAttachSize*

Canonical name: PidTagAttachSize

Property ID: 0x0E20

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_SIZE, ptagAttachSize

2.663 *PidTagAttachTag*

Canonical name: PidTagAttachTag

Property ID: 0x370A

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_TAG

2.664 *PidTagAttachTransportName*

Canonical name: PidTagAttachTransportName

Property ID: 0x370C

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_ATTACH_TRANSPORT_NAME,

PR_ATTACH_TRANSPORT_NAME_A, PR_ATTACH_TRANSPORT_NAME_W

2.665 *PidTagAttributeHidden*

Canonical name: PidTagAttributeHidden

Property ID: 0x10F4

Data type: PtypBoolean, 0x000B

Area: Access Control Properties Property set

References: [MS-OXCFOLD], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_ATTR_HIDDEN, ptagAttrHidden, DAV:ishidden

2.666 PidTagAttributeReadOnly

Canonical name: PidTagAttributeReadOnly

Property ID: 0x10F6

Data type: PtypBoolean, 0x000B

Area: Access Control Properties Property set

References: [MS-OXTNEF], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_ATTR_READONLY, ptagAttrReadonly, DAV:isreadonly

2.667 PidTagAttributeSystem

Canonical name: PidTagAttributeSystem

Property ID: 0x10F5

Data type: PtypBoolean, 0x000B

Area: Access Control Properties

References: [MS-OXTNEF]

Alternate names: PR_ATTR_SYSTEM, ptagAttrSystem

2.668 PidTagAutoForwarded

Canonical name: PidTagAutoForwarded

Property ID: 0x0005

Data type: PtypBoolean, 0x000B

Area: General Report Properties

References: [MS-OXCMAIL]

Alternate names: PR_AUTO_FORWARDED, ptagAutoForwarded

2.669 PidTagAutoResponseSuppress

Canonical name: PidTagAutoResponseSuppress

Property ID: 0x3FDF

Data type: PtylInteger32, 0x0003

Area: Email

References: [MS-OXCMAIL], [MS-OXORULE]

Alternate names: PR_AUTO_RESPONSE_SUPPRESS, ptagAutoResponseSuppress

2.670 PidTagBirthday

Canonical name: PidTagBirthday

Property ID: 0x3A42

Data type: PtypTime, 0x0040

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_BIRTHDAY, urn:schemas:contacts:bday

2.671 PidTagBlockStatus

Canonical name: PidTagBlockStatus

Property ID: 0x1096

Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXOMSG]
Alternate names: PR_BLOCK_STATUS, ptagBlockStatus

2.672 *PidTagBody*

Canonical name: PidTagBody
Property ID: 0x1000
Data type: PtypString, 0x001F
Area: General Message Properties Property set
References: [MS-OXBBODY], [MS-OXCADATA], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXRTFEX], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: PR_BODY, PR_BODY_A, ptagBody, PR_BODY_W, urn:schemas:httpmail:textdescription

2.673 *PidTagBodyContentId*

Canonical name: PidTagBodyContentId
Property ID: 0x1015
Data type: PtypString, 0x001F
Area: Exchange
References: [MS-OXCMAIL]
Alternate names: PR_BODY_CONTENT_ID, PR_BODY_CONTENT_ID_A, PR_BODY_CONTENT_ID_W

2.674 *PidTagBodyContentLocation*

Canonical name: PidTagBodyContentLocation
Property ID: 0x1014
Data type: PtypString, 0x001F
Area: MIME Properties
References: [MS-OXCMAIL]
Alternate names: PR_BODY_CONTENT_LOCATION, PR_BODY_CONTENT_LOCATION_A, PR_BODY_CONTENT_LOCATION_W

2.675 *PidTagBodyHtml*

Canonical name: PidTagBodyHtml
Property ID: 0x1013
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]
Alternate names: PR_BODY_HTML, PR_BODY_HTML_A, ptagBodyHtml, PR_BODY_HTML_W

2.676 PidTagBusiness2TelephoneNumber

Canonical name: PidTagBusiness2TelephoneNumber

Property ID: 0x3A1B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: "PR_BUSINESS2_TELEPHONE_NUMBER,

PR_BUSINESS2_TELEPHONE_NUMBER_A,

PR_BUSINESS2_TELEPHONE_NUMBER_W, PR_OFFICE2_TELEPHONE_NUMBER,

urn:schemas:contacts:telephonenumber2

2.677 PidTagBusiness2TelephonesNumbers

Canonical name: PidTagBusiness2TelephonesNumbers

Property ID: 0x3A1B

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOABK]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER_A_MV

2.678 PidTagBusinessFaxNumber

Canonical name: PidTagBusinessFaxNumber

Property ID: 0x3A24

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_BUSINESS_FAX_NUMBER, PR_BUSINESS_FAX_NUMBER_A,

PR_BUSINESS_FAX_NUMBER_W, urn:schemas:contacts:facsimiletelephonenumber

2.679 PidTagBusinessHomePage

Canonical name: PidTagBusinessHomePage

Property ID: 0x3A51

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-XWDCNTC]

Alternate names: PR_BUSINESS_HOME_PAGE, PR_BUSINESS_HOME_PAGE_A,

PR_BUSINESS_HOME_PAGE_W,

urn:schemas:contacts:businesshomepageurn:schemas:contacts:businesshomepage

2.680 PidTagBusinessTelephoneNumber

Canonical name: PidTagBusinessTelephoneNumber

Property ID: 0x3A08

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_BUSINESS_TELEPHONE_NUMBER,
PR_BUSINESS_TELEPHONE_NUMBER_A,
PR_BUSINESS_TELEPHONE_NUMBER_W, PR_OFFICE_TELEPHONE_NUMBER,
urn:schemas:contacts:telephoneNumber

2.681 PidTagCallbackTelephoneNumber

Canonical name: PidTagCallbackTelephoneNumber

Property ID: 0x3A02

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CALLBACK_TELEPHONE_NUMBER,
PR_CALLBACK_TELEPHONE_NUMBER_A,
PR_CALLBACK_TELEPHONE_NUMBER_W, urn:schemas:contacts:callbackphone

2.682 PidTagCallId

Canonical name: PidTagCallId

Property ID: 0x6806

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaCallID

2.683 PidTagCarTelephoneNumber

Canonical name: PidTagCarTelephoneNumber

Property ID: 0x3A1E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CAR_TELEPHONE_NUMBER,
PR_CAR_TELEPHONE_NUMBER_A, PR_CAR_TELEPHONE_NUMBER_W,
urn:schemas:contacts:othermobile

2.684 PidTagCdoRecurrenceid

Canonical name: PidTagCdoRecurrenceid

Property ID: 0x10C5

Data type: PtypTime, 0x0040

Area: Exchange Property set

References: [MS-XWDCAL]

Alternate names: PR_CDO_RECURRENCEID, urn:schemas:calendar:recurrenceid

2.685 *PidTagChangeKey*

Canonical name: PidTagChangeKey

Property ID: 0x65E2

Data type: PtypBinary, 0x0102

Area: History Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT],
[MS-OXCSYNC]

Alternate names: PR_CHANGE_KEY

2.686 *PidTagChangeNotificationGuid*

Canonical name: PidTagChangeNotificationGuid

Property ID: 0x6637

Data type: PtypGuid, 0x0048

Area: Exchange

References: [MS-OXCNOTIF]

Alternate names: PR_CHANGE_NOTIFICATION_GUID

2.687 *PidTagChangeNumber*

Canonical name: PidTagChangeNumber

Property ID: 0x67A4

Data type: PtypInteger64, 0x0014

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSTOR]

Alternate names: ptagCn

2.688 *PidTagChildrensNames*

Canonical name: PidTagChildrensNames

Property ID: 0x3A58

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CHILDRENS_NAMES, PR_CHILDRENS_NAMES_A,
PR_CHILDRENS_NAMES_W, urn:schemas:contacts:childrensnames

2.689 *PidTagClientActions*

Canonical name: PidTagClientActions

Property ID: 0x6645

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_CLIENT_ACTIONS, ptagClientActions

2.690 PidTagClientSubmitTime

Canonical name: PidTagClientSubmitTime

Property ID: 0x0039

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_CLIENT_SUBMIT_TIME, urn:schemas:httpmail:date, http://schemas.microsoft.com/exchange/date-iso

2.691 PidTagCnsetRead

Canonical name: PidTagCnsetRead

Property ID: 0x67D2

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagCnsetRead

2.692 PidTagCnsetSeen

Canonical name: PidTagCnsetSeen

Property ID: 0x6796

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagCnsetSeen

2.693 PidTagCnsetSeenFAI

Canonical name: PidTagCnsetSeenFAI

Property ID: 0x67DA

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagCnsetSeenFAI

2.694 PidTagCodePageId

Canonical name: PidTagCodePageId

Property ID: 0x66C3

Data type: PtypInteger32, 0x0003

Area: Exchange Profile Configuration

References: [MS-OXCSTOR]

Alternate names: PR_CODE_PAGE_ID, ptagCodePageId

2.695 PidTagComment

Canonical name: PidTagComment

Property ID: 0x3004

Data type: PtypString, 0x001F

Area: Common Property set

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOAB], [MS-OXOABK], [MS-XWDCAL], [MS-XWDMAIL]

Alternate names: PR_COMMENT, PR_COMMENT_A, ptagComment, PR_COMMENT_W, DAV:comment, <http://schemas.microsoft.com/exchange/summary-utf8>

2.696 PidTagCompanyMainTelephoneNumber

Canonical name: PidTagCompanyMainTelephoneNumber

Property ID: 0x3A57

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_COMPANY_MAIN_PHONE_NUMBER, PR_COMPANY_MAIN_PHONE_NUMBER_A, PR_COMPANY_MAIN_PHONE_NUMBER_W, urn:schemas:contacts:organizationmainphone

2.697 PidTagCompanyName

Canonical name: PidTagCompanyName

Property ID: 0x3A16

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_COMPANY_NAME, PR_COMPANY_NAME_A, PR_COMPANY_NAME_W, urn:schemas:contacts:o

2.698 PidTagComputerNetworkName

Canonical name: PidTagComputerNetworkName

Property ID: 0x3A49

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_COMPUTER_NETWORK_NAME, PR_COMPUTER_NETWORK_NAME_A, PR_COMPUTER_NETWORK_NAME_W, urn:schemas:contacts:computernetworkname

2.699 PidTagConflictEntryId

Canonical name: PidTagConflictEntryId

Property ID: 0x3FF0

Data type: PtypBinary, 0x0102
Area: ICS
References: [MS-OXCSYNC]
Alternate names: PR_CONFLICT_ENTRYID, ptagConflictEntryId

2.700 *PidTagConflictItems*

Canonical name: PidTagConflictItems
Property ID: 0x1098
Data type: PtypMultipleBinary, 0x1102
Area: ICS
References: [MS-OXCSYNC]
Alternate names: PR_CONFLICT_ITEMS

2.701 *PidTagContainerClass*

Canonical name: PidTagContainerClass
Property ID: 0x3613
Data type: PtypString, 0x001F
Area: Container Properties Property set
References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOSFLD], [MS-OXOSRCH], [MS-OXSHARE], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDCNTC]
Alternate names: PR_CONTAINER_CLASS, PR_CONTAINER_CLASS_A, ptagContainerClass, PR_CONTAINER_CLASS_W, <http://schemas.microsoft.com/exchange/outlookfolderclass> <http://schemas.microsoft.com/exchange/outlookfolderclass>

2.702 *PidTagContainerContents*

Canonical name: PidTagContainerContents
Property ID: 0x360F
Data type: PtypComObject, 0x000D
Area: Container Properties
References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOABK]
Alternate names: PR_CONTAINER_CONTENTS, ptagContainerContents

2.703 *PidTagContainerFlags*

Canonical name: PidTagContainerFlags
Property ID: 0x3600
Data type: PtypInteger32, 0x0003
Area: Address Book
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_CONTAINER_FLAGS

2.704 PidTagContainerHierarchy

Canonical name: PidTagContainerHierarchy

Property ID: 0x360E

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_CONTAINER_HIERARCHY, ptagContainerHierarchy

2.705 PidTagContentCount

Canonical name: PidTagContentCount

Property ID: 0x3602

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_COUNT, ptagContentCount

2.706 PidTagContentFilterSpamConfidenceLevel

Canonical name: PidTagContentFilterSpamConfidenceLevel

Property ID: 0x4076

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_CONTENT_FILTER_SCL, ptagContentFilterSCL

2.707 PidTagContentUnreadCount

Canonical name: PidTagContentUnreadCount

Property ID: 0x3603

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_UNREAD, ptagContentUnread

2.708 PidTagConversationIndex

Canonical name: PidTagConversationIndex

Property ID: 0x0071

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXTNEF]

Alternate names: PR_CONVERSATION_INDEX, ptagConversationIndex

2.709 PidTagConversationTopic

Canonical name: PidTagConversationTopic

Property ID: 0x0070

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],

[MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_CONVERSATION_TOPIC, PR_CONVERSATION_TOPIC_A, ptagConversationTopic, PR_CONVERSATION_TOPIC_W, urn:schemas:httpmail:thread-topic

2.710 PidTagConvertHtmlSecurity

Canonical name: PidTagConvertHtmlSecurity

Property ID: 0x002A

Data type: PtypInteger32, 0x0003

Area: Run-time Configuration Property set

References: [MS-XWDMAIL]

Alternate names: PR_CONVERT_HTML_SECURITY,

http://schemas.microsoft.com/exchange/receipttime

2.711 PidTagCountry

Canonical name: PidTagCountry

Property ID: 0x3A26

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXCMAIL], [MS-XWDCNTC]

Alternate names: PR_COUNTRY, PR_COUNTRY_A, PR_COUNTRY_W,

PR_BUSINESS_ADDRESS_COUNTRY, PR_BUSINESS_ADDRESS_COUNTRY_A,

PR_BUSINESS_ADDRESS_COUNTRY_W, urn:schemas:contacts:mailingcountry

2.712 PidTagCreationTime

Canonical name: PidTagCreationTime

Property ID: 0x3007

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCMAIL]

Alternate names: PR_CREATION_TIME, ptagCreationTime

2.713 PidTagCreatorEntryId

Canonical name: PidTagCreatorEntryId

Property ID: 0x3FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXTNEF]
Alternate names: PR_CREATOR_ENTRYID, ptagCreatorEntryId

2.714 PidTagCreatorName

Canonical name: PidTagCreatorName

Property ID: 0x3FF8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_CREATOR_NAME, PR_CREATOR_NAME_A, ptagCreatorName, PR_CREATOR_NAME_W

2.715 PidTagCreatorSimpleDisplayName

Canonical name: PidTagCreatorSimpleDisplayName

Property ID: 0x4038

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagCreatorSimpleDispName

2.716 PidTagCustomerId

Canonical name: PidTagCustomerId

Property ID: 0x3A4A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CUSTOMER_ID, PR_CUSTOMER_ID_A, PR_CUSTOMER_ID_W, urn:schemas:contacts:customerid

2.717 PidTagDamBackPatched

Canonical name: PidTagDamBackPatched

Property ID: 0x6647

Data type: PtypBoolean, 0x000B

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_BACK_PATCHED, ptagDamBackPatched

2.718 PidTagDamOriginalEntryId

Canonical name: PidTagDamOriginalEntryId

Property ID: 0x6646

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_ORIGINAL_ENTRYID

2.719 PidTagDefaultPostMessageClass

Canonical name: PidTagDefaultPostMessageClass

Property ID: 0x36E5

Data type: PtypString, 0x001F

Area: MapiContainer

References: [MS-OXOCAL]

Alternate names: PR_DEF_POST_MSGCLASS

2.720 PidTagDeferredDeliveryTime

Canonical name: PidTagDeferredDeliveryTime

Property ID: 0x000F

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DEFERRED_DELIVERY_TIME, ptagDeferredDeliveryTime, <http://schemas.microsoft.com/exchange/deferred-delivery-iso>

2.721 PidTagDeferredSendNumber

Canonical name: PidTagDeferredSendNumber

Property ID: 0x3FEB

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_DEFERRED_SEND_NUMBER

2.722 PidTagDeferredSendTime

Canonical name: PidTagDeferredSendTime

Property ID: 0x3FEF

Data type: PtypTime, 0x0040

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_DEFERRED_SEND_TIME, ptagDeferredSendTime

2.723 PidTagDeferredSendUnits

Canonical name: PidTagDeferredSendUnits

Property ID: 0x3FEC

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_DEFERRED_SEND_UNITS

2.724 *PidTagDelegatedByRule*

Canonical name: PidTagDelegatedByRule

Property ID: 0x3FE3

Data type: PtypBoolean, 0x000B

Area: MapiStatus

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_DELEGATED_BY_RULE

2.725 *PidTagDelegateFlags*

Canonical name: PidTagDelegateFlags

Property ID: 0x686B

Data type: PtypMultipleInteger32, 0x1003

Area: MessageClassDefinedTransmittable

References: [MS-OXODLGT]

Alternate names: PR_DELEGATE_FLAGS, ptagDelegateFlags

2.726 *PidTagDelegation*

Canonical name: PidTagDelegation

Property ID: 0x007E

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXTNEF]

Alternate names: PR_DELEGATION

2.727 *PidTagDeleteAfterSubmit*

Canonical name: PidTagDeleteAfterSubmit

Property ID: 0x0E01

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOMSG]

Alternate names: PR_DELETE_AFTER_SUBMIT, ptagDeleteAfterSubmit

2.728 *PidTagDeletedOn*

Canonical name: PidTagDeletedOn

Property ID: 0x668F

Data type: PtypTime, 0x0040

Area: ExchangeFolder Property set

References: [MS-OXCFOLD], [MS-XWDMAIL]

Alternate names: PR_DELETED_ON, ptagDeletedOn, urn:schemas:httpmail:deletedon

2.729 *PidTagDepartmentName*

Canonical name: PidTagDepartmentName

Property ID: 0x3A18

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_DEPARTMENT_NAME, PR_DEPARTMENT_NAME_A, PR_DEPARTMENT_NAME_W, urn:schemas:contacts:department

2.730 PidTagDepth

Canonical name: PidTagDepth

Property ID: 0x3005

Data type: PtypInteger32, 0x0003

Area: MapiCommon

References: [MS-NSPI], [MS-OXCTABL], [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_DEPTH, ptagDepth

2.731 PidTagDisplayBcc

Canonical name: PidTagDisplayBcc

Property ID: 0x0E02

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [MS-OXCMSG], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DISPLAY_BCC, PR_DISPLAY_BCC_A, ptagDisplayBcc, PR_DISPLAY_BCC_W, urn:schemas:httpmail:displaybcc

2.732 PidTagDisplayCc

Canonical name: PidTagDisplayCc

Property ID: 0x0E03

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [MS-OXCMSG], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DISPLAY_CC, PR_DISPLAY_CC_A, ptagDisplayCc, PR_DISPLAY_CC_W, urn:schemas:httpmail:displaycc

2.733 PidTagDisplayName

Canonical name: PidTagDisplayName

Property ID: 0x3001

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOPFFB], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORULE], [MS-OXOSMIME], [MS-OXOSRCH], [MS-

OXPROTO], [MS-OXSHARE], [MS-XWDCNTC]

Alternate names: PR_DISPLAY_NAME, PR_DISPLAY_NAME_A, ptagDisplayName, PR_DISPLAY_NAME_W, urn:schemas:contacts:cn

2.734 PidTagDisplayNamePrefix

Canonical name: PidTagDisplayNamePrefix

Property ID: 0x3A45

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_DISPLAY_NAME_PREFIX, PR_DISPLAY_NAME_PREFIX_A, PR_DISPLAY_NAME_PREFIX_W, urn:schemas:contacts:personalttitle

2.735 PidTagDisplayTo

Canonical name: PidTagDisplayTo

Property ID: 0x0E04

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_DISPLAY_TO, PR_DISPLAY_TO_A, ptagDisplayTo, PR_DISPLAY_TO_W

2.736 PidTagDisplayType

Canonical name: PidTagDisplayType

Property ID: 0x3900

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE, ptagDisplayType

2.737 PidTagDisplayTypeEx

Canonical name: PidTagDisplayTypeEx

Property ID: 0x3905

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE_EX

2.738 PidTagEcWarning

Canonical name: PidTagEcWarning
Property ID: 0x400F
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagEcWarning

2.739 PidTagEmailAddress

Canonical name: PidTagEmailAddress
Property ID: 0x3003
Data type: PtypString, 0x001F
Area: MapiCommon
References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXCSPAM], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPFFB], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXPSVAL]
Alternate names: PR_EMAIL_ADDRESS, PR_EMAIL_ADDRESS_A, PR_EMAIL_ADDRESS_W

2.740 PidTagEmailAddress1

Canonical name: PidTagEmailAddress1
Property ID: 0x8093
Data type: PtypString, 0x001F
Area: ExchangeDirectorySchemaDefined
References: [MS-OXPROTO]
Alternate names: PR_EMAIL_ADDRESS_1

2.741 PidTagEndDate

Canonical name: PidTagEndDate
Property ID: 0x0061
Data type: PtypTime, 0x0040
Area: MapiEnvelope Property set
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]
Alternate names: PR_END_DATE, http://schemas.microsoft.com/mapi/end_date

2.742 PidTagEntryId

Canonical name: PidTagEntryId
Property ID: 0x0FFF
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-

[MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPERM], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXSHARE], [MS-OXWAVLS]

Alternate names: PR_ENTRYID, ptagEntryId

2.743 PidTagExceptionEndTime

Canonical name: PidTagExceptionEndTime

Property ID: 0x7FFC

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_ENDTIME, ptagExceptionEndTime

2.744 PidTagExceptionReplaceTime

Canonical name: PidTagExceptionReplaceTime

Property ID: 0x7FF9

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXOCAL]

Alternate names: PR_EXCEPTION_REPLACETIME

2.745 PidTagExceptionStartTime

Canonical name: PidTagExceptionStartTime

Property ID: 0x7FFB

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_STARTTIME, ptagExceptionStartTime

2.746 PidTagExchangeNTSecurityDescriptor

Canonical name: PidTagExchangeNTSecurityDescriptor

Property ID: 0x0E84

Data type: PtypBinary, 0x0102

Area: Calendar Document Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: <http://schemas.microsoft.com/exchange/ntsecuritydescriptor>,
<http://schemas.microsoft.com/exchange/ntsecuritydescriptor>

2.747 PidTagExpiryNumber

Canonical name: PidTagExpiryNumber

Property ID: 0x3FED

Data type: PtypInteger32, 0x0003

Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_NUMBER

2.748 PidTagExpiryTime

Canonical name: PidTagExpiryTime
Property ID: 0x0015
Data type: PtypTime, 0x0040
Area: MapiEnvelope Property set
References: [MS-OXCMAIL], [MS-OXOMSG], [MS-XWDMAIL]
Alternate names: PR_EXPIRY_TIME, ptagExpiryTime, urn:schemas:httpmail:expiry-date, http://schemas.microsoft.com/exchange/expiry-date-iso

2.749 PidTagExpiryUnits

Canonical name: PidTagExpiryUnits
Property ID: 0x3FEE
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_UNITS

2.750 PidTagExtendedFolderFlags

Canonical name: PidTagExtendedFolderFlags
Property ID: 0x36DA
Data type: PtypBinary, 0x0102
Area: MapiContainer
References: [MS-OXCICAL], [MS-OXOCFG], [MS-OXOSRCH]
Alternate names: PR_EXTENDED_FOLDER_FLAGS, ptagExtendedFolderFlags

2.751 PidTagExtendedRuleMessageActions

Canonical name: PidTagExtendedRuleMessageActions
Property ID: 0x0E99
Data type: PtypBinary, 0x0102
Area: Rules
References: [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_MSG_ACTIONS

2.752 PidTagExtendedRuleMessageCondition

Canonical name: PidTagExtendedRuleMessageCondition
Property ID: 0x0E9A
Data type: PtypBinary, 0x0102
Area: Rules

References: [MS-OXCPRPT], [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_MSG_CONDITION

2.753 PidTagExtendedRuleSizeLimit

Canonical name: PidTagExtendedRuleSizeLimit
Property ID: 0x0E9B
Data type: PtypInteger32, 0x0003
Area: Rules
References: [MS-OXCSTOR], [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_SIZE_LIMIT

2.754 PidTagFaxNumberOfPages

Canonical name: PidTagFaxNumberOfPages
Property ID: 0x6804
Data type: PtypInteger32, 0x0003
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaFaxNumberOfPages

2.755 PidTagFlagCompleteTime

Canonical name: PidTagFlagCompleteTime
Property ID: 0x1091
Data type: PtypTime, 0x0040
Area: Miscellaneous Properties Property set
References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDMAIL]
Alternate names: PR_FLAG_COMPLETE_TIME, ptagFlagCompleteTime,
urn:schemas:httpmail:flagcompleted

2.756 PidTagFlagStatus

Canonical name: PidTagFlagStatus
Property ID: 0x1090
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOCFG], [MS-OXOFLAG],
[MS-OXORMDR], [MS-OXOSFLD]
Alternate names: PR_FLAG_STATUS, ptagFlagStatus

2.757 PidTagFlatUrlName

Canonical name: PidTagFlatUrlName
Property ID: 0x670E
Data type: PtypString, 0x001F
Area: ExchangeAdministrative Property set
References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_FLAT_URL_NAME, PR_FLAT_URL_NAME_A, PR_FLAT_URL_NAME_W, ptagFlatURLName, http://schemas.microsoft.com/exchange/permanenturl

2.758 PidTagFolderAssociatedContents

Canonical name: PidTagFolderAssociatedContents

Property ID: 0x3610

Data type: PtypComObject, 0x000D

Area: MapiContainer

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_FOLDER_ASSOCIATED_CONTENTS

2.759 PidTagFolderId

Canonical name: PidTagFolderId

Property ID: 0x6748

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCROPS], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: ptagFID

2.760 PidTagFolderType

Canonical name: PidTagFolderType

Property ID: 0x3601

Data type: PtypInteger32, 0x0003

Area: MapiContainer

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXOSRCH]

Alternate names: PR_FOLDER_TYPE, ptagFolderType

2.761 PidTagFollowupIcon

Canonical name: PidTagFollowupIcon

Property ID: 0x1095

Data type: PtypInteger32, 0x0003

Area: RenMessageFolder

References: [MS-OXCFXICS], [MS-OXOFLAG], [MS-OXOSFLD]

Alternate names: PR_FOLLOWUP_ICON, ptagFollowupIcon

2.762 PidTagFreeBusyCountMonths

Canonical name: PidTagFreeBusyCountMonths

Property ID: 0x6869

Data type: PtypInteger32, 0x0003

Area: MessageClassDefinedTransmittable

References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_COUNT_MONTHS

2.763 PidTagFreeBusyEntryIds

Canonical name: PidTagFreeBusyEntryIds
Property ID: 0x36E4
Data type: PtypMultipleBinary, 0x1102
Area: MapiContainer
References: [MS-OXODLGT], [MS-OXOPFFB], [MS-OXOSFLD]
Alternate names: PR_FREEBUSY_ENTRYIDS, ptagFreeBusyEntryIds

2.764 PidTagFreeBusyMessageEmailAddress

Canonical name: PidTagFreeBusyMessageEmailAddress
Property ID: 0x6849
Data type: PtypString, 0x001F
Area: MessageClassDefinedTransmittable
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_EMA

2.765 PidTagFreeBusyPublishEnd

Canonical name: PidTagFreeBusyPublishEnd
Property ID: 0x6848
Data type: PtypInteger32, 0x0003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_PUBLISH_END

2.766 PidTagFreeBusyPublishStart

Canonical name: PidTagFreeBusyPublishStart
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_PUBLISH_START

2.767 PidTagFreeBusyRangeTimestamp

Canonical name: PidTagFreeBusyRangeTimestamp
Property ID: 0x6868
Data type: PtypTime, 0x0040
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_RANGE_TIMESTAMP

2.768 PidTagFtpSite

Canonical name: PidTagFtpSite

Property ID: 0x3A4C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_FTP_SITE, PR_FTP_SITE_A, PR_FTP_SITE_W,
urn:schemas:contacts:ftpsite

2.769 PidTagFXDelProp

Canonical name: PidTagFXDelProp

Property ID: 0x4016

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagFXDelProp

2.770 PidTagGatewayNeedsToRefresh

Canonical name: PidTagGatewayNeedsToRefresh

Property ID: 0x6846

Data type: PtypBoolean, 0x000B

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_GATEWAY_NEEDS_TO_REFRESH

2.771 PidTagGender

Canonical name: PidTagGender

Property ID: 0x3A4D

Data type: PtypInteger16, 0x0002

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GENDER, urn:schemas:contacts:gender

2.772 PidTagGeneration

Canonical name: PidTagGeneration

Property ID: 0x3A05

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GENERATION, PR_GENERATION_A, PR_GENERATION_W,
urn:schemas:contacts:namesuffix

2.773 *PidTagGivenName*

Canonical name: PidTagGivenName

Property ID: 0x3A06

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GIVEN_NAME, PR_GIVEN_NAME_A, PR_GIVEN_NAME_W, urn:schemas:contacts:givenName

2.774 *PidTagGovernmentIdNumber*

Canonical name: PidTagGovernmentIdNumber

Property ID: 0x3A07

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GOVERNMENT_ID_NUMBER,

PR_GOVERNMENT_ID_NUMBER_A, PR_GOVERNMENT_ID_NUMBER_W, urn:schemas:contacts:governmentid

2.775 *PidTagHasAttachments*

Canonical name: PidTagHasAttachments

Property ID: 0x0E1B

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties Property set

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCFG], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_HASATTACH, ptagHasAttach, urn:schemas:httpmail:hasattachment

2.776 *PidTagHasDeferredActionMessages*

Canonical name: PidTagHasDeferredActionMessages

Property ID: 0x3FEA

Data type: PtypBoolean, 0x000B

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_HAS_DAMS, ptagHasDAMs

2.777 *PidTagHasNamedProperties*

Canonical name: PidTagHasNamedProperties

Property ID: 0x664A

Data type: PtypBoolean, 0x000B

Area: ExchangeMessageReadOnly

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_HAS_NAMED_PROPERTIES, ptagHasNamedProperties

2.778 *PidTagHasRules*

Canonical name: PidTagHasRules

Property ID: 0x663A

Data type: PtypBoolean, 0x000B

Area: ExchangeFolder

References: [MS-OXORULE]

Alternate names: PR_HAS_RULES, ptagHasRules

2.779 *PidTagHierarchyChangeNumber*

Canonical name: PidTagHierarchyChangeNumber

Property ID: 0x663E

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_HIERARCHY_CHANGE_NUM

2.780 *PidTagHobbies*

Canonical name: PidTagHobbies

Property ID: 0x3A43

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOBBIES, PR_HOBBIES_A, PR_HOBBIES_W,
urn:schemas:contacts:hobbies

2.781 *PidTagHome2TelephoneNumber*

Canonical name: PidTagHome2TelephoneNumber

Property ID: 0x3A2F

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME2_TELEPHONE_NUMBER,
PR_HOME2_TELEPHONE_NUMBER_A, PR_HOME2_TELEPHONE_NUMBER_W,
urn:schemas:contacts:homephone2

2.782 *PidTagHome2TelephonesNumbers*

Canonical name: PidTagHome2TelephonesNumbers

Property ID: 0x3A2F

Data type: PtypMultipleString, 0x101F

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_HOME2_TELEPHONE_NUMBER_A_MV

2.783 PidTagHomeAddressCity

Canonical name: PidTagHomeAddressCity

Property ID: 0x3A59

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_CITY, PR_HOME_ADDRESS_CITY_A, PR_HOME_ADDRESS_CITY_W, urn:schemas:contacts:homeCity

2.784 PidTagHomeAddressCountry

Canonical name: PidTagHomeAddressCountry

Property ID: 0x3A5A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_COUNTRY,

PR_HOME_ADDRESS_COUNTRY_A, PR_HOME_ADDRESS_COUNTRY_W, urn:schemas:contacts:homeCountry

2.785 PidTagHomeAddressPostalCode

Canonical name: PidTagHomeAddressPostalCode

Property ID: 0x3A5B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_POSTAL_CODE,

PR_HOME_ADDRESS_POSTAL_CODE_A,

PR_HOME_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:homePostalCode

2.786 PidTagHomeAddressPostOfficeBox

Canonical name: PidTagHomeAddressPostOfficeBox

Property ID: 0x3A5E

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_POST_OFFICE_BOX,

PR_HOME_ADDRESS_POST_OFFICE_BOX_A,

PR_HOME_ADDRESS_POST_OFFICE_BOX_W,

urn:schemas:contacts:homepostofficebox

2.787 PidTagHomeAddressStateOrProvince

Canonical name: PidTagHomeAddressStateOrProvince

Property ID: 0x3A5C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_STATE_OR_PROVINCE,

PR_HOME_ADDRESS_STATE_OR_PROVINCE_A,

PR_HOME_ADDRESS_STATE_OR_PROVINCE_W, urn:schemas:contacts:homeState

2.788 *PidTagHomeAddressStreet*

Canonical name: PidTagHomeAddressStreet

Property ID: 0x3A5D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_STREET, PR_HOME_ADDRESS_STREET_A,

PR_HOME_ADDRESS_STREET_W, urn:schemas:contacts:homeStreet

2.789 *PidTagHomeFaxNumber*

Canonical name: PidTagHomeFaxNumber

Property ID: 0x3A25

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_FAX_NUMBER, PR_HOME_FAX_NUMBER_A,

PR_HOME_FAX_NUMBER_W, urn:schemas:contacts:homefax

2.790 *PidTagHomeTelephoneNumber*

Canonical name: PidTagHomeTelephoneNumber

Property ID: 0x3A09

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_TELEPHONE_NUMBER,

PR_HOME_TELEPHONE_NUMBER_A, PR_HOME_TELEPHONE_NUMBER_W,

urn:schemas:contacts:homePhone

2.791 *PidTagHtml*

Canonical name: PidTagHtml

Property ID: 0x1013

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXBBODY], [MS-OXCMAIL], [MS-OXOPOST], [MS-OXORMMSS],

[MS-OXORSS], [MS-OXOSMMS]

Alternate names: PR_HTML, ptagHtml

2.792 *PidTagICalendarEndTime*

Canonical name: PidTagICalendarEndTime

Property ID: 0x10C4

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:dtend

2.793 *PidTagICalendarReminderNextTime*

Canonical name: PidTagICalendarReminderNextTime

Property ID: 0x10CA

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:remindernexttime

2.794 *PidTagICalendarStartTime*

Canonical name: PidTagICalendarStartTime

Property ID: 0x10C3

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:dtstart

2.795 *PidTagIconIndex*

Canonical name: PidTagIconIndex

Property ID: 0x1080

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPOST], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_ICON_INDEX, ptagIconIndex

2.796 *PidTagIdsetDeleted*

Canonical name: PidTagIdsetDeleted

Property ID: 0x67E5

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagIdsetDeleted

2.797 *PidTagIdsetExpired*

Canonical name: PidTagIdsetExpired
Property ID: 0x6793
Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagMidsetExpired

2.798 *PidTagIdsetGiven*

Canonical name: PidTagIdsetGiven
Property ID: 0x4017
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetGiven

2.799 *PidTagIdsetRead*

Canonical name: PidTagIdsetRead
Property ID: 0x402D
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetRead

2.800 *PidTagIdsetSoftDeleted*

Canonical name: PidTagIdsetSoftDeleted
Property ID: 0x4021
Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagSoftDeletes

2.801 *PidTagIdsetUnread*

Canonical name: PidTagIdsetUnread
Property ID: 0x402E
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetUnread

2.802 *PidTagImapCachedMsgsize*

Canonical name: PidTagImapCachedMsgsize
Property ID: 0x10F0

Data type: PtypBinary, 0x0102
Area: RenMessageFolder
References: [MS-OXTNEF]
Alternate names: ptagImapCachedMsgsize

2.803 PidTagImportance

Canonical name: PidTagImportance
Property ID: 0x0017
Data type: PtypInteger32, 0x0003
Area: General Message Properties Property set
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCFG], [MS-OXOMSG], [MS-OXTNEF], [MS-XWDMAIL]
Alternate names: PR_IMPORTANCE, ptagImportance, urn:schemas:httpmail:importance, http://schemas.microsoft.com/exchange/importance-long, http://schemas.microsoft.com/exchange/x-priority-long

2.804 PidTagInConflict

Canonical name: PidTagInConflict
Property ID: 0x666C
Data type: PtypBoolean, 0x000B
Area: Conflict Note
References: [MS-OXCSYNC]
Alternate names: PR_IN_CONFLICT, ptagInConflict

2.805 PidTagIncrementalSyncMessagePartial

Canonical name: PidTagIncrementalSyncMessagePartial
Property ID: 0x407A
Data type: PtypInteger32, 0x0003
Area: ICS
References: [MS-OXCFXICS]
Alternate names: ptagIncrSyncMsgPartial

2.806 PidTagIncrSyncGroupId

Canonical name: PidTagIncrSyncGroupId
Property ID: 0x407C
Data type: PtypInteger32, 0x0003
Area: ICS
References: [MS-OXCFXICS]
Alternate names: ptagIncrSyncGroupId

2.807 PidTagInitialDetailsPane

Canonical name: PidTagInitialDetailsPane
Property ID: 0x3F08

Data type: PtypInteger32, 0x0003
Area: MAPI Display Tables
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_INITIAL_DETAILS_PANE

2.808 *PidTagInitials*

Canonical name: PidTagInitials
Property ID: 0x3A0A
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_INITIALIZALS, PR_INITIALIZALS_A, PR_INITIALIZALS_W,
urn:schemas:contacts:initials

2.809 *PidTagInReplyToId*

Canonical name: PidTagInReplyToId
Property ID: 0x1042
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL], [MS-OXOMSG]
Alternate names: PR_IN_REPLY_TO_ID, PR_IN_REPLY_TO_ID_A,
PR_IN_REPLY_TO_ID_W

2.810 *PidTagInstanceKey*

Canonical name: PidTagInstanceKey
Property ID: 0x0FF6
Data type: PtypBinary, 0x0102
Area: Table Properties
References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCMMSG], [MS-OXOABK], [MS-OXOABKT]
Alternate names: PR_INSTANCE_KEY, ptagInstanceKey

2.811 *PidTagInstanceNum*

Canonical name: PidTagInstanceNum
Property ID: 0x674E
Data type: PtypInteger32, 0x0003
Area: ProviderDefinedNonTransmittable
References: [MS-OXCTABL], [MS-OXOPFFB]
Alternate names: ptagInstanceNum

2.812 *PidTagInstID*

Canonical name: PidTagInstID
Property ID: 0x674D

Data type: PtypInteger64, 0x0014
Area: ProviderDefinedNonTransmittable
References: [MS-OXCTABL], [MS-OXOPFFB]
Alternate names: ptagInstID

2.813 PidTagInternetArticleNumber

Canonical name: PidTagInternetArticleNumber
Property ID: 0x0E23
Data type: PtypInteger32, 0x0003
Area: MIME Properties
References: [MS-OXCFXICS]
Alternate names: PR_INTERNET_ARTICLE_NUMBER

2.814 PidTagInternetCodepage

Canonical name: PidTagInternetCodepage
Property ID: 0x3FDE
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS], [MS-OXTNEF]
Alternate names: PR_INTERNET_CPID, ptagInternetCpid

2.815 PidTagInternetLines

Canonical name: PidTagInternetLines
Property ID: 0x1034
Data type: PtypInteger32, 0x0003
Area: MIME Properties Property set
References: [MS-XWDMAIL]
Alternate names: PR_INTERNET_LINES, http://schemas.microsoft.com/exchange/lines-long

2.816 PidTagInternetMailOverrideFormat

Canonical name: PidTagInternetMailOverrideFormat
Property ID: 0x5902
Data type: PtypInteger32, 0x0003
Area: MIME Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG]
Alternate names: PR_INETMAIL_OVERRIDE_FORMAT, ptagInetMailOverrideFormat

2.817 PidTagInternetMessageId

Canonical name: PidTagInternetMessageId
Property ID: 0x1035
Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_INTERNET_MESSAGE_ID, PR_INTERNET_MESSAGE_ID_A, PR_INTERNET_MESSAGE_ID_W

2.818 PidTagInternetReferences

Canonical name: PidTagInternetReferences

Property ID: 0x1039

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_INTERNET_REFERENCES, PR_INTERNET_REFERENCES_A, PR_INTERNET_REFERENCES_W

2.819 PidTagInternetReturnPath

Canonical name: PidTagInternetReturnPath

Property ID: 0x1046

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCICAL]

Alternate names: PR_INTERNET_RETURN_PATH, PR_INTERNET_RETURN_PATH_A, PR_INTERNET_RETURN_PATH_W

2.820 PidTagIpmAppointmentEntryId

Canonical name: PidTagIpmAppointmentEntryId

Property ID: 0x36D0

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_APPOINTMENT_ENTRYID

2.821 PidTagIpmContactEntryId

Canonical name: PidTagIpmContactEntryId

Property ID: 0x36D1

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_CONTACT_ENTRYID

2.822 PidTagIpmDraftsEntryId

Canonical name: PidTagIpmDraftsEntryId

Property ID: 0x36D7

Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD]
Alternate names: PR_IPM_DRAFTS_ENTRYID

2.823 PidTagIpmJournalEntryId

Canonical name: PidTagIpmJournalEntryId
Property ID: 0x36D2
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_JOURNAL_ENTRYID

2.824 PidTagIpmNoteEntryId

Canonical name: PidTagIpmNoteEntryId
Property ID: 0x36D3
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_NOTE_ENTRYID

2.825 PidTagIpmTaskEntryId

Canonical name: PidTagIpmTaskEntryId
Property ID: 0x36D4
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_TASK_ENTRYID

2.826 PidTagIsdnNumber

Canonical name: PidTagIsdnNumber
Property ID: 0x3A2D
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_ISDN_NUMBER, PR_ISDN_NUMBER_A,
PR_ISDN_NUMBER_W, urn:schemas:contacts:internationalisdnnumber

2.827 PidTagItemTemporaryflags

Canonical name: PidTagItemTemporaryflags
Property ID: 0x1097
Data type: PtypInteger32, 0x0003
Area: General Message Properties

References: [MS-OXCFOLD]
Alternate names: PR_ITEM_TMPFLAGS

2.828 PidTagJunkAddRecipientsToSafeSendersList

Canonical name: PidTagJunkAddRecipientsToSafeSendersList
Property ID: 0x6103
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_ADD_RECIPS_TO_SSL

2.829 PidTagJunkIncludeContacts

Canonical name: PidTagJunkIncludeContacts
Property ID: 0x6100
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_INCLUDE_CONTACTS

2.830 PidTagJunkPermanentlyDelete

Canonical name: PidTagJunkPermanentlyDelete
Property ID: 0x6102
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_PERMANENTLY_DELETE

2.831 PidTagJunkPhishingEnableLinks

Canonical name: PidTagJunkPhishingEnableLinks
Property ID: 0x6107
Data type: PtypBoolean, 0x000B
Area: Spam
References: [MS-OXCSPAM], [MS-OXPHISH]
Alternate names: PR_JUNK_PHISHING_ENABLE_LINKS

2.832 PidTagJunkThreshold

Canonical name: PidTagJunkThreshold
Property ID: 0x6101
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_THRESHOLD

2.833 *PidTagKeyword*

Canonical name: PidTagKeyword

Property ID: 0x3A0B

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_KEYWORD, PR_KEYWORD_A, PR_KEYWORD_W

2.834 *PidTagLanguage*

Canonical name: PidTagLanguage

Property ID: 0x3A0C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_LANGUAGE, PR_LANGUAGE_A, PR_LANGUAGE_W,
urn:schemas:contacts:language

2.835 *PidTagLastModificationTime*

Canonical name: PidTagLastModificationTime

Property ID: 0x3008

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],
[MS-OXCMSG], [MS-OXCPRPT], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOABK],
[MS-OXOCFG], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_LAST_MODIFICATION_TIME, ptagLastModificationTime,
urn:schemas:calendar:lastmodifiedtime

2.836 *PidTagLastModifierEntryId*

Canonical name: PidTagLastModifierEntryId

Property ID: 0x3FFB

Data type: PtypBinary, 0x0102

Area: History Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_LAST_MODIFIER_ENTRYID, ptagLastModifierEntryId

2.837 *PidTagLastModifierName*

Canonical name: PidTagLastModifierName

Property ID: 0x3FFA

Data type: PtypString, 0x001F

Area: History Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT],
[MS-OXTNEF]

Alternate names: PR_LAST_MODIFIER_NAME, PR_LAST_MODIFIER_NAME_A, ptagLastModifierName, PR_LAST_MODIFIER_NAME_W

2.838 PidTagLastModifierSimpleDisplayName

Canonical name: PidTagLastModifierSimpleDisplayName

Property ID: 0x4039

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagLastModifierSimpleDispName

2.839 PidTagLastVerbExecuted

Canonical name: PidTagLastVerbExecuted

Property ID: 0x1081

Data type: PtypInteger32, 0x0003

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTED, ptagLastVerbExecuted

2.840 PidTagLastVerbExecutionTime

Canonical name: PidTagLastVerbExecutionTime

Property ID: 0x1082

Data type: PtypTime, 0x0040

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTION_TIME, ptagLastVerbExecutionTime

2.841 PidTagListHelp

Canonical name: PidTagListHelp

Property ID: 0x1043

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_HELP, PR_LIST_HELP_A, PR_LIST_HELP_W

2.842 PidTagListSubscribe

Canonical name: PidTagListSubscribe

Property ID: 0x1044

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_SUBSCRIBE, PR_LIST_SUBSCRIBE_A, PR_LIST_SUBSCRIBE_W

2.843 *PidTagListUnsubscribe*

Canonical name: PidTagListUnsubscribe

Property ID: 0x1045

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_UNSUBSCRIBE, PR_LIST_UNSUBSCRIBE_A, PR_LIST_UNSUBSCRIBE_W

2.844 *PidTagLocalCommitTime*

Canonical name: PidTagLocalCommitTime

Property ID: 0x6709

Data type: PtypTime, 0x0040

Area: Server

References: [MS-OXCMSG]

Alternate names: PR_LOCAL_COMMIT_TIME, ptagLocalCommitTime

2.845 *PidTagLocaleId*

Canonical name: PidTagLocaleId

Property ID: 0x66A1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG], [MS-OXCSTOR]

Alternate names: PR_LOCALE_ID, ptagLocaleId

2.846 *PidTagLocality*

Canonical name: PidTagLocality

Property ID: 0x3A27

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_LOCALITY, PR_LOCALITY_A, PR_LOCALITY_W, PR_BUSINESS_ADDRESS_LOCALITY, PR_BUSINESS_ADDRESS_LOCALITY_A, PR_BUSINESS_ADDRESS_LOCALITY_W, urn:schemas:contacts:mailingcity

2.847 *PidTagLocation*

Canonical name: PidTagLocation

Property ID: 0x3A0D

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXWAVLS], [MS-XWDCNTC]

Alternate names: PR_LOCATION, PR_LOCATION_A, PR_LOCATION_W,
urn:schemas:contacts:location

2.848 *PidTagMailboxOwnerId*

Canonical name: PidTagMailboxOwnerEntryId

Property ID: 0x661B

Data type: PtypBinary, 0x0102

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_MAILBOX_OWNER_ENTRYID, ptagMailboxOwnerEntryId

2.849 *PidTagMailboxOwnerName*

Canonical name: PidTagMailboxOwnerName

Property ID: 0x661C

Data type: PtypString, 0x001F

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL]

Alternate names: PR_MAILBOX_OWNER_NAME,
PR_MAILBOX_OWNER_NAME_A, ptagMailboxOwnerName,
PR_MAILBOX_OWNER_NAME_W

2.850 *PidTagName*

Canonical name: PidTagName

Property ID: 0x3A4E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MANAGER_NAME, PR_MANAGER_NAME_A,
PR_MANAGER_NAME_W, urn:schemas:contacts:manager

2.851 *PidTagMappingSignature*

Canonical name: PidTagMappingSignature

Property ID: 0x0FF8

Data type: PtypBinary, 0x0102

Area: Miscellaneous Properties

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_MAPPING_SIGNATURE, ptagMappingSignature

2.852 *PidTagMaximumSubmitMessageSize*

Canonical name: PidTagMaximumSubmitMessageSize

Property ID: 0x666D

Data type: PtypInteger32, 0x0003

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAX_SUBMIT_MESSAGE_SIZE

2.853 PidTagMemberId

Canonical name: PidTagMemberId

Property ID: 0x6671

Data type: PtypInteger64, 0x0014

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_ID, ptagMemberId

2.854 PidTagMemberName

Canonical name: PidTagMemberName

Property ID: 0x6672

Data type: PtypString, 0x001F

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_NAME, PR_MEMBER_NAME_A, ptagMemberName, PR_MEMBER_NAME_W

2.855 PidTagMemberRights

Canonical name: PidTagMemberRights

Property ID: 0x6673

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCPERM], [MS-OXODLGT]

Alternate names: PR_MEMBER_RIGHTS, ptagMemberRights

2.856 PidTagMessageAttachments

Canonical name: PidTagMessageAttachments

Property ID: 0x0E13

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCDATA], [MS-OXCFXICS]

Alternate names: PR_MESSAGE_ATTACHMENTS, ptagMessageAttachments

2.857 PidTagMessageCcMe

Canonical name: PidTagMessageCcMe

Property ID: 0x0058

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CC_ME, ptagMessageCcMe

2.858 PidTagMessageClass

Canonical name: PidTagMessageClass

Property ID: 0x001A

Data type: PtypString, 0x001F

Area: Common Property set

References: [MS-OXBBODY], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXOUM], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC], [MS-XWDCNTC]

Alternate names: PR_MESSAGE_CLASS, PR_MESSAGE_CLASS_A, ptagMessageClass, PR_MESSAGE_CLASS_W,

<http://schemas.microsoft.com/exchange/outlookmessageclass><http://schemas.microsoft.com/exchange/outlookmessageclass>

2.859 PidTagMessageCodepage

Canonical name: PidTagMessageCodepage

Property ID: 0x3FFD

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CODEPAGE

2.860 PidTagMessageDeliveryTime

Canonical name: PidTagMessageDeliveryTime

Property ID: 0x0E06

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_MESSAGE_DELIVERY_TIME, urn:schemas:httpmail:datereceived

2.861 PidTagMessageEditorFormat

Canonical name: PidTagMessageEditorFormat

Property ID: 0x5909

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MSG_EDITOR_FORMAT, ptagMsgEditorFormat

2.862 PidTagMessageFlags

Canonical name: PidTagMessageFlags

Property ID: 0x0E07

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_MESSAGE_FLAGS, ptagMessageFlags

2.863 PidTagMessageHandlingSystemCommonName

Canonical name: PidTagMessageHandlingSystemCommonName

Property ID: 0x3A0F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-XWDCNTC]

Alternate names: PR_MHS_COMMON_NAME, PR_MHS_COMMON_NAME_A, PR_MHS_COMMON_NAME_W, urn:schemas:contacts:dn

2.864 PidTagMessageLocaleId

Canonical name: PidTagMessageLocaleId

Property ID: 0x3FF1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_LOCALE_ID

2.865 PidTagMessageRecipientMe

Canonical name: PidTagMessageRecipientMe

Property ID: 0x0059

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIP_ME, ptagMessageRecipMe

2.866 PidTagMessageRecipients

Canonical name: PidTagMessageRecipients

Property ID: 0x0E12

Data type: PtypComObject, 0x000D

Area: Address Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCSPAM], [MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIPIENTS, ptagMessageRecipients

2.867 PidTagMessageSize

Canonical name: PidTagMessageSize

Property ID: 0x0E08

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMMSG], [MS-OXCSTOR], [MS-OXOCFG], [MS-OXPFOAB]

Alternate names: PR_MESSAGE_SIZE, ptagMessageSize

2.868 PidTagMessageSizeExtended

Canonical name: PidTagMessageSizeExtended

Property ID: 0x0E08

Data type: PtypInteger64, 0x0014

Area: General Message Properties

References: [MS-OXCFOLD], [MS-OXCSTOR]

Alternate names: PR_MESSAGE_SIZE_EXTENDED, ptagMessageSizeExtended

2.869 PidTagMessageStatus

Canonical name: PidTagMessageStatus

Property ID: 0x0E17

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMMSG], [MS-OXCSYNC]

Alternate names: PR_MSG_STATUS, ptagMsgStatus

2.870 PidTagMessageSubmissionId

Canonical name: PidTagMessageSubmissionId

Property ID: 0x0047

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_SUBMISSION_ID, ptagMessageSubmissionId

2.871 PidTagMessageToMe

Canonical name: PidTagMessageToMe

Property ID: 0x0057

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_MESSAGE_TO_ME, ptagMessageToMe

2.872 PidTagMid

Canonical name: PidTagMid

Property ID: 0x674A

Data type: PtypInteger64, 0x0014

Area: ID Properties Property set

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCTABL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: ptagMID, http://schemas.microsoft.com/exchange/mid

2.873 PidTagMiddleName

Canonical name: PidTagMiddleName

Property ID: 0x3A44

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MIDDLE_NAME, PR_MIDDLE_NAME_A, PR_MIDDLE_NAME_W, urn:schemas:contacts:middlename

2.874 PidTagMobileTelephoneNumber

Canonical name: PidTagMobileTelephoneNumber

Property ID: 0x3A1C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MOBILE_TELEPHONE_NUMBER, PR_MOBILE_TELEPHONE_NUMBER_A, PR_MOBILE_TELEPHONE_NUMBER_W, urn:schemas:contacts:mobile

2.875 PidTagMsgFolderTemplateRes13

Canonical name: PidTagMsgFolderTemplateRes13

Property ID: 0x6770

Data type: PtypBoolean, 0x000B

Area: ProviderDefinedNonTransmittable Property set

References: [MS-XWDMAIL]

Alternate names: ptagMsgFolderTemplateRes13, DAV:issoftdeleted

2.876 PidTagNewFXFolder

Canonical name: PidTagNewFXFolder

Property ID: 0x4011

Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagNewFXFolder

2.877 *PidTagNextSendAcct*

Canonical name: PidTagNextSendAcct
Property ID: 0x0E29
Data type: PtypString, 0x001F
Area:
References: [MS-OXCICAL], [MS-OXOMSG]
Alternate names: PR_NEXT_SEND_ACCT

2.878 *PidTagNickname*

Canonical name: PidTagNickname
Property ID: 0x3A4F
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG], [MS-XWDCNTC]
Alternate names: PR_NICKNAME, PR_NICKNAME_A, PR_NICKNAME_W,
urn:schemas:contacts:nickname

2.879 *PidTagNormalizedSubject*

Canonical name: PidTagNormalizedSubject
Property ID: 0x0E1D
Data type: PtypString, 0x001F
Area: Email Property set
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXOSMMS], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: PR_NORMALIZED SUBJECT, PR_NORMALIZED SUBJECT_A, ptagNormalizedSubject, PR_NORMALIZED SUBJECT_W,
urn:schemas:httpmail:normalizedsubject

2.880 *PidTagNormalMessageSize*

Canonical name: PidTagNormalMessageSize
Property ID: 0x66B3
Data type: PtypInteger32, 0x0003
Area: Server
References: [MS-OXCFOLD], [MS-XWDFOLD]

Alternate names: PR_NORMAL_MESSAGE_SIZE,
<http://schemas.microsoft.com/exchange/foldersize>

2.881 *PidTagObjectType*

Canonical name: PidTagObjectType

Property ID: 0x0FFE

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_OBJECT_TYPE, ptagObjectType

2.882 *PidTagOfficeLocation*

Canonical name: PidTagOfficeLocation

Property ID: 0x3A19

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OFFICE_LOCATION, PR_OFFICE_LOCATION_A,
PR_OFFICE_LOCATION_W, urn:schemas:contacts:roomnumber

2.883 *PidTagOfflineAddressBookCompressedSize*

Canonical name: PidTagOfflineAddressBookCompressedSize

Property ID: 0x6809

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXOABK]

Alternate names: PR_OAB_COMPRESSED_SIZE

2.884 *PidTagOfflineAddressBookContainerGuid*

Canonical name: PidTagOfflineAddressBookContainerGuid

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_CONTAINER_GUID, PR_OAB_CONTAINER_GUID_W

2.885 *PidTagOfflineAddressBookDistinguishedName*

Canonical name: PidTagOfflineAddressBookDistinguishedName

Property ID: 0x6804

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]
Alternate names: PR_OAB_DN, PR_OAB_DN_W

2.886 *PidTagOfflineAddressBookFileSize*

Canonical name: PidTagOfflineAddressBookFileSize
Property ID: 0x680A
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXOABK]
Alternate names: PR_OAB_FILE_SIZE

2.887 *PidTagOfflineAddressBookFileType*

Canonical name: PidTagOfflineAddressBookFileType
Property ID: 0x6808
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXOABK]
Alternate names: PR_OAB_FILETYPE

2.888 *PidTagOfflineAddressBookLanguageId*

Canonical name: PidTagOfflineAddressBookLanguageId
Property ID: 0x6807
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXOABK]
Alternate names: PR_OAB_LANGID

2.889 *PidTagOfflineAddressBookMessageClass*

Canonical name: PidTagOfflineAddressBookMessageClass
Property ID: 0x6803
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXPFOAB]
Alternate names: PR_OAB_MESSAGE_CLASS

2.890 *PidTagOfflineAddressBookName*

Canonical name: PidTagOfflineAddressBookName
Property ID: 0x6800
Data type: PtypString, 0x001F
Area: Offline Address Book Properties
References: [MS-OXOAB], [MS-OXPFOAB]
Alternate names: PR_OAB_NAME, PR_OAB_NAME_W

2.891 *PidTagOfflineAddressBookSequence*

Canonical name: PidTagOfflineAddressBookSequence

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_SEQUENCE

2.892 *PidTagOfflineAddressBookShaHash*

Canonical name: PidTagOfflineAddressBookShaHash

Property ID: 0x6806

Data type: PtypBinary, 0x0102

Area: Offline Address Book Properties

References: [MS-OXOABK]

Alternate names: PR_OAB_SHA_HASH

2.893 *PidTagOfflineAddressBookTruncatedProperties*

Canonical name: PidTagOfflineAddressBookTruncatedProperties

Property ID: 0x6805

Data type: PtypMultipleInteger32, 0x1003

Area: Offline Address Book Properties

References: [MS-OXOAB]

Alternate names: PR_OAB_TRUNCATED_PROPS

2.894 *PidTagOrdinalMost*

Canonical name: PidTagOrdinalMost

Property ID: 0x36E2

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: PR_ORDINAL_MOST

2.895 *PidTagOrganizationalIdNumber*

Canonical name: PidTagOrganizationalIdNumber

Property ID: 0x3A10

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_ORGANIZATIONAL_ID_NUMBER,

PR_ORGANIZATIONAL_ID_NUMBER_A,

PR_ORGANIZATIONAL_ID_NUMBER_W, urn:schemas:contacts:employeenumber

2.896 PidTagOriginalAuthorName

Canonical name: PidTagOriginalAuthorName

Property ID: 0x004D

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL]

Alternate names: PR_ORIGINAL_AUTHOR_NAME,
PR_ORIGINAL_AUTHOR_NAME_A, ptagOriginalAuthorName,
PR_ORIGINAL_AUTHOR_NAME_W

2.897 PidTagOriginalDeliveryTime

Canonical name: PidTagOriginalDeliveryTime

Property ID: 0x0055

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DELIVERY_TIME, ptagOriginalDeliveryTime

2.898 PidTagOriginalDisplayBcc

Canonical name: PidTagOriginalDisplayBcc

Property ID: 0x0072

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_BCC, PR_ORIGINAL_DISPLAY_BCC_A,
ptagOriginalDisplayBcc, PR_ORIGINAL_DISPLAY_BCC_W,
<http://schemas.microsoft.com/exchange/originaldisplaybcc>

2.899 PidTagOriginalDisplayCc

Canonical name: PidTagOriginalDisplayCc

Property ID: 0x0073

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_CC, PR_ORIGINAL_DISPLAY_CC_A,
ptagOriginalDisplayCc, PR_ORIGINAL_DISPLAY_CC_W,
<http://schemas.microsoft.com/exchange/originaldisplaycc>,
http://schemas.microsoft.com/mapi/original_display_cc

2.900 PidTagOriginalDisplayName

Canonical name: PidTagOriginalDisplayName

Property ID: 0x3A13

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_DISPLAY_NAME,
PR_ORIGINAL_DISPLAY_NAME_A, ptagOriginalDisplayName,
PR_ORIGINAL_DISPLAY_NAME_W

2.901 PidTagOriginalDisplayTo

Canonical name: PidTagOriginalDisplayTo

Property ID: 0x0074

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_TO, PR_ORIGINAL_DISPLAY_TO_A,
ptagOriginalDisplayTo, PR_ORIGINAL_DISPLAY_TO_W,
<http://schemas.microsoft.com/exchange/originaldisplayto>,
http://schemas.microsoft.com/mapi/original_display_to

2.902 PidTagOriginalEntryId

Canonical name: PidTagOriginalEntryId

Property ID: 0x3A12

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCSYNC], [MS-OXOABK]

Alternate names: PR_ORIGINAL_ENTRYID, ptagOriginalEntryId

2.903 PidTagOriginalMessageClass

Canonical name: PidTagOriginalMessageClass

Property ID: 0x004B

Data type: PtypString, 0x001F

Area: Secure Messaging Properties

References: [MS-OXTNEF]

Alternate names: PR_ORIG_MESSAGE_CLASS, PR_ORIG_MESSAGE_CLASS_A,
PR_ORIG_MESSAGE_CLASS_W

2.904 PidTagOriginalSearchKey

Canonical name: PidTagOriginalSearchKey

Property ID: 0x3A14

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_SEARCH_KEY, ptagOriginalSearchKey

2.905 PidTagOriginalSenderAddressType

Canonical name: PidTagOriginalSenderAddressType

Property ID: 0x0066

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ADDRTYPE,

PR_ORIGINAL_SENDER_ADDRTYPE_A, ptagOriginalSenderAddrType,

PR_ORIGINAL_SENDER_ADDRTYPE_W

2.906 PidTagOriginalSenderEmailAddress

Canonical name: PidTagOriginalSenderEmailAddress

Property ID: 0x0067

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_EMAIL_ADDRESS,

PR_ORIGINAL_SENDER_EMAIL_ADDRESS_A,

PR_ORIGINAL_SENDER_EMAIL_ADDRESS_W

2.907 PidTagOriginalSenderEntryId

Canonical name: PidTagOriginalSenderEntryId

Property ID: 0x005B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ENTRYID, ptagOriginalSenderEntryId

2.908 PidTagOriginalSenderName

Canonical name: PidTagOriginalSenderName

Property ID: 0x005A

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SENDER_NAME,

PR_ORIGINAL_SENDER_NAME_A, ptagOriginalSenderName,

PR_ORIGINAL_SENDER_NAME_W,

<http://schemas.microsoft.com/exchange/originalsendername>

2.909 PidTagOriginalSenderSearchKey

Canonical name: PidTagOriginalSenderSearchKey

Property ID: 0x005C

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_SEARCH_KEY,
ptagOriginalSenderSearchKey

2.910 PidTagOriginalSensitivity

Canonical name: PidTagOriginalSensitivity

Property ID: 0x002E

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENSITIVITY, ptagOriginalSensitivity

2.911 PidTagOriginalSentRepresentingAddressType

Canonical name: PidTagOriginalSentRepresentingAddressType

Property ID: 0x0068

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE,

PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_A,

ptagOriginalSentRepresentingAddrType,

PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_W

2.912 PidTagOriginalSentRepresentingEmailAddress

Canonical name: PidTagOriginalSentRepresentingEmailAddress

Property ID: 0x0069

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS,

PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_A,

PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.913 PidTagOriginalSentRepresentingEntryId

Canonical name: PidTagOriginalSentRepresentingEntryId

Property ID: 0x005E

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ENTRYID,

ptagOriginalSentRepresentingEntryId

2.914 PidTagOriginalSentRepresentingName

Canonical name: PidTagOriginalSentRepresentingName

Property ID: 0x005D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_NAME,
PR_ORIGINAL_SENT_REPRESENTING_NAME_A, ptagOriginalSentRepresentingName,
PR_ORIGINAL_SENT_REPRESENTING_NAME_W

2.915 PidTagOriginalSentRepresentingSearchKey

Canonical name: PidTagOriginalSentRepresentingSearchKey

Property ID: 0x005F

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_SEARCH_KEY,
ptagOriginalSentRepresentingSearchKey

2.916 PidTagOriginalSubject

Canonical name: PidTagOriginalSubject

Property ID: 0x0049

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCSYNC], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL SUBJECT, PR_ORIGINAL SUBJECT_A,
ptagOriginalSubject, PR_ORIGINAL SUBJECT_W,
<http://schemas.microsoft.com/exchange/originalsubject>,
http://schemas.microsoft.com/mapi/original_subject

2.917 PidTagOriginalSubmitTime

Canonical name: PidTagOriginalSubmitTime

Property ID: 0x004E

Data type: PtypTime, 0x0040

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SUBMIT_TIME, ptagOriginalSubmitTime,
<http://schemas.microsoft.com/exchange/originaldate>,
http://schemas.microsoft.com/mapi/original_submit_time

2.918 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: MIME Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED, http://schemas.microsoft.com/exchange/deliveryreportrequested

2.919 *PidTagOriginatorDeliveryReportRequested*

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: Email Property set

References: [MS-XWDMAIL]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED, http://schemas.microsoft.com/exchange/deliveryreportrequested

2.920 *PidTagOriginatorNonDeliveryReportRequested*

Canonical name: PidTagOriginatorNonDeliveryReportRequested

Property ID: 0x0C08

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_NON_DELIVERY_REPORT_REQUESTED

2.921 *PidTagOtherAddressCity*

Canonical name: PidTagOtherAddressCity

Property ID: 0x3A5F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_CITY, PR_OTHER_ADDRESS_CITY_A, PR_OTHER_ADDRESS_CITY_W, urn:schemas:contacts:othercity

2.922 *PidTagOtherAddressCountry*

Canonical name: PidTagOtherAddressCountry

Property ID: 0x3A60

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_COUNTRY, PR_OTHER_ADDRESS_COUNTRY_A, PR_OTHER_ADDRESS_COUNTRY_W, urn:schemas:contacts:othercountry

2.923 PidTagOtherAddressPostalCode

Canonical name: PidTagOtherAddressPostalCode

Property ID: 0x3A61

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_POSTAL_CODE,

PR_OTHER_ADDRESS_POSTAL_CODE_A,

PR_OTHER_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:otherpostalcode

2.924 PidTagOtherAddressPostOfficeBox

Canonical name: PidTagOtherAddressPostOfficeBox

Property ID: 0x3A64

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_POST_OFFICE_BOX,

PR_OTHER_ADDRESS_POST_OFFICE_BOX_A,

PR_OTHER_ADDRESS_POST_OFFICE_BOX_W,

urn:schemas:contacts:otherpostofficebox

2.925 PidTagOtherAddressStateOrProvince

Canonical name: PidTagOtherAddressStateOrProvince

Property ID: 0x3A62

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_STATE_OR_PROVINCE,

PR_OTHER_ADDRESS_STATE_OR_PROVINCE_A,

PR_OTHER_ADDRESS_STATE_OR_PROVINCE_W, urn:schemas:contacts:otherstate

2.926 PidTagOtherAddressStreet

Canonical name: PidTagOtherAddressStreet

Property ID: 0x3A63

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_STREET,

PR_OTHER_ADDRESS_STREET_A, PR_OTHER_ADDRESS_STREET_W,

urn:schemas:contacts:otherstreet

2.927 *PidTagOtherTelephoneNumber*

Canonical name: PidTagOtherTelephoneNumber

Property ID: 0x3A1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_TELEPHONE_NUMBER,

PR_OTHER_TELEPHONE_NUMBER_A, PR_OTHER_TELEPHONE_NUMBER_W,

urn:schemas:contacts:otherTelephone

2.928 *PidTagOutOfOfficeState*

Canonical name: PidTagOutOfOfficeState

Property ID: 0x661D

Data type: PtypBoolean, 0x000B

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_OOF_STATE, ptagOOFState

2.929 *PidTagOwnerAppointmentId*

Canonical name: PidTagOwnerAppointmentId

Property ID: 0x0062

Data type: PtypInteger32, 0x0003

Area: Appointment Property set

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_OWNER_APPT_ID,

http://schemas.microsoft.com/mapi/owner_appt_id

2.930 *PidTagPagerTelephoneNumber*

Canonical name: PidTagPagerTelephoneNumber

Property ID: 0x3A21

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PAGER_TELEPHONE_NUMBER,

PR_PAGER_TELEPHONE_NUMBER_A, PR_PAGER_TELEPHONE_NUMBER_W,

urn:schemas:contacts:pager

2.931 *PidTagParentEntryId*

Canonical name: PidTagParentEntryId

Property ID: 0x0E09

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCSPAM], [MS-OXOSFLD],

[MS-OXPFOAB]

Alternate names: PR_PARENT_ENTRYID, ptagParentEntryId

2.932 PidTagParentFolderId

Canonical name: PidTagParentFolderId

Property ID: 0x6749

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFXICS]

Alternate names: ptagParentFID

2.933 PidTagParentKey

Canonical name: PidTagParentKey

Property ID: 0x0025

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_PARENT_KEY, ptagParentKey

2.934 PidTagParentSourceKey

Canonical name: PidTagParentSourceKey

Property ID: 0x65E1

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PARENT_SOURCE_KEY

2.935 PidTagPersonalHomePage

Canonical name: PidTagPersonalHomePage

Property ID: 0x3A50

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PERSONAL_HOME_PAGE, PR_PERSONAL_HOME_PAGE_A, PR_PERSONAL_HOME_PAGE_W, urn:schemas:contacts:personalHomePage

2.936 PidTagPostalAddress

Canonical name: PidTagPostalAddress

Property ID: 0x3A15

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_POSTAL_ADDRESS, PR_POSTAL_ADDRESS_A, PR_POSTAL_ADDRESS_W, urn:schemas:contacts:mailingpostaladdress

2.937 PidTagPostalCode

Canonical name: PidTagPostalCode

Property ID: 0x3A2A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_POSTAL_CODE, PR_POSTAL_CODE_A, PR_POSTAL_CODE_W, PR_BUSINESS_ADDRESS_POSTAL_CODE, PR_BUSINESS_ADDRESS_POSTAL_CODE_A, PR_BUSINESS_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:mailingpostalcode

2.938 PidTagPostOfficeBox

Canonical name: PidTagPostOfficeBox

Property ID: 0x3A2B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_POST_OFFICE_BOX, PR_POST_OFFICE_BOX_A, PR_POST_OFFICE_BOX_W, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_A, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_W, urn:schemas:contacts:mailingpostofficebox

2.939 PidTagPredecessorChangeList

Canonical name: PidTagPredecessorChangeList

Property ID: 0x65E3

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PREDECESSOR_CHANGE_LIST

2.940 PidTagPrimaryFaxNumber

Canonical name: PidTagPrimaryFaxNumber

Property ID: 0x3A23

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PRIMARY_FAX_NUMBER, PR_PRIMARY_FAX_NUMBER_A, PR_PRIMARY_FAX_NUMBER_W, urn:schemas:contacts:otherfax

2.941 *PidTagPrimarySendAccount*

Canonical name: PidTagPrimarySendAccount
Property ID: 0x0E28
Data type: PtypString, 0x001F
Area: MapiNonTransmittable
References: [MS-OXOMSG]
Alternate names: PR_PRIMARY_SEND_ACCT

2.942 *PidTagPrimarySmtpAddress*

Canonical name: PidTagPrimarySmtpAddress
Property ID: 0x39FE
Data type: PtypString, 0x001F
Area: MapiAddressBook
References: [MS-OXCFXICS], [MS-OXOSRCH]
Alternate names: ptagPrimarySMTPAddress

2.943 *PidTagPrimaryTelephoneNumber*

Canonical name: PidTagPrimaryTelephoneNumber
Property ID: 0x3A1A
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_PRIMARY_TELEPHONE_NUMBER,
PR_PRIMARY_TELEPHONE_NUMBER_A,
PR_PRIMARY_TELEPHONE_NUMBER_W

2.944 *PidTagPriority*

Canonical name: PidTagPriority
Property ID: 0x0026
Data type: PtypInteger32, 0x0003
Area: Email Property set
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: PR_PRIORITY, ptagPriority, urn:schemas:httpmail:priority,
urn:schemas:httpmail:priority

2.945 *PidTagProcessed*

Canonical name: PidTagProcessed
Property ID: 0x7D01
Data type: PtypBoolean, 0x000B
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOTASK]
Alternate names: PR_PROCESSED

2.946 *PidTagProfession*

Canonical name: PidTagProfession

Property ID: 0x3A46

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PROFESSION, PR_PROFESSION_A, PR_PROFESSION_W, urn:schemas:contacts:profession

2.947 *PidTagProhibitReceiveQuota*

Canonical name: PidTagProhibitReceiveQuota

Property ID: 0x666A

Data type: PtypInteger32, 0x0003

Area: Exchange Administrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_RECEIVE_QUOTA, ptagProhibitReceiveQuota

2.948 *PidTagProhibitSendQuota*

Canonical name: PidTagProhibitSendQuota

Property ID: 0x666E

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_SEND_QUOTA, ptagProhibitSendQuota

2.949 *PidTagProviderSubmitTime*

Canonical name: PidTagProviderSubmitTime

Property ID: 0x0048

Data type: PtypTime, 0x0040

Area: Email

References: [MS-OXOMSG]

Alternate names: PR_PROVIDER_SUBMIT_TIME

2.950 *PidTagPublicFolderAdministrativeDescription*

Canonical name: PidTagPublicFolderAdministrativeDescription

Property ID: 0x671C

Data type: PtypString, 0x001F

Area: Folder Properties

References: [MS-XWDFOLD]

Alternate names: http://schemas.microsoft.com/exchange/adminfolderdescription

2.951 *PidTagPublicFolderProxy*

Canonical name: PidTagPublicFolderProxy

Property ID: 0x671D

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/folderproxy>

2.952 *PidTagPurportedSenderDomain*

Canonical name: PidTagPurportedSenderDomain

Property ID: 0x4083

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXCMAIL]

Alternate names: PR_PURPORTED_SENDER_DOMAIN

2.953 *PidTagRadioPhoneNumber*

Canonical name: PidTagRadioPhoneNumber

Property ID: 0x3A1D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_RADIO_TELEPHONE_NUMBER,

PR_RADIO_TELEPHONE_NUMBER_A, PR_RADIO_TELEPHONE_NUMBER_W

2.954 *PidTagRead*

Canonical name: PidTagRead

Property ID: 0x0E69

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable Property set

References: [MS-OXCTABL], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_READ, ptagRead, urn:schemas:httpmail:read

2.955 *PidTagReadReceiptEntryId*

Canonical name: PidTagReadReceiptEntryId

Property ID: 0x0046

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_ENTRYID, ptagReadReceiptEntryId

2.956 *PidTagReadReceiptRequested*

Canonical name: PidTagReadReceiptRequested

Property ID: 0x0029

Data type: PtypBoolean, 0x000B

Area: Email Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_READ_RECEIPT_REQUESTED, ptagReadReceiptRequested, <http://schemas.microsoft.com/exchange/readreceiptrequested>

2.957 *PidTagReadReceiptSearchKey*

Canonical name: PidTagReadReceiptSearchKey

Property ID: 0x0053

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_SEARCH_KEY, ptagReadReceiptSearchKey

2.958 *PidTagReceivedByAddressType*

Canonical name: PidTagReceivedByAddressType

Property ID: 0x0075

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_ADDRTYPE, PR_RECEIVED_BY_ADDRTYPE_A, ptagReceivedByAddrType, PR_RECEIVED_BY_ADDRTYPE_W

2.959 *PidTagReceivedByEmailAddress*

Canonical name: PidTagReceivedByEmailAddress

Property ID: 0x0076

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_EMAIL_ADDRESS, PR_RECEIVED_BY_EMAIL_ADDRESS_A, PR_RECEIVED_BY_EMAIL_ADDRESS_W

2.960 *PidTagReceivedById*

Canonical name: PidTagReceivedById

Property ID: 0x003F

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG],

[MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_ENTRYID

2.961 *PidTagReceivedByFlags*

Canonical name: PidTagReceivedByFlags

Property ID: 0x401B

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdByFlags

2.962 *PidTagReceivedByName*

Canonical name: PidTagReceivedByName

Property ID: 0x0040

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG],

[MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_NAME, PR_RECEIVED_BY_NAME_A,

PR_RECEIVED_BY_NAME_W

2.963 *PidTagReceivedBySearchKey*

Canonical name: PidTagReceivedBySearchKey

Property ID: 0x0051

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG],

[MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_SEARCH_KEY

2.964 *PidTagReceivedRepresentingAddressType*

Canonical name: PidTagReceivedRepresentingAddressType

Property ID: 0x0077

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE],

[MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_ADDRTYPE,

PR_RCVD_REPRESENTING_ADDRTYPE_A, pttagRcvdRepresentingAddrType,

PR_RCVD_REPRESENTING_ADDRTYPE_W

2.965 PidTagReceivedRepresentingEmailAddress

Canonical name: PidTagReceivedRepresentingEmailAddress

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_EMAIL_ADDRESS,
PR_RCVD_REPRESENTING_EMAIL_ADDRESS_A,
PR_RCVD_REPRESENTING_EMAIL_ADDRESS_W

2.966 PidTagReceivedRepresentingEntryId

Canonical name: PidTagReceivedRepresentingEntryId

Property ID: 0x0043

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_ENTRYID,
ptagRcvdRepresentingEntryId

2.967 PidTagReceivedRepresentingFlags

Canonical name: PidTagReceivedRepresentingFlags

Property ID: 0x401C

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingFlags

2.968 PidTagReceivedRepresentingName

Canonical name: PidTagReceivedRepresentingName

Property ID: 0x0044

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_NAME,
PR_RCVD_REPRESENTING_NAME_A, ptagRcvdRepresentingName,
PR_RCVD_REPRESENTING_NAME_W

2.969 PidTagReceivedRepresentingSearchKey

Canonical name: PidTagReceivedRepresentingSearchKey

Property ID: 0x0052

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD REPRESENTING_SEARCH_KEY, ptagRcvdRepresentingSearchKey

2.970 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXCMAIL], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingSimpleDispName

2.971 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXTNEF]

Alternate names:

2.972 PidTagRecipientDisplayName

Canonical name: PidTagRecipientDisplayName

Property ID: 0x5FF6

Data type: PtypString, 0x001F

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_DISPLAY_NAME,

PR_RECIPIENT_DISPLAY_NAME_W

2.973 PidTagRecipientEntryId

Canonical name: PidTagRecipientEntryId

Property ID: 0x5FF7

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_ENTRYID, ptagRecipientEntryId

2.974 PidTagRecipientFlags

Canonical name: PidTagRecipientFlags

Property ID: 0x5FFD

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_FLAGS

2.975 PidTagRecipientOrder

Canonical name: PidTagRecipientOrder

Property ID: 0x5FDF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_ORDER, ptagRecipientOrder

2.976 PidTagRecipientProposed

Canonical name: PidTagRecipientProposed

Property ID: 0x5FE1

Data type: PtypBoolean, 0x000B

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSED, ptagRecipientProposed

2.977 PidTagRecipientProposedEndTime

Canonical name: PidTagRecipientProposedEndTime

Property ID: 0x5FE4

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDENDTIME,

ptagRecipientProposedEndTime

2.978 PidTagRecipientProposedStartTime

Canonical name: PidTagRecipientProposedStartTime

Property ID: 0x5FE3

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDSTARTTIME,

ptagRecipientProposedStartTime

2.979 PidTagRecipientReassignmentProhibited

Canonical name: PidTagRecipientReassignmentProhibited

Property ID: 0x002B

Data type: PtypBoolean, 0x000B
Area: MapiEnvelope
References: [MS-OXCICAL], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_REASSIGNMENT_PROHIBITED, ptagRecipientReassignmentProhibited

2.980 *PidTagRecipientResourceState*

Canonical name: PidTagRecipientResourceState
Property ID: 0x5FDE
Data type: PtypInteger32, 0x0003
Area: TransportRecipient
References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_RESOURCESTATE

2.981 *PidTagRecipientTrackStatus*

Canonical name: PidTagRecipientTrackStatus
Property ID: 0x5FFF
Data type: PtypInteger32, 0x0003
Area: TransportRecipient
References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_TRACKSTATUS, ptagRecipientTrackStatus

2.982 *PidTagRecipientTrackStatusTime*

Canonical name: PidTagRecipientTrackStatusTime
Property ID: 0x5FFB
Data type: PtypTime, 0x0040
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_TRACKSTATUS_TIME, ptagRecipientTrackStatusTime

2.983 *PidTagRecipientType*

Canonical name: PidTagRecipientType
Property ID: 0x0C15
Data type: PtypInteger32, 0x0003
Area: MapiRecipient
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH]
Alternate names: PR_RECIPIENT_TYPE, ptagRecipientType

2.984 *PidTagRecordKey*

Canonical name: PidTagRecordKey
Property ID: 0x0FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK]

Alternate names: PR_RECORD_KEY, ptagRecordKey

2.985 *PidTagReferredByName*

Canonical name: PidTagReferredByName

Property ID: 0x3A47

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PRREFERRED_BY_NAME, PRREFERRED_BY_NAME_A, PRREFERRED_BY_NAME_W

2.986 *PidTagRemindersOnlineEntryId*

Canonical name: PidTagRemindersOnlineEntryId

Property ID: 0x36D5

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXOSFLD]

Alternate names: PR_Rem_Online_EntryId, ptagRemOnlineEntryId

2.987 *PidTagRemoteHeaderLoc*

Canonical name: PidTagRemoteHeaderLoc

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXODLGT]

Alternate names: PR_Remote_Header_Loc

2.988 *PidTagRenderingPosition*

Canonical name: PidTagRenderingPosition

Property ID: 0x370B

Data type: PtypInteger32, 0x0003

Area: MapiAttachment

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMMS], [MS-OXOTASK], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_Rendering_Position, ptagRenderingPosition

2.989 *PidTagReplyRecipientEntries*

Canonical name: PidTagReplyRecipientEntries

Property ID: 0x004F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_REPLY_RECIPIENT_ENTRIES, ptagReplyRecipientEntries, <http://schemas.microsoft.com/exchange/reply-to-base64>

2.990 *PidTagReplyRecipientNames*

Canonical name: PidTagReplyRecipientNames

Property ID: 0x0050

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_REPLY_RECIPIENT_NAMES,

PR_REPLY_RECIPIENT_NAMES_A, ptagReplyRecipientNames,

PR_REPLY_RECIPIENT_NAMES_W

2.991 *PidTagReplyRequested*

Canonical name: PidTagReplyRequested

Property ID: 0x0C17

Data type: PtypBoolean, 0x000B

Area: MapiRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR]

Alternate names: PR_REPLY_REQUESTED, ptagReplyRequested

2.992 *PidTagReplyTemplateId*

Canonical name: PidTagReplyTemplateId

Property ID: 0x65C2

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_REPLY_TEMPLATE_ID, ptagReplyTemplateId

2.993 *PidTagReplyTime*

Canonical name: PidTagReplyTime

Property ID: 0x0030

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDMAIL]

Alternate names: PR_REPLY_TIME, urn:schemas:httpmail:reply-by, http://schemas.microsoft.com/exchange/reply-by-iso

2.994 PidTagReportEntryId

Canonical name: PidTagReportEntryId

Property ID: 0x0045

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_ENTRYID, ptagReportEntryId

2.995 PidTagReportSearchKey

Canonical name: PidTagReportSearchKey

Property ID: 0x0054

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_SEARCH_KEY, ptagReportSearchKey

2.996 PidTagReportTag

Canonical name: PidTagReportTag

Property ID: 0x0031

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TAG, ptagReportTag

2.997 PidTagReportText

Canonical name: PidTagReportText

Property ID: 0x1001

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TEXT, PR_REPORT_TEXT_A, ptagReportText, PR_REPORT_TEXT_W

2.998 PidTagReportTime

Canonical name: PidTagReportTime

Property ID: 0x0032

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCSPAM], [MS-XWDMAIL]

Alternate names: PR_REPORT_TIME, ptagReportTime,
<http://schemas.microsoft.com/exchange/reporttime>

2.999 PidTagResolveMethod

Canonical name: PidTagResolveMethod

Property ID: 0x3FE7

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_RESOLVE_METHOD, ptagResolveMethod

2.1000 PidTagResponseRequested

Canonical name: PidTagResponseRequested

Property ID: 0x0063

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_RESPONSE_REQUESTED,

urn:schemas:calendar:responserequested,

http://schemas.microsoft.com/mapi/response_requested

2.1001 PidTagResponsibility

Canonical name: PidTagResponsibility

Property ID: 0x0E0F

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCFXICS]

Alternate names: PR_RESPONSIBILITY, ptagResponsibility

2.1002 PidTagRights

Canonical name: PidTagRights

Property ID: 0x6639

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_RIGHTS, ptagRights

2.1003 PidTagRoamingDatatypes

Canonical name: PidTagRoamingDatatypes

Property ID: 0x7C06

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DATATYPES

2.1004 PidTagRoamingDictionary

Canonical name: PidTagRoamingDictionary

Property ID: 0x7C07

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DICTIONARY

2.1005 PidTagRoamingXmlStream

Canonical name: PidTagRoamingXmlStream

Property ID: 0x7C08

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_XMLSTREAM

2.1006 PidTagRowid

Canonical name: PidTagRowid

Property ID: 0x3000

Data type: PtypInteger32, 0x0003

Area: MapiCommon

References: [MS-OXCFXICS]

Alternate names: PR_ROWID, ptagRowId

2.1007 PidTagRowType

Canonical name: PidTagRowType

Property ID: 0x0FF5

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCTABL]

Alternate names: PR_ROW_TYPE, ptagRowType

2.1008 PidTagRtfCompressed

Canonical name: PidTagRtfCompressed

Property ID: 0x1009

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],

[MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOMSG], [MS-

[OXORMMS], [MS-OXRTFCP], [MS-OXRTFEX], [MS-OXTNEF]
Alternate names: PR_RTF_COMPRESSED, ptagRTFCompressed

2.1009 PidTagRtfInSync

Canonical name: PidTagRtfInSync

Property ID: 0x0E1F

Data type: PtypBoolean, 0x000B

Area: Email

References: [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

Alternate names: PR_RTF_IN_SYNC, ptagRTFInSync

2.1010 PidTagRtfSyncBodyCount

Canonical name: PidTagRtfSyncBodyCount

Property ID: 0x1007

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_COUNT, ptagRTFSyncBodyCount

2.1011 PidTagRtfSyncBodyCrc

Canonical name: PidTagRtfSyncBodyCrc

Property ID: 0x1006

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_CRC, ptagRTFSyncBodyCRC

2.1012 PidTagRtfSyncBodyTag

Canonical name: PidTagRtfSyncBodyTag

Property ID: 0x1008

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_TAG, PR_RTF_SYNC_BODY_TAG_A, ptagRTFSyncBodyTag, PR_RTF_SYNC_BODY_TAG_W

2.1013 PidTagRtfSyncPrefixCount

Canonical name: PidTagRtfSyncPrefixCount

Property ID: 0x1010

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_PREFIX_COUNT

2.1014 PidTagRtfSyncTrailingCount

Canonical name: PidTagRtfSyncTrailingCount

Property ID: 0x1011

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_TRAILING_COUNT

2.1015 PidTagRuleActionNumber

Canonical name: PidTagRuleActionNumber

Property ID: 0x6650

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_NUMBER, ptagRuleActionNumber

2.1016 PidTagRuleActions

Canonical name: PidTagRuleActions

Property ID: 0x6680

Data type: PtypServerEntryId, 0x00FE

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_ACTIONS, ptagRuleActions

2.1017 PidTagRuleActionType

Canonical name: PidTagRuleActionType

Property ID: 0x6649

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_TYPE, ptagRuleActionType

2.1018 PidTagRuleCondition

Canonical name: PidTagRuleCondition

Property ID: 0x6679

Data type: PtypServerEntryId, 0x00FD

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_CONDITION, ptagRuleCondition

2.1019 PidTagRuleError

Canonical name: PidTagRuleError

Property ID: 0x6648

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ERROR, ptagRuleError

2.1020 PidTagRuleFolderEntryId

Canonical name: PidTagRuleFolderEntryId

Property ID: 0x6651

Data type: PtypBinary, 0x0102

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_FOLDER_ENTRYID, ptagRuleFolderEntryId

2.1021 PidTagRuleId

Canonical name: PidTagRuleId

Property ID: 0x6674

Data type: PtypInteger64, 0x0014

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_ID, ptagRuleId

2.1022 PidTagRuleLevel

Canonical name: PidTagRuleLevel

Property ID: 0x6683

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_LEVEL, ptagRuleLevel

2.1023 PidTagRuleMessageState

Canonical name: PidTagRuleMessageState

Property ID: 0x65E9

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1024 PidTagRuleMsgLevel

Canonical name: PidTagRuleMsgLevel

Property ID: 0x65ED

Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.1025 *PidTagRuleMsgName*

Canonical name: PidTagRuleMsgName
Property ID: 0x65EC
Data type: PtypString, 0x001F
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: ptagRuleMsgName

2.1026 *PidTagRuleMsgProvider*

Canonical name: PidTagRuleMsgProvider
Property ID: 0x65EB
Data type: PtypString, 0x001F
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: ptagRuleMsgProvider

2.1027 *PidTagRuleMsgProviderData*

Canonical name: PidTagRuleMsgProviderData
Property ID: 0x65EE
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.1028 *PidTagRuleMsgSequence*

Canonical name: PidTagRuleMsgSequence
Property ID: 0x65F3
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.1029 *PidTagRuleMsgState*

Canonical name: PidTagRuleMsgState
Property ID: 0x65E9
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1030 PidTagRuleMsgUserFlags

Canonical name: PidTagRuleMsgUserFlags

Property ID: 0x65EA

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.1031 PidTagRuleName

Canonical name: PidTagRuleName

Property ID: 0x6682

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_NAME, PR_RULE_NAME_A, ptagRuleName,

PR_RULE_NAME_W

2.1032 PidTagRuleProvider

Canonical name: PidTagRuleProvider

Property ID: 0x6681

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER, ptagRuleProvider, PR_RULE_PROVIDER_W

2.1033 PidTagRuleProviderData

Canonical name: PidTagRuleProviderData

Property ID: 0x6684

Data type: PtypBinary, 0x0102

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER_DATA, ptagRuleProviderData

2.1034 PidTagRuleSequence

Canonical name: PidTagRuleSequence

Property ID: 0x6676

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXODLGT],

[MS-OXORULE]

Alternate names: PR_RULE_SEQUENCE, ptagRuleSequence

2.1035 PidTagRuleState

Canonical name: PidTagRuleState

Property ID: 0x6677

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_STATE, ptagRuleState

2.1036 PidTagRuleUserFlags

Canonical name: PidTagRuleUserFlags

Property ID: 0x6678

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_USER_FLAGS, ptagRuleUserFlags

2.1037 PidTagScheduleInfoAppointmentTombstone

Canonical name: PidTagScheduleInfoAppointmentTombstone

Property ID: 0x686A

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOCAL]

Alternate names: PR_SCHDINFO_APPT_TOMBSTONE

2.1038 PidTagScheduleInfoAutoAcceptAppointments

Canonical name: PidTagScheduleInfoAutoAcceptAppointments

Property ID: 0x686D

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_AUTO_ACCEPT_APPTS

2.1039 PidTagScheduleInfoDelegateEntryIds

Canonical name: PidTagScheduleInfoDelegateEntryIds

Property ID: 0x6845

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_ENTRYIDS

2.1040 PidTagScheduleInfoDelegateNames

Canonical name: PidTagScheduleInfoDelegateNames

Property ID: 0x6844

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES

2.1041 PidTagScheduleInfoDelegateNamesW

Canonical name: PidTagScheduleInfoDelegateNamesW

Property ID: 0x684A

Data type: PtypString, 0x001F

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES_W

2.1042 PidTagScheduleInfoDelegatorWantsCopy

Canonical name: PidTagScheduleInfoDelegatorWantsCopy

Property ID: 0x6842

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXODLGT], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_BOSS_WANTS_COPY

2.1043 PidTagScheduleInfoDelegatorWantsInfo

Canonical name: PidTagScheduleInfoDelegatorWantsInfo

Property ID: 0x684B

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXODLGT], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_BOSS_WANTS_INFO

2.1044 PidTagScheduleInfoDisallowOverlappingAppts

Canonical name: PidTagScheduleInfoDisallowOverlappingAppts

Property ID: 0x686F

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DISALLOW_OVERLAPPING_APPTS

2.1045 PidTagScheduleInfoDisallowRecurringAppts

Canonical name: PidTagScheduleInfoDisallowRecurringAppts

Property ID: 0x686E

Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DISALLOW_RECURRING_APPTS

2.1046 *PidTagScheduleInfoDontMailDelegates*

Canonical name: PidTagScheduleInfoDontMailDelegates
Property ID: 0x6843
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DONT_MAIL_DELEGATES

2.1047 *PidTagScheduleInfoFreeBusy*

Canonical name: PidTagScheduleInfoFreeBusy
Property ID: 0x686C
Data type: PtypBinary, 0x0102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY

2.1048 *PidTagScheduleInfoFreeBusyAway*

Canonical name: PidTagScheduleInfoFreeBusyAway
Property ID: 0x6856
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY_OOF

2.1049 *PidTagScheduleInfoFreeBusyBusy*

Canonical name: PidTagScheduleInfoFreeBusyBusy
Property ID: 0x6854
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY_BUSY

2.1050 *PidTagScheduleInfoFreeBusyMerged*

Canonical name: PidTagScheduleInfoFreeBusyMerged
Property ID: 0x6850
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_MERGED

2.1051 PidTagScheduleInfoFreeBusyTentative

Canonical name: PidTagScheduleInfoFreeBusyTentative

Property ID: 0x6852

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_TENTATIVE

2.1052 PidTagScheduleInfoMonthsAway

Canonical name: PidTagScheduleInfoMonthsAway

Property ID: 0x6855

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_OOF

2.1053 PidTagScheduleInfoMonthsBusy

Canonical name: PidTagScheduleInfoMonthsBusy

Property ID: 0x6853

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_BUSY

2.1054 PidTagScheduleInfoMonthsMerged

Canonical name: PidTagScheduleInfoMonthsMerged

Property ID: 0x684F

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_MERGED

2.1055 PidTagScheduleInfoMonthsTentative

Canonical name: PidTagScheduleInfoMonthsTentative

Property ID: 0x6851

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_TENTATIVE

2.1056 PidTagScheduleInfoResourceType

Canonical name: PidTagScheduleInfoResourceType

Property ID: 0x6841

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_RESOURCE_TYPE

2.1057 PidTagSchedulePlusFreeBusyEntryId

Canonical name: PidTagSchedulePlusFreeBusyEntryId

Property ID: 0x6622

Data type: PtypBinary, 0x0102

Area: Exchange Message Store

References: [MS-OXOPFFB]

Alternate names: PR_SPLUS_FREE_BUSY_ENTRYID

2.1058 PidTagScriptData

Canonical name: PidTagScriptData

Property ID: 0x0004

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-OXOABKT]

Alternate names: PR_EMS_SCRIPT_BLOB

2.1059 PidTagSearchFolderDefinition

Canonical name: PidTagSearchFolderDefinition

Property ID: 0x6845

Data type: PtypBinary, 0x0102

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_DEFINITION

2.1060 PidTagSearchFolderEfpFlags

Canonical name: PidTagSearchFolderEfpFlags

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_EFP_FLAGS

2.1061 PidTagSearchFolderExpiration

Canonical name: PidTagSearchFolderExpiration

Property ID: 0x683A

Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_EXPIRATION

2.1062 PidTagSearchFolderId

Canonical name: PidTagSearchFolderId
Property ID: 0x6842
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOCFG], [MS-OXOSRCH]
Alternate names: PR_WB_SF_ID

2.1063 PidTagSearchFolderLastUsed

Canonical name: PidTagSearchFolderLastUsed
Property ID: 0x6834
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_LAST_USED

2.1064 PidTagSearchFolderReCreateInfo

Canonical name: PidTagSearchFolderReCreateInfo
Property ID: 0x6844
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_RECREATE_INFO

2.1065 PidTagSearchFolderStorageType

Canonical name: PidTagSearchFolderStorageType
Property ID: 0x6846
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_STORAGE_TYPE

2.1066 PidTagSearchFolderTag

Canonical name: PidTagSearchFolderTag
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Search

References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TAG

2.1067 PidTagSearchFolderTemplateId

Canonical name: PidTagSearchFolderTemplateId
Property ID: 0x6841
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TEMPLATE_ID

2.1068 PidTagSearchKey

Canonical name: PidTagSearchKey
Property ID: 0x300B
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORULE], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SEARCH_KEY, ptagSearchKey

2.1069 PidTagSecureSubmitFlags

Canonical name: PidTagSecureSubmitFlags
Property ID: 0x65C6
Data type: PtypInteger32, 0x0003
Area: Exchange
References: [MS-OXCFXICS]
Alternate names: PR_SECURE_SUBMIT_FLAGS, ptagSecureSubmitFlags

2.1070 PidTagSecurityDescriptor

Canonical name: PidTagSecurityDescriptor
Property ID: 0x0E27
Data type: PtypBinary, 0x0102
Area: Access Control Properties
References: [MS-OXCMSG]
Alternate names: PR_NT_SECURITY_DESCRIPTOR

2.1071 PidTagSecurityDescriptorAsXml

Canonical name: PidTagSecurityDescriptorAsXml
Property ID: 0x0E6A
Data type: PtypString, 0x001F
Area: Access Control Properties Property set
References: [MS-OXCPERM], [MS-XWDVSEC]

Alternate names: PR_NT_SECURITY_DESCRIPTOR_AS_XML,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_A,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_W,
<http://schemas.microsoft.com/exchange/security/descriptor>

2.1072 PidTagSelectable

Canonical name: PidTagSelectable

Property ID: 0x3609

Data type: PtypBoolean, 0x000B

Area: AB Container

References: [MS-OXOABKT]

Alternate names: PR_SELECTABLE

2.1073 PidTagSenderAddressType

Canonical name: PidTagSenderAddressType

Property ID: 0x0C1E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENDER_ADDRTYPE, PR_SENDER_ADDRTYPE_A,
ptagSenderAddrType, PR_SENDER_ADDRTYPE_W

2.1074 PidTagSenderEmailAddress

Canonical name: PidTagSenderEmailAddress

Property ID: 0x0C1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXOMSG],
[MS-OXORSS], [MS-OXOTASK], [MS-OXPSVAL], [MS-OXTNEF]

Alternate names: PR_SENDER_EMAIL_ADDRESS,
PR_SENDER_EMAIL_ADDRESS_A, PR_SENDER_EMAIL_ADDRESS_W

2.1075 PidTagSenderEntryId

Canonical name: PidTagSenderEntryId

Property ID: 0x0C19

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST],
[MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENDER_ENTRYID, ptagSenderEntryId

2.1076 PidTagSenderFlags

Canonical name: PidTagSenderFlags

Property ID: 0x4019

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagSenderFlags

2.1077 PidTagSenderIdStatus

Canonical name: PidTagSenderIdStatus

Property ID: 0x4079

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCMAIL], [MS-OXCSPAM]

Alternate names: PR_SENDER_ID_STATUS

2.1078 PidTagSenderName

Canonical name: PidTagSenderName

Property ID: 0x0C1A

Data type: PtypString, 0x001F

Area: Address Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_SENDER_NAME, PR_SENDER_NAME_A, ptagSenderName, PR_SENDER_NAME_W, urn:schemas:httpmail:sendername, http://schemas.microsoft.com/exchange/sender-name-utf8

2.1079 PidTagSenderSearchKey

Canonical name: PidTagSenderSearchKey

Property ID: 0x0C1D

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

Alternate names: PR_SENDER_SEARCH_KEY, ptagSenderSearchKey

2.1080 PidTagSenderSimpleDisplayName

Canonical name: PidTagSenderSimpleDisplayName

Property ID: 0x4030

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSenderSimpleDispName

2.1081 PidTagSenderTelephoneNumber

Canonical name: PidTagSenderTelephoneNumber

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaSenderTelephoneNumber

2.1082 PidTagSendInternetEncoding

Canonical name: PidTagSendInternetEncoding

Property ID: 0x3A71

Data type: PtypInteger32, 0x0003

Area: Address Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_INTERNET_ENCODING, ptagSendInternetEncoding

2.1083 PidTagSendRichInfo

Canonical name: PidTagSendRichInfo

Property ID: 0x3A40

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_RICH_INFO, ptagSendRichInfo

2.1084 PidTagSensitivity

Canonical name: PidTagSensitivity

Property ID: 0x0036

Data type: PtypInteger32, 0x0003

Area: General Message Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_SENSITIVITY, ptagSensitivity,

<http://schemas.microsoft.com/exchange/sensitivity-long>,

<http://schemas.microsoft.com/exchange/sensitivity>

2.1085 PidTagSentMailEntryId

Canonical name: PidTagSentMailEntryId

Property ID: 0x0E0A

Data type: PtypBinary, 0x0102
Area: MapiNonTransmittable
References: [MS-OXCICAL]
Alternate names: PR_SENTMAIL_ENTRYID, ptagSentMailEntryId

2.1086 *PidTagSentMailSvrEID*

Canonical name: PidTagSentMailSvrEID
Property ID: 0x6740
Data type: PtypServerEntryId, 0x00FB
Area: ProviderDefinedNonTransmittable
References: [MS-OXCSTOR], [MS-OXOMSG]
Alternate names: ptagSentMailSvrEID

2.1087 *PidTagSentRepresentingAddressType*

Canonical name: PidTagSentRepresentingAddressType
Property ID: 0x0064
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SENT_REPRESENTING_ADDRTYPE, PR_SENT_REPRESENTING_ADDRTYPE_A, ptagSentRepresentingAddrType, PR_SENT_REPRESENTING_ADDRTYPE_W

2.1088 *PidTagSentRepresentingEmailAddress*

Canonical name: PidTagSentRepresentingEmailAddress
Property ID: 0x0065
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SENT_REPRESENTING_EMAIL_ADDRESS, PR_SENT_REPRESENTING_EMAIL_ADDRESS_A, PR_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.1089 *PidTagSentRepresentingEntryId*

Canonical name: PidTagSentRepresentingEntryId
Property ID: 0x0041
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK],

[MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_ENTRYID, ptagSentRepresentingEntryId

2.1090 PidTagSentRepresentingFlags

Canonical name: PidTagSentRepresentingFlags

Property ID: 0x401A

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagSentRepresentingFlags

2.1091 PidTagSentRepresentingName

Canonical name: PidTagSentRepresentingName

Property ID: 0x0042

Data type: PtypString, 0x001F

Area: Address Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_SENT_REPRESENTING_NAME,

PR_SENT_REPRESENTING_NAME_A, ptagSentRepresentingName,

PR_SENT_REPRESENTING_NAME_W, urn:schemas:httpmail:fromname,

http://schemas.microsoft.com/exchange/from-name-utf8

2.1092 PidTagSentRepresentingSearchKey

Canonical name: PidTagSentRepresentingSearchKey

Property ID: 0x003B

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

Alternate names: PR_SENT_REPRESENTING_SEARCH_KEY,

ptagSentRepresentingSearchKey

2.1093 PidTagSentRepresentingSimpleDisplayName

Canonical name: PidTagSentRepresentingSimpleDisplayName

Property ID: 0x4031

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSentRepresentingSimpleDispName

2.1094 PidTagSmtpAddress

Canonical name: PidTagSmtpAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXSHARE]

Alternate names: PR_SMTP_ADDRESS, PR_SMTP_ADDRESS_A, PR_SMTP_ADDRESS_W

2.1095 PidTagSortLocaleId

Canonical name: PidTagSortLocaleId

Property ID: 0x6705

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR], [MS-OXPFOAB]

Alternate names: PR_SORT_LOCALE_ID, ptagSortLocaleId

2.1096 PidTagSourceKey

Canonical name: PidTagSourceKey

Property ID: 0x65E0

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_SOURCE_KEY

2.1097 PidTagSpouseName

Canonical name: PidTagSpouseName

Property ID: 0x3A48

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_SPOUSE_NAME, PR_SPOUSE_NAME_A,

PR_SPOUSE_NAME_W, urn:schemas:contacts:spousecn

2.1098 PidTagStartDate

Canonical name: PidTagStartDate

Property ID: 0x0060

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_START_DATE, http://schemas.microsoft.com/mapi/start_date

2.1099 *PidTagStateOrProvince*

Canonical name: PidTagStateOrProvince

Property ID: 0x3A28

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_STATE_OR_PROVINCE, PR_STATE_OR_PROVINCE_A, PR_STATE_OR_PROVINCE_W, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_A, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_W, urn:schemas:contacts:mailingstate

2.1100 *PidTagStoreEntryId*

Canonical name: PidTagStoreEntryId

Property ID: 0x0FFB

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXOFLAG], [MS-OXSHARE]

Alternate names: PR_STORE_ENTRYID, ptagStoreEntryId

2.1101 *PidTagStoreState*

Canonical name: PidTagStoreState

Property ID: 0x340E

Data type: PtypInteger32, 0x0003

Area: MapiMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_STORE_STATE

2.1102 *PidTagStoreSupportMask*

Canonical name: PidTagStoreSupportMask

Property ID: 0x340D

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXMSG]

Alternate names: PR_STORE_SUPPORT_MASK, ptagStoreSupportMask

2.1103 *PidTagStreetAddress*

Canonical name: PidTagStreetAddress

Property ID: 0x3A29

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_STREET_ADDRESS, PR_STREET_ADDRESS_A,

PR_STREET_ADDRESS_W, PR_BUSINESS_ADDRESS_STREET,
PR_BUSINESS_ADDRESS_STREET_A, PR_BUSINESS_ADDRESS_STREET_W,
urn:schemas:contacts:mailingstreet

2.1104 PidTagSubfolder

Canonical name: PidTagSubfolder

Property ID: 0x6708

Data type: PtypBoolean, 0x000B

Area: ExchangeAdministrative Property set

References: [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_SUBFOLDER, ptagSubfolder, DAV:isfolder

2.1105 PidTagSubfolders

Canonical name: PidTagSubfolders

Property ID: 0x360A

Data type: PtypBoolean, 0x000B

Area: MapiContainer

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-XWDFOLD]

Alternate names: PR_SUBFOLDERS, ptagSubFolders, DAV:hassubs

2.1106 PidTagSubject

Canonical name: PidTagSubject

Property ID: 0x0037

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXCTABL], [MS-OXMSG], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOPFFB], [MS-OXORULE], [MS-OXPROTO], [MS-OXPSVAL], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR SUBJECT, PR SUBJECT_A, ptagSubject, PR SUBJECT_W, urn:schemas:httpmail:subject, http://schemas.microsoft.com/exchange/subject-utf8

2.1107 PidTagSubjectPrefix

Canonical name: PidTagSubjectPrefix

Property ID: 0x003D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORSS], [MS-OXOSMMS], [MS-OXSHARE], [MS-OXTNEF]

Alternate names: PR SUBJECT_PREFIX, PR SUBJECT_PREFIX_A, ptagSubjectPrefix, PR SUBJECT_PREFIX_W

2.1108 PidTagSubmitFlags

Canonical name: PidTagSubmitFlags

Property ID: 0x0E14

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SUBMIT_FLAGS, ptagSubmitFlags

2.1109 PidTagSurname

Canonical name: PidTagSurname

Property ID: 0x3A11

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_SURNAME, PR_SURNAME_A, PR_SURNAME_W,
urn:schemas:contacts:sn

2.1110 PidTagSwappedToDoData

Canonical name: PidTagSwappedToDoData

Property ID: 0x0E2D

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_SWAPPED_TODO_DATA, ptagSwappedTodoData

2.1111 PidTagSwappedToDoStore

Canonical name: PidTagSwappedToDoStore

Property ID: 0x0E2C

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_SWAPPED_TODO_STORE, ptagSwappedTodoStore

2.1112 PidTagTargetEntryId

Canonical name: PidTagTargetEntryId

Property ID: 0x3010

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCRPC], [MS-OXCSYNC], [MS-OXOMSG]

Alternate names: PR_TARGET_ENTRYID, ptagTargetEntryId

2.1113 PidTagTcvConstLongOne

Canonical name: PidTagTcvConstLongOne

Property ID: 0x8008

Data type: PtypInteger32, 0x0003

Area: PST Internal

References: [MS-OXCTABL]

Alternate names: PR_TCV_CONST_LONG_ONE

2.1114 PidTagTelecommunicationsDeviceForDeafPhoneNumber

Canonical name: PidTagTelecommunicationsDeviceForDeafPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-XWDCNTC]

Alternate names: PR_TTYTDD_PHONE_NUMBER,

PR_TTYTDD_PHONE_NUMBER_A, PR_TTYTDD_PHONE_NUMBER_W,

urn:schemas:contacts:ttytddphone

2.1115 PidTagTelexNumber

Canonical name: PidTagTelexNumber

Property ID: 0x3A2C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_TELEX_NUMBER, PR_TELEX_NUMBER_A,

PR_TELEX_NUMBER_W, urn:schemas:contacts:telexnumber

2.1116 PidTagTemplateData

Canonical name: PidTagTemplateData

Property ID: 0x0001

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-OXOABKT]

Alternate names: PR_EMS_TEMPLATE_BLOB

2.1117 PidTagTemplateid

Canonical name: PidTagTemplateid

Property ID: 0x3902

Data type: PtypBinary, 0x0102

Area: MapiAddressBook

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_TEMPLATEID

2.1118 PidTagTemporaryDefaultDocument

Canonical name: PidTagTemporaryDefaultDocument

Property ID: 0x3F20

Data type: PtypString, 0x001F

Area: Structured Documents Property set

References: [MS-XWDSTRUCTDOC], [MS-XWDCAL]

Alternate names: DAV:defaultdocument

2.1119 PidTagTextAttachmentCharset

Canonical name: PidTagTextAttachmentCharset

Property ID: 0x371B

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names: ptagTextAttachmentCharset

2.1120 PidTagTitle

Canonical name: PidTagTitle

Property ID: 0x3A17

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_TITLE, PR_TITLE_A, PR_TITLE_W, urn:schemas:contacts:title

2.1121 PidTagTnefCorrelationKey

Canonical name: PidTagTnefCorrelationKey

Property ID: 0x007F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXTNEF]

Alternate names: PR_TNEF_CORRELATION_KEY

2.1122 PidTagToDoItemFlags

Canonical name: PidTagToDoItemFlags

Property ID: 0x0E2B

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD]

Alternate names: PR_TODO_ITEM_FLAGS, ptagToDoItemFlags

2.1123 PidTagTransmittableDisplayName

Canonical name: PidTagTransmittableDisplayName

Property ID: 0x3A20

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_TRANSMITTABLE_DISPLAY_NAME,

PR_TRANSMITTABLE_DISPLAY_NAME_A, ptagTransmittableDisplayName,

PR_TRANSMITTABLE_DISPLAY_NAME_W

2.1124 PidTagTransportMessageHeaders

Canonical name: PidTagTransportMessageHeaders

Property ID: 0x007D

Data type: PtypString, 0x001F

Area: EMail

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_TRANSPORT_MESSAGE_HEADERS,

PR_TRANSPORT_MESSAGE_HEADERS_A,

PR_TRANSPORT_MESSAGE_HEADERS_W

2.1125 PidTagTrustSender

Canonical name: PidTagTrustSender

Property ID: 0x0E79

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_TRUST_SENDER, ptagTrustSender

2.1126 PidTagTtyTddPhoneNumber

Canonical name: PidTagTtyTddPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_TTYTDD_PHONE_NUMBER

2.1127 PidTagUrlCompName

Canonical name: PidTagUrlCompName

Property ID: 0x10F3

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_URL_COMP_NAME, PR_URL_COMP_NAME_A, PR_URL_COMP_NAME_W, ptagURLCompName

2.1128 PidTagUrlCompNameSet

Canonical name: PidTagUrlCompNameSet

Property ID: 0x0E62

Data type: PtypBoolean, 0x000B

Area: ID Properties

References: [MS-OXCMSG]

Alternate names: ptagURLCompNameSet

2.1129 PidTagUrlName

Canonical name: PidTagUrlName

Property ID: 0x6707

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_URL_NAME, PR_URL_NAME_A, PR_URL_NAME_W, ptagURLName, DAV:href

2.1130 PidTagUserCertificate

Canonical name: PidTagUserCertificate

Property ID: 0x3A22

Data type: PtypBinary, 0x0102

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-XWDCNTC]

Alternate names: PR_USER_CERTIFICATE, ptagUserCertificate, urn:schemas:contacts:usercertificate

2.1131 PidTagUserEntryId

Canonical name: PidTagUserEntryId

Property ID: 0x6619

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_USER_ENTRYID, ptagUserEntryId

2.1132 PidTagUserX509Certificate

Canonical name: PidTagUserX509Certificate

Property ID: 0x3A70

Data type: PtypMultipleBinary, 0x1102

Area: MapiMailUser

References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_USER_X509_CERTIFICATE

2.1133 PidTagViewDescriptorBinary

Canonical name: PidTagViewDescriptorBinary

Property ID: 0x7001

Data type: PtypBinary, 0x0102

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_BINARY

2.1134 PidTagViewDescriptorName

Canonical name: PidTagViewDescriptorName

Property ID: 0x7006

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_NAME, PR_VD_NAME_W

2.1135 PidTagViewDescriptorStrings

Canonical name: PidTagViewDescriptorStrings

Property ID: 0x7002

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_STRINGS, PR_VD_STRINGS_W

2.1136 PidTagViewDescriptorVersion

Canonical name: PidTagViewDescriptorVersion

Property ID: 0x7007

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXOCFG]

Alternate names: PR_VD_VERSION

2.1137 PidTagVoiceMessageAttachmentOrder

Canonical name: PidTagVoiceMessageAttachmentOrder

Property ID: 0x6805

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL], [MS-OXOUM]

Alternate names: InternalSchemaVoiceMessageAttachmentOrder

2.1138 PidTagVoiceMessageDuration

Canonical name: PidTagVoiceMessageDuration

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaVoiceMessageDuration

2.1139 PidTagVoiceMessageSenderName

Canonical name: PidTagVoiceMessageSenderName

Property ID: 0x6803

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaVoiceMessageSenderName

2.1140 PidTagWeddingAnniversary

Canonical name: PidTagWeddingAnniversary

Property ID: 0x3A41

Data type: PtypTime, 0x0040

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_WEDDING_ANNIVERSARY,

urn:schemas:contacts:weddinganniversary

3 Structure Examples

None.

4 Security Considerations

There are no security considerations unique to this specification.

5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Microsoft Office Outlook 2003
- Microsoft Exchange Server 2003
- Microsoft Office Outlook 2007
- Microsoft Exchange Server 2007

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies Office/Exchange does not follow the prescription.

Index

Appendix A

 Office/Exchange behavior, 279

Introduction, 30

 Applicability statement, 38

 Glossary, 30

 References, 30

 Relationship to protocols and other structures, 38

 Structure Overview, 33

 Vendor-extensible fields, 39

 Versioning and localization, 39

References

 Informative references, 33

 Normative references, 30

Security considerations, 279

Structure examples, 279

Structures, 39